



# The bidi Package

Source documentation for [version 41.5](#)

to my Master, *Ferdowsi The Great*

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please use the issue tracker:

<https://github.com/xepersian/bidi/issues>

In doing so, please always explain your issue well enough, and always include a minimal working example showing the issue.

You may also have conversations, ask questions and post answers without opening issues using the Discussions space:

<https://github.com/xepersian/bidi/discussions>

The announcements for the new releases of the package will also appear in the Discussions space under the Announcements category.

Copyright (c) 2007–2025 Vafa Khalighi  
Copyright (c) 2018–2020 bidi-tex GitHub Organization

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L<sup>A</sup>T<sub>E</sub>X Project Public License, either version 1.3c of this license or (at your option) any later version.

# The *bidi* Package

## Bidirectional typesetting in plain $\TeX$ and $\LaTeX$ , using Xe $\TeX$ engine

Source documentation for [version 41.5](#)

Vafa Khalighi\*

January 8, 2025

### Contents

1	File <code>amsart-xetex-bidi.def</code>	5	18	File <code>beamerbasecompatibility-xetex-bidi.def</code>	44
2	File <code>adjmulticol-xetex-bidi.def</code>	7	19	File <code>beamerbaseframecomponents-xetex-bidi.def</code>	44
3	File <code>algorithm2e-xetex-bidi.def</code>	8	20	File <code>beamerbaseframesize-xetex-bidi.def</code>	51
4	File <code>amsbook-xetex-bidi.def</code>	8	21	File <code>beamerbaselocalstructure-xetex-bidi.def</code>	54
5	File <code>amsmath-xetex-bidi.def</code>	11	22	File <code>beamerbasemisc-xetex-bidi.def</code>	55
6	File <code>amstext-xetex-bidi.def</code>	11	23	File <code>beamerbasenavigation-xetex-bidi.def</code>	56
7	File <code>amsthm-xetex-bidi.def</code>	11	24	File <code>beamerbaseoverlay-xetex-bidi.def</code>	58
8	File <code>array-xetex-bidi.def</code>	12	25	File <code>beamerinnerthemedefault-xetex-bidi.def</code>	58
9	File <code>article-xetex-bidi.def</code>	13	26	File <code>beamerinnerthemecircles-xetex-bidi.def</code>	62
10	File <code>artikel1-xetex-bidi.def</code>	17	27	File <code>beamerinnerthemefocus-xetex-bidi.def</code>	62
11	File <code>artikel2-xetex-bidi.def</code>	22	28	File <code>beamerinnerthemeinmargin-xetex-bidi.def</code>	63
12	File <code>artikel3-xetex-bidi.def</code>	26	29	File <code>beamerinnerthememetropolis-xetex-bidi.def</code>	65
13	File <code>arydshln-xetex-bidi.def</code>	31	30	File <code>beamerinnerthemerectangles-xetex-bidi.def</code>	67
14	File <code>beamer-xetex-bidi.def</code>	34	31	File <code>beamerinnerthemrounded-xetex-bidi.def</code>	67
15	File <code>beamerbaseauxtemplates-xetex-bidi.def</code>	34	32	File <code>beamerouterthemedefault-xetex-bidi.def</code>	68
16	File <code>beamerbaseboxes-xetex-bidi.def</code>	40	33	File <code>beamerouterthemefocus-xetex-bidi.def</code>	69
17	File <code>beamerbasecolor-xetex-bidi.def</code>	42	34	File <code>beamerouterthemeinfolines-xetex-bidi.def</code>	71

\*Thanks to the `bidi-tex` GitHub organization consisted of David Carlisle and other members of the  $\LaTeX$  team for maintaining the package in the period 2018–2020.



95	File footnote-xetex-bidi.def	305	125	File overpic-xetex-bidi.def	378
96	File footnotebackref-xetex-bidi.def	312	126	File pdfbase-xetex-bidi.def	378
97	File framed-xetex-bidi.def	313	127	File pdfscape-xetex-bidi.def	379
98	File ftnright-xetex-bidi.def	316	128	File pdfpages-xetex-bidi.def	379
99	File graphicx-xetex-bidi.def	321	129	File pgfcorescopes.code-xetex-bidi.def	380
100	File geometry-xetex-bidi.def	323	130	File pgfsys-xetex-bidi.def	381
101	File hvfloat-xetex-bidi.def	324	131	File picinpar-xetex-bidi.def	381
102	File hyperref-xetex-bidi.def	330	132	File plain-xetex-bidi.def	384
103	File imsproc-xetex-bidi.def	341	133	File pstricks-xetex-bidi.def	386
104	File leqno-xetex-bidi.def	343	134	File quotchap-xetex-bidi.def	387
105	File letter-xetex-bidi.def	343	135	File ragged2e-xetex-bidi.def	387
106	File lettrine-xetex-bidi.def	343	136	File rapport1-xetex-bidi.def	389
107	File lineno-xetex-bidi.def	344	137	File rapport3-xetex-bidi.def	394
108	File listings-xetex-bidi.def	345	138	File refrep-xetex-bidi.def	399
109	File longtable-xetex-bidi.def	347	139	File report-xetex-bidi.def	402
110	File lscape-xetex-bidi.def	350	140	File rotating-xetex-bidi.def	406
111	File mathtools-xetex-bidi.def	350	141	File scrartcl-xetex-bidi.def	409
112	File mdframed-xetex-bidi.def	351	142	File scrbook-xetex-bidi.def	422
113	File media9-xetex-bidi.def	352	143	File screprt-xetex-bidi.def	437
114	File bidi-media9.sty	352	144	File sidecap-xetex-bidi.def	451
115	File memoir-xetex-bidi.def	363	145	File soul-xetex-bidi.def	452
116	File midfloat-xetex-bidi.def	366	146	File stabular-xetex-bidi.def	453
117	File minitoc-xetex-bidi.def	370	147	File subfigure-xetex-bidi.def	453
118	File multicol-xetex-bidi.def	371	148	File tabs-xetex-bidi.def	453
119	File multienum-xetex-bidi.def	374	149	File tabularx-xetex-bidi.def	454
120	File natbib-xetex-bidi.def	375	150	File tabulary-xetex-bidi.def	456
121	File newfloat-xetex-bidi.def	376	151	File tc-xetex-xetex-bidi.def	456
122	File nicematrix-xetex-bidi.def	377	152	File tcolorbox-xetex-bidi.def	457
123	File ntheorem-xetex-bidi.def	377	153	File titlesec-xetex-bidi.def	457
124	File ntheorem-hyper-xetex-bidi.def	377	154	File titletoc-xetex-bidi.def	458



155	File tocbibind-xetex-bidi.def	458	160	File wrapfig-xetex-bidi.def	487
156	File tocloft-xetex-bidi.def	460	161	File xcolor-xetex-bidi.def	489
157	File tocbasic-xetex-bidi.def	466	162	File latex-xetex-bidi.def	491
158	File tocstyle-xetex-bidi.def	480	163	File xltextra-xetex-bidi.def	509
159	File todonotes-xetex-bidi.def	485	164	Index	509



## 1 File amsart-xetex-bidi.def

```
1 \ProvidesFile{amsart-xetex-bidi.def}[2017/08/09 v1.1 bidi adaptations for amsart class for X
2 \def\tocline#1#2#3#4#5#6#7{\relax
3 \ifnum #1>\c@tocdepth % then omit
4 \else
5 \par \addpenalty\@secpenalty\addvspace{#2}%
6 \begingroup \hyphenpenalty\@M
7 \ifempty{#4}{%
8 \@tempdima\csname r@tocindent\number#1\endcsname\relax
9 }{%
10 \@tempdima#4\relax
11 }%
12 \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\
13 \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
14 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
15 \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
16 \nobreak
17 \endgroup
18 \fi}
19 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
20 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
21 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
22 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
23 \def\part{\@startsection{part}{0}%
24 \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
25 {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
26 \def\right@footnoterule{%
27 \kern-.4\p@
28 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
29 \kern11\p@\kern-\footnotesep}
30 \def\left@footnoterule{\kern-.4\p@
31 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
32
33
34 \long\def\@footnotetext#1{%
35 \insert\footins{%
36 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
37 \reset@font%
38 \bidi@@footnotetext@font% \normalfont\footnotesize
39 \interlinepenalty\interfootnotelinepenalty
40 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
41 \floatingpenalty\@MM \hsize\columnwidth
42 \@parboxrestore \parindent\normalparindent \sloppy
43 \protected@edef\@currentlabel{%
44 \csname p@footnote\endcsname\@thefnmark}%
45 \@makefnmark%
46 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
47
48 \long\def\@RTLfootnotetext#1{%
49 \insert\footins{%
50 \@RTLtrue%
51 \reset@font%
52 \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
```



```

53 \interlinepenalty\interfootnotelinepenalty
54 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
55 \floatingpenalty\@MM \hsize\columnwidth
56 \@parboxrestore \parindent\normalparindent \sloppy
57 \protected@edef\@currentlabel{%
58 \csname p@footnote\endcsname\@thefnmark}%
59 \@makefntext{%
60 \rule{z@\footnotesep\ignorespaces#1\unskip\strut\par}}
61
62
63
64 \long\def\@LTRfootnotetext#1{%
65 \insert\footins{%
66 \RTLfalse%
67 \reset@font%
68 \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
69 \interlinepenalty\interfootnotelinepenalty
70 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
71 \floatingpenalty\@MM \hsize\columnwidth
72 \@parboxrestore \parindent\normalparindent \sloppy
73 \protected@edef\@currentlabel{%
74 \csname p@footnote\endcsname\@thefnmark}%
75 \@makefntext{%
76 \rule{z@\footnotesep\ignorespaces#1\unskip\strut\par}}
77
78
79 \footdir@temp\footdir@ORG@bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
80 \footdir@temp\footdir@ORG@bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
81 \footdir@temp\footdir@ORG@bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
82
83 \renewenvironment{thebibliography}[1]{%
84 \@bibtitlestyle
85 \normalfont\bibliofont\labelsep .5em\relax
86 \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
87 \ifRTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
88 \bidi@thebibliography@font@hook%
89 \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
90 \leftmargin\labelwidth \advance\leftmargin\labelsep
91 \usecounter{enumiv}}%
92 \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
93 \sfcode`.\=@m
94 }{%
95 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
96 \endlist
97 }
98 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
99 \columnseprule{z@ \columnsep 35\p@
100 \@indextitlestyle
101 \thispagestyle{plain}%
102 \let\item\@idxitem
103 \parindent\z@ \parskip\z@\@plus.3\p@\relax
104 \ifRTL\raggedleft\else\raggedright\fi
105 \hyphenpenalty\@M
106 \footnotesize}

```



```

107 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
108 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
109 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
110 \def\maketitle{\par
111 \@topnum\z@ % this prevents figures from falling at the top of page 1
112 \setcopyright
113 \thispagestyle{firstpage}% this sets first page specifications
114 \uppercase\shorttitle
115 \ifx\@empty\shortauthors \let\shortauthors\shorttitle
116 \else \andify\shortauthors
117 \fi
118 \@maketitle@hook
119 \begingroup
120 \@maketitle
121 \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
122 \toks4\def\{\ \ignorespaces}}% defend against questionable usage
123 \edef\@tempa{%
124 \@nx\markboth{\the\toks4
125 \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
126 \@tempa
127 \endgroup
128 \c@footnote\z@
129 \cleartopmattertags
130 }

```

## 2 File adjmulticol-xetex-bidi.def

```

131 \ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol p
132 \def\adjmulticols#1#2#3{\col@number#1\relax
133 \def\@tempa{#2}%
134 \ifx\@tempa\@empty\adjmc@inner\z@\else\adjmc@inner#2\fi
135 \def\@tempa{#3}%
136 \ifx\@tempa\@empty\adjmc@outer\z@\else\adjmc@outer#3\fi
137 \ifnum\col@number<\@ne
138 \PackageWarning{adjmulticol}%
139 {Using '\number\col@number'
140 columns doesn't seem a good idea.^^J
141 I therefore use one columns instead}%
142 \col@number\@ne\fi
143 \ifnum\col@number>10
144 \PackageError{adjmulticol}%
145 {Too many columns}%
146 {Current implementation doesn't
147 support more than 10 columns.%
148 \MessageBreak
149 I therefore use 10 columns instead}%
150 \col@number10 \fi
151 \ifx\@footnotetext\mult@footnotetext\else
152 \let\orig@footnotetext\@footnotetext
153 \let\@footnotetext\mult@footnotetext
154 \fi
155 \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
156 \let\orig@LTRfootnotetext\@LTRfootnotetext
157 \let\@LTRfootnotetext\mult@LTRfootnotetext

```





```

158 \fi
159 \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
160 \let\orig@RTLfootnotetext\@RTLfootnotetext
161 \let\@RTLfootnotetext\mult@RTLfootnotetext
162 \fi
163 \@ifnextchar[\adjmult@cols{\adjmult@cols[]}]{}
164 \let\adjmc@page@sofar@orig=\page@sofar

```

### 3 File algorithm2e-xetex-bidi.def

```

165 \ProvidesFile{algorithm2e-xetex-bidi.def}[2025/01/03 v0.3 bidi adaptations for algorithm2e p
166 \expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
167 \else%
168 \renewcommand\thealgocf{\csname the\algocf@within\endcsname\@SepMark\@arabic@c@algocf}%
169 \fi
170 \ApplyPatchIfPackageLoadedF{color}{%
171 \bidi@patchcmd{\@algocf@start}{\bgroup}{%
172 \bgroup
173 \if@RTL
174 \beginR
175 \else
176 \beginL
177 \fi
178 }{}{}
179 \bidi@patchcmd{\@algocf@finish}{\egroup\end{lrbox}}{%
180 \if@RTL
181 \endR
182 \else
183 \endL
184 \fi
185 \egroup
186 \end{lrbox}}%
187 }{}{}
188 \bidi@patchcmd{\algocf@makecaption}{\hbox}{%
189 \if@RTL
190 \hboxR
191 \else
192 \hboxL
193 \fi
194 }{}{}
195 }
196
197 \@ifpackagewith{algorithm2e}{algonl}{%
198 \renewcommand{\theAlgoLine}{\expandafter\csname the\algocf@float\endcsname\@SepMark\arabic{A
199 }}{}
200
201 \@ifpackagewith{algorithm2e}{algotpart}{\renewcommand{\algocf@within}{part}}{}
202
203 \@ifpackagewith{algorithm2e}{algotchapter}{\renewcommand{\algocf@within}{chapter}}{}
204
205 \@ifpackagewith{algorithm2e}{algotsection}{\renewcommand{\algocf@within}{section}}{}

```

### 4 File amsbook-xetex-bidi.def



```

206 \ProvidesFile{amsbook-xetex-bidi.def}[2017/08/09 v1.2 bidi adaptations for amsbook class for
207 \def\@tocline#1#2#3#4#5#6#7{\relax
208 \ifnum #1>\c@tocdepth % then omit
209 \else
210 \par \addpenalty\@secpenalty\addvspace{#2}%
211 \begingroup \hyphenpenalty\@M
212 \@ifempty{#4}{%
213 \@tempdima\csname r@tocindent\number#1\endcsname\relax
214 }{%
215 \@tempdima#4\relax
216 }%
217 \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi
218 \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
219 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
220 \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
221 \nobreak
222 \endgroup
223 \fi}
224 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
225 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
226 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
227 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
228 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
229 \columnseprule\z@ \columnsep 35\p@
230 \@indextitlestyle
231 \thispagestyle{plain}%
232 \let\item\@idxitem
233 \parindent\z@ \parskip\z@\@plus.3\p@\relax
234 \if@RTL\raggedleft\else\raggedright\fi
235 \hyphenpenalty\@M
236 \footnotesize}
237 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
238 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
239 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
240 \def\right@footnoterule{%
241 \kern-.4\p@
242 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
243 \kern11\p@\kern-\footnotesep}
244 \def\left@footnoterule{\kern-.4\p@
245 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
246
247 \long\def\@footnotetext#1{%
248 \insert\footins{%
249 \if@RTL\footnote\@RTLtrue\else\@RTLfalse\fi%
250 \reset@font%
251 \bidi@footnotetext@font% \normalfont\footnotesize
252 \interlinepenalty\interfootnotelinepenalty
253 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
254 \floatingpenalty\@MM \hsize\columnwidth
255 \@parboxrestore \parindent\normalparindent \sloppy
256 \protected@edef\@currentlabel{%
257 \csname p@footnote\endcsname\@thefnmark}%
258 \@makefnmark%
259 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}

```



```

260
261 \long\def\@RTLfootnotetext#1{%
262   \insert\footins{%
263     \RTLtrue%
264     \reset@font%
265     \bidi@RTLfootnotetext@font% \normalfont\footnotesize
266     \interlinepenalty\interfootnotelinepenalty
267     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
268     \floatingpenalty\@MM \hsize\columnwidth
269     \@parboxrestore \parindent\normalparindent \sloppy
270     \protected@edef\@currentlabel{%
271       \csname p@footnote\endcsname\@thefnmark}%
272     \@makefntext{%
273       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
274
275
276 \long\def\@LTRfootnotetext#1{%
277   \insert\footins{%
278     \RTLfalse%
279     \reset@font%
280     \bidi@LTRfootnotetext@font% \normalfont\footnotesize
281     \interlinepenalty\interfootnotelinepenalty
282     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
283     \floatingpenalty\@MM \hsize\columnwidth
284     \@parboxrestore \parindent\normalparindent \sloppy
285     \protected@edef\@currentlabel{%
286       \csname p@footnote\endcsname\@thefnmark}%
287     \@makefntext{%
288       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
289
290
291
292 \footdir@temp\footdir@ORG@bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
293 \footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
294 \footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%
295
296 \renewenvironment{thebibliography}[1]{%
297   \@bibtitlestyle
298   \normalfont\bibliofont\labelsep .5em\relax
299   \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
300   \ifRTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@LTRbibitems\@RTLtrue\else\fi\fi
301   \bidi@thebibliography@font@hook%
302   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
303     \leftmargin\labelwidth \advance\leftmargin\labelsep
304     \usecounter{enumiv}}%
305   \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
306   \sfcode`\.=\@m
307 }{%
308 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
309 \endlist
310 }
311 \def\@makechapterhead#1{\global\topskip 7.5pc\relax
312 \begingroup
313 \fontsize{\@xivpt}{18}\bfseries\centering

```



```

314 \ifnum\c@secnumdepth>\m@ne
315 \leavevmode \hskip-\if@RTL\rightskip\else\leftskip\fi
316 \rlap{\vbox to\z@{\vss
317 \centerline{\normalsize\mdseries
318 \uppercase\@xp{\chaptername}\enspace\thechapter}
319 \vskip 3pc}}\hskip\if@RTL\rightskip\else\leftskip\fi\fi
320 #1\par \endgroup
321 \skip@34\p@ \advance\skip@-\normalbaselineskip
322 \vskip\skip@ }
323 \def\maketitle{\par
324 \topnum\z@ % this prevents figures from falling at the top of page 1
325 \begingroup
326 \@maketitle
327 \endgroup
328 \c@footnote\z@
329 \def\do##1{\let##1\relax}%
330 \do\maketitle \do\@maketitle \do\title \do\@xtitle \do\@title
331 \do\author \do\@xauthor \do\address \do\@xaddress
332 \do\email \do\@xemail \do\curraddr \do\@xcurraddr
333 \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
334 \do\keywords \do\@keywords \do\subjclass \do\@subjclass
335 }

```

## 5 File amsmath-xetex-bidi.def

```

336 \ProvidesFile{amsmath-xetex-bidi.def}[2020/05/16 v1.2 bidi adaptations for amsmath package f
337 \let\veqno=\eqno
338 \iftagsleft@ \let\veqno=\leqno \fi
339 \renewcommand{\numberwithin}[3][\arabic]{%
340 \ifundefined{c@#2}{\@nocounterr{#2}}{%
341 \ifundefined{c@#3}{\@nocnterr{#3}}{%
342 \addtoreset{#2}{#3}%
343 \xp\xdef\csname the#2\endcsname{%
344 \xp\@nx\csname the#3\endcsname \@nx\@SepMark\@nx#1{#2}}}%
345 }
346 \def\tagform@#1{\maketag@@@{\if@nonlatin\beginR\fi(\kern\z@\ignorespaces#1\unskip\@italicco
347
348 \bidi@patchcmd\math@cr@@@align\place@tag{%
349 \place@tag
350 \else
351 \place@tag
352 }{}{}
353

```

## 6 File amstext-xetex-bidi.def

```

354 \ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package f
355 \def\textdef@#1#2#3{\hbox{%
356 \everymath{#1}%
357 \let\fontsize#2\selectfont
358 \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}

```

## 7 File amsthm-xetex-bidi.def



```

359 \ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for
360 \def\@thmcountersep{\@SepMark}

```

## 8 File array-xetex-bidi.def

```

361 \ProvidesFile{array-xetex-bidi.def}[2024/12/10 v0.5 bidi adaptations for array package for X
362 \def\@testpach{\@chclass
363 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
364 \ifnum \@lastchclass=7 5 \else
365 \ifnum \@lastchclass=8 \tw@ \else
366 \ifnum \@lastchclass=9 \thr@@
367 \else \z@
368 \ifnum \@lastchclass = 10 \else
369 \edef\@nextchar{\expandafter\string\@nextchar}%
370 \@chnum
371 \if \@nextchar c\z@ \else
372 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
373 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
374 \z@ \@chclass
375 \if \@nextchar |\@ne \else
376 \if \@nextchar !6 \else
377 \if \@nextchar @7 \else
378 \if \@nextchar <8 \else
379 \if \@nextchar >9 \else
380 10
381 \@chnum
382 \if \@nextchar m\thr@@ \else
383 \if \@nextchar p4 \else
384 \if \@nextchar b5 \else
385 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi
386 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
387 \def\@tabular{%
388 \leavevmode
389 \hbox \bgroup\if@RTLtab\beginR \fi
390 \UseTaggingSocket{tbl/hmode/begin}%
391 $\col@sep\tabc@sep \let\d@llarbegin\beginR \let\d@llarend\endR
392 \let\d@llarend\endgroup
393 \@tabarray}
394 \def\endtabular{\endarray\m@th $
395 \UseTaggingSocket{tbl/hmode/end}%
396 \if@RTLtab\endR\fi\egroup
397 }
398 \expandafter\let\c@name endtabular*\endc@name=\endtabular
399 \ExplSyntaxOn
400 \def\@array[#1]#2{
401 \@tempdima \ht \strutbox
402 \advance \@tempdima by\extrarowheight
403 \setbox \@arstrutbox \hbox{\vrule
404 \@height \arraystretch \@tempdima
405 \@depth \arraystretch \dp \strutbox
406 \@width \z@}%
407 \tbl_save_outer_table_cols:
408 \beginR
409 \mkpream{#2}%

```



```

410 \tbl_count_table_cols:
411 \xdef\@preamble{
412   \noexpand \ar@ialign
413   \@halignto
414   \bgroup \@arstrut
415   \UseTaggingSocket{tbl/row/begin}
416   \tbl_init_cell_data_for_row:
417   \@preamble
418   \tabskip \z@ \cr}
419 \endgroup
420 \@arrayleft
421 \if #1\vtop \else \if#1b\vbox \else \vcenter \fi \fi
422 \bgroup
423 \let \@sharp ##\let \protect \relax
424 \lineskip \z@
425 \baselineskip \z@
426 \mathsurround \z@
427 \let\\\@arraycr \let\tabularnewline\\\let\par\@empty
428 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1\vtop \else \vbox \fi\bgroup\fi
429 \UseTaggingSocket{tbl/init}
430 \@preamble
431 }
432 \ExplSyntaxOff
433 \let\@array\@array
434 \ExplSyntaxOn
435 \def\endarray {
436   \tbl_crcr:n{endarray} \egroup
437   \UseTaggingSocket{tbl/finalize}
438   \tbl_restore_outer_cell_data:
439   \if@RTLtab\egroup\endR\egroup\fi
440   \egroup
441   \@arrayright \gdef\@preamble{}%
442 }
443 \ExplSyntaxOff
444 \def\array{\col@sep\arraycolsep
445   \def\d@llarbegin{${}\let\d@llarend\d@llarbegin\def\@halignto{}}%
446   \@RTLtabfalse\@tabarray}

```

## 9 File article-xetex-bidi.def

```

447 \ProvidesFile{article-xetex-bidi.def}[2025/01/05 v0.9 bidi adaptations for standard article]
448 \IfClassLoadedT{svmult}{\endinput}
449 \if@titlepage
450   \renewcommand\maketitle{\begin{titlepage}%
451     \let\footnotesize\small
452     \let\right@footnoterule\relax
453     \let\left@footnoterule\relax
454     \let\textwidth@footnoterule\relax
455     \let \footnote \thanks
456     \let \LTRfootnote \LTRthanks
457     \let \RTLfootnote \RTLthanks
458     \null\vfil
459     \vskip 60\p@
460     \begin{center}%

```



```

461   {\LARGE \@title \par}%
462   \vskip 3em%
463   {\large
464     \lineskip .75em%
465     \begin{tabular}[t]{c}%
466       \@author
467     \end{tabular}\par}%
468   \vskip 1.5em%
469   {\large \@date \par}%           % Set date in \large size.
470 \end{center}\par
471 \@thanks
472 \vfil\null
473 \end{titlepage}%
474 \setcounter{footnote}{0}%
475 \global\let\thanks\relax
476 \global\let\LTRthanks\relax
477 \global\let\RTLthanks\relax
478 \global\let\maketitle\relax
479 \global\let\@thanks\@empty
480 \global\let\@author\@empty
481 \global\let\@date\@empty
482 \global\let\@title\@empty
483 \global\let\title\relax
484 \global\let\author\relax
485 \global\let\date\relax
486 \global\let\and\relax
487 }
488 \else
489 \renewcommand\maketitle{\par
490   \begingroup
491     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
492     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
493     \long\def\@makefntext##1{\parindent 1em\noindent
494       \hb@xt@1.8em{%
495         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
496     \if@twocolumn
497       \ifnum \col@number=\@one
498         \@maketitle
499       \else
500         \twocolumn[\@maketitle]%
501       \fi
502     \else
503       \newpage
504       \global\@topnum\z@   % Prevents figures from going at top of page.
505       \@maketitle
506     \fi
507     \thispagestyle{plain}\@thanks
508   \endgroup
509   \setcounter{footnote}{0}%
510   \global\let\thanks\relax
511   \global\let\LTRthanks\relax
512   \global\let\RTLthanks\relax
513   \global\let\maketitle\relax
514   \global\let\@maketitle\relax

```



```

515 \global\let\thanks\@empty
516 \global\let\author\@empty
517 \global\let\@date\@empty
518 \global\let\@title\@empty
519 \global\let\title\relax
520 \global\let\author\relax
521 \global\let\date\relax
522 \global\let\and\relax
523 }
524 \def\@maketitle{%
525 \newpage
526 \null
527 \vskip 2em%
528 \begin{center}%
529 \let \footnote \thanks
530 \let \LTRfootnote \LTRthanks
531 \let \RTLfootnote \RTLthanks
532 {\LARGE \@title \par}%
533 \vskip 1.5em%
534 {\large
535 \lineskip .5em%
536 \begin{tabular}[t]{c}%
537 \@author
538 \end{tabular}\par}%
539 \vskip 1em%
540 {\large \@date}%
541 \end{center}%
542 \par
543 \vskip 1.5em}
544 \fi
545 \renewcommand*\l@part[2]{%
546 \ifnum \c@tocdepth >-2\relax
547 \addpenalty\@secpenalty
548 \addvspace{2.25em \@plus\p@}%
549 \setlength\@tempdima{3em}%
550 \begingroup
551 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
552 \parfillskip -\@pnumwidth
553 {\leavevmode
554 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
555 \nobreak
556 \if@compatibility
557 \global\@nobreaktrue
558 \everypar{\global\@nobreakfalse\everypar{}}%
559 \fi
560 \endgroup
561 \fi}
562 \renewcommand*\l@section[2]{%
563 \ifnum \c@tocdepth >\z@
564 \addpenalty\@secpenalty
565 \addvspace{1.0em \@plus\p@}%
566 \setlength\@tempdima{1.5em}%
567 \begingroup
568 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth

```





```

569     \parfillskip -\@pnumwidth
570     \leavevmode \bfseries
571     \advance\if@RTL\righskip\else\leftskip\fi\@tempdima
572     \hskip -\if@RTL\righskip\else\leftskip\fi
573     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
574   \endgroup
575 \fi}
576 \renewcommand\left@footnoterule{%
577   \kern-3\p@
578   \hrule\@width.4\columnwidth
579   \kern2.6\p@}
580 \renewcommand\right@footnoterule{%
581   \kern-3\p@
582   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
583   \kern2.6\p@}
584 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
585 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
586 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
587 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
588 \def\@part[#1]#2{%
589   \ifnum \c@secnumdepth >\m@ne
590     \refstepcounter{part}%
591     \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
592   \else
593     \addcontentsline{toc}{part}{#1}%
594   \fi
595   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
596     \interlinepenalty \@M
597     \normalfont
598     \ifnum \c@secnumdepth >\m@ne
599       \Large\bfseries \partname\nobreakspace\thepart
600       \par\nobreak
601     \fi
602     \huge \bfseries #2%
603     \markboth{}{\par}%
604     \nobreak
605     \vskip 3ex
606     \@afterheading}
607 \ApplyPatchIfPackageLoaded{nameref}{%
608   \bidi@patchcmd\NR@spart\raggedright{%
609     \if@RTL\raggedleft\else\raggedright\fi
610   }{\bidi@warningnoline{Oops! patching `string\NR@spart' failed}}%
611 }{%
612   \bidi@patchcmd\@spart\raggedright{%
613     \if@RTL\raggedleft\else\raggedright\fi
614   }{\bidi@warningnoline{Oops! patching `string\@spart' failed}}%
615 }
616 \renewenvironment{thebibliography}[1]
617   {\section*{\refname}%
618     \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
619     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
620     \bidi@@thebibliography@font@hook%
621     \list{\@biblabel{\@arabic\c@enumiv}}%
622     {\settowidth\labelwidth{\@biblabel{#1}}%

```



```

623         \leftmargin\labelwidth
624         \advance\leftmargin\labelsep
625         \@openbib@code
626         \usecounter{enumiv}%
627         \let\p@enumiv\@empty
628         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
629     \sloppy
630     \clubpenalty4000
631     \@clubpenalty \clubpenalty
632     \widowpenalty4000%
633     \sfcode`. \@m}
634     {\def\noitemerr
635      {\@latex@warning{Empty `thebibliography' environment}}}%
636     \endlist}
637 \renewenvironment{theindex}
638     {\if@twocolumn
639      \@restonecolfalse
640      \else
641      \@restonecoltrue
642      \fi
643      \columnseprule \z@
644      \columnsep 35\p@
645      \twocolumn[\section*{\indexname}]%
646      \@mkboth{\MakeUppercase\indexname}%
647              {\MakeUppercase\indexname}%
648      \thispagestyle{plain}\parindent\z@
649      \parskip\z@ \@plus .3\p@\relax
650      \let\item\@idxitem}
651     {\if@restonecol\onecolumn\else\clearpage\fi}

```

## 10 File artikel1-xetex-bidi.def

```

652 \ProvidesFile{artikel1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel1 class f
653 \renewenvironment{theindex}{%
654   \if@twocolumn
655     \@restonecolfalse
656   \else
657     \@restonecoltrue
658   \fi
659   \columnseprule \z@
660   \columnsep 35\p@
661   \twocolumn[\section*{\indexname}]%
662   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
663   \thispagestyle{plain}\parindent\z@
664   \parskip\z@ \@plus .3\p@\relax
665   \let\item\@idxitem
666 }{%
667   \if@restonecol\onecolumn\else\clearpage\fi}
668 \renewcommand*\head@style{%
669   \interlinepenalty \@M
670   \hyphenpenalty=\@M \exhyphenpenalty=\@M
671   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsizel\relax}
672 \if@titlepage
673 \renewenvironment{abstract}{%

```



```

674     \titlepage
675     \null\vfil
676     \section*{\SectFont\abstractname}
677     \noindent\ignorespaces}
678     {\par\vfil\null\endtitlepage}
679 \else
680 \renewenvironment{abstract}{%
681     \if@twocolumn
682     \section*{\abstractname}%
683     \else
684     \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
685     \section*{\small\SectFont\abstractname}%
686     \noindent\ignorespaces
687     \fi}
688     {\if@twocolumn\else\par\egroup\fi}
689 \fi
690 \renewcommand*\@regtocline[3]{%
691     \ifnum #1>\c@tocdepth
692     \else
693     \vskip\z@\@plus.2\p@
694     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
695     \if@RTL\rightskip\else\leftskip\fi\unitindent
696     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
697     \parfillskip\z@
698     \@tempdima\unitindent
699     \parindent\z@
700     \leavevmode
701     \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
702     \hskip 1em \nobreak{\slshape #3}\par
703     }%
704     \fi}
705 \if@oldtoc
706 \renewcommand*\l@part[2]{%
707     \ifnum \c@tocdepth >-2\relax
708     \addpenalty\@secpenalty
709     \addvspace{2.25em \@plus\p@}%
710     \begingroup
711     \setlength\@tempdima{3em}%
712     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
713     \parfillskip -\@pnumwidth
714     {\leavevmode
715     \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
716     \nobreak
717     \if@compatibility
718     \global\@nobreaktrue
719     \everypar{\global\@nobreakfalse\everypar{}}%
720     \fi
721     \endgroup
722     \fi}
723 \else
724 \renewcommand*\l@part{%
725     \ifnum \c@tocdepth >-2\relax
726     \addpenalty\@secpenalty
727     \addvspace{2.25em \@plus \p@}%

```



```

728     \@regtocline{0}%
729     \fi}
730 \fi
731 \if@oldtoc
732 \renewcommand*\l@section[2]{%
733     \addpenalty\@secpenalty
734     \addvspace{1.0em \@plus\p@}%
735     \setlength\@tempdima{1.5em}%
736     \begingroup
737     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
738     \parfillskip -\@pnumwidth
739     \leavevmode \bfseries
740     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
741     \hskip -\if@RTL\rightskip\else\leftskip\fi
742     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
743     \endgroup}
744 \else
745     \renewcommand*\l@section{\@regtocline{1}}
746 \fi
747 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
748 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
749 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
750 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
751 \renewenvironment{thebibliography}[1]
752     {\section*\@refname}%
753     \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
754     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
755     \bidi@thebibliography@font@hook%
756     \list{\@biblabel{\@arabic\c@enumiv}}%
757         {\settowidth\labelwidth{\@biblabel{#1}}%
758         \leftmargin\labelwidth
759         \advance\leftmargin\labelsep
760         \@openbib@code
761         \usecounter{enumiv}%
762         \let\p@enumiv\@empty
763         \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
764     \sloppy\clubpenalty4000\widowpenalty4000%
765     \sfcode\.\@m}
766     {\def\@noitemerr
767         {\@latex@warning{Empty `thebibliography' environment}}}%
768     \endlist}
769 \renewcommand*\left@footnoterule{%
770     \kern-3\p@
771     \kern.5\baselineskip
772     \hrule\@width\unitindent
773     \kern.4\baselineskip
774 }
775 \renewcommand*\right@footnoterule{%
776     \kern-3\p@
777     \kern.5\baselineskip
778     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
779     \kern.4\baselineskip}
780 \if@titlepage
781 \renewcommand*\TitleFont{\rmfamily}

```



```

782 \renewcommand*\maketitle{%
783 \begin{titlepage}%
784 \let\footnotesize\small
785 \let\right@footnoterule\relax
786 \let\left@footnoterule\relax
787 \let\textwidth@footnoterule\relax
788 \let \footnote \thanks
789 \long\def\@makefnmark{\parindent\z@
790 \def\labelitemi{\textendash}\@revlabeltrue
791 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
792 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
793 \if@compatibility\setcounter{page}{0}\fi
794 \null\vfil
795 \vskip 60\p@
796 \begin{center}%
797 \TitleFont
798 {\LARGE \def\{\{\penalty -\@M}
799 \if@allcaps
800 \expandafter\uc@nothanks\@title\thanks\relax
801 \else
802 \@title
803 \fi\par}%
804 \vskip 3em%
805 {\large
806 \lineskip .75em \parindent\z@
807 \begin{tabular}[t]{c}%
808 \if@allcaps
809 \expandafter\uc@authornothanks\@author\and\relax
810 \else
811 \@author
812 \fi
813 \end{tabular}\par}%
814 \vskip 1.5em%
815 {\large
816 \if@allcaps
817 \uppercase\expandafter{\@date}%
818 \else
819 \@date
820 \fi\par}%
821 \end{center}\par
822 \@thanks
823 \vfil\null
824 \end{titlepage}%
825 \setcounter{footnote}{0}%
826 \global\let\thanks\relax
827 \global\let\maketitle\relax
828 \global\let\@thanks\@empty
829 \global\let\@author\@empty
830 \global\let\@title\@empty
831 \global\let\@date\@empty
832 \global\let\title\relax
833 \global\let\author\relax
834 \global\let\date\relax
835 \global\let\and\relax

```



```

836 }
837 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
838 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
839   \futurelet\@tempa\uc@ax}
840 \def\uc@ax{%
841   \ifx\@tempa\relax
842   \else
843     \ \andname \ \expandafter\uc@authornothanks
844   \fi}
845 \def\uc@tx{\ifx\@tempa\relax
846   \else \expandafter\uc@ty \fi}
847 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
848 \else
849 \renewcommand*\maketitle{\par
850   \begin{group}
851     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
852     \def\@makefnmark{\rlap{%
853       \@textsuperscript{\normalfont\@thefnmark}}}%
854     \long\def\@makefntext{\@xmakefntext{%
855       \@textsuperscript{\normalfont\@thefnmark}}}%
856     \if@twocolumn
857       \ifnum \col@number=\@ne
858         \@maketitle
859       \else
860         \twocolumn[\@maketitle]%
861       \fi
862     \else
863       \newpage
864       \global\@topnum\z@
865       \@maketitle
866     \fi
867     \thispagestyle{plain}\@thanks
868   \end{group}
869   \setcounter{footnote}{0}%
870   \global\let\thanks\relax
871   \global\let\maketitle\relax
872   \global\let\@maketitle\relax
873   \global\let\@thanks\@empty
874   \global\let\@author\@empty
875   \global\let\@title\@empty
876   \global\let\@date\@empty
877   \global\let\title\relax
878   \global\let\author\relax
879   \global\let\date\relax
880   \global\let\and\relax
881 }
882 \def\@maketitle{%
883   \newpage
884   \null
885   \vskip 2em%
886   \begin{center}%
887     \let \footnote \thanks
888     {\LARGE \TitleFont \@title \par}%
889     \vskip 1.5em%

```



```

890   {\large \TitleFont
891     \lineskip .5em%
892     \begin{tabular}[t]{c}%
893       \@author
894     \end{tabular}\par}%
895   \vskip 1em%
896   {\large \TitleFont \@date}%
897 \end{center}%
898 \par
899 \vskip 1.5em}
900 \fi

```

## 11 File artikel2-xetex-bidi.def

```

901 \ProvidesFile{artikel2-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel2 class f
902 \renewenvironment{theindex}{%
903   \if@twocolumn
904     \@restonecolfalse
905   \else
906     \@restonecoltrue
907   \fi
908   \columnseprule \z@
909   \columnsep 35\p@
910   \twocolumn[\section*{\indexname}]%
911   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
912   \thispagestyle{plain}\parindent\z@
913   \parskip\z@ \@plus .3\p@\relax
914   \let\item\@idxitem
915   }{%
916   \if@restonecol\onecolumn\else\clearpage\fi}
917 \renewcommand*{\@regtocline}[3]{%
918   \ifnum #1>\c@tocdepth
919   \else
920     \vskip\z@\@plus.2\p@
921     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
922       \if@RTL\righskip\else\leftskip\fi\unitindent
923       \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
924       \parfillskip\z@
925       \@tempdima\unitindent
926       \advance\@tempdima by \othermargin
927       \parindent\z@
928       \leavevmode
929       \hbox{} \hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
930       \hskip 1em \nobreak{\slshape #3}\par
931     }%
932   \fi}
933 \if@oldtoc
934 \renewcommand*{\l@section}[2]{%
935   \addpenalty\@secpenalty
936   \addvspace{1.0em \@plus\p@}%
937   \setlength\@tempdima{1.5em}%
938   \begingroup
939   \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
940   \parfillskip -\@pnumwidth

```



```

941 \leavevmode \bfseries
942 \advance\if@RTL\rightskip\else\leftskip\fi@tempdima
943 \hskip -\if@RTL\rightskip\else\leftskip\fi
944 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
945 \endgroup}
946 \else
947 \renewcommand*\l@section{\@regtocline{1}}
948 \fi
949 \if@oldtoc
950 \renewcommand*\l@part[2]{%
951 \ifnum \c@tocdepth >-2\relax
952 \addpenalty\@secpenalty
953 \addvspace{2.25em \@plus\p@}%
954 \begingroup
955 \setlength\@tempdima{3em}%
956 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
957 \parfillskip -\@pnumwidth
958 {\leavevmode
959 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
960 \nobreak
961 \if@compatibility
962 \global\@nobreaktrue
963 \everypar{\global\@nobreakfalse\everypar{}}%
964 \fi
965 \endgroup
966 \fi}
967 \else
968 \renewcommand*\l@part{%
969 \ifnum \c@tocdepth >-2\relax
970 \addpenalty\@secpenalty
971 \addvspace{2.25em \@plus\p@}%
972 \@regtocline{0}%
973 \fi}
974 \fi
975 \renewcommand*\head@style{%
976 \interlinepenalty \@M
977 \hyphenpenalty=\@M \exhyphenpenalty=\@M
978 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
979 \if@titlepage
980 \renewenvironment{abstract}{%
981 \titlepage
982 \null\vfil
983 \section*{\SectFont\abstractname}%
984 \noindent\ignorespaces}
985 {\par\vfil\null\endtitlepage}
986 \else
987 \renewenvironment{abstract}{%
988 \if@twocolumn
989 \section*{\abstractname}%
990 \else
991 \section*{\hskip\unitindent\small\SectFont\abstractname}%
992 \list{}{\setlength\listparindent{\unitindent}%
993 \setlength\parindent {\z@}%
994 \setlength\leftmargin {\unitindent}%

```





```

995             \setlength\rightmargin  {\unitindent}%
996             \setlength\parsep      {\z@}}%
997     \item[]%
998     \fi}
999     {\if@twocolumn\else\par\endlist\fi}
1000 \fi
1001 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
1002 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
1003 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
1004 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
1005 \renewcommand*\left@footnoterule{%
1006   \kern-3\p@
1007   \hrule\@width 3\unitindent
1008   \kern 2.6\p@
1009 }
1010 \renewcommand*\right@footnoterule{%
1011   \kern-3\p@
1012   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-3\unitindent\relax \hrulefill }
1013   \kern 2.6\p@}
1014 \renewenvironment{thebibliography}[1]
1015   {\section*\refname}%
1016   \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1017   \ifRTL\ifLTRbibitems\RTLfalse\else\fi\else\ifRTLbibitems\RTLtrue\else\fi\fi
1018   \bidi@thebibliography@font@hook%
1019   \list{\@biblabel{\@arabic\c@enumiv}}%
1020     {\settowidth\labelwidth{\@biblabel{#1}}%
1021     \leftmargin\labelwidth
1022     \advance\leftmargin\labelsep
1023     \@openbib@code
1024     \usecounter{enumiv}%
1025     \let\p@enumiv\@empty
1026     \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
1027   \sloppy\clubpenalty4000\widowpenalty4000%
1028   \sfcode`. \@m}
1029   {\def\@noitemerr
1030     {\@latex@warning{Empty `thebibliography' environment}}%
1031     \endlist}
1032 \if@titlepage
1033 \renewcommand*\TitleFont{\rmfamily}
1034 \renewcommand*\maketitle{%
1035   \begin{titlepage}%
1036     \let\footnotesize\small
1037     \let\right@footnoterule\relax
1038     \let\left@footnoterule\relax
1039     \let\textwidth@footnoterule\relax
1040     \let \footnote \thanks
1041     \long\def\@makefnmark##1{\parindent\z@
1042       \def\labelitemi{\textendash}\@revlabeltrue
1043       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1044     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1045     \if@compatibility\setcounter{page}{0}\fi
1046     \null\vfil
1047     \vskip 60\p@
1048     \begin{center}%

```



```

1049 \TitleFont
1050 {\LARGE \def\{\{\penalty -\@M}
1051 \if@allcaps
1052 \expandafter\uc@nothanks\@title\thanks\relax
1053 \else
1054 \@title
1055 \fi\par}%
1056 \vskip 3em%
1057 {\large
1058 \lineskip .75em \parindent\z@
1059 \begin{tabular}[t]{c}%
1060 \if@allcaps
1061 \expandafter\uc@authornothanks\@author\and\relax
1062 \else
1063 \@author
1064 \fi
1065 \end{tabular}\par}%
1066 \vskip 1.5em%
1067 {\large
1068 \if@allcaps
1069 \uppercase\expandafter{\@date}%
1070 \else
1071 \@date
1072 \fi\par}%
1073 \end{center}\par
1074 \@thanks
1075 \vfil\null
1076 \end{titlepage}%
1077 \setcounter{footnote}{0}%
1078 \global\let\thanks\relax
1079 \global\let\maketitle\relax
1080 \global\let\@thanks\@empty
1081 \global\let\@author\@empty
1082 \global\let\@title\@empty
1083 \global\let\@date\@empty
1084 \global\let\title\relax
1085 \global\let\author\relax
1086 \global\let\date\relax
1087 \global\let\and\relax
1088 }
1089 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1090 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1091 \futurelet\@tempa\uc@ax}
1092 \def\uc@ax{%
1093 \ifx\@tempa\relax
1094 \else
1095 \ \ \andname \ \ \expandafter\uc@authornothanks
1096 \fi}
1097 \def\uc@tx{\ifx\@tempa\relax
1098 \else \expandafter\uc@ty \fi}
1099 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1100 \else
1101 \renewcommand*\maketitle{\par
1102 \begingroup

```



```

1103 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1104 \long\def\@makefntext##1{\parindent\z@
1105 \def\labelitemi{\textendash}%
1106 \leavevmode\hb@xt@.5\unitindent{%
1107 \@textsuperscript{\normalfont\@thefnmark}\hfil}##1}
1108 \if@twocolumn
1109 \ifnum \col@number=\@ne
1110 \@maketitle
1111 \else
1112 \twocolumn[\@maketitle]%
1113 \fi
1114 \else
1115 \newpage
1116 \global\@topnum\z@
1117 \@maketitle
1118 \fi
1119 \thispagestyle{plain}\@thanks
1120 \endgroup
1121 \setcounter{footnote}{0}%
1122 \global\let\thanks\relax
1123 \global\let\maketitle\relax
1124 \global\let\@maketitle\relax
1125 \global\let\@thanks\@empty
1126 \global\let\@author\@empty
1127 \global\let\@title\@empty
1128 \global\let\@date\@empty
1129 \global\let\title\relax
1130 \global\let\author\relax
1131 \global\let\date\relax
1132 \global\let\and\relax
1133 }
1134 \def\@maketitle{%
1135 \newpage
1136 \null
1137 \vskip 2em%
1138 \begin{center}%
1139 \let \footnote \thanks
1140 {\LARGE \TitleFont \@title \par}%
1141 \vskip 1.5em%
1142 {\large \TitleFont
1143 \lineskip .5em%
1144 \begin{tabular}[t]{c}%
1145 \@author
1146 \end{tabular}\par}%
1147 \vskip 1em%
1148 {\large \TitleFont \@date}%
1149 \end{center}%
1150 \par
1151 \vskip 1.5em}
1152 \fi

```

## 12 File artikel3-xetex-bidi.def

```

1153 \ProvidesFile{artikel3-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for artikel3 class f

```



```

1154 \renewenvironment{theindex}{%
1155   \if@twocolumn
1156     \@restonecolfalse
1157   \else
1158     \@restonecoltrue
1159   \fi
1160   \columnseprule \z@
1161   \columnsep 35\p@
1162   \twocolumn[section*{\indexname}]%
1163   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
1164   \thispagestyle{plain}\parindent\z@
1165   \parskip\z@ \@plus .3\p@\relax
1166   \let\item\@idxitem
1167 }{%
1168   \if@restonecol\onecolumn\else\clearpage\fi}
1169 \renewcommand*\head@style{%
1170   \interlinepenalty \@M
1171   \hyphenpenalty=\@M \exhyphenpenalty=\@M
1172   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
1173 \renewcommand*\@regtocline[3]{%
1174   \ifnum #1>\c@tocdepth
1175   \else
1176     \vskip\z@\@plus.2\p@
1177     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
1178     \if@RTL\rightskip\else\leftskip\fi\unitindent
1179     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
1180     \parfillskip\z@
1181     \@tempdima\unitindent
1182     \parindent\z@
1183     \leavevmode
1184     \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
1185     \hskip 1em \nobreak{\slshape #3}\par
1186   }%
1187   \fi}
1188 \if@oldtoc
1189 \renewcommand*\l@part[2]{%
1190   \ifnum \c@tocdepth >-2\relax
1191     \addpenalty\@secpenalty
1192     \addvspace{2.25em \@plus\p@}%
1193     \begingroup
1194       \setlength\@tempdima{3em}%
1195       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
1196       \parfillskip -\@pnumwidth
1197       {\leavevmode
1198         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
1199         \nobreak
1200         \if@compatibility
1201           \global\@nobreaktrue
1202           \everypar{\global\@nobreakfalse\everypar{}}%
1203         \fi
1204       \endgroup
1205   \fi}
1206 \else
1207   \renewcommand*\l@part{%

```



```

1208 \ifnum \c@tocdepth >-2\relax
1209 \addpenalty\@secpenalty
1210 \advvspace{2.25em \@plus \p@}%
1211 \@regtocline{0}%
1212 \fi}
1213 \fi
1214
1215 \if@oldtoc
1216 \renewcommand*\l@section[2]{%
1217 \addpenalty\@secpenalty
1218 \advvspace{1.0em \@plus \p@}%
1219 \setlength\@tempdima{1.5em}%
1220 \begingroup
1221 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
1222 \parfillskip -\@pnumwidth
1223 \leavevmode \bfseries
1224 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
1225 \hskip -\if@RTL\rightskip\else\leftskip\fi
1226 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
1227 \endgroup}
1228 \else
1229 \renewcommand*\l@section{\@regtocline{1}}
1230 \fi
1231 \if@titlepage
1232 \renewenvironment{abstract}{%
1233 \titlepage
1234 \null\vfil
1235 \section*{\SectFont\abstractname}%
1236 \noindent\ignorespaces}
1237 {\par\vfil\null\endtitlepage}
1238 \else
1239 \renewenvironment{abstract}{%
1240 \if@twocolumn
1241 \section*{\abstractname}%
1242 \else
1243 \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
1244 \section*{\small\SectFont\abstractname}%
1245 \noindent\ignorespaces
1246 \fi}
1247 {\if@twocolumn\else\par\egroup\fi}
1248 \fi
1249 \renewcommand*\left@footnoterule{%
1250 \kern-3\p@
1251 \kern.5\baselineskip
1252 \hrule\@width\unitindent
1253 \kern.4\baselineskip
1254 }
1255 \renewcommand*\right@footnoterule{%
1256 \kern-3\p@
1257 \kern.5\baselineskip
1258 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
1259 \kern.4\baselineskip}
1260 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
1261 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}

```



```

1262 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
1263 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
1264 \renewenvironment{thebibliography}[1]
1265     {\section*\refname}%
1266     \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1267     \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
1268     \bidi@thebibliography@font@hook%
1269     \list{\@biblabel{\@arabic\c@enumiv}}%
1270         {\settowidth\labelwidth{\@biblabel{#1}}%
1271         \leftmargin\labelwidth
1272         \advance\leftmargin\labelsep
1273         \@openbib@code
1274         \usecounter{enumiv}}%
1275     \let\p@enumiv\@empty
1276     \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
1277     \sloppy\clubpenalty4000\widowpenalty4000%
1278     \sfcode\.\@m}
1279     {\def\@noitemerr
1280     {\@latex@warning{Empty `thebibliography' environment}}}%
1281     \endlist}
1282 \if@titlepage
1283 \renewcommand*\TitleFont{\rmfamily}
1284 \renewcommand*\maketitle{%
1285 \begin{titlepage}%
1286     \let\footnotesize\small
1287     \let\right@footnoterule\relax
1288     \let\left@footnoterule\relax
1289     \let\textwidth@footnoterule\relax
1290     \let \footnote \thanks
1291     \long\def\@makefntext##1{\parindent\z@
1292     \def\labelitemi{\textendash}\@revlabeltrue
1293     \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1294     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1295     \if@compatibility\setcounter{page}{0}\fi
1296     \null\vfil
1297     \vskip 60\p@
1298     \begin{center}%
1299         \TitleFont
1300         {\LARGE \def\{\{\penalty -\@M}
1301         \if@allcaps
1302             \expandafter\uc@nothanks\@title\thanks\relax
1303         \else
1304             \@title
1305         \fi\par}%
1306     \vskip 3em%
1307     {\large
1308     \lineskip .75em \parindent\z@
1309     \begin{tabular}[t]{c}%
1310         \if@allcaps
1311             \expandafter\uc@authornothanks\@author\and\relax
1312         \else
1313             \@author
1314         \fi
1315     \end{tabular}\par}%

```



```

1316     \vskip 1.5em%
1317     {\large
1318     \if@allcaps
1319     \uppercase\expandafter{\@date}%
1320     \else
1321     \@date
1322     \fi\par}%
1323     \end{center}\par
1324     \@thanks
1325     \vfil\null
1326 \end{titlepage}%
1327 \setcounter{footnote}{0}%
1328 \global\let\thanks\relax
1329 \global\let\maketitle\relax
1330 \global\let\@thanks\@empty
1331 \global\let\@author\@empty
1332 \global\let\@title\@empty
1333 \global\let\@date\@empty
1334 \global\let\title\relax
1335 \global\let\author\relax
1336 \global\let\date\relax
1337 \global\let\and\relax
1338 }
1339 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1340 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1341     \futurelet\@tempa\uc@ax}
1342 \def\uc@ax{%
1343     \ifx\@tempa\relax
1344     \else
1345     \ \andname \ \ \expandafter\uc@authornothanks
1346     \fi}
1347 \def\uc@tx{\ifx\@tempa\relax
1348     \else \expandafter\uc@ty \fi}
1349 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1350 \else
1351 \renewcommand*\maketitle{\par
1352     \begingroup
1353     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1354     \def\@makefnmark{\rlap{%
1355     \@textsuperscript{\normalfont\@thefnmark}}}%
1356     \long\def\@makefntext{\@xmakefntext{%
1357     \@textsuperscript{\normalfont\@thefnmark}}}%
1358     \if@twocolumn
1359     \ifnum \col@number=\@ne
1360     \@maketitle
1361     \else
1362     \twocolumn[\@maketitle]%
1363     \fi
1364     \else
1365     \newpage
1366     \global\@topnum\z@
1367     \@maketitle
1368     \fi
1369     \thispagestyle{plain}\@thanks

```



```

1370 \endgroup
1371 \setcounter{footnote}{0}%
1372 \global\let\thanks\relax
1373 \global\let\maketitle\relax
1374 \global\let\@maketitle\relax
1375 \global\let\@thanks\@empty
1376 \global\let\@author\@empty
1377 \global\let\@title\@empty
1378 \global\let\@date\@empty
1379 \global\let\title\relax
1380 \global\let\author\relax
1381 \global\let\date\relax
1382 \global\let\and\relax
1383 }
1384 \def\@maketitle{%
1385   \newpage
1386   \null
1387   \vskip 2em%
1388   \if@titlecentered
1389     \begin{center}%
1390       \let \footnote \thanks
1391       {\LARGE \TitleFont \@title \par}%
1392       \vskip 1.5em%
1393       {\large \TitleFont
1394         \lineskip .5em%
1395         \begin{tabular}[t]{c}%
1396           \@author
1397         \end{tabular}\par}%
1398       \vskip 1em%
1399       {\large \TitleFont \@date}%
1400     \end{center}%
1401   \else
1402     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
1403     {\large \TitleFont \lineskip .5em \tabcolsep\z@
1404       \def\and{%%} \begin{tabular} has already started
1405         \end{tabular}\hskip 1em plus .17fil
1406         \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}% \end{tabular}
1407         \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}
1408       \vskip 1em {\large \TitleFont \@date}
1409   \fi
1410   \par
1411   \vskip 1.5em}
1412 \fi

```

### 13 File arydshln-xetex-bidi.def

```

1413 \ProvidesFile{arydshln-xetex-bidi.def}[2025/01/03 v0.3 bidi adaptations for arydshln package]
1414 \def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egroup}
1415 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
1416 \expandafter\let\csname endtabular*\endcsname\endtabular
1417 \let\adl@array\@array
1418 \def\@array{\adl@everyvbox\everyvbox
1419   \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
1420   \ifadl@inactive \adl@inactivate \else \adl@activate \fi

```





```

1421         \let\adl@noalign\noalign
1422         \adl@array}
1423 \ifadl@usingarypkg
1424 \def\@testpach{\@chclass
1425 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
1426 \ifnum \@lastchclass=7 5 \else
1427 \ifnum \@lastchclass=8 \tw@ \else
1428 \ifnum \@lastchclass=9 \thr@@
1429 \else \z@
1430 \ifnum \@lastchclass = 10 \else
1431 \edef\@nextchar{\expandafter\string\@nextchar}%
1432 \@chnum
1433 \if \@nextchar c\z@ \else
1434 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
1435 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
1436 \z@ \@chclass
1437 \if\@nextchar |\@ne \let\@arrayrule\adl@arrayrule \else
1438 \if\@nextchar :\@ne \let\@arrayrule\adl@arraydashrule \else
1439 \if\@nextchar ;\@ne \let\@arrayrule\adl@argarraydashrule \else
1440 \if \@nextchar !6 \else
1441 \if \@nextchar @7 \else
1442 \if \@nextchar <8 \else
1443 \if \@nextchar >9 \else
1444 10
1445 \@chnum
1446 \if \@nextchar m\thr@@\else
1447 \if \@nextchar p4 \else
1448 \if \@nextchar b5 \else
1449 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi
1450 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi}
1451
1452 \def\@classz{\@classx
1453 \@tempcnta \count@
1454 \prepnext@tok
1455 \@addtopreamble{\ifcase \@chnum
1456 \hfil
1457 \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1458 \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1459 \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
1460 \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
1461 \adl@endmbox\or
1462 \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
1463 \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
1464 \fi}\prepnext@tok}
1465 \def\adl@class@start{4}
1466 \def\adl@class@iiiorvii{7}
1467
1468 \else
1469 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
1470 \ifnum \@lastchclass=\thr@@ 5\relax \else
1471 \z@ \if #1c\@chnum \z@ \else
1472 \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
1473 \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
1474 \@chclass

```



```

1475         \if #1|\@ne \let\@arrayrule\adl@arrayrule \else
1476         \if #1:\@ne \let\@arrayrule\adl@arraydashrule \else
1477         \if #1;\@ne \let\@arrayrule\adl@argarraydashrule \else
1478         \if #1\@tw@ \else
1479         \if #1p\thr@@ \else \z@ \@preamerr 0\fi
1480 \fi \fi \fi \fi \fi \fi \fi \fi \fi}
1481
1482 \def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1483         \or \or \@addamp \or
1484         \@acolampacol \or \@firstampfalse \@acol \fi
1485 \edef\@preamble{\@preamble
1486         \ifcase \@chnum
1487         \hfil\adl@putlrc{\$relax\@sharp$}\hfil
1488         \or \adl@putlrc{\$relax\@sharp$}\hfil
1489         \or \hfil\adl@putlrc{\$relax\@sharp$}\fi}}
1490 \def\@tabclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1491         \or \or \@addamp \or
1492         \@acolampacol \or \@firstampfalse \@acol \fi
1493 \edef\@preamble{\@preamble
1494         \ifcase \@chnum
1495         \hfil\adl@putlrc{\@sharp\unskip}\hfil
1496         \or \adl@putlrc{\@sharp\unskip}\hfil
1497         \or \hfil\hskip\z@ \adl@putlrc{\@sharp\unskip}\fi}}
1498 \def\adl@class@start{6}
1499 \def\adl@class@iiiorvii{3}
1500 \fi
1501 \ApplyPatchCodeToPackage{colortbl}{%
1502 \def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
1503 \def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
1504         \let\@endpbox\adl@org@endpbox}
1505 \let\adl@CT@setup\CT@setup
1506 \def\CT@setup{\adl@CT@setup
1507         \@tempdima\ht\z@ \advance\@tempdima\minrowclearance
1508         \ifdim\adl@height<\@tempdima \global\adl@height\@tempdima \fi
1509         \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
1510 \let\adl@act@CT@setup\CT@setup
1511 \def\@classz{\@classx
1512         \@tempcnta\count@ \prepnext@tok
1513         \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
1514         \expandafter\adl@extract@arc\the\toks\@tempcnta\arrayrulecolor!\@nil
1515         \expandafter\adl@extract@drsc
1516         \the\toks\@tempcnta\doublerulesepcolor!\@nil
1517         \expandafter\adl@extract@dgc\the\toks\@tempcnta\dashgapcolor!\@nil
1518         \@addtopreamble{\if@RTL\beginL\fi%
1519         \setbox\z@\hbox\bgroup\bgroup\if@RTL\beginR\fi
1520         \ifcase \@chnum
1521         \hskip\stretch{.5}\kern\z@
1522         \dollarbegin
1523         \insert@column
1524         \dollarend\hskip\stretch{.5}%
1525         \or \dollarbegin \insert@column \dollarend \hfill
1526         \or \hfill \kern\z@ \dollarbegin \insert@column \dollarend
1527         \or $\vcenter
1528         \@startpbox{\@nextchar}\insert@column \@endpbox $%

```



```

1529         \or \vtop \@startpbox{\@nextchar}\insert@column \@endpbox
1530         \or \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
1531         \fi
1532         \if@RTL\endR\fi\egroup\egroup
1533         \begin@group
1534             \CT@setup
1535             \CT@column@color
1536             \CT@row@color
1537             \CT@cell@color
1538             \CT@do@color
1539         \end@group
1540         \@tempdima\ht\z@
1541         \advance\@tempdima\minrowclearance
1542         \vrule\@height\@tempdima\@width\z@
1543         \unhbox\z@\if@RTL\endL\fi}%
1544     \prepnext@tok}
1545 \let\adl@act@classz\@classz
1546 \let\adl@org@classz\@classz
1547 }

```

## 14 File beamer-xetex-bidi.def

```

1548 \ProvidesFile{beamer-xetex-bidi.def}[2022/06/07 v0.3 bidi adaptations for beamer class for X
1549 \AtBeginDocument{%
1550     \if@RTLmain
1551         \raggedleft
1552     \else
1553         \raggedright
1554     \fi
1555 }
1556
1557 \renewcommand*{\bidi@beamer@ragged}{%
1558     \if@RTL
1559         \raggedleft
1560     \else
1561         \raggedright
1562     \fi
1563 }
1564
1565

```

## 15 File beamerbaseauxtemplates-xetex-bidi.def

```

1566 \ProvidesFile{beamerbaseauxtemplates-xetex-bidi.def}[2025/01/03 v0.5 bidi adaptations for be
1567 \bidi@csundef{beamer@tmpop@subsection in toc@sections numbered}
1568
1569 \bidi@csundef{beamer@tmpop@subsubsection in toc@sections numbered}
1570
1571 \bidi@csundef{beamer@tmpop@section in toc@subsections numbered}
1572
1573 \bidi@csundef{beamer@tmpop@subsection in toc@subsections numbered}
1574
1575 \bidi@csundef{beamer@tmpop@subsubsection in toc@subsections numbered}
1576

```



```

1577 \defbeamertemplate{subsection in toc}{sections numbered}
1578 {\leavevmode\ bidi@beamer@leftskip=2.5em\inserttocsubsection\par}
1579
1580 \defbeamertemplate{subsubsection in toc}{sections numbered}
1581 {\leavevmode\normalsize\usebeamerfont{subsection in toc}\ bidi@beamer@leftskip=3.5em\usebeamerfont{subsubsection in toc}%
1582 \inserttocsubsubsection\par}
1583
1584 \defbeamertemplate{section in toc}{subsections numbered}
1585 {\leavevmode\ bidi@beamer@leftskip=2em\inserttocsection\par}
1586
1587 \defbeamertemplate{subsection in toc}{subsections numbered}
1588 {\leavevmode\ bidi@beamer@leftskip=2em\rlap{\hskip-2em\inserttocsectionnumber.\inserttocsubsection in toc}%
1589 \defbeamertemplate{subsubsection in toc}{subsections numbered}
1590 {\leavevmode\normalsize\usebeamerfont{subsection in
1591 toc}\ bidi@beamer@leftskip=3em\usebeamerfont{subsubsection in toc}%
1592 \inserttocsubsubsection\par}
1593
1594
1595 \bidi@csundef{beamer@@tmpop@section in toc@circle}
1596
1597 \bidi@csundef{beamer@@tmpop@subsection in toc@circle}
1598
1599 \bidi@csundef{beamer@@tmpop@subsubsection in toc@circle}
1600
1601 \defbeamertemplate{section in toc}{circle}
1602 {\leavevmode\ bidi@beamer@leftskip=2ex%
1603 \llap{%
1604 \usebeamerfont*{section number projected}%
1605 \usebeamerfont{section number projected}%
1606 \begin{pgfpicture}{-1ex}{0ex}{1ex}{2ex}
1607 \color{bg}
1608 \pgfpathcircle{\pgfpoint{0pt}{.75ex}}{1.2ex}
1609 \pgfusepath{fill}
1610 \pgftext[base]{\color{fg}\inserttocsectionnumber}
1611 \end{pgfpicture}\kern1.25ex%
1612 }%
1613 \inserttocsection\par}
1614
1615 \defbeamertemplate{subsection in toc}{circle}
1616 {\leavevmode\ bidi@beamer@leftskip=2em\inserttocsubsection\par}
1617
1618 \defbeamertemplate{subsubsection in toc}{circle}
1619 {\leavevmode\normalsize\usebeamerfont{subsection in
1620 toc}\ bidi@beamer@leftskip=3em\usebeamerfont{subsubsection in toc}%
1621 \inserttocsubsubsection\par}
1622
1623 \bidi@csundef{beamer@@tmpop@section in toc@square}
1624
1625 \bidi@csundef{beamer@@tmpop@subsection in toc@square}
1626
1627 \bidi@csundef{beamer@@tmpop@subsubsection in toc@square}
1628
1629 \bidi@csundef{beamer@@tmpop@enumerate item@square}
1630

```



```

1631 \bidi@csundef{beamer@@tmpop@enumerate subitem@square}
1632
1633 \bidi@csundef{beamer@@tmpop@enumerate subsubitem@square}
1634
1635 \bidi@csundef{beamer@@tmpop@enumerate mini template@square}
1636
1637 \defbeamertemplate{section in toc}{square}
1638 {\leavevmode\bidi@beamer@leftskip=3ex%
1639  \llap{%
1640   \usebeamerfont*{section number projected}%
1641   \usebeamercolor[bg]{section number projected}%
1642   \if@RTL
1643   \else
1644     \vrule width2.25ex height1.85ex depth.4ex%
1645     \hskip-2.25ex%
1646   \fi
1647   \hbox to2.25ex{{\hfil\color{fg}\inserttocsectionnumber\hfil}}%
1648   \if@RTL
1649     \hskip-2.25ex%
1650     \vrule width2.25ex height1.85ex depth.4ex%
1651   \fi
1652   }\kern1.25ex}%
1653 \inserttocsection\par}
1654
1655 \defbeamertemplate{subsection in toc}{square}
1656 {\leavevmode\bidi@beamer@leftskip=5ex\llap{%
1657   \usebeamercolor[bg]{subsection number projected}%
1658   \vrule width1ex height1ex\kern1ex}}\inserttocsubsection\par}
1659
1660 \defbeamertemplate{subsubsection in toc}{square}
1661 {\leavevmode\normalsize\usebeamerfont{subsection in
1662  toc}\bidi@beamer@leftskip=7ex\usebeamerfont{subsubsection in toc}%
1663  \llap{%
1664   \usebeamercolor[bg]{subsubsection number projected}%
1665   \vrule width0.75ex height0.75ex\kern1ex}}\inserttocsubsubsection\par}
1666
1667 \defbeamertemplate{enumerate item}{square}
1668 {
1669  \hbox{%
1670   \usebeamerfont*{item projected}%
1671   \usebeamercolor[bg]{item projected}%
1672   \if@RTL
1673   \else
1674     \vrule width2.25ex height1.85ex depth.4ex%
1675     \hskip-2.25ex%
1676   \fi
1677   \hbox to2.25ex{%
1678     \hfil%
1679     \color{fg}\insertenumlabel%
1680     \hfil}}%
1681   \if@RTL
1682     \hskip-2.25ex%
1683     \vrule width2.25ex height1.85ex depth.4ex%
1684   \fi

```



```

1685 }}%
1686 }
1687 [action]
1688 {\setbeamerfont{item projected}{size=\scriptsize}}
1689
1690 \defbeamertemplate{enumerate subitem}{square}
1691 {
1692   \hbox{%
1693     \usebeamerfont*{subitem projected}%
1694     \usebeamercolor[bg]{subitem projected}%
1695     \if@RTL
1696     \else
1697       \vrule width2.25ex height1.85ex depth.4ex%
1698       \hskip-2.25ex%
1699     \fi
1700     \hbox to2.25ex{%
1701       \hfil%
1702       \color{fg}\insertsubenumlabel%
1703       \hfil}}%
1704     \if@RTL
1705       \hskip-2.25ex%
1706       \vrule width2.25ex height1.85ex depth.4ex%
1707     \fi
1708   }}%
1709 }
1710
1711 \defbeamertemplate{enumerate subsubitem}{square}
1712 {
1713   \hbox{%
1714     \usebeamerfont*{subitem projected}%
1715     \usebeamercolor[bg]{subsubitem projected}%
1716     \if@RTL
1717     \else
1718       \vrule width2.25ex height1.85ex depth.4ex%
1719       \hskip-2.25ex%
1720     \fi
1721     \hbox to2.25ex{%
1722       \hfil%
1723       \color{fg}\insertsubsubenumlabel%
1724       \hfil}}%
1725     \if@RTL
1726       \hskip-2.25ex%
1727       \vrule width2.25ex height1.85ex depth.4ex%
1728     \fi
1729   }}%
1730 }
1731
1732 \defbeamertemplate{enumerate mini template}{square}
1733 {
1734   \hbox{%
1735     \usebeamerfont*{\beameritemnestingprefix item projected}%
1736     \usebeamercolor[bg]{\beameritemnestingprefix item projected}%
1737     \if@RTL
1738     \else

```



```

1739     \vrule width2.25ex height1.85ex depth.4ex%
1740     \hskip-2.25ex%
1741   \fi
1742   \hbox to2.25ex{%
1743     \hfil%
1744     \color{fg}\insertenumlabel%
1745     \hfil}}%
1746   \if@RTL
1747     \hskip-2.25ex%
1748     \vrule width2.25ex height1.85ex depth.4ex%
1749   \fi
1750 }}%
1751 }
1752
1753 \bidi@csundef{beamer@@tmpop@section in toc@ball unnumbered}
1754
1755 \bidi@csundef{beamer@@tmpop@subsection in toc@ball unnumbered}
1756
1757 \bidi@csundef{beamer@@tmpop@subsubsection in toc@ball unnumbered}
1758
1759 \defbeamer@template{section in toc}{ball unnumbered}
1760 {\leavevmode\bidi@beamer@leftskip=2.25ex%
1761   \llap{%
1762     \raise0.1ex\beamer@usesphere{section number projected}{bigsphere}\kern1.25ex}%
1763   \inserttocsection\par}
1764
1765 \defbeamer@template{subsection in toc}{ball unnumbered}
1766 {\leavevmode\bidi@beamer@leftskip=5.1ex\llap{%
1767   \raise0.2ex\beamer@usesphere{subsection number projected}{smallsphere}\kern1ex}\inserttocsection\par}
1768
1769 \defbeamer@template{subsubsection in toc}{ball unnumbered}
1770 {\leavevmode\normalsize\usebeamerfont{subsection in
1771   toc}\bidi@beamer@leftskip=8.2ex\usebeamerfont{subsubsection in toc}%
1772   \llap{%
1773     \beamer@usesphere{subsubsection number projected}{smallsphere}\kern0.75ex}\inserttocsection\par}
1774
1775 \bidi@csundef{beamer@@tmpop@section in toc@ball}
1776
1777 \bidi@csundef{beamer@@tmpop@subsection in toc@ball}
1778
1779 \bidi@csundef{beamer@@tmpop@subsubsection in toc@ball}
1780
1781 \defbeamer@template{section in toc}{ball}
1782 {\leavevmode\bidi@beamer@leftskip=2.75ex%
1783   \llap{%
1784     \normalsize%
1785     \begin{pgfpicture}{-1ex}{-0.7ex}{1ex}{1ex}
1786       \pgftext{\beamer@usesphere{section number projected}{tocsphere}}
1787       \pgftext{%
1788         \usebeamerfont*{section number projected}%
1789         \usebeamerfont*{section number projected}%
1790         \color{fg!90!bg}%
1791         \inserttocsectionnumber}
1792     \end{pgfpicture}%

```



```

1793     \kern1.25ex}%
1794 \inserttocsection\par
1795 }
1796 [action]
1797 {\setbeamerfont{section number projected}{size=\scriptsize}}
1798
1799 \defbeamertemplate{subsection in toc}{ball}
1800 {\leavevmode\ bidi@beamer@leftskip=5ex%
1801  \llap{\raise0.1ex\ beamer@usesphere{subsection number projected}{bigsphere}\ kern1ex}%
1802  \inserttocsubsection\par%
1803 }
1804
1805 \defbeamertemplate{subsubsection in toc}{ball}
1806 {\leavevmode\normalsize\ usebeamerfont{subsection in
1807   toc}\ bidi@beamer@leftskip=7ex\ usebeamerfont{subsubsection in toc}%
1808  \llap{\ beamer@usesphere{subsubsection number projected}{bigsphere}\ kern0.75ex}%
1809  \inserttocsubsubsection\par%
1810 }
1811
1812 \bidi@csundef{beamer@@tmpop@block begin@rounded}
1813
1814 \bidi@csundef{beamer@@tmpop@block alerted begin@rounded}
1815
1816 \bidi@csundef{beamer@@tmpop@block example begin@rounded}
1817
1818 \defbeamertemplate{block begin}{rounded}[1][shadow=false]
1819 {%
1820  \par\vskip\medskipamount%
1821  \begin{beamerboxesrounded}[upper=block title,lower=block body,#1]%
1822    {\raggedright\ usebeamerfont*{block title}\ insertblocktitle}%
1823    \bidi@beamer@ragged%
1824    \usebeamerfont{block body}%
1825  }%
1826
1827 \defbeamertemplate{block alerted begin}{rounded}[1][shadow=false]
1828 {%
1829  \par\vskip\medskipamount%
1830  \begin{beamerboxesrounded}[upper=block title alerted,lower=block body alerted,#1]%
1831    {\raggedright\ usebeamerfont*{block title alerted}\ insertblocktitle}%
1832    \bidi@beamer@ragged%
1833    \usebeamerfont{block body alerted}%
1834  }%
1835
1836 \defbeamertemplate{block example begin}{rounded}[1][shadow=false]
1837 {%
1838  \par\vskip\medskipamount%
1839  \begin{beamerboxesrounded}[upper=block title example,lower=block body example,#1]
1840    {\raggedright\ usebeamerfont*{block title example}\ insertblocktitle}%
1841    \bidi@beamer@ragged%
1842    \usebeamerfont{block body example}%
1843  }%
1844
1845 \bidi@csundef{beamer@@tmpop@caption@numbered}
1846

```





```

1847 \defbeamertemplate{caption}{numbered}
1848 {%
1849   \leavevmode
1850   \bidi@beamer@ragged
1851   {%
1852     \usebeamercolor[fg]{caption name}%
1853     \usebeamerfont*{caption name}%
1854     \insertcaptionname~\insertcaptionnumber
1855     \usebeamertemplate{caption label separator}%
1856   }%
1857   \insertcaption\par
1858 }
1859
1860 \bidi@csundef{beamer@tmpop@caption@caption name own line}
1861
1862 \defbeamertemplate{caption}{caption name own line}
1863 {%
1864   \begin{minipage}{\textwidth}
1865     \leavevmode
1866     \bidi@beamer@ragged
1867     {%
1868       \usebeamercolor[fg]{caption name}%
1869       \usebeamerfont*{caption name}%
1870       \insertcaptionname%
1871     }\\
1872     \insertcaption
1873   \end{minipage}
1874 }
1875
1876 \ApplyPatchCodeToPackage{caption}{%
1877   \DeclareCaptionFont{beamer@font}{%
1878     \usebeamerfont*{caption}%
1879   }%
1880 }
1881 \SetCaptionDefault{font}{beamer@font}
1882 \DeclareCaptionJustification{bidi@beamer@ragged}{\bidi@beamer@ragged}
1883 \SetCaptionDefault{justification}{bidi@beamer@ragged}
1884 }
1885

```

## 16 File beamerbaseboxes-xetex-bidi.def

```

1886 \ProvidesFile{beamerbaseboxes-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for beamerbas
1887 \renewcommand\beamerboxesrounded[2] []{%
1888   \global\let\beamer@firstlineitemizeunskip=\relax%
1889   \vbox\bgroup%
1890   \setkeys{beamerboxes}{upper=block title,lower=block body,width=\textwidth,shadow=false}%
1891   \setkeys{beamerboxes}{#1}%
1892   {%
1893     \usebeamercolor{\bmb@lower}%
1894     \globalcolorstrue%
1895     \colorlet{lower.bg}{bg}%
1896   }%
1897   {%

```



```

1898 \usebeamercolor{\bmb@upper}%
1899 \globalcolorstrue%
1900 \colorlet{upper.bg}{bg}%
1901 }%
1902 %
1903 % Typeset head
1904 %
1905 \vskip4bp
1906 \setbox\bmb@box=\hbox{%
1907 \begin{minipage}[b]{\bmb@width}%
1908 \usebeamercolor[fg]{\bmb@upper}%
1909 #2%
1910 \end{minipage}}%
1911 \ifdim\wd\bmb@box=0pt%
1912 \setbox\bmb@box=\hbox{}%
1913 \ht\bmb@box=1.5pt%
1914 \bmb@prevheight=-4.5pt%
1915 \else%
1916 \wd\bmb@box=\bmb@width%
1917 \bmb@temp=\dp\bmb@box%
1918 \ifdim\bmb@temp<1.5pt%
1919 \bmb@temp=1.5pt%
1920 \fi%
1921 \setbox\bmb@box=\hbox{\raise\bmb@temp\hbox{\box\bmb@box}}%
1922 \dp\bmb@box=0pt%
1923 \bmb@prevheight=\ht\bmb@box%
1924 \fi%
1925 \bmb@temp=\bmb@width%
1926 \bmb@dima=\bmb@temp\advance\bmb@dima by2.2bp%
1927 \bmb@dimb=\bmb@temp\advance\bmb@dimb by4bp%
1928 \hbox{%
1929 \begin{pgfpicture}{0bp}{+-\ht\bmb@box}{0bp}{+-\ht\bmb@box}
1930 \ifdim\wd\bmb@box=0pt%
1931 \color{lower.bg}%
1932 \else%
1933 \color{upper.bg}%
1934 \fi%
1935 \pgfpathmoveto{-4bp}{-1bp}
1936 \pgfpathcurveto{-4bp}{1.2bp}{-2.2bp}{3bp}{0bp}{3bp}
1937 \pgfpathlineto{\pgfpoint{\bmb@temp}{3bp}}
1938 \pgfpathcurveto%
1939 {\pgfpoint{\bmb@dima}{3bp}}%
1940 {\pgfpoint{\bmb@dimb}{1.2bp}}%
1941 {\pgfpoint{\bmb@dimb}{-1bp}}%
1942 \bmb@dima=-\ht\bmb@box%
1943 \advance\bmb@dima by-2pt%
1944 \pgfpathlineto{\pgfpoint{\bmb@dimb}{\bmb@dima}}
1945 \pgfpathlineto{\pgfpoint{-4bp}{\bmb@dima}}
1946 \pgfusepath{fill}
1947 \end{pgfpicture}%
1948 \copy\bmb@box%
1949 }%
1950 \nointerlineskip%
1951 \vskip-1pt%

```



```

1952 \ifdim\wd\bmb@box=0pt%
1953 \else%
1954 \hbox{%
1955   \begin{pgfpicture}{Opt}{Opt}{\bmb@width}{6pt}
1956     \bmb@dima=\bmb@width%
1957     \advance\bmb@dima by8bp%
1958     \pgfpathrectangle{\pgfpoint{-4bp}{-1bp}}{\pgfpoint{\bmb@dima}{8bp}}
1959     \pgfusepath{clip}
1960     {\pgftransformshift{\pgfpoint{-4bp}{0bp}}\pgftext[left,base]{\pgfuses shading{\bmb@transi
1961   \end{pgfpicture}%
1962 }%
1963 \nointerlineskip%
1964 \vskip-0.5pt%
1965 \fi%
1966 \setbox\bmb@colorbox=\hbox{\pgfpicturetrue\pgfsetcolor{lower.bg}}}%
1967 \setbox\bmb@box=\hbox\bgroup\begin{minipage}[b]{\bmb@width}%
1968   \vskip2pt%
1969   \usebeamercolor[fg]{\bmb@lower}%
1970   \colorlet{beamerstructure}{upper.bg}%
1971   \colorlet{structure}{upper.bg}%
1972   %\color{.}%
1973   \@bidi@list@minipage@parboxfalse
1974 }
1975
1976 \bidi@patchcmd{\endbeamerboxesrounded}{\begingroup}{%
1977   \begingroup
1978   \@RTLfalse
1979 }{}{}
1980
1981

```

## 17 File beamerbasecolor-xetex-bidi.def

```

1982 \ProvidesFile{beamerbasecolor-xetex-bidi.def}[2022/06/07 v0.2 bidi adaptations for beamerbas
1983 \renewenvironment{beamercolorbox}[2][]{%
1984   \def\beamer@vmode{\leavevmode}%
1985   \setkeys{beamercolbox}{wd=\textwidth,ht={},dp={},%
1986     leftskip=Opt,rightskip=Opt plus1fil,%
1987     sep=Opt,colsep=Opt,colsep*=0pt,%
1988     shadow=false,rounded=false,ignorebg=false}%
1989   \if@RTL
1990     \setkeys{beamercolbox}{rightskip=Opt,leftskip=Opt plus1fil}%
1991   \else
1992     \setkeys{beamercolbox}{leftskip=Opt,rightskip=Opt plus1fil}%
1993   \fi
1994   \setkeys{beamercolbox}{#1}%
1995   \ifbeamercoloreempty[bg]{#2}{\@tempwafalse}{\@tempwattrue}%
1996   \ifbeamer@colbox@ignorebg\@tempwafalse\fi%
1997   \def\beamer@colbox@color{#2}%
1998   \setbox\beamer@tempbox=\hbox\bgroup\color@begingroup
1999     \ifbeamer@colbox@ignorebg%
2000       \colorlet{beamer@temp@color}{bg}%
2001       \usebeamercolor[fg]{#2}%
2002       \colorlet{bg}{beamer@temp@color}%

```



```

2003 \else%
2004 \usebeamercolor[fg]{#2}%
2005 \fi%
2006 \beginL
2007 \vbox\bgroup%
2008 \hsize=\beamer@colbox@wd%
2009 \@arrayparboxrestore%
2010 \leftskip=\beamer@colbox@ls%
2011 \ifdim\beamer@colbox@sep>\z@\advance\leftskip\beamer@colbox@sep\fi%
2012 \rightskip=\beamer@colbox@rs%
2013 \ifdim\beamer@colbox@sep>\z@\advance\rightskip\beamer@colbox@sep\fi%
2014 \if@tempswa\ifdim\beamer@colbox@colsep>\z@%
2015 \advance\leftskip by\beamer@colbox@colsep%
2016 \advance\rightskip by\beamer@colbox@colsep%
2017 \vskip\beamer@colbox@colsep%
2018 \fi%
2019 \ifdim\beamer@colbox@colseps>\z@\vskip\beamer@colbox@colseps\fi%
2020 \fi%
2021 \ifdim\beamer@colbox@sep>\z@\vskip\beamer@colbox@sep\fi%
2022 \beamer@vmode\ignorespaces}{%
2023 \ifdim\beamer@colbox@sep>\z@\vskip\beamer@colbox@sep\fi%
2024 \if@tempswa
2025 \ifdim\beamer@colbox@colsep>\z@\vskip\beamer@colbox@colsep\fi%
2026 \ifdim\beamer@colbox@colseps>\z@\vskip\beamer@colbox@colseps\fi%
2027 \fi%
2028 \egroup\endL\color@endgroup\egroup%
2029 \wd\beamer@tempbox=\beamer@colbox@wd%
2030 \ifx\beamer@colbox@ht\@empty\else\ht\beamer@tempbox=\beamer@colbox@ht\fi%
2031 \ifx\beamer@colbox@dp\@empty\else\dp\beamer@tempbox=\beamer@colbox@dp\fi%
2032 \ifbeamer@colbox@rounded%
2033 \if@tempswa%
2034 \begin{beamerboxesrounded}[%
2035 shadow=\beamer@colbox@shadow,%
2036 lower=\beamer@colbox@color,%
2037 upper=normal text,%
2038 width=\beamer@colbox@wd]{%
2039 \box\beamer@tempbox%
2040 \end{beamerboxesrounded}%
2041 \else%
2042 \ifdim\wd\beamer@tempbox>\textwidth%
2043 \setbox\beamer@tempbox=\hbox to\textwidth{\hss\box\beamer@tempbox\hss}%
2044 \fi%
2045 \box\beamer@tempbox%
2046 \fi%
2047 \else%
2048 \if@tempswa\setbox\beamer@tempbox=\hbox{%
2049 \usebeamercolor{\beamer@colbox@color}%
2050 \hskip-\beamer@colbox@colseps%
2051 \fboxsep=\z@\colorbox{bg}{%
2052 \hskip\beamer@colbox@colseps%
2053 \box\beamer@tempbox%
2054 \hskip\beamer@colbox@colseps%
2055 }%
2056 \hskip-\beamer@colbox@colseps%

```



```

2057     }\fi%
2058     \ifdim\wd\beamer@tempbox>\textwidth%
2059         \setbox\beamer@tempbox=\hbox to\textwidth{\hskip0pt minus\beamer@leftmargin\relax\box%
2060         \fi%
2061     \box\beamer@tempbox%
2062 \fi%
2063 }
2064
2065

```

## 18 File beamerbasecompatibility-xetex-bidi.def

```

2066 \ProvidesFile{beamerbasecompatibility-xetex-bidi.def}[2022/06/27 v0.1 bidi adaptations for b
2067 \def\insertvrule#1#2{\hbox{{\color{#2}\hskip-\Gm@lmargin\vrule width \paperwidth height #1\h
2068
2069

```

## 19 File beamerbaseframecomponents-xetex-bidi.def

```

2070 \ProvidesFile{beamerbaseframecomponents-xetex-bidi.def}[2024/12/28 v0.7 bidi adaptations for
2071 \renewcommand{\setbeamer-size}[1]{%
2072     \beamer@dogeometryfalse%
2073     \setkeys{beamer@margin}{#1}%
2074     \ifbeamer@dogeometry%
2075         % Reset left margin now
2076         \beamer@tempdim=\beamer@leftmargin%
2077         \advance\beamer@tempdim by\beamer@leftsidebar%
2078         \if@RTLmain
2079             \geometry{right=\the\beamer@tempdim}%
2080         \else
2081             \geometry{left=\the\beamer@tempdim}%
2082         \fi
2083         % Reset right margin now
2084         \beamer@tempdim=\beamer@rightmargin%
2085         \advance\beamer@tempdim by\beamer@rightsidebar%
2086         \if@RTLmain
2087             \geometry{left=\the\beamer@tempdim}%
2088         \else
2089             \geometry{right=\the\beamer@tempdim}%
2090         \fi
2091     \fi%
2092 }
2093
2094 \newcommand*\bidi@beamer@Gm@lmargin}{%
2095     \if@RTLmain
2096         \Gm@rmargin
2097     \else
2098         \Gm@lmargin
2099     \fi
2100 }
2101
2102 \newcommand*\bidi@beamer@Gm@rmargin}{%
2103     \if@RTLmain
2104         \Gm@lmargin

```



```

2105 \else
2106   \Gm@rmargin
2107 \fi
2108 }
2109
2110 \def\ps@navigation{
2111   \def\@oddhead{%
2112     \begingroup%
2113     \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{background canvas}\hyper@pagetransiti
2114     \beamer@tempdim=\ht\beamer@tempbox%
2115     \setbox\beamer@tempbox=\hbox{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}}%
2116     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2117     \setbox\@tempboxa=\hbox{\usebeamertemplate***{background}}%
2118     \beamer@tempdim=\ht\@tempboxa%
2119     \setbox\@tempboxa=\hbox{\lower\beamer@tempdim\hbox{\box\@tempboxa}}%
2120     \wd\@tempboxa=0pt\ht\@tempboxa=0pt\dp\@tempboxa=0pt%
2121     \vbox{\hbox{\hskip-\bidi@beamer@Gm@lmargin\box\beamer@tempbox\box\@tempboxa}%
2122     \hbox{%
2123       {%
2124         \setbox\beamer@tempbox=\hbox{\hskip-\bidi@beamer@Gm@lmargin%
2125         \if@RTLmain
2126           {%
2127             \vbox to \sidebarheight{%
2128               \usebeamertemplate***{sidebar left}%
2129               \vfil%
2130             }}%
2131             \ApplyPatchIfPackageLoadedF{beamerinnerthemeinmargin}{%
2132               \hskip-\textwidth
2133             }%
2134             \fi
2135             {\setbox\beamer@tempbox=\hbox{\vbox to \sidebarheight{%
2136               \usebeamercolor*{sidebar left}%
2137               \usebeamertemplate{sidebar canvas left}%
2138               \vss%
2139             }}%
2140             \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2141             \box\beamer@tempbox}%
2142             \if@RTLmain
2143             \else
2144             {%
2145               \vbox to \sidebarheight{%
2146                 \usebeamertemplate***{sidebar left}%
2147                 \vfil%
2148               }}\fi}%
2149             \beamer@tempdim=\ht\beamer@tempbox%
2150             \setbox\beamer@tempbox=\hbox{{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}}%
2151             \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2152             \box\beamer@tempbox%
2153           }%
2154           {% print right sidebar first, since it should be overwritten by headline
2155             \setbox\beamer@tempbox=\hbox{\hskip\textwidth\hskip\beamer@rightmargin%
2156             \if@RTLmain
2157               {%
2158                 \vbox to \sidebarheight{%

```



```

2159         \usebeamertemplate***{sidebar right}%
2160         \vfil%
2161     }}%
2162     \hskip-\textwidth
2163     \fi
2164     {\setbox\beamer@tempbox=\hbox{\vbox to \sidebarheight{%
2165         \usebeamercolor*{sidebar right}%
2166         \usebeamertemplate{sidebar canvas right}%
2167         \vss%
2168     }}%
2169     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2170     \box\beamer@tempbox}%
2171     \if@RTLmain
2172     \else
2173     {%
2174     \vbox to \sidebarheight{%
2175     \usebeamertemplate***{sidebar right}%
2176     \vfil%
2177     }}\fi}%
2178     \beamer@tempdim=\ht\beamer@tempbox%
2179     \setbox\beamer@tempbox=\hbox{{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}}%
2180     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2181     \box\beamer@tempbox%
2182     }%
2183     \beamer@typesetheadorfoot{headline}%
2184     }%
2185     \hfil}%
2186     \endgroup}
2187     \def\@oddfoot{%
2188     \vbox{\offinterlineskip\hbox{\beamer@typesetheadorfoot{footline}}%
2189     \hfil}\hbox{}}\hfil
2190     }%
2191     \let\@evenhead\@oddhead
2192     \let\@evenfoot\@oddfoot}
2193
2194 \AtBeginDocument{%
2195     \pagestyle{navigation}%
2196 }
2197
2198 \def\beamer@typesetheadorfoot#1{% typeset the head or footline
2199     {\parskip0pt\offinterlineskip%
2200     \hbox{%
2201     \hskip-\bidi@beamer@Gm@lmargin%
2202     \hbox{%
2203     \vbox{%
2204     \@tempdima=\textwidth%
2205     \textwidth=\paperwidth%
2206     \hsize=\textwidth%
2207     \def\{,%
2208     \usebeamertemplate***{#1}%
2209     }}%
2210     \hskip-\bidi@beamer@Gm@rmargin%
2211     }}\hfil%
2212     }

```



```

2213
2214 \def\ps@empty{%
2215   \let\@mkboth\@gobbletwo%
2216   \def\@oddhead{\begin{group}
2217     \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{background canvas}\hyper@pagetransition}
2218     \beamer@tempdim=\ht\beamer@tempbox%
2219     \setbox\beamer@tempbox=\hbox{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}%
2220     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2221     \setbox\@tempboxa=\hbox{\usebeamertemplate***{background}}%
2222     \beamer@tempdim=\ht\@tempboxa%
2223     \setbox\@tempboxa=\hbox{\lower\beamer@tempdim\hbox{\box\@tempboxa}}%
2224     \wd\@tempboxa=0pt\ht\@tempboxa=0pt\dp\@tempboxa=0pt%
2225     \vbox{\hbox{\hspace-\Gm@lmargin\raise\headheight\box\beamer@tempbox\raise\headheight\box\@tempboxa}}
2226     \end{group}%
2227   }
2228   \def\@oddfoot{\normalcolor\hfill%
2229     \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{navigation symbols}\hspace-\bidi@beamer@tempdim}
2230     \ht\beamer@tempbox=0pt%
2231     \dp\beamer@tempbox=0pt%
2232     \box\beamer@tempbox}}
2233   \let\@evenhead\@oddhead\let\@evenfoot\@oddfoot}
2234
2235 \renewenvironment<>{beamer@columnenv}[2][\beamer@colmode]{%
2236   \beamer@colclose\def\beamer@colclose{}%
2237   \begin{actionenv}#3%
2238     \setkeys{beamer@col}{#1}%
2239     \begin{minipage}[\beamer@colalign]{#2}%
2240       \leavevmode\bidi@beamer@ragged\beamer@colheadskip\ignorespaces}
2241     \end{minipage}\hfill\end{actionenv}\@ignoretrue}
2242 \let\endcolumn\endbeamer@columnenv
2243
2244 \renewcommand<>\beamer@columncom[2][\beamer@colmode]{%
2245   \beamer@colclose%
2246   \def\beamer@colclose{\end{minipage}\hfill\end{actionenv}\ignorespaces}%
2247   \begin{actionenv}#3%
2248     \setkeys{beamer@col}{#1}%
2249     \begin{minipage}[\beamer@colalign]{#2}%
2250       \leavevmode\bidi@beamer@ragged\beamer@colheadskip\ignorespaces}
2251
2252 \renewenvironment<>{columns}[1][]{%
2253   \begin{actionenv}#2%
2254   \ifbeamer@onlytextwidth
2255     \def\beamer@colentrycode{\hbox to\textwidth\bgroup\ignorespaces}%
2256     \def\beamer@colexitcode{\unskip\egroup}
2257   \else%
2258     \def\beamer@colentrycode{%
2259       \hbox to\textwidth\bgroup%
2260       \leavevmode%
2261       \hspace-\beamer@leftmargin%
2262       \nobreak%
2263       \beamer@tempdim=\textwidth%
2264       \advance\beamer@tempdim by\beamer@leftmargin%
2265       \advance\beamer@tempdim by\beamer@rightmargin%
2266       \hbox to\beamer@tempdim\bgroup%

```





```

2267     \hbox{}\hfill\ignorespaces}%
2268     \def\beamer@colexitcode{\egroup%
2269     \nobreak%
2270     \hskip-\beamer@rightmargin\egroup}%
2271 \fi%
2272 \ifbeamer@centered\setkeys{beamer@col}{c}\else\setkeys{beamer@col}{t}\fi%
2273 \setkeys{beamer@col}{#1}%
2274 \par%
2275 \leavevmode
2276 \beamer@colentrycode%
2277 \def\beamer@colclose{\ignorespaces}%
2278 {\beamer@colclose\def\beamer@colclose{\beamer@colexitcode\end{actionenv}}}%
2279
2280
2281 \def\@makeRTLfntext#1{%
2282   \def\insertfootnotetext{#1}%
2283   \def\insertfootnotemark{\@makefnmark}%
2284   \usebeamertemplate***{RTLfootnote}}
2285
2286 \def\@makeLTRfntext#1{%
2287   \def\insertfootnotetext{#1}%
2288   \def\insertfootnotemark{\@makefnmark}%
2289   \usebeamertemplate***{LTRfootnote}}
2290
2291 \renewcommand<>\beamer@framefootnotetext[1]{%
2292   \global\setbox\beamer@footins\vbox{%
2293     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
2294     \hsize\framewidth
2295     \textwidth\hsize
2296     \columnwidth\hsize
2297     \unvbox\beamer@footins
2298     \reset@font
2299     \bidi@@footnotetext@font
2300     \@parboxrestore
2301     \protected@edef\@currentlabel
2302       {\csname p@footnote\endcsname\@thefnmark}%
2303     \color@begingroup
2304     \uncover#2{\@makefntext{%
2305       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
2306     \color@endgroup}}
2307
2308 \renewcommand<>\beamer@frameRTLfootnotetext[1]{%
2309   \global\setbox\beamer@footins\vbox{%
2310     \@RTLtrue
2311     \hsize\framewidth
2312     \textwidth\hsize
2313     \columnwidth\hsize
2314     \unvbox\beamer@footins
2315     \reset@font
2316     \bidi@@RTLfootnotetext@font
2317     \@parboxrestore
2318     \protected@edef\@currentlabel
2319       {\csname p@footnote\endcsname\@thefnmark}%
2320     \color@begingroup

```



```

2321     \uncover#2{\@makeRTLfntext{%
2322         \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
2323     \color@endgroup}}
2324
2325 \renewcommand<>\beamer@frameLTRfootnotetext[1]{%
2326     \global\setbox\beamer@footins\vbox{%
2327         \RTLfalse
2328         \hsize\framewidth
2329         \textwidth\hsize
2330         \columnwidth\hsize
2331         \unvbox\beamer@footins
2332         \reset@font
2333         \bidi@LTRfootnotetext@font
2334         \@parboxrestore
2335         \protected@edef\@currentlabel
2336             {\csname p@footnote\endcsname\@thefnmark}%
2337         \color@begingroup
2338         \uncover#2{\@makeLTRfntext{%
2339             \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
2340         \color@endgroup}}
2341
2342 \renewcommand<>\mpfootnotetext[1]{%
2343 \ifbidi@autofooterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnotetext
2344     \global\setbox\@mpfootins\vbox{%
2345         \unvbox\@mpfootins
2346         \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
2347         \reset@font
2348         \bidi@footnotetext@font
2349         \hsize\columnwidth
2350         \@parboxrestore
2351         \protected@edef\@currentlabel
2352             {\csname p@mpfootnote\endcsname\@thefnmark}%
2353         \color@begingroup
2354         \uncover#2{\@makefntext{%
2355             \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
2356         \color@endgroup}}
2357
2358 \renewcommand<>\mpRTLfootnotetext[1]{%
2359 \ifbidi@autofooterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnotetext\right@footnotetext
2360     \global\setbox\@mpfootins\vbox{%
2361         \unvbox\@mpfootins
2362         \RTLtrue
2363         \reset@font
2364         \bidi@RTLfootnotetext@font
2365         \hsize\columnwidth
2366         \@parboxrestore
2367         \protected@edef\@currentlabel
2368             {\csname p@mpfootnote\endcsname\@thefnmark}%
2369         \color@begingroup
2370         \uncover#2{\@makeRTLfntext{%
2371             \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
2372         \color@endgroup}}
2373
2374 \renewcommand<>\mpLTRfootnotetext[1]{%

```



```

2375 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\ bidi@mpfootnoterule\left@footnot
2376 \global\setbox\@mpfootins\vbox{%
2377 \unvbox\@mpfootins
2378 \@RTLfalse
2379 \reset@font
2380 \bidi@LTRfootnotetext@font
2381 \hsize\columnwidth
2382 \@parboxrestore
2383 \protected@edef\@currentlabel
2384 {\csname p@mpfootnote\endcsname\@thefnmark}%
2385 \color@begingroup
2386 \uncover#2{\@makeLTRfntext{%
2387 \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
2388 \color@endgroup}}
2389
2390 \let\@footnotetext=\beamer@framefootnotetext
2391 \let\@RTLfootnotetext=\beamer@frameRTLfootnotetext
2392 \let\@LTRfootnotetext=\beamer@frameLTRfootnotetext
2393
2394 \footdir@temp\footdir@ORG@bidi@beamer@footnotetext\@footnotetext{\bidi@footdir@footnote}%
2395 \footdir@temp\footdir@ORG@bidi@beamer@RTLfootnotetext\@RTLfootnotetext{R}%
2396 \footdir@temp\footdir@ORG@bidi@beamer@LTRfootnotetext\@LTRfootnotetext{L}%
2397
2398 \renewcommand<>{\footnote}[1][ ]{%
2399 \let\beamer@footnotetext=\@footnotetext%
2400 \let\beamer@mpfn=\@mpfn%
2401 \let\beamer@thempfn=\@thempfn%
2402 \let\beamer@kvorig=\KV@errx%
2403 \let\beamer@xkvorig=\XKV@err
2404 \def\beamer@footarg{}%
2405 \def\KV@errx##1{\edef\beamer@footarg{\@tempa}}%
2406 \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2407 \setkeys{beamerfootnote}{#1}%
2408 \let\KV@errx=\beamer@kvorig%
2409 \let\XKV@errx=\beamer@xkvorig%
2410 \ifx\beamer@footarg\@empty%
2411 \def\beamer@next{\stepcounter\beamer@mpfn
2412 \protected@xdef\@thefnmark{\beamer@thempfn}%
2413 \@footnotemark\beamer@footnotetext#2}%
2414 \else%
2415 \def\beamer@next{%
2416 \begingroup
2417 \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2418 \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2419 \endgroup
2420 \@footnotemark\beamer@footnotetext#2}%
2421 \fi%
2422 \beamer@next}
2423
2424 \renewcommand<>{\RTLfootnote}[1][ ]{%
2425 \let\beamer@RTLfootnotetext=\@RTLfootnotetext%
2426 \let\beamer@mpfn=\@mpfn%
2427 \let\beamer@thempfn=\@thempfn%
2428 \let\beamer@kvorig=\KV@errx%

```



```

2429 \let\beamer@xkvorig=\XKV@err
2430 \def\beamer@footarg{}%
2431 \def\KV@errx##1{\edef\beamer@footarg{\@tempa}}%
2432 \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2433 \setkeys{beamerfootnote}{#1}%
2434 \let\KV@errx=\beamer@kvorig%
2435 \let\XKV@errx=\beamer@xkvorig
2436 \ifx\beamer@footarg\@empty%
2437   \def\beamer@next{\stepcounter\beamer@mpfn
2438     \protected@xdef\@thefnmark{\beamer@thempfn}%
2439     \@footnotemark\beamer@RTLfootnotetext#2}%
2440 \else%
2441   \def\beamer@next{%
2442     \begingroup
2443       \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2444       \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2445     \endgroup
2446     \@footnotemark\beamer@RTLfootnotetext#2}%
2447 \fi%
2448 \beamer@next}
2449
2450 \renewcommand<>{\LTRfootnote}[1][ ]{%
2451   \let\beamer@LTRfootnotetext=\@LTRfootnotetext%
2452   \let\beamer@mpfn=\@mpfn%
2453   \let\beamer@thempfn=\@thempfn%
2454   \let\beamer@kvorig=\KV@errx%
2455   \let\beamer@xkvorig=\XKV@err
2456   \def\beamer@footarg{}%
2457   \def\KV@errx##1{\edef\beamer@footarg{\@tempa}}%
2458   \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2459   \setkeys{beamerfootnote}{#1}%
2460   \let\KV@errx=\beamer@kvorig%
2461   \let\XKV@errx=\beamer@xkvorig
2462   \ifx\beamer@footarg\@empty%
2463     \def\beamer@next{\stepcounter\beamer@mpfn
2464       \protected@xdef\@thefnmark{\beamer@thempfn}%
2465       \@footnotemark\beamer@LTRfootnotetext#2}%
2466   \else%
2467     \def\beamer@next{%
2468       \begingroup
2469         \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2470         \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2471       \endgroup
2472       \@footnotemark\beamer@LTRfootnotetext#2}%
2473   \fi%
2474   \beamer@next}
2475
2476

```

## 20 File beamerbaseframesize-xetex-bidi.def

```

2477 \ProvidesFile{beamerbaseframesize-xetex-bidi.def}[2022/06/27 v0.1 bidi adaptations for beamer]
2478 \def\beamer@framezoom<#1><#2>[#3](#4,#5)(#6,#7){%
2479   \par\nointerlineskip%

```



```

2480 \global\beamer@slidehaszoomtrue%
2481 \advance\beamer@zoomcount by1\relax%
2482 \def\beamer@zoomborderwidth{0}%
2483 \edef\beamer@labelzoomed{beamer@labelzoomed@\the\beamer@zoomframecount @\the\beamer@zoomcount}%
2484 \setkeys{beamerzoom}{#3}%
2485 \only<#1>{%
2486   {\hypersetup{pdfhighlight={/P},pdfborder={0 0 \beamer@zoomborderwidth}}}%
2487   \global\setbox\@tempboxa=\vbox{\hyperlink{\beamer@labelzoomed}{%
2488     \expandafter\ifx\csname XeTeXrevision\endcsname\relax
2489     \vbox to #7{%
2490       \hbox to#6{\hfil}%
2491       \vfil%
2492     }%
2493   \else%
2494     \begin{group}%
2495       \normalsize%
2496       \begin{pgfpicture}{0pt}{0pt}{#6}{#7}%
2497         \pgfsetfillopacity{0}
2498         \pgftext [x=0cm,y=3pt]{.}
2499         \pgftext [x=#6,y=\dimexpr#7-\baselineskip+3pt]{.}
2500       \end{pgfpicture}%
2501     \endgroup%
2502   \fi%
2503   }}%
2504   \ht\@tempboxa=0pt%
2505   \wd\@tempboxa=0pt%
2506   \dp\@tempboxa=0pt%
2507   \setbox\@tempboxa=\vbox{\if@RTL\moveleft\else\moveright\fi#4\hbox{\lower#5\vbox{\box\@tempboxa}}%
2508   \ht\@tempboxa=0pt%
2509   \wd\@tempboxa=0pt%
2510   \dp\@tempboxa=0pt%
2511   \global\setbox\beamer@zoombox=\vbox to0pt{\unvbox\beamer@zoombox\box\@tempboxa}%
2512 }%
2513 \only<#2>{%
2514   \@ifundefined{beamer@labelzoomed}%
2515   {%
2516     \hypertarget{\beamer@labelzoomed}{}%
2517     \expandafter\gdef\csname\beamer@labelzoomed\endcsname{}}%
2518   }{}%
2519   \gdef\beamer@zoomer{%
2520     % compute zoom factor
2521     \@tempdima=\beamer@frametextheight%
2522     \@tempdimb=#7\relax%
2523     \@tempcnta=\@tempdimb%
2524     \divide\@tempcnta by4096\relax%
2525     \multiply\@tempdima by16\relax%
2526     \divide\@tempdima by\@tempcnta%
2527     \@tempdimb=\paperwidth%
2528     \ifbeamer@plainframe%
2529     \else%
2530       \advance\@tempdimb by-\beamer@leftsidebar%
2531       \advance\@tempdimb by-\beamer@rightsidebar\relax%
2532     \fi%
2533     \@tempdimc=#6\relax%

```



```

2534 \tempcntb=\@tempdimc%
2535 \divide\tempcntb by4096\relax%
2536 \multiply\@tempdimb by16\relax%
2537 \divide\@tempdimb by\tempcntb%
2538 \ifdim\@tempdimb<\@tempdima%
2539 \tempdima=\@tempdimb%
2540 \fi%
2541 \edef\beamer@temp{\strip@pt\@tempdima}%
2542 \@tempdimc=\beamer@frametextheight%
2543 \advance\@tempdimc by4pt%
2544 \@tempdimb=\paperwidth%
2545 \ifbeamer@plainframe%
2546 \else%
2547 \advance\@tempdimb by-\beamer@leftsidebar%
2548 \advance\@tempdimb by-\beamer@rightsidebar\relax%
2549 \fi%
2550 \setbox\@tempboxa=\vbox{\hsize=\@tempdimb\Acrobatmenu{GoBack}{\vbox to
2551 \beamer@frametextheight{\hbox to\@tempdimb{\hfil}\vfil}}}%
2552 \ht\@tempboxa=0pt%
2553 \wd\@tempboxa=0pt%
2554 \dp\@tempboxa=0pt%
2555 \setbox\beamer@framebox=\vbox to\beamer@frametextheight{%
2556 \ifbeamer@plainframe\beamer@leftmargin=\Gm@lmargin\fi%
2557 \ifRTL
2558 \begin{pgfpicture}{\paperwidth-\beamer@leftmargin}{-\beamer@frametextheight}{\pape
2559 \pgftext [right,top]{\box\@tempboxa}
2560 \pgfpathrectangle{\pgfpoint{0pt}{-\@tempdimc}}{\pgfpoint{\@tempdimb}{\@tempdimc}}
2561 \pgfusepath{clip}
2562 \begingroup
2563 \pgftransformscale{\beamer@temp}
2564 \@tempdima=#4\relax%
2565 \@tempdimb=#5\relax%
2566 {\pgftransformshift{\pgfpoint{\@tempdima+#6}{\@tempdimb}}}%
2567 \pgftext [right,top]{\vbox{\vbox{} \nointerlineskip \unvbox \beamer@framebox}}
2568 \endgroup
2569 \end{pgfpicture}}%
2570 \else
2571 \begin{pgfpicture}{\beamer@leftmargin}{-\beamer@frametextheight}{\beamer@leftmargi
2572 \pgftext [left,top]{\box\@tempboxa}
2573 \pgfpathrectangle{\pgfpoint{0pt}{-\@tempdimc}}{\pgfpoint{\@tempdimb}{\@tempdimc}}
2574 \pgfusepath{clip}
2575 \begingroup
2576 \pgftransformscale{\beamer@temp}
2577 \@tempdima=#4\relax%
2578 \@tempdimb=#5\relax%
2579 {\pgftransformshift{\pgfpoint{-\@tempdima}{\@tempdimb}}}%
2580 \pgftext [left,top]{\vbox{\vbox{} \nointerlineskip \unvbox \beamer@framebox}}
2581 \endgroup
2582 \end{pgfpicture}}%
2583 \fi
2584 }}%
2585 \setbox\beamer@framebox=\vbox{%
2586 \nobreak\vbox{} \nobreak\par \nobreak\beamer@entrycode \nobreak%
2587 \nointerlineskip \unvbox \beamer@frametitlebox%

```



```

2588     \nobreak%
2589     \box\beamer@framebox%
2590     \nobreak%
2591     \vss%
2592     \beamer@exitcode%
2593   }%
2594   \global\setbox\beamer@footins=\box\voidb@x% no footnotes in zoomed slides
2595 }%
2596 }%
2597 }
2598
2599

```

## 21 File beamerbaselocalstructure-xetex-bidi.def

```

2600 \ProvidesFile{beamerbaselocalstructure-xetex-bidi.def}[2022/05/24 v0.1 bidi adaptations for
2601 \def\beamer@enum@{%
2602   \beamer@compute@pref\@itemdepth% sets \beameritemnestingprefix
2603   \usebeamerfont{itemize/enumerate \beameritemnestingprefix body}%
2604   \bgroup
2605   \usebeamercolor[fg]{itemize/enumerate \beameritemnestingprefix body}%
2606   \usebeamertemplate{itemize/enumerate \beameritemnestingprefix body begin}%
2607   \egroup
2608   \expandafter
2609     \list
2610     {\usebeamertemplate{\beamer@enumtempl}}
2611     {\usecounter\@enumctr%
2612       \def\makelabel##1{\hss\llap{%
2613         \usebeamerfont*{enumerate \beameritemnestingprefix item}%
2614         \usebeamercolor[fg]{enumerate \beameritemnestingprefix item}##1}}}}%
2615   \beamer@cramped%
2616   \bidi@beamer@ragged%
2617   \beamer@firstlineitemizeunskip%
2618 }
2619
2620 \renewcommand{\itemize}[1][ ]{%
2621   \ifblank{#1}{\def\beamer@defaulttospec{#1}}%
2622   \ifnum \@itemdepth >2\relax\@toodeep\else
2623     \advance\@itemdepth\@ne
2624     \beamer@compute@pref\@itemdepth% sets \beameritemnestingprefix
2625     \usebeamerfont{itemize/enumerate \beameritemnestingprefix body}%
2626     \bgroup
2627     \usebeamercolor[fg]{itemize/enumerate \beameritemnestingprefix body}%
2628     \usebeamertemplate{itemize/enumerate \beameritemnestingprefix body begin}%
2629     \egroup
2630     \list
2631     {\usebeamertemplate{itemize \beameritemnestingprefix item}}
2632     {\def\makelabel##1{%
2633       {%
2634         \hss\llap{%
2635           \usebeamerfont*{itemize \beameritemnestingprefix item}%
2636           \usebeamercolor[fg]{itemize \beameritemnestingprefix item}##1}}}}%
2637     }%
2638   }%

```



```

2639     }
2640 \fi%
2641 \beamer@cramped%
2642 \bidi@beamer@ragged%
2643 \beamer@firstlineitemizeunskip%
2644 }
2645
2646 \def\@@description{%
2647 \advance\beamer@descdefault by \labelsep%
2648 \usebeamerfont{description body}%
2649 \bgroup
2650 \usebeamercolor[fg]{description body}%
2651 \usebeamertemplate{description body begin}%
2652 \egroup
2653 \list
2654 {}
2655 {\labelwidth\beamer@descdefault\leftmargin\beamer@descdefault\let\makelabel\beamer@descrip
2656 \beamer@cramped%
2657 \bidi@beamer@ragged
2658 \beamer@firstlineitemizeunskip%
2659 }
2660
2661 \renewenvironment{thebibliography}[1]
2662 {%\leavevmode\unskip%
2663 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
2664 \bidi@thebibliography@font@hook%
2665 \list{\@biblabel{\@arabic\c@enumiv}}%
2666     {\settowidth\labelwidth{\beamer@biblabeltemplate{\@biblabel{#1}}}%
2667     \leftmargin\labelwidth
2668     \advance\leftmargin\labelsep
2669     \itemsep=0pt%
2670     \partopsep=0pt%
2671     \topsep=0pt%
2672     \usecounter{enumiv}%
2673     \let\p@enumiv\@empty
2674     \renewcommand\theenumiv{\@arabic\c@enumiv}
2675     \let\makelabel\beamer@biblabeltemplate}%
2676 \sloppy\bidi@beamer@ragged
2677 \clubpenalty10000
2678 \@clubpenalty \clubpenalty
2679 \widowpenalty10000%
2680 \sfcode`\.\@m}
2681 {\def\@noitemerr
2682 {\@latex@warning{Empty `thebibliography' environment}}%
2683 \ifhmode\unskip\fi\endlist}
2684
2685

```

## 22 File beamerbasemisc-xetex-bidi.def

```

2686 \ProvidesFile{beamerbasemisc-xetex-bidi.def}[2022/06/27 v0.1 bidi adaptations for beamerbase
2687 \define@key{beamerst}{width}{%
2688 \def\beamer@ststart{%
2689 \begin{minipage}[t]{#1}%

```





```

2690     \bidi@beamer@ragged
2691     \beamer@stalign
2692     \beamer@stlinebreakrule
2693   }%
2694 \def\beamer@stend{\end{minipage}}
2695
2696

```

## 23 File beamerbasenavigation-xetex-bidi.def

```

2697 \ProvidesFile{beamerbasenavigation-xetex-bidi.def}[2022/06/27 v0.2 bidi adaptations for beamer]
2698 \def\slideentry#1#2#3#4#5#6{%
2699   %section number, subsection number, slide number, first/last frame, page number, part number
2700   \ifnum#6=\c@part\ifnum#1>0\ifnum#3>0%
2701     \ifbeamer@compress%
2702       \advance\beamer@xpos by1\relax%
2703     \else%
2704       \ifnum#2=0%
2705         \beamer@ypos@offset=1\relax%
2706       \fi
2707       \beamer@xpos=#3\relax%
2708       \beamer@ypos=#2\relax%
2709       \advance\beamer@ypos by \beamer@ypos@offset\relax
2710     \fi%
2711   \hbox to 0pt{%
2712     \beamer@tempdim=-\beamer@vboxoffset%
2713     \advance\beamer@tempdim by-\beamer@boxsize%
2714     \multiply\beamer@tempdim by\beamer@ypos%
2715     \advance\beamer@tempdim by -.05cm%
2716     \raise\beamer@tempdim\hbox{%
2717       \beamer@tempdim=\beamer@boxsize%
2718       \multiply\beamer@tempdim by\beamer@xpos%
2719       \advance\beamer@tempdim by -\beamer@boxsize%
2720       \advance\beamer@tempdim by 1pt%
2721       \kern\beamer@tempdim
2722       \global\beamer@section@min@dim\beamer@tempdim
2723       \hbox{\beamer@link(#4){%
2724         \usebeamerfont{mini frame}%
2725         \ifnum\c@section=#1%
2726           \ifnum\c@subsection=#2%
2727             \usebeamercolor[fg]{mini frame}%
2728             \ifnum\c@subsectionslide=#3%
2729               \usebeamertemplate{mini frame}\beamer@minislidehighlight%
2730             \else%
2731               \usebeamertemplate{mini frame in current subsection}\beamer@minisliderowhighlight%
2732             \fi%
2733           \else%
2734             \usebeamercolor{mini frame}%
2735             \%color{fg!50!bg}%
2736             \usebeamertemplate{mini frame in other subsection}\beamer@minislide%
2737           \fi%
2738         \else%
2739           \usebeamercolor{mini frame}%
2740           \%color{fg!50!bg}%

```



```

2741         \usebeamertemplate{mini frame in other subsection}%\beamer@minislide%
2742         \fi%
2743     }}}} \hskip-10cm plus 1fil%
2744 } \fi \fi%
2745 \else%
2746 \fakeslideentry{#1}{#2}{#3}{#4}{#5}{#6}%
2747 \fi \ignorespaces
2748 }
2749
2750 \pgfdefobject{bidi@beamer@RTL@gotosymbol}{\pgfpoint{0pt}{-1pt}}{\pgfpoint{5pt}{5pt}}
2751 {
2752   \pgfpathmoveto{3.5bp}{0.5bp}
2753   \pgfpathqlineto{1.5bp}{2bp}
2754   \pgfpathqlineto{3.5bp}{3.5bp}
2755   \pgfusepathqfill
2756 }
2757
2758 \def\insertgotosymbol{%
2759 \if@RTL
2760   \begin{pgfpicture}{-1pt}{0pt}{4pt}{5pt}
2761     \pgfuseobject{bidi@beamer@RTL@gotosymbol}%
2762   \end{pgfpicture}%
2763 \else
2764   \begin{pgfpicture}{1pt}{0pt}{6pt}{5pt}
2765     \pgfuseobject{beamer@gotosymbol}%
2766   \end{pgfpicture}%
2767 \fi
2768 }
2769
2770 \pgfdefobject{bidi@beamer@RTL@skipsymbol}{\pgfpoint{0pt}{-1pt}}{\pgfpoint{7pt}{5pt}}
2771 {
2772   \pgfpathmoveto{5.5bp}{0.5bp}
2773   \pgfpathqlineto{3.5bp}{2bp}
2774   \pgfpathqlineto{5.5bp}{3.5bp}
2775   \pgfpathmoveto{3.5bp}{0.5bp}
2776   \pgfpathqlineto{1.5bp}{2bp}
2777   \pgfpathqlineto{3.5bp}{3.5bp}
2778   \pgfusepathqfill
2779 }
2780
2781 \def\insertskipsymbol{%
2782 \if@RTL
2783   \begin{pgfpicture}{-1pt}{0pt}{6pt}{5pt}
2784     \pgfuseobject{bidi@beamer@RTL@skipsymbol}%
2785   \end{pgfpicture}%
2786 \else
2787   \begin{pgfpicture}{1pt}{0pt}{8pt}{5pt}
2788     \pgfuseobject{beamer@skipsymbol}%
2789   \end{pgfpicture}%
2790 \fi
2791 }
2792
2793 \pgfdefobject{bidi@beamer@RTL@returnsymbol}{\pgfpoint{0pt}{-1pt}}{\pgfpoint{5pt}{5pt}}
2794 {

```



```

2795 \pgfpathmoveto{1.5bp}{0.5bp}
2796 \pgfpathqlineto{3.5bp}{2bp}
2797 \pgfpathqlineto{1.5bp}{3.5bp}
2798 \pgfusepathqfill
2799 }
2800
2801 \def\insertreturnsymbol{%
2802 \if@RTL
2803 \begin{pgfpicture}{-1pt}{0pt}{4pt}{5pt}
2804 \pgfuseobject{bidi@beamer@RTL@returnsymbol}%
2805 \end{pgfpicture}%
2806 \else
2807 \begin{pgfpicture}{1pt}{0pt}{6pt}{5pt}
2808 \pgfuseobject{beamerreturnsymbol}%
2809 \end{pgfpicture}%
2810 \fi
2811 }
2812
2813

```

## 24 File beamerbaseoverlay-xetex-bidi.def

```

2814 \ProvidesFile{beamerbaseoverlay-xetex-bidi.def}[2022/06/10 v0.1 bidi adaptations for beamer]
2815 \renewcommand<>{\color}{\alt#1{\beameroriginal{\color}}{\beamer@gobbleoptionalinsp}}
2816
2817

```

## 25 File beamerinnerthemedefault-xetex-bidi.def

```

2818 \ProvidesFile{beamerinnerthemedefault-xetex-bidi.def}[2022/06/27 v0.6 bidi adaptations for beamer]
2819 \newcommand*{\bidi@beamer@leftskip}{%
2820 \if@RTL
2821 \rightskip
2822 \else
2823 \leftskip
2824 \fi
2825 }
2826
2827 \newcommand*{\bidi@beamer@rightskip}{%
2828 \if@RTL
2829 \leftskip
2830 \else
2831 \rightskip
2832 \fi
2833 }
2834
2835 \bidi@csundef{beamer@tmpop@subsection in toc@default}
2836
2837 \bidi@csundef{beamer@tmpop@subsubsection in toc@default}
2838
2839 \defbeamertemplate*{subsection in toc}{default}
2840 {\leavevmode\bidi@beamer@leftskip=1.5em\inserttocsubsection\par}
2841
2842 \defbeamertemplate*{subsubsection in toc}{default}

```



```

2843 {\leavevmode\normalsize\usebeamerfont{subsection in toc}\bidi@beamer@leftskip=3em%
2844 \usebeamerfont{subsubsection in toc}\inserttocsubsubsection\par}
2845
2846 \newcommand*{\bidi@beamer@blacktriangle}{%
2847 \if@RTL
2848   $\blacktriangleleft$%
2849 \else
2850   $\blacktriangleright$%
2851 \fi
2852 }
2853
2854 \bidi@csundef{beamer@@tmpop@itemize item@default}
2855
2856 \bidi@csundef{beamer@@tmpop@itemize subitem@default}
2857
2858 \bidi@csundef{beamer@@tmpop@itemize subsubitem@default}
2859
2860 \defbeamertemplate*{itemize item}{default}{\usebeamerfont*{itemize item}\raise1.25pt\hbox{\vdots}}
2861 \defbeamertemplate*{itemize subitem}{default}{\usebeamerfont*{itemize subitem}\raise1.5pt\hbox{\vdots}}
2862 \defbeamertemplate*{itemize subsubitem}{default}{\usebeamerfont*{itemize subsubitem}\raise1.75pt\hbox{\vdots}}
2863
2864 \bidi@undef\beamer@@tmpop@footnote@default
2865
2866 \defbeamertemplate*{footnote}{default}
2867 {
2868 \parindent 1em\noindent%
2869 \bidi@beamer@ragged
2870 \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2871 }
2872
2873 \defbeamertemplate*{RTLfootnote}{default}
2874 {
2875 \parindent 1em\noindent%
2876 \raggedleft
2877 \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2878 }
2879
2880 \defbeamertemplate*{LTRfootnote}{default}
2881 {
2882 \parindent 1em\noindent%
2883 \raggedright
2884 \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2885 }
2886
2887 \bidi@undef\beamer@@tmpop@caption@default
2888
2889 \defbeamertemplate*{caption}{default}
2890 {%
2891 \bidi@beamer@ragged
2892 {%
2893 \leavevmode
2894 \usebeamerfont[fg]{caption name}%
2895 \usebeamerfont*{caption name}%
2896 \insertcaptionname

```



```

2897   \usebeamertemplate{caption label separator}%
2898 }%
2899 \insertcaption\par
2900 }
2901
2902 \bidi@csundef{beamer@@tmpop@block begin@default}
2903
2904 \bidi@csundef{beamer@@tmpop@block alerted begin@default}
2905
2906 \bidi@csundef{beamer@@tmpop@block example begin@default}
2907
2908 \defbeamertemplate*{block begin}{default}
2909 {
2910   \par\vskip\medskipamount%
2911   \begin{beamercolorbox}[colsep*=.75ex]{block title}
2912     \usebeamerfont*{block title}\insertblocktitle%
2913   \end{beamercolorbox}%
2914   {\parskip0pt\par}%
2915   \ifbeamercoloreempty[bg]{block title}
2916   {}
2917   {\ifbeamercoloreempty[bg]{block body}{}\nointerlineskip\vskip-0.5pt}}%
2918   \usebeamerfont{block body}%
2919   \begin{beamercolorbox}[colsep*=.75ex,vmode]{block body}%
2920     \ifbeamercoloreempty[bg]{block body}{\vskip-.25ex}{\leavevmode\vskip-\dimexpr.75ex+\basel}
2921   }
2922
2923 \defbeamertemplate*{block alerted begin}{default}
2924 {
2925   \par\vskip\medskipamount%
2926   \begin{beamercolorbox}[colsep*=.75ex]{block title alerted}
2927     \usebeamerfont*{block title alerted}\insertblocktitle%
2928   \end{beamercolorbox}%
2929   {\parskip0pt\par}%
2930   \ifbeamercoloreempty[bg]{block title alerted}
2931   {}
2932   {\ifbeamercoloreempty[bg]{block body alerted}{}\nointerlineskip\vskip-0.5pt}}%
2933   \usebeamerfont{block body alerted}%
2934   \begin{beamercolorbox}[colsep*=.75ex,vmode]{block body alerted}%
2935     \ifbeamercoloreempty[bg]{block body alerted}{\vskip-.25ex}{\leavevmode\vskip-\dimexpr.75e}
2936   }
2937
2938 \defbeamertemplate*{block example begin}{default}
2939 {
2940   \par\vskip\medskipamount%
2941   \begin{beamercolorbox}[colsep*=.75ex]{block title example}
2942     \usebeamerfont*{block title example}\insertblocktitle%
2943   \end{beamercolorbox}%
2944   {\parskip0pt\par}%
2945   \ifbeamercoloreempty[bg]{block title example}
2946   {}
2947   {\ifbeamercoloreempty[bg]{block body example}{}\nointerlineskip\vskip-0.5pt}}%
2948   \usebeamerfont{block body example}%
2949   \begin{beamercolorbox}[colsep*=.75ex,vmode]{block body example}%
2950     \ifbeamercoloreempty[bg]{block body example}{\vskip-.25ex}{\leavevmode\vskip-\dimexpr.75e}

```



```

2951 }
2952
2953 \bidi@csundef{beamer@tmpop@abstract begin@default}
2954
2955 \defbeamer@template*{abstract begin}{default}
2956 {\beamer@colorbox[vmode]{abstract}\bidi@beamer@leftskip2em\bidi@beamer@rightskip2em plus 1fil
2957
2958 \bidi@undef\beamer@tmpop@button@default
2959
2960 \defbeamer@template*{button}{default}
2961 {%
2962 \setbox\beamer@tempbox=\hbox{\insertbuttontext}}%
2963 \ht\beamer@tempbox=6pt%
2964 \dp\beamer@tempbox=0pt%
2965 \setbox\beamer@tempbox=\vbox{\box\beamer@tempbox\vskip2pt}%
2966 \beamer@tempdim=\wd\beamer@tempbox%
2967 \beamer@dima=\beamer@tempdim\advance\beamer@dima by2.2pt
2968 \beamer@dimb=\beamer@tempdim\advance\beamer@dimb by4pt
2969 \if@RTL
2970 \kern4pt%
2971 \box\beamer@tempbox%
2972 \hskip-\beamer@tempdim%
2973 \fi
2974 \begin{pgfpicture}{-4pt}{0pt}{\the\beamer@tempdim}{8pt}
2975 \color{bg}
2976 \pgfsetlinewidth{0.8pt}
2977 \pgfpathmoveto{0pt}{0pt}
2978 \pgfpathqcurveto{-2.2pt}{0pt}{-4pt}{1.8pt}{-4pt}{4pt}
2979 \pgfpathqcurveto{-4pt}{6.2pt}{-2.2pt}{8pt}{0pt}{8pt}
2980 \pgfpathlineto{\pgfpoint{\the\beamer@tempdim}{8pt}}
2981 \pgfpathcurveto%
2982 {\pgfpoint{\the\beamer@dima}{8pt}}%
2983 {\pgfpoint{\the\beamer@dimb}{6.2pt}}%
2984 {\pgfpoint{\the\beamer@dimb}{4pt}}
2985 \pgfpathcurveto%
2986 {\pgfpoint{\the\beamer@dimb}{1.8pt}}%
2987 {\pgfpoint{\the\beamer@dima}{0pt}}%
2988 {\pgfpoint{\the\beamer@tempdim}{0pt}}
2989 \pgfpathclose
2990 \pgfusepathqfill
2991 \colorlet{bg}{parent.bg}
2992 \usebeamer@color[fg]{button border}
2993 \pgfpathmoveto{0pt}{0pt}
2994 \pgfpathqcurveto{-2.2pt}{0pt}{-4pt}{1.8pt}{-4pt}{4pt}
2995 \pgfpathqcurveto{-4pt}{6.2pt}{-2.2pt}{8pt}{0pt}{8pt}
2996 \pgfpathlineto{\pgfpoint{\the\beamer@tempdim}{8pt}}
2997 \pgfpathcurveto%
2998 {\pgfpoint{\the\beamer@dima}{8pt}}%
2999 {\pgfpoint{\the\beamer@dimb}{6.2pt}}%
3000 {\pgfpoint{\the\beamer@dimb}{4pt}}
3001 \pgfpathcurveto%
3002 {\pgfpoint{\the\beamer@dimb}{1.8pt}}%
3003 {\pgfpoint{\the\beamer@dima}{0pt}}%
3004 {\pgfpoint{\the\beamer@tempdim}{0pt}}

```



```

3005   \pgfpathclose
3006   \pgfusepathqstroke
3007 \end{pgfpicture}%
3008 \if@RTL
3009 \else
3010   \hskip-\beamer@tempdim%
3011   \box\beamer@tempbox%
3012   \kern4pt%
3013 \fi
3014 }
3015
3016

```

## 26 File beamerinnerthemecircles-xetex-bidi.def

```

3017 \ProvidesFile{beamerinnerthemecircles-xetex-bidi.def}[2022/06/06 v0.1 bidi adaptations for beamer]
3018 \setbeamertemplate{sections/subsections in toc}[circle]
3019

```

## 27 File beamerinnerthemefocus-xetex-bidi.def

```

3020 \ProvidesFile{beamerinnerthemefocus-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations for beamer]
3021 \setbeamertemplate{section in toc}[square]
3022 \setbeamertemplate{subsection in toc}[square]
3023
3024 \setbeamertemplate{itemize items}[square]
3025 \setbeamertemplate{itemize subitem}[triangle]
3026
3027 \bidi@csundef{beamer@@tmpop@title page@focus}
3028
3029 \defbeamertemplate*{title page}{focus}{%
3030   {%
3031     \usebeamercolor{frametitle}\colorlet{focus@@temp}{bg}%
3032     \begin{tikzpicture}[overlay, remember picture]
3033       \fill[color=focus@@temp] (current page.north west) rectangle ([shift = {(0, -0.4}
3034     \end{tikzpicture}
3035   }
3036
3037   \vspace{-1.65\baselineskip}
3038   \begin{minipage}[b] [0.35\paperheight]{\textwidth}
3039     \vspace{\baselineskip}
3040     \usebeamerfont{title}
3041     \usebeamercolor[fg]{frametitle}
3042     \inserttitle
3043   \end{minipage}
3044
3045   \begin{minipage}[t] [0.1\paperheight]{\textwidth}
3046     \usebeamerfont{subtitle}
3047     \usebeamercolor[fg]{frametitle}
3048     \insertsubtitle
3049   \end{minipage}
3050
3051   % Set the title graphic in a zero-height box, so that
3052   % the position of other elements is not affected.

```



```

3053   {\vfuuzz=9999pt\vbox to 0pt {
3054     \if@RTL
3055       \raggedright
3056     \else
3057       \raggedleft
3058     \fi
3059     \inserttitlegraphic
3060   }}
3061
3062   \begin{minipage}[t]{\textwidth}
3063     \usebeamerfont{author}
3064     \insertauthor
3065   \end{minipage}
3066
3067   \vspace*{\baselineskip}
3068   \begin{minipage}[t]{\textwidth}
3069     \usebeamerfont{institute}
3070     \insertinstitute
3071   \end{minipage}
3072
3073   \vspace*{\baselineskip}
3074   \begin{minipage}[t]{\textwidth}
3075     \usebeamerfont{date}
3076     \insertdate
3077   \end{minipage}
3078
3079   \vspace*{0pt plus 100fill}
3080
3081   \addtocounter{framenummer}{-1}
3082   \addtocounter{realframenummer}{-1}
3083 }
3084
3085
3086

```

## 28 File beamerinnerthemeinmargin-xetex-bidi.def

```

3087 \ProvidesFile{beamerinnerthemeinmargin-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for
3088 \AtBeginDocument{%
3089   \setbeamsize{sidebar width left=.25\paperwidth}%
3090 }
3091
3092 \bidi@csundef{beamer@@tmpop@section in toc@inmargin}
3093
3094 \bidi@csundef{beamer@@tmpop@title page@inmargin}
3095
3096 \bidi@csundef{beamer@@tmpop@block begin@inmargin}
3097
3098 \bidi@csundef{beamer@@tmpop@block end@inmargin}
3099
3100 \bidi@csundef{beamer@@tmpop@block alerted begin@inmargin}
3101
3102 \bidi@csundef{beamer@@tmpop@block alerted end@inmargin}
3103

```





```

3104 \bidi@csundef{beamer@@tmpop@block example begin@inmargin}
3105
3106 \bidi@csundef{beamer@@tmpop@block example end@inmargin}
3107
3108 \defbeamertemplate*{section in toc}{inmargin}
3109 {\leavevmode
3110 \beamer@putleft{\usebeamercolor[fg]{section in toc}\inserttocsection}\strut}{2.5ex}}
3111
3112 \defbeamertemplate*{title page}{inmargin}
3113 {
3114 \begin{block}{\inserttitleindicator}
3115 \bgroup\usebeamercolor[fg]{title}\usebeamerfont{title}\inserttitle\egroup\par
3116 \usebeamercolor[fg]{subtitle}\usebeamerfont{subtitle}\insertsubtitle
3117 \end{block}
3118 \vfill
3119 \ifx\insertauthor\@empty
3120 \else
3121 \begin{block}{\insertauthorindicator}
3122 \bgroup\usebeamercolor[fg]{author}\usebeamerfont{author}\insertauthor\egroup\par
3123 \end{block}
3124 \fi
3125 \ifx\insertinstitute\@empty
3126 \else
3127 \begin{block}{\insertinstituteindicator}
3128 \bgroup\usebeamercolor[fg]{institute}\usebeamerfont{institute}\insertinstitute\egroup\par
3129 \end{block}
3130 \fi
3131 \ifx\insertdate\@empty
3132 \else
3133 \begin{block}{\insertdateindicator}
3134 \bgroup\usebeamercolor[fg]{date}\usebeamerfont{date}\insertdate\egroup\par
3135 \end{block}
3136 \fi
3137 }
3138
3139 \defbeamertemplate*{block begin}{inmargin}
3140 {
3141 \par\vskip\medskipamount%
3142 \leavevmode%
3143 \beamer@putleft{\normalfont{\usebeamercolor[fg]{block title}\usebeamerfont*{block title}}\i
3144 \beginL\beamer@putright
3145 %\usebeamercolor[fg]{block body}% to be done!
3146 }
3147
3148 \defbeamertemplate*{block end}{inmargin}
3149 {\endbeamer@putright\endL\vskip\smallskipamount}
3150
3151 \defbeamertemplate*{block alerted begin}{inmargin}
3152 {
3153 \par\vskip\medskipamount%
3154 \leavevmode%
3155 \beamer@putleft{\normalfont{\usebeamercolor[fg]{block title alerted}\usebeamerfont*{block
3156 \beginL\beamer@putright
3157 %\usebeamercolor[fg]{block body alerted}% to be done!

```



```

3158 }
3159
3160 \defbeamer*{block alerted end}{inmargin}
3161 {\endbeamer@putright\endL\vskip\smallskipamount}
3162
3163 \defbeamer*{block example begin}{inmargin}
3164 {
3165   \par\vskip\medskipamount%
3166   \leavevmode%
3167   \beamer@putleft{\normalfont{\usebeamerfont[fg]{block title example}}\usebeamerfont*{block
3168   \beginL\beamer@putright
3169   %\usebeamerfont[fg]{block body example}% to be done
3170 }
3171
3172 \defbeamer*{block example end}{inmargin}
3173 {\endbeamer@putright\endL\vskip\smallskipamount}
3174
3175 \bidi@AfterFile{beamerinnerthememetropolis-xetex-bidi.def}{%
3176   \setbeamer*{section in toc}[inmargin]%
3177   \setbeamer*{subsection in toc}[inmargin]%
3178   \setbeamer*{subsubsection in toc}[inmargin]%
3179 }
3180
3181

```

## 29 File beamerinnerthememetropolis-xetex-bidi.def

```

3182 \ProvidesFile{beamerinnerthememetropolis-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations fo
3183 \setbeamer*{title}{
3184   \bidi@beamer@ragged%
3185   \linespread{1.0}%
3186   \inserttitle%
3187   \par%
3188   \vspace*{0.5em}
3189 }
3190
3191 \setbeamer*{subtitle}{
3192   \bidi@beamer@ragged%
3193   \insertsubtitle%
3194   \par%
3195   \vspace*{0.5em}
3196 }
3197
3198 \bidi@csundef{beamer@@tmpop@section page@progressbar}
3199
3200 \defbeamer*{section page}{progressbar}{
3201   \centering
3202   \begin{minipage}{22em}
3203     \bidi@beamer@ragged
3204     \usebeamerfont[fg]{section title}
3205     \usebeamerfont{section title}
3206     \insertsectionhead\[-1ex]
3207     \usebeamer*{progress bar in section page}
3208     \par

```



```

3209 \ifx\insertsubsectionhead\@empty\else%
3210 \usebeamerfont[fg]{subsection title}%
3211 \usebeamerfont{subsection title}%
3212 \insertsubsectionhead
3213 \fi
3214 \end{minipage}
3215 \par
3216 \vspace{\baselineskip}
3217 }
3218
3219 \setbeamertemplate{progress bar in section page}{
3220 \setlength{\metropolis@progressonsectionpage}{%
3221 \textwidth * \ratio{\insertframenum pt}{\inserttotalframenum pt}}%
3222 }%
3223 \begin{tikzpicture}
3224 \fill[bg] (0,0) rectangle (\textwidth, \metropolis@progressonsectionpage@linewidth);
3225 \if@RTLmain
3226 \fill[fg] (\textwidth-\metropolis@progressonsectionpage,0) rectangle (\textwidth, \metropolis@progressonsectionpage);
3227 \else
3228 \fill[fg] (0,0) rectangle (\metropolis@progressonsectionpage, \metropolis@progressonsectionpage);
3229 \fi
3230 \end{tikzpicture}%
3231 }
3232
3233 \renewcommand{\metropolis@block}[1]{
3234 \par\vskip\medskipamount%
3235 \setlength{\parskip}{Opt}
3236 \ifbeamercolorempy[bg]{block title#1}{%
3237 \if@RTL
3238 \begin{beamercolorbox}[leftskip=Opt plus 4em]{block title#1}%
3239 \else
3240 \begin{beamercolorbox}[rightskip=Opt plus 4em]{block title#1}%
3241 \fi
3242 }{%
3243 \ifbeamercolorempy[bg]{block title}{%
3244 \if@RTL
3245 \begin{beamercolorbox}[leftskip=Opt plus 4em]{block title#1}%
3246 \else
3247 \begin{beamercolorbox}[rightskip=Opt plus 4em]{block title#1}%
3248 \fi
3249 }%
3250 }%
3251 \if@RTL
3252 \begin{beamercolorbox}[
3253 sep=\dimexpr\metropolis@blocksep-\metropolis@blockadjust\relax,
3254 rightskip=\metropolis@blockadjust,
3255 leftskip=\dimexpr\metropolis@blockadjust plus 4em\relax
3256 ]{block title#1}%
3257 \else
3258 \begin{beamercolorbox}[
3259 sep=\dimexpr\metropolis@blocksep-\metropolis@blockadjust\relax,
3260 leftskip=\metropolis@blockadjust,
3261 rightskip=\dimexpr\metropolis@blockadjust plus 4em\relax
3262 ]{block title#1}%

```



```

3263   \fi
3264 }}%
3265   \usebeamerfont*{block title#1}%
3266   \metropolis@strut%
3267   \insertblocktitle%
3268   \metropolis@strut%
3269 \end{beamercolorbox}%
3270 \nointerlineskip%
3271 \ifbeamercolorempy[bg]{block body#1}{%
3272   \begin{beamercolorbox}[vmode]{block body#1}}{
3273 \ifbeamercolorempy[bg]{block body}{%
3274   \begin{beamercolorbox}[vmode]{block body#1}%
3275 }}{%
3276   \begin{beamercolorbox}[sep=\metropolis@blocksep, vmode]{block body#1}%
3277   \vspace{-\metropolis@parskip}
3278 }}%
3279   \usebeamerfont{block body#1}%
3280   \setlength{\parskip}{\metropolis@parskip}%
3281 }
3282
3283
3284 \setbeamertemplate{footnote}{%
3285   \parindent 0em\noindent%
3286   \bidi@beamer@ragged
3287   \usebeamercolor{footnote}\hbox to 0.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
3288 }
3289
3290 \setbeamertemplate{RTLfootnote}{%
3291   \parindent 0em\noindent%
3292   \raggedleft
3293   \usebeamercolor{footnote}\hbox to 0.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
3294 }
3295
3296 \setbeamertemplate{LTRfootnote}{%
3297   \parindent 0em\noindent%
3298   \raggedright
3299   \usebeamercolor{footnote}\hbox to 0.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
3300 }
3301
3302 \setbeamertemplate{itemize items}{\textbullet}
3303
3304 \setbeamertemplate{section page}[progressbar]
3305
3306

```

## 30 File beamerinnerthemerectangles-xetex-bidi.def

```

3307 \ProvidesFile{beamerinnerthemerectangles-xetex-bidi.def}[2022/06/06 v0.1 bidi adaptations fo
3308 \setbeamertemplate{sections/subsections in toc}[square]
3309 \setbeamertemplate{items}[square]
3310

```

## 31 File beamerinnerthemrounded-xetex-bidi.def



```

3311 \ProvidesFile{beamerinnerthemrounded-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for b
3312 \setbeamertemplate{blocks}[rounded] [shadow=\beamer@themrounded@shadow]
3313 \setbeamertemplate{items}[ball]
3314 \setbeamertemplate{sections/subsections in toc}[ball]
3315

```

## 32 File beamerouterthemedefault-xetex-bidi.def

```

3316 \ProvidesFile{beamerouterthemedefault-xetex-bidi.def}[2022/06/27 v0.2 bidi adaptations for b
3317 \def\beamer@fteleft{\if@RTLmain\vskip0.35cm\advance\leftskip by 1.7cm\advance\rightskip by1.
3318
3319 \def\beamer@fteright{\if@RTLmain\else\vskip0.35cm\advance\leftskip by 1.7cm\advance\rightski
3320
3321 \AtBeginDocument{%
3322   \if@RTLmain
3323     \setbeamertemplate{frametitle}[default][right]
3324   \fi
3325 }
3326
3327 \bidi@csundef{beamer@@tmpop@note page@default}
3328
3329 \newcommand*{\bidi@beamer@today}{%
3330 \the\year-\ifnum\month<10\relax0\fi\the\month-\ifnum\day<10\relax0\fi\the\day}
3331
3332 \defbeamertemplate*{note page}{default}
3333 {%
3334   {%
3335     \scriptsize
3336     \usebeamerfont{note title}\usebeamercolor[fg]{note title}%
3337     \ifbeamercolorempy[bg]{note title}{}{%
3338       \insertvrule{.25\paperheight}{note title.bg}%
3339       \vskip-.25\paperheight%
3340       \nointerlineskip%
3341     }%
3342     \vbox{
3343       \hfill\insertslideintonotes{0.25}\hskip-\Gm@rmargin\hskip0pt%
3344       \vskip-0.25\paperheight%
3345       \nointerlineskip
3346       \if@RTL
3347         \begin{pgfpicture}{-\textwidth}{0cm}{-\textwidth}{0cm}
3348           \begin{pgflowlevelslope}{\pgftransformrotate{-90}}
3349             {\pgftransformshift{\pgfpoint{2cm}{0.2cm}}}%
3350             \pgftext[base,right]{\usebeamerfont{note date}\usebeamercolor[fg]{note date}\bidi@b
3351           \end{pgflowlevelslope}
3352         \end{pgfpicture}%
3353       \else
3354         \begin{pgfpicture}{0cm}{0cm}{0cm}{0cm}
3355           \begin{pgflowlevelslope}{\pgftransformrotate{90}}
3356             {\pgftransformshift{\pgfpoint{-2cm}{0.2cm}}}%
3357             \pgftext[base,left]{\usebeamerfont{note date}\usebeamercolor[fg]{note date}\bidi@b
3358           \end{pgflowlevelslope}
3359         \end{pgfpicture}%
3360       \fi
3361     \nointerlineskip

```



```

3362 \vbox to .25\paperheight{\vskip0.5em
3363 \if@RTL
3364 \moveright0.25\textwidth
3365 \fi
3366 \hbox{\insertshorttitle[width=0.75\textwidth]}}%
3367 \setbox\beamer@tempbox=\hbox{\insertsection}%
3368
3369 \if@RTL
3370 \moveright\dimexpr0.29\textwidth-14pt\relax
3371 \fi
3372 \hbox{\if@RTL\beginR\fi\ifdim\wd\beamer@tempbox>1pt{\hskip4pt\raise3pt\hbox{\vrule
3373 width0.4pt height7pt\vrule width 9pt
3374 height0.4pt}}\hskip1pt\hbox{\begin{minipage}[t]{0.71\textwidth}\def\breakhere{}}\fi}
3375 \if@RTL\endR\fi}%
3376 \setbox\beamer@tempbox=\hbox{\insertsubsection}%
3377
3378 \if@RTL
3379 \moveright\dimexpr0.29\textwidth-27.4pt\relax
3380 \fi \hbox{\if@RTL\beginR\fi\ifdim\wd\beamer@tempbox>1pt{\hskip17.4pt\raise3pt\hbox{\vrule
3381 width0.4pt height7pt\vrule width 9pt
3382 height0.4pt}}\hskip1pt\hbox{\begin{minipage}[t]{0.71\textwidth}\def\breakhere{}}\fi}
3383 \if@RTL\endR\fi}%
3384 \setbox\beamer@tempbox=\hbox{\insertshortframetitle}%
3385
3386 \if@RTL
3387 \moveright\dimexpr0.33\textwidth-40.8pt\relax
3388 \fi \hbox{\if@RTL\beginR\fi\ifdim\wd\beamer@tempbox>1pt{\hskip30.8pt\raise3pt\hbox{\vrule
3389 width0.4pt height7pt\vrule width 9pt
3390 height0.4pt}}\hskip1pt\hbox{\insertshortframetitle[width=0.67\textwidth]}\fi}
3391 \if@RTL\endR\fi}%
3392 \vfil}%
3393 }%
3394 \ifbeamercolorempy[bg]{note page}{-}{-}%
3395 \nointerlineskip%
3396 \insertvrule{.75\paperheight}{note page.bg}%
3397 \vskip-.75\paperheight%
3398 }%
3399 \vskip.25em
3400 \nointerlineskip
3401 \insertnote
3402 }
3403
3404
3405

```

### 33 File beamerouterthemefocus-xetex-bidi.def

```

3406 \ProvidesFile{beamerouterthemefocus-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations for bea
3407 \bidi@undef\beamer@@tmpop@footline@progressbar
3408
3409 \defbeamer@template*{footline}{progressbar}{-}{-}
3410 % If not appendix.
3411 \ifnum\mainend<0% From package appendixnumberbeamer.
3412 %

```





```

3467             \node[footline.fg] at ({\paperwidth-\the\focus@pbar@rightoffset},{0.
3468             \node[anchor=west, footline.fg] at ({\paperwidth-\the\focus@pbar@rig
3469 \fi
3470             \fi%
3471             \end{tikzpicture}%
3472             \fi%
3473             \fi%
3474             \fi%
3475 }
3476
3477

```

### 34 File beamerouterthemeinfolines-xetex-bidi.def

```

3478 \ProvidesFile{beamerouterthemeinfolines-xetex-bidi.def}[2022/06/09 v0.2 bidi adaptations for
3479 \bidi@csundef{beamer@tmpop@footline@infolines theme}
3480
3481 \defbeamertemplate*{footline}{infolines theme}
3482 {%
3483   \leavevmode%
3484   \hbox{%
3485     \begin{beamercolorbox}[wd=.333333\paperwidth,ht=2.25ex,dp=1ex,center]{author in head/foot}%
3486     \usebeamerfont{author in head/foot}\insertshortauthor\expandafter\ifblank\expandafter{\b
3487     \end{beamercolorbox}%
3488     \begin{beamercolorbox}[wd=.333333\paperwidth,ht=2.25ex,dp=1ex,center]{title in head/foot}%
3489     \usebeamerfont{title in head/foot}\insertshorttitle
3490     \end{beamercolorbox}%
3491     \begin{beamercolorbox}[wd=.333333\paperwidth,ht=2.25ex,dp=1ex,leftskip=2ex,rightskip=2ex,s
3492     \hfill%
3493     \usebeamerfont{date in head/foot}%
3494     \insertshortdate{}%
3495     \hfill%
3496     \bgroup
3497     \usebeamercolor[fg]{page number in head/foot}%
3498     \usebeamerfont{page number in head/foot}%
3499     \usebeamertemplate{page number in head/foot}%
3500     \egroup
3501     \end{beamercolorbox}}%
3502     \vskip0pt%
3503 }
3504
3505 \bidi@csundef{beamer@tmpop@headline@infolines theme}
3506
3507 \defbeamertemplate*{headline}{infolines theme}
3508 {%
3509   \leavevmode%
3510   \hbox{%
3511     \if@RTL
3512     \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,left]{section in head/foot}%
3513   \else
3514     \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,right]{section in head/foot}%
3515   \fi
3516     \usebeamerfont{section in head/foot}\insertsectionhead\hspace*{2ex}
3517     \end{beamercolorbox}%

```





```

3518 \if@RTL
3519 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,right]{subsection in head/foot}
3520 \else
3521 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,left]{subsection in head/foot}%
3522 \fi
3523 \usebeamerfont{subsection in head/foot}\hspace*{2ex}\insertsubsectionhead
3524 \end{beamercolorbox}}%
3525 \vskip0pt%
3526 }
3527
3528 \bidi@AfterFile{beamerouterthememetroplit-xetex-bidi.def}{%
3529 \setbeamertemplate{footline}[infolines theme]%
3530 }
3531

```

### 35 File beamerouterthememetropolis-xetex-bidi.def

```

3532 \ProvidesFile{beamerouterthememetropolis-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations fo
3533 \setbeamertemplate{progress bar in head/foot}{
3534 \nointerlineskip
3535 \setlength{\metropolis@progressinheadfoot}{%
3536 \paperwidth * \ratio{\insertframenummer pt}{\inserttotalframenummer pt}}%
3537 }%
3538 \begin{beamercolorbox}[wd=\paperwidth]{progress bar in head/foot}
3539 \begin{tikzpicture}
3540 \fill[bg] (0,0) rectangle (\paperwidth, \metropolis@progressinheadfoot@linewidth);
3541 \if@RTLmain
3542 \fill[fg] (\paperwidth-\metropolis@progressinheadfoot,0) rectangle (\paperwidth, \metr
3543 \else
3544 \fill[fg] (0,0) rectangle (\metropolis@progressinheadfoot, \metropolis@progressinheadf
3545 \fi
3546 \end{tikzpicture}}%
3547 \end{beamercolorbox}
3548 }
3549
3550 \AtBeginDocument{%
3551 \setbeamertemplate{frametitle}[plain]%
3552 }
3553
3554

```

### 36 File beamerouterthememiniframes-xetex-bidi.def

```

3555 \ProvidesFile{beamerouterthememiniframes-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations fo
3556 \bidi@csundef{beamer@tmpop@headline@miniframes theme}
3557
3558 \defbeamertemplate*{headline}{miniframes theme}
3559 {%
3560 \begin{beamercolorbox}[colsep=1.5pt]{upper separation line head}
3561 \end{beamercolorbox}
3562 \begin{beamercolorbox}{section in head/foot}
3563 \vskip2pt\if@RTL\beginR\fi\insertnavigation{\paperwidth}\if@RTL\endR\fi\vskip2pt
3564 \end{beamercolorbox}}%
3565 \ifbeamer@theme@subsection%

```



```

3566 \begin{beamercolorbox}[colsep=1.5pt]{middle separation line head}
3567 \end{beamercolorbox}
3568 \if@RTL
3569 \begin{beamercolorbox}[ht=2.5ex,dp=1.125ex,%
3570 rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/footer}
3571 \else
3572 \begin{beamercolorbox}[ht=2.5ex,dp=1.125ex,%
3573 leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/footer}
3574 \fi
3575 \usebeamerfont{subsection in head/footer}\insertsubsectionhead
3576 \end{beamercolorbox}%
3577 \fi%
3578 \begin{beamercolorbox}[colsep=1.5pt]{lower separation line head}
3579 \end{beamercolorbox}
3580 }
3581
3582

```

### 37 File beamerouterthemesidebar-xetex-bidi.def

```

3583 \ProvidesFile{beamerouterthemesidebar-xetex-bidi.def}[2022/06/07 v0.2 bidi adaptations for b
3584 \bidi@csundef{beamer@tmpop@frametitle@sidebar theme}
3585
3586 \bidi@csundef{beamer@tmpop@headline@sidebar theme}
3587
3588 \bidi@csundef{beamer@tmpop@sidebar left@sidebar theme}
3589
3590 \bidi@csundef{beamer@tmpop@sidebar right@sidebar theme}
3591
3592 \ifdim\beamer@headheight>0pt
3593
3594 \defbeamertemplate*{frametitle}{sidebar theme}
3595 {%
3596 \nointerlineskip%
3597 \ifbeamer@plainframe%
3598 \hbox{\usebeamercolor[bg]{frametitle}%
3599 \@tempdima\paperwidth\advance\@tempdima-\beamer@sidebarwidth
3600 \hskip-\beamer@leftmargin\vrule height\beamer@headheight width\@tempdima\hskip-\beam
3601 \nointerlineskip%
3602 \fi%
3603 \vskip-\beamer@headheight%
3604 \vbox to \beamer@headheight{%
3605 \vfil
3606 \bidi@beamer@leftskip=-\beamer@leftmargin%
3607 \advance\bidi@beamer@leftskip by0.3cm%
3608 \bidi@beamer@rightskip=-\beamer@rightmargin%
3609 \advance\bidi@beamer@rightskip by0.3cm plus1fil%
3610 {\usebeamercolor[fg]{frametitle}\usebeamerfont{frametitle}\strut\insertframetitle\par}
3611 \ifx\insertframesubtitle\@empty\else%
3612 {\usebeamercolor[fg]{framesubtitle}\usebeamerfont{framesubtitle}\strut\insertframesu
3613 \fi%
3614 \vbox{}%
3615 \vskip-1em%
3616 \vfil

```



```

3617 }%
3618 }
3619
3620 \AtBeginDocument{%
3621 \setbeamertheme{frametitle}[sidebar theme]%
3622 }
3623
3624 \defbeamertheme*{headline}{sidebar theme}
3625 {%
3626 \begin{beamercolorbox}[wd=\paperwidth]{frametitle}
3627 \ifx\beamer@sidebarside\beamer@lefttext%
3628 \else%
3629 \hfill%
3630 \fi%
3631 \ifdim\beamer@sidebarwidth>0pt%
3632 \bgroup
3633 \usebeamercolor[bg]{logo}%
3634 \if@RTLmain
3635 \else
3636 \vrule width\beamer@sidebarwidth height \beamer@headheight%
3637 \hskip-\beamer@sidebarwidth%
3638 \fi
3639 \hbox to \beamer@sidebarwidth{\hss\vbox to
3640 \beamer@headheight{\vss\hbox{{\color{fg}\insertlogo}}\vss}\hss}%
3641 \if@RTLmain
3642 \hskip-\beamer@sidebarwidth%
3643 \vrule width\beamer@sidebarwidth height \beamer@headheight%
3644 \fi
3645 \egroup
3646 \else%
3647 \vrule width0pt height \beamer@headheight%
3648 \fi%
3649 \end{beamercolorbox}
3650 }
3651 \fi
3652
3653 \def\beamer@sidebarformat#1#2#3{%
3654 \if@RTL
3655 \begin{beamercolorbox}[wd=\beamer@sidebarwidth,rightskip=#1,leftskip=1ex plus1fil,vmode]{#
3656 \else
3657 \begin{beamercolorbox}[wd=\beamer@sidebarwidth,leftskip=#1,rightskip=1ex plus1fil,vmode]{#
3658 \fi
3659 \vbox{}%
3660 #3\par%
3661 \vbox{}%
3662 \vskip-1.5ex%
3663 \end{beamercolorbox}
3664 }
3665
3666 \ifdim\beamer@sidebarwidth>0pt
3667
3668 \AtBeginDocument{%
3669 \setbeamersize{sidebar width \beamer@sidebarside=\beamer@sidebarwidth}%
3670 }

```



```

3671
3672 \defbeamertheme*{sidebar \beamer@sidebarside}{sidebar theme}
3673 {
3674   \beamer@tempdim=\beamer@sidebarwidth%
3675   \advance\beamer@tempdim by -6pt%
3676   {\usebeamerfont{title in sidebar}%
3677     \vskip1.5em%
3678     \hskip3pt%
3679     \bgroup
3680     \usebeamercolor[fg]{title in sidebar}%
3681     \insertshorttitle[width=\beamer@tempdim,center,respectlinebreaks]\egroup\par%
3682     \vskip1.25em%
3683   }%
3684   {%
3685     \hskip3pt%
3686     \bgroup
3687     \usebeamercolor[fg]{author in sidebar}%
3688     \usebeamerfont{author in sidebar}%
3689     \insertshortauthor[width=\beamer@tempdim,center,respectlinebreaks]\egroup\par%
3690     \vskip1.25em%
3691   }%
3692   \insertverticalnavigation{\beamer@sidebarwidth}%
3693   \vfill
3694   \ifx\beamer@sidebarside\beamer@lefttext%
3695     \else%
3696       \usebeamercolor{normal text}%
3697       \llap{\usebeamerfont***{navigation symbols}\hskip0.1cm}%
3698       \vskip2pt%
3699     \fi%
3700   }%
3701 \fi
3702

```

## 38 File beamerouterthemesplit-xetex-bidi.def

```

3703 \ProvidesFile{beamerouterthemesplit-xetex-bidi.def}[2022/06/09 v0.2 bidi adaptations for bea
3704 \bidi@csundef{beamer@tmpop@footline@split theme}
3705
3706 \defbeamertheme*{footline}{split theme}
3707 {%
3708   \leavevmode%
3709   \hbox{\if@RTL\begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,rightskip=.3cm pl
3710 \else
3711 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,leftskip=.3cm plus1fill,rightski
3712 \fi
3713   \usebeamerfont{author in head/foot}\insertshortauthor
3714   \end{beamercolorbox}%
3715   \if@RTL
3716     \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,rightskip=.3cm,leftskip=.3cm
3717 \else
3718     \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,leftskip=.3cm,rightskip=.3cm p
3719 \fi
3720   \usebeamerfont{title in head/foot}\insertshorttitle\nobreak\hfill\bgroup\usebeamercolor[
3721   \end{beamercolorbox}}%

```



```

3722 \vskip0pt%
3723 }
3724
3725

```

### 39 File beamerouterthemeshadow-xetex-bidi.def

```

3726 \ProvidesFile{beamerouterthemeshadow-xetex-bidi.def}[2022/06/11 v0.3 bidi adaptations for be
3727 \pgfdeclarehorizontalshading[frametitle.bg,frametitle right.bg]{bidi@beamer@RTL@frametitlesh
3728 color(0pt)=(frametitle right.bg);
3729 color(\paperwidth)=(frametitle.bg)
3730 }
3731
3732 \newcommand*{\bidi@beamer@frametitleshade}{%
3733 \if@RTLmain
3734 \pgfuses shading{bidi@beamer@RTL@frametitleshade}%
3735 \else
3736 \pgfuses shading{beamer@frametitleshade}%
3737 \fi
3738 }
3739
3740 \bidi@csundef{beamer@@tmpop@frametitle@shadow theme}
3741
3742 \defbeamer template*{frametitle}{shadow theme}
3743 {%
3744 \nointerlineskip%
3745 \vskip-2pt%
3746 \hbox{\leavev mode
3747 \advance\beamer@leftmargin by -12bp%
3748 \advance\beamer@rightmargin by -12bp%
3749 \beamer@tempdim=\textwidth%
3750 \advance\beamer@tempdim by \beamer@leftmargin%
3751 \advance\beamer@tempdim by \beamer@rightmargin%
3752 \hskip-\Gm@lmargin\hbox{%
3753 \setbox\beamer@tempbox=\hbox{\begin{minipage}[b]{\paperwidth}%
3754 \vbox{\vskip-.75ex%
3755 \bidi@beamer@leftskip0.3cm%
3756 \bidi@beamer@rightskip0.3cm plus1fil\leavev mode
3757 \bgroup\usebeamer color [fg]{frametitle}\usebeamer font{frametitle}\strut\insertframe
3758 \ifx\insertframesubtitle\@empty\else%
3759 {\usebeamer font*{framesubtitle}\usebeamer color [fg]{framesubtitle}\insertframesu
3760 \fi%
3761 \nointerlineskip
3762 \vbox{}}%
3763 \end{minipage}}%
3764 \beamer@tempdim=\ht\beamer@tempbox%
3765 \advance\beamer@tempdim by 2pt%
3766 \begin{pgf picture}{0pt}{0pt}{\paperwidth}{\beamer@tempdim}
3767 \begin{pgf scope}
3768 \pgfset fill color{black}%
3769 \pgfpath rectangle{\pgf point{0pt}{-4pt}}{\pgf point{\paperwidth}{8pt}}%
3770 \pgfset fading{beamer@topshadowmask}{}%
3771 \pgfuse path{fill}%
3772 \end{pgf scope}

```



```

3773     \begin{pgfscope}
3774         \usebeamercolor{frametitle right}%
3775         \pgfpathrectangle{\pgfpointorigin}{\pgfpoint{\paperwidth}{\beamer@tempdim}}%
3776         \pgfusepath{clip}%
3777         \pgftext[left,base]{\bidi@beamer@frametitleshade}%
3778     \end{pgfscope}
3779 \end{pgfpicture}
3780 \hskip-\paperwidth%
3781 \box\beamer@tempbox%
3782 }%
3783 \hskip-\Gm@margin%
3784 }%
3785 \vskip-2pt
3786 }
3787
3788 \AtBeginDocument{%
3789 \setbeamertheme{frametitle}[shadow theme]%
3790 }
3791
3792

```

## 40 File beamerouterthemesmoothbars-xetex-bidi.def

```

3793 \ProvidesFile{beamerouterthemesmoothbars-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for]
3794 \bidi@csundef{beamer@tmpop@headline@smoothbars theme}
3795
3796 \bidi@csundef{beamer@tmpop@frametitle@smoothbars theme}
3797
3798 \defbeamertheme*{headline}{smoothbars theme}
3799 {%
3800 \pgfuses shading{beamer@barshade}%
3801 \vskip-0.05ex%
3802 \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3803 \begin{pgfpicture}
3804 \begin{pgfscope}%
3805 \ifbeamer@sb@subsection%
3806 \pgfsetfillcolor{subsection in head/foot.bg}%
3807 \else%
3808 \pgfsetfillcolor{section in head/foot.bg}%
3809 \fi%
3810 \pgfpathrectangle{\pgfpoint{-0.5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3811 \pgfsetfading{beamer@belowframetitlemask}{}%
3812 \pgfusepath{fill}%
3813 \end{pgfscope}%
3814 \end{pgfpicture}%
3815 \end{beamercolorbox}%
3816 \ifbeamer@sb@subsection%
3817 \vskip-9.75ex%
3818 \else%
3819 \vskip-6.85ex%
3820 \fi%
3821 \begin{beamercolorbox}[ignorebg,ht=2.25ex,dp=3.75ex]{section in head/foot}
3822 \insertnavigation{\paperwidth}
3823 \end{beamercolorbox}%

```



```

3824 \ifbeamer@sb@subsection%
3825 \if@RTL
3826   \begin{beamercolorbox}[ignorebg,ht=2.125ex,dp=1.125ex,%
3827     rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
3828   \else
3829     \begin{beamercolorbox}[ignorebg,ht=2.125ex,dp=1.125ex,%
3830       leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
3831     \fi
3832     \usebeamerfont{subsection in head/foot}\insertsubsectionhead
3833   \end{beamercolorbox}%
3834 \fi%
3835 }%
3836
3837 \defbeamertemplate*{frametitle}{smoothbars theme}
3838 {%
3839   \nointerlineskip%
3840   \vskip-0.19ex%
3841   \usebeamerfont{headline}%
3842   \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=1ex,vmode]{empty}
3843     \pgfuses shading{beamer@aboveframetitle}%
3844   \end{beamercolorbox}%
3845   \vskip-1ex%
3846   \nointerlineskip%
3847   \if@RTL
3848     \begin{beamercolorbox}[wd=\paperwidth,rightskip=.3cm,leftskip=.3cm plus1fil,vmode]{frameti
3849     \else
3850     \begin{beamercolorbox}[wd=\paperwidth,leftskip=.3cm,rightskip=.3cm plus1fil,vmode]{frameti
3851     \fi
3852     \vskip0.5ex%
3853     \usebeamerfont*{frametitle}\strut\insertframetitle%
3854     \ifx\insertframesubtitle\@empty%
3855       \strut\par%
3856     \else
3857       \par{\usebeamerfont*{framesubtitle}{\usebeamercolor{fg}{framesubtitle}\strut\insertf
3858     \fi%%
3859     \usebeamerfont{headline}%
3860     \vskip0.05ex%
3861   \end{beamercolorbox}%
3862   \nointerlineskip%
3863   \vskip-0.05ex%
3864   \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3865   \begin{pgfpicture}
3866     \begin{pgfscope}%
3867       \pgfsetfillcolor{frametitle.bg}%
3868       \pgfpathrectangle{\pgfpoint{-.5\paperwidth}{-.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3869       \pgfsetfading{beamer@belowframetitlemask}{}%
3870       \pgfusepath{fill}%
3871     \end{pgfscope}%
3872   \end{pgfpicture}%
3873   \end{beamercolorbox}%
3874 }
3875
3876 \AtBeginDocument{%
3877   \setbeamertemplate{frametitle}[smoothbars theme]%

```



```

3878 }
3879
3880

```

## 41 File beamerouterthemesmoothtree-xetex-bidi.def

```

3881 \ProvidesFile{beamerouterthemesmoothtree-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations fo
3882 \bidi@csundef{beamer@tmpop@headline@smoothtree theme}
3883
3884 \bidi@csundef{beamer@tmpop@frametitle@smoothtree theme}
3885
3886 \defbeamertemplate*{headline}{smoothtree theme}
3887 {%
3888   \pgfuses shading{beamer@treeshade}%
3889   \vskip-0.05ex%
3890   \begin{beamer colorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3891   \begin{pgf picture}
3892     \begin{pgf scope}%
3893       \pgfsetfillcolor{subsection in head/foot.bg}%
3894       \pgfpathrectangle{\pgfpoint{- .5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3895       \pgfsetfading{beamer@belowframetitlemask}{}%
3896       \pgfusepath{fill}%
3897     \end{pgf scope}%
3898   \end{pgf picture}%
3899   \end{beamer colorbox}%
3900   \vskip-9.15ex%
3901   \if@RTL
3902     \begin{beamer colorbox}[wd=\paperwidth,ht=1.125ex,dp=1.125ex,ignorebg,%
3903       rightskip=.3cm,leftskip=.3cm plus1fil]{title in head/foot}
3904     \else
3905     \begin{beamer colorbox}[wd=\paperwidth,ht=1.125ex,dp=1.125ex,ignorebg,%
3906       leftskip=.3cm,rightskip=.3cm plus1fil]{title in head/foot}
3907     \fi
3908     \usebeamerfont{title in head/foot}\insertshorttitle
3909   \end{beamer colorbox}
3910   \if@RTL
3911     \begin{beamer colorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3912       rightskip=.3cm,leftskip=.3cm plus1fil]{section in head/foot}
3913     \else
3914     \begin{beamer colorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3915       leftskip=.3cm,rightskip=.3cm plus1fil]{section in head/foot}
3916     \fi
3917     \usebeamerfont{section in head/foot}%
3918     \hskip6pt\insertsectionhead
3919   \end{beamer colorbox}
3920   \if@RTL
3921     \begin{beamer colorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3922       rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
3923     \else
3924     \begin{beamer colorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3925       leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
3926     \fi
3927     \usebeamerfont{subsection in head/foot}%
3928     \hskip12pt\insertsubsectionhead

```





```

3929 \end{beamercolorbox}
3930 \vskip-0.4ex%
3931 }
3932
3933 \defbeamertemplate*{frametitle}{smoothtree theme}
3934 {%
3935 \nointerlineskip%
3936 \vskip-0.05ex%
3937 \usebeamerfont{headline}%
3938 \begin{beamercolorbox}[wd=\paperwidth,ht=0.85ex,dp=0ex]{empty}
3939 \pgfuses shading{beamer@aboveframetitle}%
3940 \end{beamercolorbox}
3941 \nointerlineskip%
3942 \if@RTL
3943 \begin{beamercolorbox}[wd=\paperwidth,rightskip=.935cm,leftskip=.3cm plus1fil]{frametitle}
3944 \else
3945 \begin{beamercolorbox}[wd=\paperwidth,leftskip=.935cm,rightskip=.3cm plus1fil]{frametitle}
3946 \fi
3947 \vskip-1.2ex%
3948 \usebeamerfont*{frametitle}\strut\insertframetitle%
3949 \ifx\insertframesubtitle\@empty%
3950 \strut\par%
3951 \else
3952 \par{\usebeamerfont*{framesubtitle}{\usebeamercolor[fg]{framesubtitle}\strut\insertframesubtitle}
3953 \fi}%
3954 \usebeamerfont{headline}%
3955 \end{beamercolorbox}%
3956 \nointerlineskip
3957 \vskip-0.2ex%
3958 \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3959 \begin{pgfpicture}
3960 \begin{pgfscope}%
3961 \pgfsetfillcolor{frametitle.bg}%
3962 \pgfpathrectangle{\pgfpoint{-.5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3963 \pgfsetfading{beamer@belowframetitlemask}{}%
3964 \pgfusepath{fill}%
3965 \end{pgfscope}%
3966 \end{pgfpicture}%
3967 \end{beamercolorbox}%
3968 }
3969
3970
3971 \AtBeginDocument{%
3972 \setbeamertemplate{frametitle}[smoothtree theme]%
3973 }
3974
3975

```

## 42 File beamerouterthemetree-xetex-bidi.def

```

3976 \ProvidesFile{beamerouterthemetree-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for beamer]
3977 \bidi@csundef{beamer@tmpop@headline@tree theme}
3978
3979 \defbeamertemplate*{headline}{tree theme}

```



```

3980 {%
3981 \begin{beamercolorbox}[wd=\paperwidth,colsep=1.5pt]{upper separation line head}
3982 \end{beamercolorbox}
3983 \if@RTL
3984 \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3985 rightskip=.3cm,leftskip=.3cm plus1fil]{title in head/foot}
3986 \else
3987 \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3988 leftskip=.3cm,rightskip=.3cm plus1fil]{title in head/foot}
3989 \fi
3990 \usebeamerfont{title in head/foot}\insertshorttitle
3991 \end{beamercolorbox}
3992 \if@RTL
3993 \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3994 rightskip=.3cm,leftskip=.3cm plus1fil]{section in head/foot}
3995 \else
3996 \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3997 leftskip=.3cm,rightskip=.3cm plus1fil]{section in head/foot}
3998 \fi
3999 \usebeamerfont{section in head/foot}%
4000 \ifbeamer@tree@showhooks
4001 \setbox\beamer@tempbox=\hbox{\insertsectionhead}%
4002 \ifdim\wd\beamer@tempbox>1pt%
4003 \hskip2pt\raise1.9pt\hbox{\vrule width0.4pt height1.875ex\vrule width 5pt height0.}
4004 \hskip1pt%
4005 \fi%
4006 \else%
4007 \hskip6pt%
4008 \fi%
4009 \insertsectionhead
4010 \end{beamercolorbox}
4011 \if@RTL
4012 \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
4013 rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
4014 \else
4015 \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
4016 leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
4017 \fi
4018 \usebeamerfont{subsection in head/foot}%
4019 \ifbeamer@tree@showhooks
4020 \setbox\beamer@tempbox=\hbox{\insertsubsectionhead}%
4021 \ifdim\wd\beamer@tempbox>1pt%
4022 \hskip9.4pt\raise1.9pt\hbox{\vrule width0.4pt height1.875ex\vrule width 5pt height}
4023 \hskip1pt%
4024 \fi%
4025 \else%
4026 \hskip12pt%
4027 \fi%
4028 \insertsubsectionhead
4029 \end{beamercolorbox}
4030 \begin{beamercolorbox}[wd=\paperwidth,colsep=1.5pt]{lower separation line head}
4031 \end{beamercolorbox}
4032 }
4033

```



4034

### 43 File beamerthemeHannover-xetex-bidi.def

```
4035 \ProvidesFile{beamerthemeHannover-xetex-bidi.def}[2022/06/07 v0.1 bidi adaptations for beamer]
4036 \AtBeginDocument{%
4037   \if@RTLmain
4038     \setbeamertemplate{frametitle}[default][left]%
4039   \else
4040     \setbeamertemplate{frametitle}[default][right]%
4041   \fi
4042 }
4043
4044
```

### 44 File beamerthemeSingapore-xetex-bidi.def

```
4045 \ProvidesFile{beamerthemeSingapore-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for beamer]
4046 \addtoheadtemplate{\pgfuses shading{beamer@headfade}\vskip-1.25cm}{%
4047
4048 \beamertemplatedotitem
4049
4050 \AtBeginDocument{%
4051   \setbeamertemplate{frametitle}[default][center]%
4052 }
4053
4054
```

### 45 File bidi.sty

```
4055 \NeedsTeXFormat{LaTeX2e}
4056 \def\bididate{2025/01/08}
4057 \def\bidi@version{41.5}
4058 \def\bidi@releasename{Maryam Mirzakhani}
4059 \newcommand*{\bidi@releasename}{\bidi@releasename}
4060 \ProvidesPackage{bidi}[\bididate\space v\bidi@version\space (Release \bidi@releasename)\space]
4061 Bidirectional typesetting in plain TeX and LaTeX
4062 \newif\if@bidi@banner
4063 \newif\if@bidi@pdfbanner
4064 \newif\if@bidi@debug
4065 \newif\if@extrafootnotefeatures
4066 \newif\if@nonlatin
4067 \newif\if@bidi@pdfm@mark
4068 \newif\if@bidi@perpage@footnote
4069 \ExplSyntaxOn
4070 \keys_define:nn { bidi }
4071 {
4072   banner .choice: ,
4073   banner / on .code:n = \@bidi@bannertrue ,
4074   banner / off .code:n = \@bidi@bannerfalse ,
4075   banner .default:n = on
4076 }
4077 \keys_define:nn { bidi }
4078 {
```



```

4079 PDFbanner .choice: ,
4080 PDFbanner / on .code:n = \@bidi@pdfbannertrue ,
4081 PDFbanner / off .code:n = \@bidi@pdfbannerfalse ,
4082 PDFbanner .default:n = on
4083 }
4084 \keys_define:nn { bidi }
4085 {
4086 RTLdocument .choice: ,
4087 RTLdocument / on .code:n = \AtEndOfPackage{\@RTLtrue} ,
4088 RTLdocument / off .code:n = \AtEndOfPackage{\@RTLfalse} ,
4089 RTLdocument .default:n = on
4090 }
4091 \keys_define:nn { bidi }
4092 {
4093 rldocument .choice: ,
4094 rldocument / on .code:n = \AtEndOfPackage{\@RTLtrue} ,
4095 rldocument / off .code:n = \AtEndOfPackage{\@RTLfalse} ,
4096 rldocument .default:n = on
4097 }
4098 \keys_define:nn { bidi }
4099 {
4100 documentdirection .choice: ,
4101 documentdirection / righttoleft .code:n = \AtEndOfPackage{\@RTLtrue} ,
4102 documentdirection / lefttoright .code:n = \AtEndOfPackage{\@RTLfalse}
4103 }
4104 \keys_define:nn { bidi }
4105 {
4106 tabledirection .choice: ,
4107 tabledirection / righttoleft .code:n = \AtEndOfPackage{\@RTLtabtrue} ,
4108 tabledirection / lefttoright .code:n = \AtEndOfPackage{\@RTLtabfalse}
4109 }
4110 \keys_define:nn { bidi }
4111 {
4112 footnotedirection .choice: ,
4113 footnotedirection / righttoleft .code:n = \AtEndOfPackage{\@RTL@footnotetrue} ,
4114 footnotedirection / lefttoright .code:n = \AtEndOfPackage{\@RTL@footnotefalse}
4115 }
4116 \keys_define:nn { bidi }
4117 {
4118 debugfootnotedirection .choice: ,
4119 debugfootnotedirection / on .code:n = \footdir@debugtrue ,
4120 debugfootnotedirection / off .code:n = \footdir@debugfalse ,
4121 debugfootnotedirection .default:n = on
4122 }
4123 \keys_define:nn { bidi }
4124 {
4125 footnoterule .choice: ,
4126 footnoterule / automatic .code:n = \AtEndOfPackage{\autofootnoterule} ,
4127 footnoterule / left .code:n = \AtEndOfPackage{\leftfootnoterule} ,
4128 footnoterule / right .code:n = \AtEndOfPackage{\rightfootnoterule} ,
4129 footnoterule / split .code:n = \AtEndOfPackage{\SplitFootnoteRule} ,
4130 footnoterule / textwidth .code:n = \AtEndOfPackage{\textwidthfootnoterule}
4131 }
4132 \keys_define:nn { bidi }

```



```

4133 {
4134   extrafootnotefeatures .choice: ,
4135   extrafootnotefeatures / on .code:n = \@extrafootnotefeaturestrue ,
4136   extrafootnotefeatures / off .code:n = \@extrafootnotefeaturesfalse ,
4137   extrafootnotefeatures .default:n = on
4138 }
4139 \keys_define:nn { bidi }
4140 {
4141   script .choice: ,
4142   script / latin .code:n = \@nonlatinfalse ,
4143   script / nonlatin .code:n = \@nonlatintrue ,
4144   script .default:n = latin
4145 }
4146 \keys_define:nn { bidi }
4147 {
4148   DetectColumn .choice: ,
4149   DetectColumn / on .code:n =
4150     \def\bidi@firstcolumn@status@write{%
4151       \protected@write\@auxout{%
4152         {\string\bidi@column@status
4153           {1}}}
4154     \def\bidi@lastcolumn@status@write{%
4155       \protected@write\@auxout{%
4156         {\string\bidi@column@status{2}}} ,
4157   DetectColumn / off .code:n =
4158     \let\bidi@firstcolumn@status@write\relax
4159     \let\bidi@lastcolumn@status@write\relax ,
4160   DetectColumn .default:n = on
4161 }
4162 \keys_define:nn { bidi }
4163 {
4164   logo .choice: ,
4165   logo / on .code:n = \@AtEndOfPackage{\@AtBeginDocument{\@bidi@inslogo@}} ,
4166   logo / off .code:n = \let\@bidi@logo@\@empty \let\@bidi@inslogo@\@empty ,
4167   logo .default:n = on
4168 }
4169 \keys_define:nn { bidi }
4170 {
4171   pdfinfo .choice: ,
4172   pdfinfo / on .code:n = \@bidi@pdfm@marktrue ,
4173   pdfinfo / off .code:n = \@bidi@pdfm@markfalse ,
4174   pdfinfo .default:n = on
4175 }
4176 % The `perpagefootnote' option is documented in UK TeX FAQ at
4177 % <https://texfaq.org/FAQ-footnpp> (see last paragraph)
4178 \keys_define:nn { bidi }
4179 {
4180   perpagefootnote .choice: ,
4181   perpagefootnote / on .code:n = \@bidi@perpage@footnotetrue ,
4182   perpagefootnote / off .code:n = \@bidi@perpage@footnotefalse ,
4183   perpagefootnote .default:n = on
4184 }
4185 \keys_set:nn { bidi }
4186 {

```



```

4187     banner = on ,
4188     PDFbanner = on ,
4189     DetectColumn = off
4190
4191 }
4192 \ExplSyntaxOff
4193 \ProcessKeyOptions
4194 \edef\@bidi@info{*****~J%
4195 * ~J%
4196 * bidi package (Bidirectional typesetting in~J%
4197 * plain TeX and LaTeX, using XeTeX engine)~J%
4198 * ~J%
4199 * Description: A convenient interface for~J%
4200 * typesetting bidirectional texts in plain TeX~J%
4201 * and LaTeX. The package includes adaptations~J%
4202 * for use with many other commonly-used packages.~J%
4203 * ~J%
4204 * Copyright (c) 2007--2025 Vafa Khalighi~J%
4205 * Copyright (c) 2018--2020 bidi-tex GitHub organization~J%
4206 * ~J%
4207 * v\bidi@version\space (Release \bidi@releasename), \bididate~J%
4208 * ~J%
4209 * License: LaTeX Project Public License, version~J%
4210 * 1.3c or higher (your choice)~J%
4211 * ~J%
4212 * Location on CTAN: /macros/xetex/latex/bidi~J%
4213 * ~J%
4214 * Issue tracker: https://github.com/xepersian/bidi/issues~J%
4215 * ~J%
4216 * Discussions: https://github.com/xepersian/bidi/discussions~J%
4217 * ~J%
4218 * Primary author of bidi package: Vafa Khalighi.~J%
4219 * ~J%
4220 *****}
4221 \edef\bidi@everyjob{\the\everyjob}
4222 \if@bidi@banner
4223   \typeout{\@bidi@info}
4224   \everyjob{\bidi@everyjob\typeout{\@bidi@info}}
4225 \fi
4226 \newcommand*\bidiversion{\ensuremath\bidi@version}
4227 \newcommand*\IfbidiPackageVersionLater}[1]{%
4228   \ifdim\bidi@version pt > #1 pt %
4229     \expandafter\@firstoftwo
4230   \else
4231     \expandafter\@secondoftwo
4232   \fi}
4233 \newcommand*\IfbidiPackageVersionBefore}[1]{%
4234   \ifdim\bidi@version pt < #1 pt %
4235     \expandafter\@firstoftwo
4236   \else
4237     \expandafter\@secondoftwo
4238   \fi}
4239 \newcommand*\IfbidiPackageVersion}[1]{%
4240   \ifdim\bidi@version pt = #1 pt %

```



```

4241 \expandafter\@firstoftwo
4242 \else
4243 \expandafter\@secondoftwo
4244 \fi}
4245 \RequirePackage{iftex}
4246 \RequireXeTeX
4247 \RequirePackage{bidiutils}
4248 \RequirePackage{zref-abspage}
4249 \RequirePackage{auxhook}
4250 \RequirePackage{ltxcmds}
4251 \eqnewif{\if@RTLmain}{\if@rlmain}
4252 \eqnewif{\if@RTL}{\if@rl}
4253 \newcommand*\setlatin{\@nonlatinfalse}
4254 \newcommand*\setnonlatin{\@nonlatintrue}
4255 \eqnewif{\if@RTLtab}{\if@tab@rl}
4256 \newif\if@hboxRconstruct
4257 \newif\if@bidi@pdfencrypt
4258 \newcommand*\setRTLtable{\@RTLtabtrue}
4259 \newcommand*\setLTRtable{\@RTLtabfalse}
4260 \newif\if@RTLMarginpar
4261 \newif\if@LTRmarginpar
4262 \newif\if@LTRbibitems
4263 \newif\if@RTLbibitems
4264 \eqnewif{\if@RTL@footnote}{\if@rl@footnote}
4265 \newif\if@bidi@list@minipage@parbox
4266 \newif\if@bidi@list@minipage@parbox@not@nob
4267 \newcommand*\@bidi@pdfcreator{%
4268 The bidi package, v\@bidi@version\space (Release \@bidi@releasename), \@bidi@date
4269 }
4270 \newcommand*\@bidi@pdfproducer{%
4271 The bidi package, v\@bidi@version\space (Release \@bidi@releasename), \@bidi@date
4272 }
4273 \newcommand*\@bidi@pdfcustomproperties{%
4274 This is the bidi package, Version \@bidi@version\space (Release \@bidi@releasename),
4275 Released January 8, 2025.
4276 }
4277 \newcommand*\@bidi@beamer@ragged{}
4278 \@RTLmainfalse
4279 \AtBeginDocument{%
4280 \if@RTLmain\else
4281 \if@RTL\@RTLmaintrue%
4282 \else\@RTLmainfalse%
4283 \fi%
4284 \fi%
4285 }
4286 \let\n@xt=\
4287 \bidi@newrobustcmd*\LRE{\protect\pLRE}%
4288 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
4289 \bidi@newrobustcmd*\RLE{\protect\pRLE}
4290 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
4291 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
4292 \errmessage{Missing left brace has been substituted}\fi \bgroup}
4293 \newinsert\@bidi@copyins@
4294 \skip\@bidi@copyins@=12\p@

```



```

4295 \dimen\@bidi@copyins@=40pc
4296 \count\@bidi@copyins@=1000
4297 \newcommand*\@bidi@inslogo@{\insert\@bidi@copyins@\@bidi@logo@}
4298 \newcommand*\@bidi@logo@hb@xt@columnwidth}{%
4299   \ifRTLmain
4300     \if@twocolumn
4301       \hboxR to \columnwidth
4302     \else
4303       \hboxR to \textwidth
4304     \fi
4305   \else
4306     \if@twocolumn
4307       \hboxL to \columnwidth
4308     \else
4309       \hboxL to \textwidth
4310     \fi
4311   \fi
4312 }
4313 \newcommand*\@bidi@logo}[1]{%
4314   \toks@{%
4315     \setbox\z@\hbox{%
4316       \special{%
4317         pdf:image width 50pt height 50pt (#1)%
4318       }
4319     }%
4320     \dp\z@\z@
4321     \ht\z@=50pt
4322     \wd\z@=50pt
4323     \beginL
4324     \lower20pt\box\z@
4325     \endL
4326   }%
4327   \the\toks@
4328 }
4329 \newcount\bidi@typesethour
4330 \newcount\bidi@typesetminute
4331 \bidi@typesethour=\time
4332 \divide\bidi@typesethour 60
4333 \bidi@typesetminute=-\bidi@typesethour
4334 \multiply\bidi@typesetminute 60
4335 \advance\bidi@typesetminute \time
4336 \newcommand*\TypesetHour{\two@digits\bidi@typesethour}
4337 \newcommand*\TypesetMinute{\two@digits\bidi@typesetminute}
4338 \newcommand*\TypesetTime{\TypesetHour:\TypesetMinute}
4339 \newcommand*\@bidi@logo@{%
4340   \@bidi@logo@hb@xt@columnwidth
4341   {\hss\LRE{\bfseries Typeset {\today} at {\TypesetTime} by the \textsf{bidi}
4342     package\quad\@bidi@logo{bidi-logo.pdf}}}}
4343 \ExplSyntaxOn
4344 \keys_define:nn { bidi / pdfencrypt }
4345 {
4346   userpassword .code:n = \def\bidi@pdfencrypt@userpassword{#1} ,
4347   userpassword .default:n =
4348 }

```





```

4349 \keys_define:nn { bidi / pdfencrypt }
4350 {
4351   ownerpassword .code:n = \def\bidi@pdfencrypt@ownerpassword{#1} ,
4352   ownerpassword .default:n =
4353 }
4354 \keys_define:nn { bidi / pdfencrypt }
4355 {
4356   keylength .code:n = \def\bidi@pdfencrypt@keylength{#1} ,
4357   keylength .default:n = 128
4358 }
4359 \keys_define:nn { bidi / pdfencrypt }
4360 {
4361   permissionflags .code:n = \def\bidi@pdfencrypt@permissionflags{#1} ,
4362   permissionflags .default:n = 2052
4363 }
4364 \NewDocumentCommand \pdfcryptsetup {m} { \keys_set:nn { bidi / pdfencrypt } {#1} }
4365 \ExplSyntaxOff
4366 \@onlypreamble\pdfcryptsetup
4367 \input{latex-xetex-bidi.def}
4368
4369 \pdfcryptsetup{%
4370   userpassword,%
4371   ownerpassword,%
4372   keylength,%
4373   permissionflags%
4374 }
4375
4376 \if@extrafootnotefeatures
4377   \input{extrafootnotefeatures-xetex-bidi.def}
4378 \fi
4379 \newcount\bidi@digits
4380 \XeTeXinterchartokenstate=\@ne
4381 \newXeTeXintercharclass\bidi@digits@charclass
4382 \newXeTeXintercharclass\bidi@sepmark@charclass
4383 \XeTeXcharclass `\. \bidi@sepmark@charclass
4384 \XeTeXcharclass `\- \bidi@sepmark@charclass
4385 \bidi@digits=\0 \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digit
4386 \bidi@digits=\ \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digit
4387 \bidi@digits=\ \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digit
4388 \XeTeXinterchartoks \bidi@sepmark@charclass \bidi@digits@charclass = {\DigitsDotDashInterCh
4389 \newcommand*{\DigitsDotDashInterCharToks}{\if@nonlatin\char"200F \fi}
4390 \bidi@AtEndPreamble{%
4391   \if@bidi@perpage@footnote
4392     \RequirePackage{bidi-perpage}%
4393     \ResetCounterPerPage{footnote}%
4394   \fi
4395   \ifx\bidi@pdfencrypt@ownerpassword\bidi@empty
4396     \ifx\bidi@pdfencrypt@userpassword\bidi@empty
4397       \@bidi@pdfencryptfalse
4398     \else
4399       \@bidi@pdfencrypttrue
4400     \fi
4401   \else
4402     \@bidi@pdfencrypttrue

```



```

4403 \fi
4404 \if@bidi@pdfencrypt
4405   \special{pdf:encrypt
4406     userpw (\bidi@pdfencrypt@userpassword)
4407     ownerpw (\bidi@pdfencrypt@ownerpassword)
4408     length \bidi@pdfencrypt@keylength
4409     perm \bidi@pdfencrypt@permissionflags
4410   }%
4411 \fi
4412 }
4413 \if@bidi@pdfbanner
4414 \if@bidi@pdfm@mark
4415   \AtEndDocument{%
4416     \special{pdf:%
4417       docinfo<<%
4418         /Creator(\@bidi@pdfcreator)%
4419         /Producer(\@bidi@pdfproducer)%
4420         /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
4421         \if@bidi@csdef{@xepersian@pdfcustomproperties}{-%
4422           /XEPERSIAN.Fullbanner(\@xepersian@pdfcustomproperties)%
4423         }{}}%
4424       >>%
4425     }%
4426   }
4427 \else
4428   \AtEndDocument{%
4429     \special{pdf:%
4430       docinfo<<%
4431         /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
4432         \if@bidi@csdef{@xepersian@pdfcustomproperties}{-%
4433           /XEPERSIAN.Fullbanner(\@xepersian@pdfcustomproperties)%
4434         }{}}%
4435       >>%
4436     }%
4437   }
4438 \fi
4439 \else
4440 \if@bidi@pdfm@mark
4441   \AtEndDocument{%
4442     \special{pdf:%
4443       docinfo<<%
4444         /Creator(\@bidi@pdfcreator)%
4445         /Producer(\@bidi@pdfproducer)%
4446       >>%
4447     }%
4448   }
4449 \fi
4450 \fi

```

## 46 File bidi.tex

```

4451 \def\bidi@date{2025/01/08}
4452 \catcode\@=11
4453 \def\bidi@version{41.5}

```



```

4454 \def\bidi@releasename{Maryam Mirzakhani}
4455 \def\bidireleasename{\bidi@releasename}
4456 \let \protect \relax
4457 \newlinechar`\^^J
4458 \edef\@bidi@info{*****^^J%
4459 * ^^J%
4460 * bidi package (Bidirectional typesetting in^^J%
4461 * plain TeX and LaTeX, using XeTeX engine)^^J%
4462 * ^^J%
4463 * Description: A convenient interface for^^J%
4464 * typesetting bidirectional texts in plain TeX^^J%
4465 * and LaTeX. The package includes adaptations^^J%
4466 * for use with many other commonly-used packages.^^J%
4467 * ^^J%
4468 * Copyright (c) 2007--2025 Vafa Khalighi^^J%
4469 * Copyright (c) 2018--2020 bidi-tex GitHub organization^^J%
4470 * ^^J%
4471 * v\bidi@version\space (Release \bidi@releasename), \bididate^^J%
4472 * ^^J%
4473 * License: LaTeX Project Public License, version^^J%
4474 * 1.3c or higher (your choice)^^J%
4475 * ^^J%
4476 * Location on CTAN: /macros/xetex/latex/bidi^^J%
4477 * ^^J%
4478 * Issue tracker: https://github.com/xepersian/bidi/issues^^J%
4479 * ^^J%
4480 * Discussions: https://github.com/xepersian/bidi/discussions^^J%
4481 * ^^J%
4482 * Primary author of bidi package: Vafa Khalighi.^^J%
4483 * ^^J%
4484 *****}
4485 \edef\bidi@everyjob{\the\everyjob}
4486 \message{\@bidi@info}
4487 \everyjob{\bidi@everyjob\message{\@bidi@info}}
4488 \def\bidiversion{%
4489 \relax
4490 \ifmode
4491 \bidi@version
4492 \else
4493 $\bidi@version$
4494 \fi
4495 }
4496 \input iftex.sty
4497 \RequireXeTeX
4498 \newif\if@bidi@pdfm@mark
4499 \newif\if@RTLmain
4500 \newif\if@RTL
4501 \newif\if@hboxRconstruct
4502 \newif\if@sendif
4503 \newif\if@RTL@footnote
4504 \@RTLmainfalse
4505 \def\setRTLmain{%
4506 \if@RTLmain\else
4507 \if@RTL\@RTLmaintrue%

```



```

4508 \else\@RTLmainfalse%
4509 \fi%
4510 \fi%
4511 }
4512 \let\n@xt=\
4513 \protected\def\LRE{\protect\pLRE}%
4514 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
4515 \protected\def\RLE{\protect\pRLE}
4516 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
4517 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
4518 \errmessage{Missing left brace has been substituted}\fi \bgroup}
4519 \newinsert\@bidi@copyins@
4520 \skip\@bidi@copyins@=12\p@
4521 \dimen\@bidi@copyins@=40pc
4522 \count\@bidi@copyins@=1000
4523 \def\@bidi@inslogo@{\insert\@bidi@copyins@\@bidi@logo@}
4524 \def\@bidi@logo@hb@xt@{%
4525 \ifRTLmain
4526 \hboxR to
4527 \else
4528 \hboxL to
4529 \fi
4530 }
4531 \def\@bidi@logo#1{%
4532 \toks@{%
4533 \setbox\z@\hbox{%
4534 \special{%
4535 pdf:image width 50pt height 50pt (#1)%
4536 }
4537 }%
4538 \dp\z@\z@
4539 \ht\z@=50pt
4540 \wd\z@=50pt
4541 \beginL
4542 \lower20pt\box\z@
4543 \endL
4544 }%
4545 \the\toks@
4546 }
4547 \def\two@digits#1{\ifnum#1<10 0\fi\number#1}
4548 \newcount\bidi@typesethour
4549 \newcount\bidi@typesetminute
4550 \bidi@typesethour=\time
4551 \divide\bidi@typesethour 60
4552 \bidi@typesetminute=-\bidi@typesethour
4553 \multiply\bidi@typesetminute 60
4554 \advance\bidi@typesetminute \time
4555 \def\TypesetHour{\two@digits\bidi@typesethour}
4556 \def\TypesetMinute{\two@digits\bidi@typesetminute}
4557 \def\TypesetTime{\TypesetHour:\TypesetMinute}
4558 \def\@bidi@logo@\@bidi@logo@hb@xt@\hsize{\hss\LRE{\bf Typeset {\today} at {\TypesetTime} by
4559 \def\nobidilogo{\let\@bidi@logo@\empty \let\@bidi@inslogo@\empty}
4560 \def\@bidi@pdfcreator{%
4561 The bidi package, v\bidi@version\space (Release \bidi@releasename), \bididate

```



```

4562 }
4563 \def\@bidi@pdfproducer{%
4564   The bidi package, v\@bidi@version\space (Release \@bidi@releasename), \@bidi@date
4565 }
4566 \def\@bidi@pdfcustomproperties{%
4567   This is the bidi package, Version \@bidi@version\space (Release \@bidi@releasename),
4568   Released January 8, 2025.
4569 }
4570 \def\@bidi@pdfmark{%
4571   \special{pdf:
4572     docinfo<<%
4573       \if\@bidi@pdfmark
4574         /Creator(\@bidi@pdfcreator)%
4575         /Producer(\@bidi@pdfproducer)%
4576       \fi
4577       /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
4578     >>%
4579   }%
4580 }
4581 \def\@bidi@pdfinfoon{\@bidi@pdfmarktrue}
4582 \def\@bidi@pdfinfooff{\@bidi@pdfmarkfalse}
4583 \input plain-xetex-bidi.def
4584 \@bidi@inslogo@
4585 \outer\def\@bidi@bye{\par\vfill\supereject\@bidi@pdfmark@end}
4586 \catcode\@=12
4587 \@bidi@pdfinfoon

```

## 47 File bidi2in1.sty

```

4588 \NeedsTeXFormat{LaTeX2e}
4589 \ProvidesPackage{bidi2in1}
4590 \pagestyle{plain}
4591 \newcount\@evenpage
4592 \newcount\@oddpage
4593 \twocolumn
4594 \def\@oddfoot{\@evenpage=\@the\page%
4595 \multiply\@evenpage by 2%
4596 \@oddpage=\@the\@evenpage%
4597 \advance\@oddpage by -1%
4598 \hfil\@the\@evenpage\hfil\hfil\@the\@oddpage\hfil}%
4599 \def\@evenfoot{\@evenpage=\@the\page%
4600 \multiply\@evenpage by 2%
4601 \@oddpage=\@the\@evenpage%
4602 \advance\@oddpage by -1%
4603 \hfil\@the\@oddpage\hfil\hfil\@the\@evenpage\hfil}%
4604 \textwidth 9.49in
4605 \textheight 6.7in
4606 \columnsep 0.9in
4607 \columnseprule 0.125pt
4608 \headheight 0cm
4609 \topmargin 0in
4610 \marginparwidth 0in
4611 \marginparsep 0in
4612 \hoffset 0.05in % Corrected

```



```

4613 \voffset -0.5in %top margin space is 1.0in by default
4614 \oddsidemargin 0in
4615 \evensidemargin 0in
4616 \headsep 0cm
4617 \topskip 0cm
4618 \parskip 0.15in      %
4619 \headsep 0pt
4620 \special{papersize=11.69in,8.26in}
4621 \renewcommand\maketitle{\par
4622 \begingroup
4623 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
4624 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
4625 \long\def\@makefntext##1{\parindent 1em\noindent
4626 \hb@xt@1.8em{%
4627 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
4628 \@maketitle
4629 \@thanks
4630 \endgroup
4631 \setcounter{footnote}{0}%
4632 \global\let\thanks\relax
4633 \global\let\maketitle\relax
4634 \global\let\@maketitle\relax
4635 \global\let\@thanks\@empty
4636 \global\let\@author\@empty
4637 \global\let\@date\@empty
4638 \global\let\@title\@empty
4639 \global\let\title\relax
4640 \global\let\author\relax
4641 \global\let\date\relax
4642 \global\let\and\relax
4643 }

```

## 48 File bidicode.sty

```

4644 \NeedsTeXFormat{LaTeX2e}
4645 \ProvidesPackage{bidicode}
4646 \RequirePackage{xcolor}
4647 \RequirePackage{showexpl}
4648 \definecolor{hellgelb}{rgb}{1,1,0.85}
4649 \definecolor{colKeys}{rgb}{0.2,0.4,0.8}
4650 \definecolor{colCS}{rgb}{0.2,0.4,0.8}
4651 \definecolor{colIdentifier}{rgb}{0,0,0}
4652 \definecolor{colComments}{rgb}{1,0,0}
4653 \definecolor{colString}{rgb}{0,0.5,0}
4654 \lstset{%
4655     language=[LaTeX]TeX,%
4656     float=hbp,%
4657     basicstyle=\ttfamily\small,%
4658     identifierstyle=\color{colIdentifier},%
4659     keywordstyle=\color{colKeys},%
4660     texcsstyle=\color{colCS},%
4661     stringstyle=\color{colString},%
4662     commentstyle=\color{colComments},%
4663     backgroundcolor=\color{hellgelb},%

```



```

4664 columns=flexible,%
4665 tabsize=4,%
4666 extendedchars=true,%
4667 showspaces=false,%
4668 showstringspaces=false,%
4669 numbers=left,%
4670 numbersep=0.9em,%
4671 numberstyle=\tiny,%
4672 frame=single,%
4673 captionpos=b,%
4674 xleftmargin=1em,%
4675 breaklines=true,%
4676 breakautoindent=false,%
4677 breakindent=0pt,%
4678 escapeinside=**,%
4679 pos=r,%
4680 explpreset={%
4681   xleftmargin=1em,%
4682   columns=flexible,%
4683   language=[LaTeX]TeX%
4684 },%
4685 moretexcs={%
4686   bididate,%
4687   bidiversion,%
4688   deflatinfont,%
4689   defpersianfont,%
4690   ding,%
4691   endLTR,%
4692   endRTL,%
4693   false,%
4694   falsesymbol,%
4695   junicode,%
4696   lr,%
4697   LR,%
4698   LRE,%
4699   LTR,%
4700   maketitle,%
4701   Nastaliq,%
4702   newfontfamily,%
4703   Parsifont,%
4704   part,%
4705   RL,%
4706   RLE,%
4707   RTL,%
4708   RTLcases,%
4709   SepMark,%
4710   setLR,%
4711   setLTR,%
4712   setRL,%
4713   setRTL,%
4714   settextfont,%
4715   subsection,%
4716   subsubsection,%
4717   tableofcontents,%

```



```

4718     text,%
4719     theequation,%
4720     thesection,%
4721     true,%
4722     truesymbol,%
4723     XePersian,%
4724     xepersiandate,%
4725     xepersianversion%
4726   }%
4727 }
4728 \newcommand\HLON{%
4729   \gdef\lst@alloverstyle##1{%
4730     \fboxrule=Opt
4731     \fboxsep=Opt
4732     \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
4733   }}
4734 \newcommand\HLOFF{%
4735   \xdef\lst@alloverstyle##1{##1}%
4736 }
4737 \newcommand\Larg [1]{\normalfont\itshape#1\ /}
4738 \newcommand\Larga[1]{\langle$Larg{#1}\rangle$}
4739 \newcommand\Largb[1]{\lcb\Larg{#1}\rcb}
4740 \newcommand\Largs[1]{\lsb\Larg{#1}\rsb}
4741 \newcommand\Largr[1]{\lrb\Larg{#1}\rrb}
4742 \newcommand\LBEG[1]{\normalfont\ttfamily\bs{}begin\lcb#1\rcb}
4743 \newcommand\LEND[1]{\normalfont\ttfamily\bs{}end\lcb#1\rcb}
4744
4745 \DeclareRobustCommand\bs{\normalfont\ttfamily\symbol{92}}
4746 \DeclareRobustCommand\lcb{\normalfont\ttfamily\char`{}}
4747 \DeclareRobustCommand\rcb{\normalfont\ttfamily\char`{}}
4748 \DeclareRobustCommand\lsb{\normalfont\ttfamily[]}
4749 \DeclareRobustCommand\rsb{\normalfont\ttfamily]}
4750 \DeclareRobustCommand\lrb{\normalfont\ttfamily()}
4751 \DeclareRobustCommand\rrb{\normalfont\ttfamily)}}
4752
4753 \def\Lcs#1{\nxLcs{#1}}
4754 \def\LcsStar#1{\nxLcs{#1}\OptArg*{}}
4755 \def\nxLcs#1{\texttt{\symbol{92}#1}}
4756
4757 \def\Coordx#1{$x_{#1}$}
4758 \def\Coordy#1{$y_{#1}$}
4759 \def\Coordz#1{$z_{#1}$}
4760 \def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
4761 \def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
4762 \def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
4763 \def\CAny{\Coordx{},\kern 1pt\Coordy{}}
4764 \def\CIIIAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
4765 \def\coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
4766 \def\coordin{\Coordx{n},\kern 1pt\Coordy{n}}
4767 \def\coordiii#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
4768 \def\coordx#1{($x_{#1}$)}
4769 \def\coordy#1{($y_{#1}$)}
4770 \def\coordz#1{($z_{#1}$)}
4771 \def\cAny{\Coordx{},\kern 1pt\Coordy{}}

```





```

4772 \def\ciiAny{(\Coordx{ },\kern 1pt\Coordy{ },\kern 1pt\Coordz{ })}
4773
4774 \newsavebox{\boxdef}
4775 \newenvironment{BDef}
4776   {\begin{lrbox}\boxdef
4777     \def\arraystretch{1.0}
4778     \begin{tabular}{@{}l@{}l@{}l@{}}
4779   }
4780   {\end{tabular}\end{lrbox}}
4781
4782   {\BCmd\fbbox{\usebox\boxdef}\endBCmd}
4783   \aftergroup\@afterindentfalse\aftergroup\@afterheading
4784 }
4785
4786 \newenvironment{BDef*}
4787   {\begin{lrbox}\boxdef
4788     \def\arraystretch{1.0}
4789     \begin{tabular}{@{}l@{}l@{}l@{}}
4790   }
4791   {\end{tabular}\end{lrbox}}
4792   {\begin{BCmd*}\fbbox{\usebox\boxdef}\end{BCmd*}}
4793   \aftergroup\@afterindentfalse\aftergroup\@afterheading
4794 }
4795 \newenvironment{BCmd}{
4796   \@beginparpenalty-\@lowpenalty
4797   \topsep\BDefaboveskip
4798   \fbboxsep3pt
4799   \flushleft}
4800 {\@endparpenalty\@M
4801  \topsepadd\BDefbelowskip
4802  \endflushleft}
4803
4804 \newenvironment{BCmd*}{
4805   \@beginparpenalty\@M
4806   \topsep\BDefinlineskip
4807   \fbboxsep3pt
4808   \flushleft}
4809 {\@endparpenalty5000
4810  \endflushleft}
4811
4812 \newskip\BDefaboveskip
4813 \newskip\BDefbelowskip
4814 \newskip\BDefinlineskip
4815 \setlength\BDefaboveskip{10pt plus 4pt}
4816 \setlength\BDefbelowskip{6pt}
4817 \setlength\BDefinlineskip{6pt}
4818
4819 \def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}\kern1pt}
4820 \def\OptArg{\@ifnextchar*\OptArg@i{\OptArg@ii*}}
4821 \def\OptArg@i*#1{\colorbox{black!20}{\texttt{#1}}\kern1pt}
4822 \def\OptArg@ii*#1{\colorbox{black!20}{\texttt{[#1]}}\kern1pt}

```

## 49 File bidiftnxtra.sty



```

4823 \NeedsTeXFormat{LaTeX2e}
4824 \ProvidesPackage{bidiftnxtra}
4825 \newtoks\bidip@ftn
4826 \let\FN@sf@@footnote\footnote
4827 \let\FN@sf@LTRfootnote\LTRfootnote
4828 \let\FN@sf@RTLfootnote\RTLfootnote
4829 \def\footnote{\ifx\protect\@typeset@protect
4830   \expandafter\FN@sf@@footnote
4831   \else
4832     \expandafter\FN@sf@gobble@opt
4833   \fi
4834 }
4835 \def\LTRfootnote{\ifx\protect\@typeset@protect
4836   \expandafter\FN@sf@LTRfootnote
4837   \else
4838     \expandafter\FN@sf@gobble@opt
4839   \fi
4840 }
4841 \def\RTLfootnote{\ifx\protect\@typeset@protect
4842   \expandafter\FN@sf@RTLfootnote
4843   \else
4844     \expandafter\FN@sf@gobble@opt
4845   \fi
4846 }
4847 \edef\FN@sf@gobble@opt{\noexpand\protect
4848   \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
4849 \expandafter\def\csname FN@sf@gobble@opt \endcsname{%
4850   \@ifnextchar[%]
4851     \FN@sf@gobble@twobrace
4852     \@gobble
4853 }
4854 \def\FN@sf@gobble@twobrace[#1]#2{}
4855 \let\FN@sf@@footnotemark\footnotemark
4856 \def\footnotemark{\ifx\protect\@typeset@protect
4857   \expandafter\FN@sf@@footnotemark
4858   \else
4859     \expandafter\FN@sf@gobble@optonly
4860   \fi
4861 }
4862 \edef\FN@sf@gobble@optonly{\noexpand\protect
4863   \expandafter\noexpand\csname FN@sf@gobble@optonly \endcsname}
4864 \expandafter\def\csname FN@sf@gobble@optonly \endcsname{%
4865   \@ifnextchar[%]
4866     \FN@sf@gobble@bracket
4867     {}%
4868 }
4869 \def\FN@sf@gobble@bracket[#1]{}
4870 \def\@tabular{%
4871   \leavevmode \hbox \bgroup
4872   \let\@footnotetext\bidip@ftntext
4873   \let\@LTRfootnotetext\bidip@LTRftntext
4874   \let\@RTLfootnotetext\bidip@RTLftntext
4875   \let\@xfootnotenext\bidip@xftntext
4876   \let\@xfootnote\bidip@xfootnote

```



```

4877 \let\@xLTRfootnotenext\bidip@xLTRftntext
4878 \let\@xLTRfootnote\bidip@xLTRfootnote
4879 \let\@xRTLfootnotenext\bidip@xRTLftntext
4880 \let\@xRTLfootnote\bidip@xRTLfootnote
4881 \if@RTLtab\beginR \fi
4882 $\let\@acol\@tabacol
4883 \let\@classz\@tabclassz
4884 \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
4885 \def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
4886 \egroup $\if@RTLtab\endR\fi\egroup
4887 \ifx\@cuptype\@undefined
4888 \global\bidip@ftn\expandafter{\expandafter}\the\bidip@ftn\fi}
4889 \long\def\bidip@ftntext#1{%
4890 \edef\@tempy{\the\bidip@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
4891 \global\bidip@ftn\expandafter{\@tempy{#1}}}%
4892 \long\def\bidip@LTRftntext#1{%
4893 \edef\@tempyi{\the\bidip@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
4894 \global\bidip@ftn\expandafter{\@tempyi{#1}}}%
4895 \long\def\bidip@RTLftntext#1{%
4896 \edef\@tempyii{\the\bidip@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
4897 \global\bidip@ftn\expandafter{\@tempyii{#1}}}%
4898
4899
4900 \long\def\bidip@xftntext[#1]#2{%
4901 \global\bidip@ftn\expandafter{\the\bidip@ftn\footnotetext[#1]{#2}}}
4902
4903 \long\def\bidip@xLTRftntext[#1]#2{%
4904 \global\bidip@ftn\expandafter{\the\bidip@ftn\LTRfootnotetext[#1]{#2}}}
4905
4906 \long\def\bidip@xRTLftntext[#1]#2{%
4907 \global\bidip@ftn\expandafter{\the\bidip@ftn\RTLfootnotetext[#1]{#2}}}
4908
4909
4910 \def\bidip@xfootnote[#1]{%
4911 \begingroup
4912 \csname c@\@mpfn\endcsname #1\relax
4913 \unrestored@protected@xdef\@thefnmark{\thempfn}%
4914 \endgroup
4915 \@footnotemark\bidip@xftntext[#1]}
4916
4917
4918 \def\bidip@xLTRfootnote[#1]{%
4919 \begingroup
4920 \csname c@\@mpfn\endcsname #1\relax
4921 \unrestored@protected@xdef\@thefnmark{\thempfn}%
4922 \endgroup
4923 \@footnotemark\bidip@xLTRftntext[#1]}
4924
4925
4926 \def\bidip@xRTLfootnote[#1]{%
4927 \begingroup
4928 \csname c@\@mpfn\endcsname #1\relax
4929 \unrestored@protected@xdef\@thefnmark{\thempfn}%
4930 \endgroup

```



```

4931 \@footnotemark\bidi@p@xRTLftntext[#1]}
4932
4933 \def\xfloat #1[#2]{%
4934 \@nodocument
4935 \def \@capytype {#1}%
4936 \def \@fps {#2}%
4937 \@onelevel@sanitize \@fps
4938 \def \reserved@b {!}%
4939 \ifx \reserved@b \@fps
4940 \@fpsaddefault
4941 \else
4942 \ifx \@fps \@empty
4943 \@fpsaddefault
4944 \fi
4945 \fi
4946 \ifhmode
4947 \@bsphack
4948 \@floatpenalty -\@Mii
4949 \else
4950 \@floatpenalty-\@Miii
4951 \fi
4952 \ifinner
4953 \@parmoderr\@floatpenalty\z@
4954 \else
4955 \@next\@currbox\@freelist
4956 {%
4957 \@tempcnta \sixt@n
4958 \expandafter \@tfor \expandafter \reserved@a
4959 \expandafter :\expandafter =\@fps
4960 \do
4961 {%
4962 \if \reserved@a h%
4963 \ifodd \@tempcnta
4964 \else
4965 \advance \@tempcnta \@ne
4966 \fi
4967 \fi
4968 \if \reserved@a t%
4969 \setfpsbit \tw@
4970 \fi
4971 \if \reserved@a b%
4972 \setfpsbit 4%
4973 \fi
4974 \if \reserved@a p%
4975 \setfpsbit 8%
4976 \fi
4977 \if \reserved@a !%
4978 \ifnum \@tempcnta>15
4979 \advance\@tempcnta -\sixt@n\relax
4980 \fi
4981 \fi
4982 }%
4983 \@tempcntb \csname ftype@\@capytype \endcsname
4984 \multiply \@tempcntb \@xxxii

```



```

4985     \advance \@tempcnta \@tempcntb
4986     \global \count\@currbox \@tempcnta
4987     }%
4988     \@fltovf
4989     \fi
4990     \global \setbox\@currbox
4991     \color@vbox
4992     \normalcolor
4993     \vbox \bgroup
4994     \let\@footnotetext\@bidi@p@ftntext
4995     \let\@LTRfootnotetext\@bidi@p@LTRftntext
4996     \let\@RTLfootnotetext\@bidi@p@RTLftntext
4997     \let\@xfootnotenext\@bidi@p@xftntext
4998     \let\@xfootnote\@bidi@p@xfootnote
4999     \let\@xLTRfootnotenext\@bidi@p@xLTRftntext
5000     \let\@xLTRfootnote\@bidi@p@xLTRfootnote
5001     \let\@xRTLfootnotenext\@bidi@p@xRTLftntext
5002     \let\@xRTLfootnote\@bidi@p@xRTLfootnote
5003     \hsize\columnwidth
5004     \@parboxrestore
5005     \@floatboxreset
5006 }
5007 \def \@endfloatbox{%
5008     \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
5009     \@minipagefalse
5010     \outer@nobreak
5011     \egroup                %% end of vbox
5012     \global\@bidi@p@ftn\expandafter{\expandafter}\the\@bidi@p@ftn
5013     \color@endbox
5014 }

```

## 50 File bidimoderncv.cls

```

5015 \NeedsTeXFormat{LaTeX2e}
5016 \ProvidesClass{bidimoderncv}
5017 \newif\if@DEBUG\@DEBUGfalse
5018 \DeclareOption{a4paper}{
5019     \setlength\paperheight{297mm}
5020     \setlength\paperwidth{210mm}}
5021 \DeclareOption{a5paper}{
5022     \setlength\paperheight{210mm}
5023     \setlength\paperwidth{148mm}}
5024 \DeclareOption{b5paper}{
5025     \setlength\paperheight{250mm}
5026     \setlength\paperwidth{176mm}}
5027 \DeclareOption{letterpaper}{
5028     \setlength\paperheight{11in}
5029     \setlength\paperwidth{8.5in}}
5030 \DeclareOption{legalpaper}{
5031     \setlength\paperheight{14in}
5032     \setlength\paperwidth{8.5in}}
5033 \DeclareOption{executivepaper}{
5034     \setlength\paperheight{10.5in}
5035     \setlength\paperwidth{7.25in}}

```



```

5036 \DeclareOption{landscape}{
5037   \setlength\@tempdima{\paperheight}
5038   \setlength\paperheight{\paperwidth}
5039   \setlength\paperwidth{\@tempdima}
5040 \newcommand\@ptsize{}
5041 \DeclareOption{10pt}{\renewcommand\@ptsize{0}}
5042 \DeclareOption{11pt}{\renewcommand\@ptsize{1}}
5043 \DeclareOption{12pt}{\renewcommand\@ptsize{2}}
5044 \DeclareOption{draft}{\setlength\overfullrule{5pt}}
5045 \DeclareOption{final}{\setlength\overfullrule{0pt}}
5046 \newif\if@colour\@colourtrue
5047 \DeclareOption{nocolour}{\@colourfalse}
5048 \ExecuteOptions{a4paper,11pt,colour,final}
5049 \ProcessOptions\relax
5050 \input{size1\@ptsize.clo}
5051 \RequirePackage{color}
5052 \RequirePackage{graphicx}
5053 \RequirePackage{ifthen}
5054 \RequirePackage{marvosym}
5055 \addtolength{\oddsidemargin}{-54pt}
5056 \addtolength{\textwidth}{109pt}
5057 \addtolength{\topmargin}{-70pt}
5058 \addtolength{\textheight}{122pt}
5059 \addtolength{\marginparsep}{-5pt}
5060 \addtolength{\marginparwidth}{-10pt}
5061 \RequirePackage{url}
5062 \RequirePackage{hyperref}
5063 \hypersetup{%
5064   breaklinks,
5065   baseurl      = http://,%
5066   pdfborder    = 0 0 0,%
5067   pdfpagemode  = UseNone,%
5068   pdfstartpage = 1}
5069 \AtEndOfClass{%
5070   \AtBeginDocument{%
5071     \hypersetup{%
5072       pdfauthor    = \@firstname~\@familyname,%
5073       pdftitle     = \@title,%
5074       pdfsubject   = \@firstname~\@familyname,%
5075       pdfkeywords  = \@resumename~\@firstname~\@familyname}}}
5076 \urlstyle{tt}
5077 \RequirePackage{fancyhdr}
5078 \fancypagestyle{plain}{%
5079   \renewcommand{\headrulewidth}{0pt}
5080   \renewcommand{\footrulewidth}{0pt}
5081   \fancyhf{}}
5082 \pagestyle{plain}
5083 \setlength\lineskip{1\p@}
5084 \setlength\normallineskip{1\p@}
5085 \renewcommand\baselinestretch{}
5086 \setlength{\parindent}{0pt}
5087 \setlength{\parskip}{0pt}
5088 \setlength\columnsep{10\p@}
5089 \setlength\columnseprule{0\p@}

```



```

5090 \pagestyle{empty}
5091 \pagenumbering{arabic}
5092 \raggedbottom
5093 \onecolumn
5094 \providecommand*\listitemssymbol{\textbullet}
5095 \providecommand*\addresssymbol{}
5096 \providecommand*\mobilesymbol{\Mobilefone}
5097 \providecommand*\phonesymbol{\Telefon}
5098 \providecommand*\faxsymbol{\FAX}
5099 \providecommand*\emailsymbol{\Letter}
5100 \definecolor{firstnamecolor}{rgb}{0,0,0}
5101 \def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
5102 \def\familynamcolour#1{\gdef\@familynamcolour{\addfontfeature{Color=#1}}}
5103 \def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
5104 \def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
5105 \def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
5106 \def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
5107 \definecolor{sectionrectanglecolor}{rgb}{0,0,0}
5108 \def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
5109 \def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
5110 \providecommand*\firstnamefont{}
5111 \providecommand*\familynamefont{}
5112 \providecommand*\titlefont{}
5113 \providecommand*\addressfont{}
5114 \providecommand*\quotefont{}
5115 \providecommand*\sectionfont{}
5116 \providecommand*\subsectionfont{}
5117 \providecommand*\hintfont{\small}
5118 \providecommand*\firstnamestyle[1]{\{\@firstnamefont\@firstnamecolour#1}}
5119 \providecommand*\familynamestyle[1]{\{\@familynamefont\@familynamcolour#1}}
5120 \providecommand*\titlestyle[1]{\{\@titlefont\@titlecolour#1}}
5121 \providecommand*\addresstyle[1]{\{\@addressfont\@addresscolour#1}}
5122 \providecommand*\quotestyle[1]{\{\@quotefont\@quotecolour#1}}
5123 \providecommand*\sectionstyle[1]{\{\@sectionfont\@sectiontitlecolour#1}}
5124 \providecommand*\subsectionstyle[1]{\{\@subsectionfont\@subsectioncolour#1}}
5125 \providecommand*\hintstyle[1]{\{\@hintfont\@hintcolour#1}}
5126 \newcommand*{cvtheme}[2]{}
5127 \def\@cvtheme{#2}
5128 \def\@cvthemeoptions{#1}
5129 \cvtheme{bidi-casual}
5130 \AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}
5131 \newcommand*\resumename[1]{\def\@resumename{#1}}
5132 \newcommand*\firstname[1]{\def\@firstname{#1}}
5133 \newcommand*\familyname[1]{\def\@familyname{#1}}
5134 \renewcommand*\title[1]{\def\@title{#1}}
5135 \newcommand*\address[1]{\def\@address{#1}}
5136 \newcommand*\mobile[1]{\def\@mobile{#1}}
5137 \newcommand*\phone[1]{\def\@phone{#1}}
5138 \renewcommand*\fax[1]{\def\@fax{#1}}
5139 \newcommand*\email[1]{\def\@email{#1}}
5140 \newcommand*\extrainfo[1]{\def\@extrainfo{#1}}
5141 \def\@photowidth{0pt}
5142 \newcommand*\photo[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}
5143 \newcommand*\quote[1]{\def\@quote{#1}}

```



```

5144 \newlength{\quotewidth}
5145 \newlength{\hintscolumnwidth}
5146 \newlength{\separatorcolumnwidth}
5147 \setlength{\separatorcolumnwidth}{0.025\textwidth}
5148 \newlength{\maincolumnwidth}
5149 \newlength{\doubleitemmaincolumnwidth}
5150 \newlength{\listitemsymbolwidth}
5151 \settoheight{\listitemsymbolwidth}{\listitemsymbol{}}~}
5152 \newlength{\listitemmaincolumnwidth}
5153 \newlength{\listdoubleitemmaincolumnwidth}
5154 \newcommand*\recomputethemelengths{}
5155 \newcommand*\recomputelengths{%
5156 \setlength{\quotewidth}{0.65\textwidth}%
5157 \setlength{\maincolumnwidth}{\textwidth}%
5158 \addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
5159 \addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
5160 \setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
5161 \addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
5162 \setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
5163 \addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
5164 \addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
5165 \setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
5166 \setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
5167 \addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
5168 \setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
5169 \renewcommand{\headwidth}{\textwidth}%
5170 \recomputethemelengths}
5171 \setlength{\hintscolumnwidth}{0.15\textwidth}
5172 \recomputelengths
5173 \title{}
5174 \renewcommand*\maketitle{}
5175 \newcommand*\section}[1]{%
5176 \vspace*{2.5ex \@plus 1ex \@minus .2ex}%
5177 \phantomsection}%
5178 \addcontentsline{toc}{part}{#1}%
5179 \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectangle}
5180 \hspace{\separatorcolumnwidth}%
5181 \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\[\[1ex]}
5182 \newcommand*\subsection}[1]{%
5183 \cvline[0.45em]{\subsectionstyle{#1}}
5184 \newcommand*\cvline}[3][.25em]{%
5185 \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}
5186 \bidi@raggedleft\hintfont{#2} &{#3}%
5187 \end{tabular}\[\[#1]}
5188 \newcommand*\cvdoubleitem}[4]{%
5189 \cvline{#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}}%
5190 \hfill%
5191 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\
5192 \newcommand*\cvlistitem}[2][\listitemsymbol{}]{%
5193 \cvline[0pt]{\begin{minipage}[t]{\listitemmaincolumnwidth}#2\end{minipage}}
5194 \newcommand*\cvlistdoubleitem}[3][\listitemsymbol{}]{%
5195 \cvline[0pt]{\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#2\end{minipage}}%
5196 \hfill%
5197 \ifthenelse{\equal{#3}{}}%

```





```

5198     {}%
5199     {#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#3\end{minipage}}}}
5200 \newcommand*\cventry}[6]{%
5201   \cvline{#1}{%
5202     {\bfseries#2}%
5203     \ifx#3\else{, {\slshape#3}}\fi%
5204     \ifx#4\else{, #4}\fi%
5205     \ifx#5\else{, #5}\fi%
5206     .%
5207     \ifx#6\else{\newline}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi
5208   }%
5209 \newcommand*\cvlanguage}[3]{%
5210   \cvline{#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{#2}\end{minipage}\hfill\begin{minipage}[t]{.775\maincolumnwidth}\small#3\end{minipage}}
5211 \newcommand*\cvcomputer}[4]{%
5212   \cvdoubleitem{#1}{\small#2}{#3}{\small#4}}
5213 \newcommand*\link}[2][ ]{%
5214   \ifthenelse{\equal{#1}{}}{%
5215     {\href{#2}{#2}}%
5216     {\href{#2}{#1}}}
5217 \newcommand*\httplink}[2][ ]{%
5218   \ifthenelse{\equal{#1}{}}{%
5219     {\href{http://#2}{#2}}%
5220     {\href{http://#2}{#1}}}
5221 \newcommand*\emailink}[2][ ]{%
5222   \ifthenelse{\equal{#1}{}}{%
5223     {\href{mailto:#2}{#2}}%
5224     {\href{mailto:#2}{#1}}}
5225 \newif\if@displaypagenumbers\@displaypagenumberstrue
5226 \newcommand*\nopagenumbers{\@displaypagenumbersfalse}
5227 \AtBeginDocument{%
5228   \if@displaypagenumbers%
5229     \@ifundefined{r@lastpage}{}{%
5230       \ifthenelse{\pageref{lastpage} > 1}{%
5231         \fancypagestyle{plain}{%
5232           \fancyfoot [r]{\beginL\addressfont\@quotecolour\footnotesize\thepage\beginL/\endL\pageref{lastpage}}%
5233         \pagestyle{plain}}}%
5234   \AtEndDocument{\label{lastpage}}%
5235   \fi}
5236 \newlength{\bibindent}
5237 \setlength{\bibindent}{1.5em}
5238 \newcommand*\bibliographyitemlabel{\includegraphics{bidi-bibitem.pdf}}
5239 \newenvironment{thebibliography}[1]{%
5240   {%
5241     \section{\refname}%
5242     \small%
5243     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
5244     \bidi@thebibliography@font@hook%
5245     \begin{list}{\bibliographyitemlabel}%
5246       {%
5247         \setlength{\topsep}{0pt}%
5248         \setlength{\labelwidth}{\hintscolumnwidth}%
5249         \setlength{\labelsep}{\separatorcolumnwidth}%
5250         \leftmargin\labelwidth%
5251         \advance\leftmargin\labelsep%

```



```

5252     \@openbib@code%
5253     \usecounter{enumiv}%
5254     \let\p@enumiv\@empty%
5255     \renewcommand\theenumiv{\@arabic\c@enumiv}}%
5256     \sloppy\clubpenalty4000\widowpenalty4000%
5257 }%
5258 {%
5259     \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
5260     \end{list}%
5261 }
5262 \newcommand\newblock{\hskip .11em\@plus.33em\@minus.07em}
5263 \let\@openbib@code\@empty

```

## 51 File bidi-perpage.sty

```

5264 \NeedsTeXFormat{LaTeX2e}
5265 \ProvidesPackage{bidi-perpage}[2018/10/04 v0.4 Reset counter(s) on every page]
5266 \newcount\bidi@page@count
5267 \bidi@page@count\@ne
5268 \newcommand*{\ResetCounterPerPage}[2][\z@]{%
5269   \if@bidi@csundef\bidi@stepcounterhook@@#2}{%
5270     \expandafter\gdef\csname bidi@stepcounterhook@@#2\endcsname{%
5271   }}%
5272   \if@bidi@csundef{if@bidi@reset@#2@rerun}{%
5273     \expandafter\newif\csname if@bidi@reset@#2@rerun\endcsname
5274   }}%
5275   \if@bidi@csundef\bidi@#2@count}{%
5276     \expandafter\newcount\csname bidi@#2@count\endcsname
5277   }}%
5278   \csname bidi@#2@count\endcsname\z@
5279   \if@bidi@csundef\bidi@previous@page@@#2@count}{%
5280     \expandafter\newcount\csname
5281       bidi@previous@page@@#2@count\endcsname
5282   }}%
5283   \csname bidi@previous@page@@#2@count\endcsname\z@
5284   \if@bidi@csundef\bidi@reset@#2@perpage}{%
5285     \bidi@AfterEndDocumentCheckLabelsRerun{%
5286       \csname if@bidi@reset@#2@rerun\endcsname
5287         \PackageWarningNoLine{bidi-perpage}{%
5288           Counter `#2' may not have been reset per page.
5289           Rerun to reset counter `#2' per page%
5290         }}%
5291     \fi
5292   }}%
5293 }{}%
5294 \expandafter\gdef\csname bidi@reset@#2@perpage\endcsname{%
5295   \global\advance\csname bidi@#2@count\endcsname\@ne
5296   \if@filesw
5297     \edef\@tempa{%
5298       \write\@auxout{%
5299         \string\bidi@counter@page{#2}%
5300         {\number\csname bidi@#2@count\endcsname}%
5301         {\noexpand\number\noexpand\bidi@page@count}%
5302       }}%

```



```

5303     }%
5304     \@tempa
5305     \fi
5306     \begingroup\expandafter\expandafter\expandafter\endgroup
5307     \expandafter\ifx\csname bidi@#2@@\number\csname
5308     bidi@#2@count\endcsname\endcsname\relax
5309     \global\csname @bidi@reset@#2@reruntrue\endcsname
5310     \else
5311     \global\csname @bidi@reset@#2@rerunfalse\endcsname
5312     \expandafter\@tempcnta\csname bidi@#2@@\number
5313     \csname bidi@#2@count\endcsname\endcsname\relax
5314     \ifnum\@tempcnta=\csname
5315     bidi@previous@page@#2@count\endcsname
5316     \else
5317     \global\csname
5318     bidi@previous@page@#2@count\endcsname\@tempcnta
5319     \global\csname c@#2\endcsname#1\relax
5320     \fi
5321     \fi
5322     }%
5323     \expandafter\bidi@gappto\csname
5324     bidi@stepcounterhook@#2\endcsname{%
5325     \csname bidi@reset@#2@perpage\endcsname
5326     }%
5327     }
5328     \def\bidi@counter@page#1#2#3{\bidi@namegdef\bidi@#1@#2-#3}
5329     \bidi@AtEndOutputPage{%
5330     \global\advance\bidi@page@count\@ne
5331     }

```

## 52 File `biditools.sty`

```

5332 \NeedsTeXFormat{LaTeX2e}
5333 \ProvidesPackage{biditools}[2025/01/03 v2.6 Programming tools for bidi package]
5334 \providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\\\relax
5335     \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
5336     \ifx\@tempa\@tempb \global\let#2#1%
5337     \else
5338     \edef\@tempb{\meaning#2}%
5339     \ifx\@tempa\@tempb
5340     \else
5341     \@latex@error{Unable to properly define \string#2; primitive
5342     \noexpand#1no longer primitive}\@eha
5343     \fi
5344     \fi
5345     \endgroup}
5346 \newtoks\@bidi@envbody
5347 \newtoks\@bidi@emptytoks
5348 \def\bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
5349 \def\bidi@collect@body#1{%
5350     \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
5351     \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
5352     \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
5353     \begingroup

```



```

5354 \expandafter\let\csname\@currentenv\endcsname\@bidi@collect@@body
5355 \edef\@bidi@process@envbody{\expandafter\@noexpand\csname\@currentenv\endcsname}%
5356 \@bidi@process@envbody
5357 }
5358 \def\@bidi@push@begins#1\begin#2{%
5359 \ifx\end#2\else b\expandafter\@bidi@push@begins\fi
5360 }
5361 \def\@bidi@collect@@body#1\end#2{%
5362 \edef\@begin@bidi@stack{\@bidi@push@begins#1\begin\end \expandafter\@gobble\@begin@bidi@stack
5363 \ifx\@empty\@begin@bidi@stack
5364 \endgroup
5365 \@checkend{#2}%
5366 \@bidi@addto@envbody{#1}%
5367 \else
5368 \@bidi@addto@envbody{#1\end{#2}}%
5369 \fi
5370 \@bidi@process@envbody % A little tricky! Note the grouping
5371 }
5372 \long\def\@bidi@addto@long@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
5373 \long\def\@bidi@collect@long@body#1{%
5374 \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
5375 \edef\@bidi@process@envbody{\the\@bidi@envbody\@noexpand\end{\@currentenv}}%
5376 \@bidi@envbody\@bidi@emptytoks \def\@begin@bidi@stack{b}%
5377 \begin@group
5378 \expandafter\let\csname\@currentenv\endcsname\@bidi@collect@long@@body
5379 \edef\@bidi@process@envbody{\expandafter\@noexpand\csname\@currentenv\endcsname}%
5380 \@bidi@process@envbody
5381 }
5382 \long\def\@bidi@push@long@begins#1\begin#2{%
5383 \ifx\end#2\else b\expandafter\@bidi@push@long@begins\fi
5384 }
5385 \long\def\@bidi@collect@long@@body#1\end#2{%
5386 \edef\@begin@bidi@stack{\@bidi@push@long@begins#1\begin\end \expandafter\@gobble\@begin@bidi@stack
5387 \ifx\@empty\@begin@bidi@stack
5388 \endgroup
5389 \@checkend{#2}%
5390 \@bidi@addto@long@envbody{#1}%
5391 \else
5392 \@bidi@addto@long@envbody{#1\end{#2}}%
5393 \fi
5394 \@bidi@process@envbody % A little tricky! Note the grouping
5395 }
5396 \long\def\@bidi@new@ifnextchar#1#2#3{%
5397 \let\reserved@d= #1%
5398 \def\reserved@a{#2}\def\reserved@b{#3}%
5399 \futurelet\@let@token\@bidi@new@ifnch
5400 }
5401 \def\@bidi@new@ifnch{%
5402 \ifx\@let@token\reserved@d \let\reserved@b\reserved@a \fi
5403 \reserved@b
5404 }
5405 \def\@bidi@matrix@check#1{%
5406 \expandafter\ifx\csname\@currentenv\endcsname#1%
5407 \else\@bidi@matrix@error#1%

```



```

5408   \expandafter\@gobble
5409   \fi
5410 }
5411 \def\bidi@matrix@error#1{%
5412   \PackageError{biditools}{%
5413 Old form `string#1' should be \string\begin{\expandafter\@gobble\string#1}%
5414   }{%
5415   `string#1{...}' is old bidi package syntax whose use is
5416 ill-advised in the old versions of bidi package.%
5417   }%
5418 }
5419 \def\eqnewif#1#2{%
5420   \count@\escapechar \escapechar\m@ne
5421   \let#1\iffalse
5422   \let#2\iffalse
5423   \eq@if#1#2\iftrue
5424   \eq@if#1#2\iffalse
5425   \escapechar\count@}
5426 \def\eq@if#1#2#3{%
5427   \expandafter\def\csname\expandafter\@gobbletwo\string#1%
5428     \expandafter\@gobbletwo\string#3\endcsname
5429     {\let#1#3%
5430     \let#2#3}%
5431   \expandafter\def\csname\expandafter\@gobbletwo\string#2%
5432     \expandafter\@gobbletwo\string#3\endcsname
5433     {\let#2#3%
5434     \let#1#3}}
5435 \def\noteqnewif#1#2{%
5436   \count@\escapechar \escapechar\m@ne
5437   \let#1\iffalse
5438   \let#2\iffalse
5439   \not@eq@if#1#2\iftrue\iffalse
5440   \escapechar\count@}
5441 \def\not@eq@if#1#2#3#4{%
5442   \expandafter\def\csname\expandafter\@gobbletwo\string#1%
5443     \expandafter\@gobbletwo\string#3\endcsname
5444     {\let#1#3%
5445     \let#2#4}%
5446   \expandafter\def\csname\expandafter\@gobbletwo\string#1%
5447     \expandafter\@gobbletwo\string#4\endcsname
5448     {\let#1#4%
5449     \let#2#3}%
5450   \expandafter\def\csname\expandafter\@gobbletwo\string#2%
5451     \expandafter\@gobbletwo\string#3\endcsname
5452     {\let#2#3%
5453     \let#1#4}%
5454   \expandafter\def\csname\expandafter\@gobbletwo\string#2%
5455     \expandafter\@gobbletwo\string#4\endcsname
5456     {\let#2#4%
5457     \let#1#3}}
5458 \newcommand*{\SetBoolean}[2]{%
5459   \lowercase{\def\@tempa{#2}}%
5460   \@ifundefined{\@tempswa\@tempa}%
5461   {\PackageError{biditools}{%

```



```

5462     {You can only set a boolean to `true' or `false'}\@ehc}%
5463     {\@ifundefined{#1\@tempa}%
5464     {\PackageError{biditytools}{Boolean #1 undefined}\@ehc}%
5465     {\csname#1\@tempa\endcsname}}}
5466 \newcommand*\GlobalSetBoolean}[2]{%
5467 \lowercase{\def\@tempa{#2}}%
5468 \@ifundefined{\@tempa\@tempa}%
5469 {\PackageError{biditytools}%
5470 {You can only set a boolean to `true' or `false'}\@ehc}%
5471 {\@ifundefined{#1\@tempa}%
5472 {\PackageError{biditytools}{Boolean #1 undefined}\@ehc}%
5473 {\global\csname#1\@tempa\endcsname}}}
5474 \newcommand*\SetatBoolean}[2]{%
5475 \lowercase{\def\@tempa{#2}}%
5476 \@ifundefined{\@tempa\@tempa}%
5477 {\PackageError{biditytools}%
5478 {You can only set a boolean to `true' or `false'}\@ehc}%
5479 {\@ifundefined{@#1\@tempa}%
5480 {\PackageError{biditytools}{Boolean @#1 undefined}\@ehc}%
5481 {\csname @#1\@tempa\endcsname}}}
5482 \newcommand*\GlobalSetatBoolean}[2]{%
5483 \lowercase{\def\@tempa{#2}}%
5484 \@ifundefined{\@tempa\@tempa}%
5485 {\PackageError{biditytools}%
5486 {You can only set a boolean to `true' or `false'}\@ehc}%
5487 {\@ifundefined{@#1\@tempa}%
5488 {\PackageError{biditytools}{Boolean @#1 undefined}\@ehc}%
5489 {\global\csname @#1\@tempa\endcsname}}}
5490 \def\@bidi@removefromreset#1#2{%
5491 \expandafter\let\csname c@#1\endcsname\@bidi@removefromreset
5492 \def\@elt##1{%
5493 \expandafter\ifx\csname c@##1\endcsname\@bidi@removefromreset
5494 \else
5495 \noexpand\@elt{##1}%
5496 \fi}%
5497 \expandafter\xdef\csname c1@#2\endcsname{%
5498 \csname c1@#2\endcsname}}}
5499 \newcommand*\ifRtoL{%
5500 \if@RTL
5501 \expandafter\@firstoftwo
5502 \else
5503 \expandafter\@secondoftwo
5504 \fi}
5505 \newcommand*\ifLtoR{%
5506 \if@RTL
5507 \expandafter\@secondoftwo
5508 \else
5509 \expandafter\@firstoftwo
5510 \fi}
5511 \newcommand*\ifRtoLtable{%
5512 \if@RTLtab
5513 \expandafter\@firstoftwo
5514 \else
5515 \expandafter\@secondoftwo

```



```

5516 \fi}
5517 \newcommand*{\ifLtoRtable}{%
5518 \if@RTLtab
5519 \expandafter\@secondoftwo
5520 \else
5521 \expandafter\@firstoftwo
5522 \fi}
5523 \newcommand*{\ifRtoLhboxconstruct}{%
5524 \if@hboxRconstruct
5525 \expandafter\@firstoftwo
5526 \else
5527 \expandafter\@secondoftwo
5528 \fi}
5529 \newcommand*{\ifLtoRhboxconstruct}{%
5530 \if@hboxRconstruct
5531 \expandafter\@secondoftwo
5532 \else
5533 \expandafter\@firstoftwo
5534 \fi}
5535 \newcommand*{\iflatin}{%
5536 \if@nonlatin
5537 \expandafter\@secondoftwo
5538 \else
5539 \expandafter\@firstoftwo
5540 \fi}
5541 \newcommand*{\ifnonlatin}{%
5542 \if@nonlatin
5543 \expandafter\@firstoftwo
5544 \else
5545 \expandafter\@secondoftwo
5546 \fi}
5547
5548 \newcommand*{\bidi@convert@dimen@t@unit}[2]{%
5549 \strip@pt\dimexpr #1*65536/\dimexpr 1#2\relax #2}
5550
5551 \newcommand*{\bidi@convert@dimen@t@pt}[1]{%
5552 \dimexpr #1*65536/\dimexpr 1pt\relax}
5553
5554 \newcommand*{\if@bidi@csdef}[1]{%
5555 \ifcsname#1\endcsname
5556 \expandafter\@firstoftwo
5557 \else
5558 \expandafter\@secondoftwo
5559 \fi}
5560 \newcommand*{\if@bidi@csundef}[1]{%
5561 \ifcsname#1\endcsname
5562 \expandafter\ifx\csname#1\endcsname\relax
5563 \expandafter\expandafter
5564 \expandafter\@firstoftwo
5565 \else
5566 \expandafter\expandafter
5567 \expandafter\@secondoftwo
5568 \fi
5569 \else

```



```

5570     \expandafter\@firstoftwo
5571     \fi}
5572 \newcommand{\if@bidi@def}[1]{%
5573     \ifdefined#1%
5574     \expandafter\@firstoftwo
5575     \else
5576     \expandafter\@secondoftwo
5577     \fi}
5578 \newcommand{\if@bidi@undef}[1]{%
5579     \ifdefined#1%
5580     \ifx#1\relax
5581     \expandafter\expandafter
5582     \expandafter\@firstoftwo
5583     \else
5584     \expandafter\expandafter
5585     \expandafter\@secondoftwo
5586     \fi
5587     \else
5588     \expandafter\@firstoftwo
5589     \fi}
5590 \newcommand{\if@bidi@blank}[1]{% from url.sty
5591     \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
5592 \long\def\bidi@ifblank@i#1#2&#3#4#5:#{#4}
5593 \newcommand{\bidi@notblank}[1]{%
5594     \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
5595 \newcommand{\if@bidi@defmacro}{%
5596 \long\edef\if@bidi@defmacro#1{%
5597     \noexpand\expandafter\noexpand\bidi@ifdefmacro
5598     \noexpand\meaning#1\detokenize{macro}:&}
5599 \edef\bidi@ifdefmacro{%
5600     \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&
5601     \bidi@ifdefmacro{\bidi@notblank{#2}}
5602 \newcommand*{\if@bidi@csmacro}[1]{%
5603     \if@bidi@csdef{#1}
5604     {\expandafter\if@bidi@defmacro\csname#1\endcsname}
5605     {\@secondoftwo}}
5606 \newcommand{\if@bidi@defprimitive}[1]{%
5607     \ifprimitive#1%
5608     \expandafter\@firstoftwo
5609     \else
5610     \expandafter\@secondoftwo
5611     \fi}
5612 \newcommand{\if@bidi@csprimitive}[1]{%
5613     \begingroup\expandafter\expandafter\expandafter\endgroup%
5614     \expandafter\ifprimitive\csname#1\endcsname%
5615     \expandafter\@firstoftwo
5616     \else
5617     \expandafter\@secondoftwo
5618     \fi}
5619 \newcommand*{\bidi@csdefcs}[2]{%
5620 \expandafter\@ifdefinable \csname#1\endcsname{%
5621 \expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}
5622 \newcommand*{\bidi@csletcs}[2]{%
5623 \expandafter\@ifdefinable \csname#1\endcsname{%

```





```

5624 \expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
5625 \newcommand*{\bidi@cslet}[2]{%
5626 \expandafter\ifdefinable \csname#1\endcsname{%
5627 \expandafter\let\csname#1\endcsname#2}}
5628 \newcommand{\bidi@namelongdef}[1]{%
5629 \long\expandafter\def\csname #1\endcsname}
5630 \newcommand{\bidi@namelonggdef}[1]{%
5631 \long\expandafter\gdef\csname #1\endcsname}
5632 \newcommand{\bidi@namelongedef}[1]{%
5633 \long\expandafter\edef\csname #1\endcsname}
5634 \newcommand{\bidi@namelongxdef}[1]{%
5635 \long\expandafter\xdef\csname #1\endcsname}
5636 \def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}
5637 \def\bidi@ensure@new@command#1{%
5638 \begingroup \escapechar\m@ne\xdef\@gtempa{\string#1}\endgroup
5639 \expandafter\if\bidi@csundef\@gtempa
5640 {\new@command#1}{\relax%
5641 \let\@ifdefinable\rc@ifdefinable%
5642 \new@command#1}}
5643 \def\bidi@ensure@newlength#1{\if\bidi@undef#1{\newskip#1}{}}
5644
5645 \protected\def\bidi@error{\PackageError{bidi}}
5646 \protected\def\bidi@warning{\PackageWarning{bidi}}
5647 \protected\def\bidi@warningnoline{\PackageWarningNoLine{bidi}}
5648 \protected\def\bidi@info{\PackageInfo{bidi}}
5649
5650 \def\bidi@pos#1#2#3#4{\bidi@namegdef{bidi@#1pos@#2@#3}{#4}}
5651
5652 \newcount\bidi@poscount
5653
5654 \newcommand*{\WriteStartXPostoaux}{%
5655 \global\advance\bidi@poscount\@ne
5656 \edef\@tempa{%
5657 \write\@auxout{%
5658 \string\bidi@pos{x}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastx}
5659 }%
5660 }%
5661 \ifvmode
5662 \leavevmode
5663 \fi
5664 \if@RTL
5665 \if@filesw
5666 \@tempa
5667 \fi
5668 \pdfsavepos
5669 \else
5670 \pdfsavepos
5671 \if@filesw
5672 \@tempa
5673 \fi
5674 \fi
5675 \if\bidi@csundef{bidi@xpos@start@\number\bidi@poscount}{%
5676 \PackageWarningNoLine{biditools}{%
5677 The start x position \number\bidi@poscount' is not known yet.

```



```

5678         Rerun to get this x position%
5679         }%
5680     }{}%
5681 }
5682
5683 \newcommand*\WriteEndXPostoaux}{%
5684     \edef\@tempa{%
5685         \write\@auxout{%
5686             \string\bidipos{x}{end}{\number\bidiposcount}{\noexpand\number\noexpand\pdflastx}
5687         }%
5688     }%
5689 \if@RTL
5690     \if@filesw
5691         \@tempa
5692     \fi
5693 \pdfsavepos
5694 \else
5695 \pdfsavepos
5696 \if@filesw
5697     \@tempa
5698 \fi
5699 \fi
5700 \if@bidi@csundef{bidi@xpos@end@\number\bidiposcount}{%
5701     \PackageWarningNoLine{biditools}{%
5702         The end x position ` \number\bidiposcount' is not known yet.
5703         Rerun to get this x position%
5704     }%
5705 }{}%
5706 }
5707
5708 \newcommand*\WriteStartYPostoaux}{%
5709 \global\advance\bidiposcount\@ne
5710     \edef\@tempa{%
5711         \write\@auxout{%
5712             \string\bidipos{y}{start}{\number\bidiposcount}{\noexpand\number\noexpand\pdflasty}
5713         }%
5714     }%
5715 \ifvmode
5716     \leavevmode
5717 \fi
5718 \if@RTL
5719     \if@filesw
5720         \@tempa
5721     \fi
5722 \pdfsavepos
5723 \else
5724 \pdfsavepos
5725 \if@filesw
5726     \@tempa
5727 \fi
5728 \fi
5729 \if@bidi@csundef{bidi@ypos@start@\number\bidiposcount}{%
5730     \PackageWarningNoLine{biditools}{%
5731         The start y position ` \number\bidiposcount' is not known yet.

```



```

5732         Rerun to get this y position%
5733     }%
5734 }{}%
5735 }
5736
5737 \newcommand*{\WriteEndYPostoaux}{%
5738     \edef\@tempa{%
5739         \write\@auxout{%
5740             \string\bidipos{y}{end}{\number\bidiposcount}{\noexpand\number\noexpand\pdfasty
5741         }%
5742     }%
5743 \if@RTL
5744     \if@filesw
5745         \@tempa
5746     \fi
5747 \pdfsavepos
5748 \else
5749 \pdfsavepos
5750 \if@filesw
5751     \@tempa
5752 \fi
5753 \fi
5754 \if@bidi@csundef{bidi@ypos@end@\number\bidiposcount}{%
5755     \PackageWarningNoLine{biditools}{%
5756         The end y position ` \number\bidiposcount' is not known yet.
5757         Rerun to get this y position%
5758     }%
5759 }{}%
5760 }
5761
5762 \newcommand*{\WriteStartXYPostoaux}{%
5763 \global\advance\bidiposcount\@ne
5764     \edef\@tempa{%
5765         \write\@auxout{%
5766             \string\bidipos{x}{start}{\number\bidiposcount}{\noexpand\number\noexpand\pdfasty
5767         }%
5768         \write\@auxout{%
5769             \string\bidipos{y}{start}{\number\bidiposcount}{\noexpand\number\noexpand\pdfasty
5770         }%
5771     }%
5772 \ifvmode
5773     \leavevmode
5774 \fi
5775 \if@RTL
5776     \if@filesw
5777         \@tempa
5778     \fi
5779 \pdfsavepos
5780 \else
5781 \pdfsavepos
5782 \if@filesw
5783     \@tempa
5784 \fi
5785 \fi

```



```

5786 \if@bidi@csundef{bidi@xpos@@start@\number\bidi@poscount}{%
5787     \PackageWarningNoLine{biditools}{%
5788         The start x position `\

```



```

5840 \dimexpr \csname bidi@xpos@@end@\number\bidi@poscount
5841 \endcsname sp - \csname bidi@xpos@@start@\number\bidi@poscount
5842 \endcsname sp\relax
5843 \else
5844 \dimexpr \csname bidi@xpos@@start@\number\bidi@poscount
5845 \endcsname sp - \csname bidi@xpos@@end@\number\bidi@poscount
5846 \endcsname sp\relax
5847 \fi
5848 }%
5849 }
5850
5851 \newcommand*{\currentposyheight}{%
5852 \if@bidi\csundef\bidi@ypos@@end@\number\bidi@poscount}{\z@}
5853 {%
5854 \dimexpr \csname bidi@ypos@@start@\number\bidi@poscount
5855 \endcsname sp - \csname bidi@ypos@@end@\number\bidi@poscount
5856 \endcsname sp\relax
5857 }%
5858 }
5859
5860
5861
5862 \newcommand*{\setbaselineskip}[1]{%
5863 \linespread{\strip@pt\dimexpr\numexpr\dimexpr#1\relax*65536/\dimexpr\baselineskip\relax}
5864 \selectfont
5865 }
5866
5867
5868 \newcommand*{\bidi@newrobustcmd}{}
5869 \protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}
5870
5871 \def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}
5872
5873 \def\bidi@newcommand#1[#2]{%
5874 \@ifnextchar[%]
5875 {\bidi@xargdef#1[#2]}
5876 {\ifx\l@ngrel@x\relax
5877 \let\l@ngrel@x\protected
5878 \else
5879 \protected\def\l@ngrel@x{\protected\long}%
5880 \fi
5881 \@argdef#1[#2]}}
5882
5883 \long\def\bidi@xargdef#1[#2][#3]#4{%
5884 \@ifdefinable#1{%
5885 \expandafter\protected
5886 \expandafter\def
5887 \expandafter#1%
5888 \expandafter{%
5889 \expandafter\@testopt
5890 \csname\string#1\endcsname{#3}}}%
5891 \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}}
5892
5893 \bidi@newrobustcmd*{\bidi@renewrobustcmd}{\@star@or@long\bidi@renew@command}

```



```

5894
5895 \def\bidirenew@command#1{%
5896   \if@bidi@undef{#1}
5897     {\bidi@error{\string#1 undefined}\@ehc}
5898     {}%
5899   \let\@ifdefinable\@rc@ifdefinable
5900   \bidi@new@command#1}
5901
5902
5903
5904 \bidi@newrobustcmd*{\bidi@providerobustcmd}{\@star@or@long\bidi@provide@command}
5905
5906 \def\bidi@provide@command#1{%
5907   \if@bidi@undef{#1}
5908     {\def\reserved@a{\bidi@new@command#1}}
5909     {\def\reserved@a{\bidi@renew@command\reserved@a}}%
5910   \reserved@a}
5911
5912 \newcommand*{\bidi@csuse}[1]{%
5913   \ifcsname#1\endcsname
5914     \csname#1\expandafter\endcsname
5915   \fi}
5916
5917 \newcommand{\bidi@expandonce}[1]{%
5918   \unexpanded\expandafter{#1}}
5919
5920 \def\bidi@protected{%
5921   \let\@@protect\protect
5922   \let\protect\@unexpandable@protect
5923   \afterassignment\restore@protect}
5924
5925 \bidi@newrobustcmd{\bidi@appto}[2]{%
5926   \if@bidi@undef{#1}
5927     {\edef#1{\unexpanded{#2}}}
5928     {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
5929 \bidi@newrobustcmd{\bidi@eappto}[2]{%
5930   \if@bidi@undef{#1}
5931     {\edef#1{#2}}
5932     {\edef#1{\bidi@expandonce#1#2}}}}
5933 \bidi@newrobustcmd{\bidi@gappto}[2]{%
5934   \if@bidi@undef{#1}
5935     {\xdef#1{\unexpanded{#2}}}
5936     {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
5937 \bidi@newrobustcmd{\bidi@xappto}[2]{%
5938   \if@bidi@undef{#1}
5939     {\xdef#1{#2}}
5940     {\xdef#1{\bidi@expandonce#1#2}}}}
5941
5942 \bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
5943 \bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}
5944
5945
5946
5947 \bidi@newrobustcmd{\bidi@preto}[2]{%

```



```

5948 \if@bidi@undef{#1}
5949   {\edef#1{\unexpanded{#2}}}
5950   {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
5951 \bidi@newrobustcmd{\bidi@epreto}[2]{%
5952 \if@bidi@undef{#1}
5953   {\edef#1{#2}}
5954   {\edef#1{#2\bidi@expandonce#1}}}
5955 \bidi@newrobustcmd{\bidi@gpreto}[2]{%
5956 \if@bidi@undef{#1}
5957   {\xdef#1{\unexpanded{#2}}}
5958   {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
5959 \bidi@newrobustcmd{\bidi@xpreto}[2]{%
5960 \if@bidi@undef{#1}
5961   {\xdef#1{#2}}
5962   {\xdef#1{#2\bidi@expandonce#1}}}
5963
5964 \bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
5965 \bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}
5966
5967
5968
5969 \bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
5970 \bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
5971 \bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
5972 \bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
5973 \bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
5974 \bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}
5975
5976
5977
5978 \bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
5979 \bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
5980 \bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
5981 \bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
5982 \bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
5983 \bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}
5984
5985
5986
5987 \bidi@newrobustcmd{\if@bidi@patchable}{%
5988 \bidi@dbg@trce\if@bidi@patchable
5989 \begingroup
5990 \@makeother\#%
5991 \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}
5992
5993 \long\def\bidi@ifpatchable#1#2{%
5994 \endgroup
5995 \bidi@dbg@init#1%
5996 \if@bidi@undef{#1}
5997   {\bidi@dbg@fail{def}\@secondoftwo}
5998   {\bidi@dbg@info{def}%
5999   \if@bidi@defmacro{#1}
6000     {\bidi@dbg@info{mac}%
6001     \bidi@ifscanable{#1}

```



```

6002     {\bidi@ifhashcheck{#2}
6003         {\bidi@dbg@info{tok}%
6004             \bidi@ifpattern#1{#2}
6005                 {\bidi@dbg@info{pat}%
6006                     \bidi@dbg@info{pos}\@firstoftwo}
6007                 {\bidi@dbg@fail{pat}\@secondoftwo}}
6008         {\bidi@dbg@fail{hsh}\@secondoftwo}}
6009     {\bidi@dbg@fail{tok}\@secondoftwo}}
6010     {\bidi@dbg@fail{mac}\@secondoftwo}}
6011
6012 \long\def\bidi@ifpatchable#1{%
6013     \endgroup
6014     \bidi@dbg@init#1%
6015     \if@bidi@undef{#1}
6016         {\bidi@dbg@fail{def}\@secondoftwo}
6017     {\bidi@dbg@info{def}%
6018         \if@bidi@defmacro{#1}
6019             {\bidi@dbg@info{mac}%
6020                 \if@bidi@defparam{#1}
6021                     {\bidi@dbg@info{prm}%
6022                         \bidi@ifscanable{#1}
6023                             {\bidi@dbg@info{tok}%
6024                                 \bidi@dbg@info{pos}\@firstoftwo}
6025                             {\bidi@dbg@fail{tok}\@secondoftwo}}
6026                         {\bidi@dbg@info{prl}%
6027                             \if@bidi@defprotected{#1}
6028                                 {\bidi@dbg@info{pro}}
6029                                 {}}%
6030                             \bidi@dbg@info{pos}\@firstoftwo}}
6031                     {\bidi@dbg@fail{mac}\@secondoftwo}}}}
6032
6033 \bidi@newrobustcmd*{\bidi@patchcmd}{%
6034     \bidi@dbg@trce\bidi@patchcmd
6035     \begingroup
6036     \@makeother\#%
6037     \bidi@@patchcmd}
6038
6039 \newcommand{\bidi@@patchcmd}[4][#####1]{%
6040     \bidi@ifpatchable#2{#3}
6041     {\bidi@dbg@succ{ret}%
6042         \begingroup
6043         \edef\bidi@resrvda{%
6044             \def\noexpand\bidi@resrvda#####1\detokenize{macro:}###2->###3&{%
6045                 #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb#####3&}}%
6046             \def\noexpand\bidi@resrvdb#####1\detokenize{#3}###2&{%
6047                 #####1\detokenize{#4}###2}%
6048             \edef\noexpand\bidi@resrvda{%
6049                 \noexpand\bidi@resrvda\meaning#2&}}%
6050         \bidi@resrvda
6051         \bidi@patchcmd@scantoks\bidi@resrvda
6052         \let#2\bidi@resrvda
6053         \bidi@undef\bidi@resrvda
6054         \@firstoftwo}
6055     {\@secondoftwo}}

```





```

6056
6057 \def\ bidi@patchcmd@scantoks#1{%
6058   \edef\ bidi@resrvda{\endgroup
6059     \unexpanded{\makeatletter\scantokens}{#1}%
6060     \catcode\ number` \@=\ the\ catcode` \@ \ relax}%
6061   \ bidi@resrvda}
6062
6063 \protected\ def\ bidi@ifscanable#1{%
6064   \begingroup
6065   \edef\ bidi@resrvda{%
6066     \def\ noexpand\ bidi@resrvda####1\ detokenize{macro}:###2->###3&{%
6067       ###1\ def\ string\ bidi@resrvda####2{###3}}%
6068     \edef\ noexpand\ bidi@resrvda{\ noexpand\ bidi@resrvda\ meaning#1&}}%
6069   \ bidi@resrvda
6070   \makeatletter
6071   \scantokens\ expandafter{\ bidi@resrvda}%
6072   \expandafter\ endgroup\ ifx#1\ bidi@resrvda
6073     \expandafter\ @firstoftwo
6074   \else
6075     \expandafter\ @secondoftwo
6076   \fi}
6077
6078
6079 \protected\ long\ def\ bidi@ifhashcheck#1{%
6080   \begingroup
6081   \edef\ bidi@resrvda{\ detokenize{#1}}%
6082   \expandafter\ endgroup
6083   \expandafter\ bidi@ifhashcheck@i\ meaning\ bidi@resrvda&}
6084
6085 \edef\ bidi@ifhashcheck@i#1&{%
6086   \ noexpand\ expandafter
6087   \ noexpand\ bidi@ifhashcheck@ii
6088   \ noexpand\ strip@prefix#1\ string#\ string#&}
6089
6090 \edef\ bidi@ifhashcheck@ii{%
6091   \ def\ noexpand\ bidi@ifhashcheck@ii##1\ string#\ string###2&{%
6092     \ bidi@ifhashcheck@ii{\ if@bidi@blank{#2}}
6093
6094
6095 \protected\ long\ def\ bidi@ifpattern#1#2{%
6096   \begingroup
6097   \edef\ bidi@resrvda{%
6098     \ def\ noexpand\ bidi@resrvda####1\ detokenize{#2}###2&{%
6099       \ endgroup\ noexpand\ noexpand\ noexpand\ if@bidi@blank{###2}}%
6100     \edef\ noexpand\ bidi@resrvda{\ noexpand\ bidi@resrvda
6101       \ expandafter\ strip@prefix\ meaning#1\ detokenize{#2}&}}%
6102     \ noexpand\ bidi@resrvda}
6103   \ bidi@resrvda\ @secondoftwo\ @firstoftwo}
6104
6105
6106 \newcommand{\ if@bidi@defparam}{ }
6107 \long\edef\ if@bidi@defparam#1{%
6108   \ noexpand\ expandafter\ noexpand\ bidi@ifdefparam
6109   \ noexpand\ meaning#1\ detokenize{macro}:->&}

```



```

6110 \edef\bidi@ifdefparam{%
6111   \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}
6112 \bidi@ifdefparam{\bidi@notblank{#2}}
6113
6114
6115 \newcommand{\if@bidi@defprotected}{}
6116 \long\edef\if@bidi@defprotected#1{%
6117   \noexpand\expandafter\noexpand\bidi@ifdefprotected
6118   \noexpand\meaning#1\string\protected&}
6119 \edef\bidi@ifdefprotected{%
6120   \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}
6121 \bidi@ifdefprotected{\bidi@notblank{#2}}
6122
6123
6124 \bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}
6125 \bidi@newrobustcmd{\bidi@csundef}[1]{%
6126   \expandafter\let\csname #1\endcsname\bidi@undefined
6127 }
6128
6129 \let\bidi@dbg@trce@gobble
6130 \let\bidi@dbg@init@gobble
6131 \let\bidi@dbg@info@gobble
6132 \let\bidi@dbg@succ@gobble
6133 \let\bidi@dbg@fail@gobble
6134
6135
6136
6137 \bidi@newrobustcmd*{\bidi@apptocmd}{%
6138   \bidi@dbg@trce\bidi@apptocmd
6139   \begingroup
6140   \@makeother\#%
6141   \bidi@hooktocmd\bidi@append}
6142
6143
6144
6145 \bidi@newrobustcmd*{\bidi@pretocmd}{%
6146   \bidi@dbg@trce\bidi@pretocmd
6147   \begingroup
6148   \@makeother\#%
6149   \bidi@hooktocmd\bidi@prepend}
6150
6151 \long\def\bidi@hooktocmd#1#2#3{%
6152   \endgroup
6153   \bidi@dbg@init#2%
6154   \if@bidi@undef{#2}
6155     {\bidi@dbg@fail{def}\@secondoftwo}
6156     {\bidi@dbg@info{def}%
6157       \if@bidi@defmacro{#2}
6158         {\bidi@dbg@info{mac}%
6159           \if@bidi@defparam{#2}
6160             {\bidi@dbg@info{prm}%
6161               \bidi@ifscanable{#2}
6162                 {\bidi@ifhashcheck{#3}
6163                   {\bidi@dbg@info{tok}%

```



```

6164         \bidi@dbg@succ{ret}}%
6165         \bidi@hooktocmd@i#1#2{#3}}%
6166         \@firstoftwo
6167         {\bidi@dbg@fail{hsh}\@secondoftwo}}
6168         {\bidi@dbg@fail{tok}\@secondoftwo}}
6169     {\bidi@dbg@info{prl}}%
6170     \if@bidi@defprotected{#2}
6171     {\bidi@dbg@info{pro}}%
6172     \bidi@dbg@succ{red}}%
6173     \protected}
6174     {\bidi@dbg@succ{red}}}%
6175     \edef#2{#1{\bidi@expandonce#2}{\unexpanded{#3}}}%
6176     \@firstoftwo}}
6177     {\bidi@dbg@fail{mac}\@secondoftwo}}}}
6178
6179 \long\def\bidi@hooktocmd@i#1#2#3{%
6180 \begingroup
6181 \edef\bidi@resrvda{%
6182 \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
6183 ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}}%
6184 \edef\noexpand\bidi@resrvda{%
6185 \noexpand\bidi@resrvda\meaning#2&}}}%
6186 \bidi@resrvda
6187 \bidi@patchcmd@scantoks\bidi@resrvda
6188 \let#2\bidi@resrvda
6189 \bidi@undef\bidi@resrvda}
6190
6191 \long\def\bidi@append#1#2{#1#2}
6192 \long\def\bidi@prepend#1#2{#2#1}
6193
6194 %\bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
6195 %\newcommand*{\bidi@endpreamblehook}{}
6196
6197 \bidi@newrobustcmd*{\bidi@AtEndPreamble}{\AddToHook{begindocument/before}}}%
6198
6199 \bidi@newrobustcmd*{\bidi@BeforeOutputPageShipOut}{\bidi@gappto\bidi@beforeoutputpageshipout}
6200 \newcommand*{\bidi@beforeoutputpageshipouthook}{}
6201
6202 \bidi@newrobustcmd*{\bidi@BeforeHeader}{\bidi@gappto\bidi@beforeheaderhook}
6203 \newcommand*{\bidi@beforeheaderhook}{}
6204
6205 \bidi@newrobustcmd*{\bidi@BeforeOutputBoxOutputPage}{\bidi@gappto\bidi@beforeoutputboxoutput}
6206 \newcommand*{\bidi@beforeoutputboxoutputpagehook}{}
6207
6208 \bidi@newrobustcmd*{\bidi@AfterOutputBoxOutputPage}{\bidi@gappto\bidi@afteroutputboxoutput}
6209 \newcommand*{\bidi@afteroutputboxoutputpagehook}{}
6210
6211 \bidi@newrobustcmd*{\bidi@BeforeFooter}{\bidi@gappto\bidi@beforefooterhook}
6212 \newcommand*{\bidi@beforefooterhook}{}
6213
6214 \bidi@newrobustcmd*{\bidi@AfterFooter}{\bidi@gappto\bidi@afterfooterhook}
6215 \newcommand*{\bidi@afterfooterhook}{}
6216
6217

```



```

6218 \bidi@newrobustcmd*{\bidi@AfterOutputPageShipOut}{\bidi@gappto\bidi@afteroutputpageshipouthook}
6219 \newcommand*{\bidi@afteroutputpageshipouthook}{}
6220
6221 \bidi@newrobustcmd*{\bidi@AtEndOutputPage}{\bidi@gappto\bidi@atendoutputpagehook}
6222 \newcommand*{\bidi@atendoutputpagehook}{}
6223
6224 %\bidi@preto\document{%
6225 % \endgroup
6226 % \let\bidi@AtEndPreamble\@firstofone
6227 % \bidi@endpreamblehook
6228 % \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
6229 % \bidi@undef\bidi@endpreamblehook
6230 % \beginingroup}
6231
6232 \bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
6233 \bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}
6234
6235 %\bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
6236 %\newcommand*{\bidi@afterendpreamblehook}{}
6237
6238 \bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\AddToHook{begindocument/end}}%
6239
6240 %\bidi@appto\document{%
6241 % \let\bidi@AfterEndPreamble\@firstofone
6242 % \bidi@afterendpreamblehook
6243 % \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
6244 % \bidi@undef\bidi@afterendpreamblehook
6245 % \ignorespaces}
6246
6247 \bidi@newrobustcmd*{\bidi@AfterEndDocumentCheckLabelsRerun}{\bidi@gappto\bidi@afterenddocumentchecklabelsrerunhook}
6248 \newcommand*{\bidi@afterenddocumentchecklabelsrerunhook}{}
6249
6250 \bidi@patchcmd\enddocument
6251 {\fi}
6252 {\let\bidi@AfterEndDocumentCheckLabelsRerun\@firstofone
6253 \bidi@afterenddocumentchecklabelsrerunhook
6254 \fi}
6255 {}
6256 {\PackageWarning{biditools}{Patching `string\enddocument' failed}}
6257
6258 \AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}
6259
6260 \bidi@newrobustcmd*{\bidi@AfterLastShipout}{\bidi@gappto\bidi@afterlastshipouthook}
6261 \newcommand*{\bidi@afterlastshipouthook}{}
6262
6263 \bidi@patchcmd\enddocument
6264 {\clearpage}
6265 {\clearpage
6266 \let\bidi@AfterLastShipout\@firstofone
6267 \bidi@afterlastshipouthook}
6268 {}
6269 {\let\bidi@clearpage\clearpage
6270 \def\clearpage{%
6271 \bidi@clearpage

```



```

6272 \let\bid@AfterLastShipout\@firstofone
6273 \bid@afterlastshipouthook}}
6274
6275 %\bid@newrobustcmd*{\bid@AfterEndDocument}{\bid@gappto\bid@afterenddocumenthook}
6276 %\newcommand*{\bid@afterenddocumenthook}{
6277
6278 \bid@newrobustcmd*{\bid@AfterEndDocument}{\AddToHook{enddocument/end}}%
6279
6280 %\bid@patchcmd\enddocument
6281 % {\deadcycles}
6282 % {\let\bid@AfterEndDocument\@firstofone
6283 % \bid@afterenddocumenthook
6284 % \deadcycles}
6285 % {}
6286 % {\let\bid@@end\@end
6287 % \def\@end{%
6288 % \let\bid@AfterEndDocument\@firstofone
6289 % \bid@afterenddocumenthook
6290 % \bid@@end}}
6291
6292 \bid@newrobustcmd{\bid@AtBeginEnvironment}[1]{%
6293 \bid@csgappto{\bid@begin@#1@hook}}
6294
6295 % Patch \begin<space> and \end<space> in newer LaTeX releases
6296 % \begin and \end in older ones.
6297 \expandafter\bid@patchcmd\csname begin\ifcsname begin \endcsname\space\fi\endcsname
6298 {\csname #1\endcsname}
6299 {\bid@csuse{\bid@begin@#1@hook}%
6300 \csname #1\endcsname}
6301 {}
6302 {\bid@warning{%
6303 Patching '\string\begin' failed!\MessageBreak
6304 '\string\bid@AtBeginEnvironment' will not work@gobble}}
6305
6306
6307
6308 \bid@newrobustcmd{\bid@AtEndEnvironment}[1]{%
6309 \bid@csgappto{\bid@end@#1@hook}}
6310
6311 \expandafter\bid@patchcmd\csname end\ifcsname end \endcsname\space\fi\endcsname
6312 {\csname end#1\endcsname}
6313 {\bid@csuse{\bid@end@#1@hook}%
6314 \csname end#1\endcsname}
6315 {}
6316 {\bid@warning{%
6317 Patching '\string\end' failed!\MessageBreak
6318 '\string\bid@AtEndEnvironment' will not work@gobble}}
6319
6320
6321
6322 \bid@newrobustcmd{\bid@BeforeBeginEnvironment}[1]{%
6323 \bid@csgappto{\bid@beforebegin@#1@hook}}
6324
6325 \expandafter\bid@pretocmd\csname begin\ifcsname begin \endcsname\space\fi\endcsname

```



```

6326 {\bidi@csuse{@bidi@beforebegin@#1@hook}}
6327 {}
6328 {\bidi@warning{%
6329   Patching '\string\begin' failed!\MessageBreak
6330   '\string\bidi@BeforeBeginEnvironment' will not work@gobble}}
6331
6332 \bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
6333   \bidi@csgappto{@bidi@afterend@#1@hook}}
6334
6335 \expandafter\bidi@patchcmd\csname end\ifcsname end \endcsname\space\fi\endcsname
6336 {\if@ignore}
6337 {\bidi@csuse{@bidi@afterend@#1@hook}%
6338   \if@ignore}
6339 {}
6340 {\bidi@warning{%
6341   Patching '\string\end' failed!\MessageBreak
6342   '\string\bidi@AfterEndEnvironment' will not work@gobble}}
6343
6344 \def\bidi@namedef#1{\expandafter\def\csname #1\endcsname}
6345 \def\bidi@namegdef#1{\expandafter\gdef\csname #1\endcsname}
6346 \def\bidi@nameedef#1{\expandafter\edef\csname #1\endcsname}
6347 \def\bidi@namexdef#1{\expandafter\xdef\csname #1\endcsname}
6348
6349 % From David Carlisle:
6350 % The \@stpelt redefinition below belongs to Heiko Oberdiek
6351 % See also https://github.com/ho-tex/oberdiek/issues/26
6352
6353 \let\bidi@stepcounter\stepcounter
6354 \let\bidi@@stpelt\@stpelt
6355
6356 \def\@stpelt#1{%
6357   \ifcsname bidi@reset@#1@perpage\endcsname
6358     \begingroup
6359       \let\stepcounter\bidi@stepcounter
6360       \@bidi@@stpelt{#1}%
6361     \endgroup
6362     \expandafter@gobbletwo
6363   \fi
6364   \@bidi@@stpelt{#1}%
6365 }
6366
6367 \bidi@pretocmd\stepcounter
6368 {%
6369   \if@bidi@csundef{bidi@stepcounterhook@#1}{-}{%
6370     \csname bidi@stepcounterhook@#1\endcsname
6371   }%
6372 }-%
6373 {\PackageWarning{biditools}{Patching '\string\stepcounter' failed}}
6374
6375 \chardef\bidi@backslash`\\
6376 \def\bidics#1{\texttt{\char\bidi@backslash#1}}
6377
6378 % anonymous control sequences
6379 \newcount\bidi@tempcountb

```



```

6380 \newtoks\bidi@temptoksa
6381 \newtoks\bidi@temptoksb
6382
6383 % Catcode (re)storing
6384 %
6385 \def\bidi@storecatcode#1%
6386   {\escapechar\m@ne
6387   \bidi@csarg\edef\bidi@restorecatcode\string#1}%
6388     {\catcode`\string#1=
6389     \the\catcode\expandafter`\string#1}%
6390   \catcode\expandafter`\string#1=12\relax
6391   \escapechar`\\relax}
6392 \def\bidi@restorecatcode#1%
6393   {\escapechar\m@ne
6394   \csname bidi@restorecatcode\string#1\endcsname
6395   \escapechar`\\relax}
6396
6397 % Construct a control sequence inside \edef
6398 %
6399 \def\bidi@csname#1{\expandafter\noexpand\csname#1\endcsname}
6400
6401 % Construct a control sequence out of #2, and give it to #1
6402 %
6403 \def\bidi@csarg#1#2{\expandafter#1\csname#2\endcsname}
6404
6405 % Pick an escapecharacter
6406 % this presumes that its argument is a character.
6407 %
6408 \def\bidi@pickescape#1{\ifnum`#1=\escapechar\else#1\fi}
6409
6410 % Equality of strings.
6411 % the fast approach: does not work in expansion-only environment.
6412 %
6413 \def\bidi@EqualString#1#2{00\fi\def\bidi@eqs@a{#1}\def\bidi@eqs@b{#2}%
6414   \ifx\bidi@eqs@a\bidi@eqs@b}
6415
6416 % Test by expansion only
6417 %
6418 \def\bidi@EqualStringX#1#2{00\fi
6419   \csname if\@bidi@EqualStringX#1&#2&\endcsname}
6420 \def\@bidi@EqualStringX#1#2#3#4${\ifx#1#3%
6421   \ifx#1&true\else\bidi@hop@ES\@bidi@EqualStringX#2#4$\fi
6422   \else false\fi}
6423 \def\bidi@hop@ES#1\fi#2\fi{\fi\fi#1}
6424
6425 % Lexicographic ordering
6426 % note the use of \def
6427 % also note the characters 0,127,255 that are used,
6428 % these are not supposed to appear in the strings
6429 %
6430 {\catcode0=12 \catcode255=12 \catcode127=12
6431 \gdef\bidi@StringBeforeNC#1#2{00\fi
6432   \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
6433 \gdef\bidi@CharsBeforeNC#1#2^^?#3#4^^?{%

```



```

6434 \ifcat#1\relax\def\bidinext{\bidi@CharsBefore#2^^@^^?#3#4^^ff^^?}%
6435 \else\ifcat#3\relax\def\bidinext{\bidi@CharsBefore#1#2^^@^^?#4^^ff^^?}%
6436 \else\ifnum\lcode`#1<\lcode`#3
6437 \def\bidinext{\csname iftrue\endcsname}%
6438 \else\ifnum\lcode`#1>\lcode`#3
6439 \def\bidinext{\csname iffalse\endcsname}%
6440 \else\def\bidinext{\bidi@CharsBefore#2^^?#4^^?}%
6441 \fi \fi \fi \fi
6442 \bidinext}
6443 \gdef\bidi@StringBefore#1#2{00\fi
6444 \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
6445 \gdef\bidi@CharsBefore#1#2^^?#3#4^^?{%
6446 \ifnum`#1<`#3
6447 \def\bidinext{\csname iftrue\endcsname}%
6448 \else\ifnum`#1>`#3
6449 \def\bidinext{\csname iffalse\endcsname}%
6450 \else\def\bidinext{\bidi@CharsBefore#2^^?#4^^?}%
6451 \fi\fi
6452 \bidinext}
6453 }
6454
6455 % Null argument test
6456 %
6457 \def\bidi@empty{}
6458 \def\bidi@ifempty#1{00\fi\expandafter\ifx\csname bidi@#1>null\endcsname\bidi@null}
6459 \def\bidi@ifemptyX#1{\expandafter\ifx\csname bidi@#1>null\endcsname\bidi@null}
6460 %\def\bidi@ifempty#1{\def\bidi@cs@a{#1}\ifx\bidi@cs@a\bidi@empty}
6461 \def\bidi@IsEmptyList#1{00\fi\def\bidi@cs@a{#1}\ifx\cs@a\bidi@empty}
6462
6463 % Next character test
6464 %
6465 \def\bidi@NextChar#1#2#3{00\fi
6466 \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
6467 \futurelet\bidi@nxt@c@\bidi@ifnxtc}
6468 \def\bidi@ifNextChar#1#2#3{%
6469 \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
6470 \futurelet\bidi@nxt@c@\bidi@ifnxtc}
6471 \def\@bidi@ifnxtc{\ifx\bidi@nxt@ch\bidi@nxt@c \expandafter\bidi@nxt@a
6472 \else \expandafter\bidi@nxt@b \fi}
6473
6474 % Test for defined-ness of string as control sequence.
6475 % works inside \edef
6476 %
6477 \def\bidi@undefinedcs#1{00\fi\bidi@csarg\ifx{#1}\relax}
6478
6479 % Define uniquely defined dummy macros,
6480 % usually to serve as bumper blocks at the end of a list
6481 %
6482 \newcount\bidi@dummies
6483 \def\DefNewDummy#1{
6484 \if\bidi@undefinedcs{#1}\bidi@csarg\edef{#1}{bidi@dum\the\bidi@dummies}
6485 \advance\bidi@dummies\@ne
6486 \else
6487 \bidi@error{Attempt at second definition of `#1'}

```





```

6488   \fi}
6489
6490% string case statement
6491% use: \bidi@switch \iftest{...} in:
6492%   item1 action1
6493%   ...
6494%   itemn actionn
6495%   default defaultaction [optional]
6496%   \endbidi@switch
6497% inspired by Jonathan Fine: Some Basic Control Macros
6498% Tugboat 12 #4
6499%
6500\let\bidi@fi\fi \let\endbidi@switch\relax \DefNewDummy{bidi@default}
6501\def\bidi@switch@exit #1 \bidi@fi #2 \endbidi@switch {\fi #1}
6502\def\bidi@switch #1#2#3{\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \bidi@fi
6503 #1{#2}\bidi@switch@exit #3 \bidi@fi
6504 \bidi@switch {#1}
6505}
6506% this version puts the test object in {}
6507\def\bidi@oswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \bidi@fi
6508 #1{#2}\bidi@switch@exit #3 \bidi@fi
6509 \bidi@switch #1 in:
6510}
6511% this version assumes that the test object is just one character
6512\def\bidi@cswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \bidi@fi
6513 #1#2\bidi@switch@exit #3 \bidi@fi
6514 \bidi@cswitch #1 in:
6515}
6516% this version assumes that the test object can have an optional space
6517\def\bidi@bswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \bidi@fi
6518 #1#2 \bidi@switch@exit #3 \bidi@fi
6519 \bidi@bswitch #1 in:
6520}
6521% this version can cope with significant spaces at the start of #3;
6522% #2 is macro argument
6523\def\bidi@mswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \bidi@fi
6524 #1{#2}\bidi@switch@exit #3 \bidi@fi
6525 \bidi@mswitch #1 in:
6526}
6527% idem; #2 does not have to be enclosed in braces
6528\def\bidi@fswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \bidi@fi
6529 #1#2 \bidi@switch@exit #3 \bidi@fi
6530 \bidi@fswitch #1 in:
6531}
6532
6533% Routines for taking the value of a string:
6534% if the string is defined as control sequence
6535% take the value of that, otherwise take the string itself
6536
6537% String or value of control sequence
6538%
6539\def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else \the\csname#1\endcsname\fi}
6540
6541% String or control sequence

```



```

6542 %
6543 \def\@bidi@ww#1{\if\@bidi@undefinedcs{#1}#1\else \csname#1\endcsname \fi}
6544
6545 % String or \noexpand-ed control sequence;
6546 % for use in \edef
6547 %
6548 \newif\ifbidi@in@label
6549 \def\@bidi@w#1{\if\@bidi@undefinedcs{#1}#1\else
6550     \ifbidi@in@label\noexpand\protect\fi \bidi@csname{#1}\fi}
6551 \newtoks\bidi@are@these@correct
6552 \def\bidi@t@w#1{%
6553     \if\@bidi@undefinedcs{#1}#1%
6554     \ifdefining\bidi@append@to@list\bidi@are@these@correct{#1} \fi
6555     \else
6556     \ifin@label\noexpand\protect\fi \bidi@csname{#1}\fi}
6557
6558 % List Manipulation .....
6559 % this assumes that #1 is a list of tokens, #2 is the name of a list
6560 %
6561 % Names of lists (and of items to pop into) are given as strings;
6562 % not as control sequences.
6563 %
6564 \newtoks\bidi@toks@lista \newtoks\bidi@toks@listb
6565 % basic append/prepend macro
6566 \long\def\@bidi@append@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
6567 \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter#1\the\bidi@toks@lista}
6568 \long\def\@bidi@prepend@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
6569 \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@lista}
6570 \def\@bidi@append@to@list{\bidi@csarg\@bidi@append@to@cslist}
6571 \def\@bidi@prepend@to@list{\bidi@csarg\@bidi@prepend@to@cslist}
6572 % variations:
6573 \long\def\bidi@append@to@list#1#2{\@bidi@append@to@list{#1}{#2}}
6574 \long\def\bidi@prepend@to@list#1#2{\@bidi@prepend@to@list{#1}{#2}}
6575 \def\bidi@append@list@to@list#1#2{%
6576 \@bidi@append@to@list{#1}{\expandafter\expandafter\expandafter}{\expandafter\the\csname#2}
6577 \def\bidi@prepend@list@to@list#1#2{%
6578 \@bidi@prepend@to@list{#1}{\expandafter\expandafter\expandafter}{\expandafter\the\csname#2}
6579 \def\bidi@append@cslist@to@cslist#1#2{%
6580 \@bidi@append@to@cslist{#1}\expandafter{\the#2}}
6581 \def\bidi@prepend@cslist@to@cslist#1#2{%
6582 \@bidi@prepend@to@cslist{#1}\expandafter{\the#2}}
6583 \def\bidi@append@toks@cs@to@list#1#2{\@bidi@append@to@list{#1}\expandafter{\the#2}}
6584 \def\bidi@prepend@toks@cs@to@list#1#2{\@bidi@prepend@to@list{#1}\expandafter{\the#2}}
6585
6586 \let\bidi@willbeunhskip\unhskip
6587
6588 % A few list macros for the user
6589 \def\NewTokenList:#1 {\bidi@csarg\newtoks{#1}\global\csname#1\endcsname{}}
6590 \def\EmptyTokenList:#1 {\global\csname#1\endcsname{}}
6591 \long\def\AppendToTokenList:#1=#2 {\@bidi@append@to@list{#1}{#2}}
6592 \long\def\PrependToTokenList:#1=#2 {\@bidi@prepend@to@list{#1}{#2}}
6593 \def\TheTokenList:#1 {\let\bidi@oldwbuskip\bidi@willbeunhskip \let\bidi@willbeunhskip\empty
6594     \if\@bidi@undefinedcs{#1}\bidi@error{Token List <#1> undefined}
6595     \else\bidi@csarg\the{#1}\fi

```



```

6596 \let\bid@willbeunhskip\bid@oldwbuskip}
6597
6598 \def\bid@del@tok@from@list#1#2{\begingroup
6599 \long\def\bid@cs@liste##1#2##2\bid@tok@SM
6600 {\bid@toks@lista{##1}\bid@toks@listb{##2}%
6601 \edef\bid@cs@listb{\global\bid@csname{#1}=
6602 {\the\bid@toks@lista\the\bid@toks@listb}}%
6603 \bid@cs@listb}%
6604 \edef\bid@cs@lista{\noexpand\bid@cs@liste{}}\expandafter\the\csname#1\endcsname\noexpand
6605 \bid@cs@lista \endgroup}
6606 \def\bid@in@front@of@list#1{\bid@csarg{\let\expandafter\bid@cs@lista}{#1}%
6607 \bid@in@front@of@cslist\bid@cs@lista}
6608 \long\def\bid@in@front@of@cslist#1#2{\begingroup\bid@toks@lista={#2}%
6609 \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bid@toks@list
6610 \endgroup}
6611 \long\def\bid@local@in@front@of@list#1#2{\bid@toks@lista={#2}%
6612 \csname#1\endcsname\expandafter\expandafter\expandafter\expandafter\expandafter\expandafter
6613 {\expandafter\expandafter\expandafter\the\expandafter\expandafter\expandafter
6614 \expandafter\the\csname#1\endcsname}%
6615 }
6616 \def\bid@set@list#1{\bid@csarg{\let\expandafter\bid@cs@lista}{#1}%
6617 \bid@set@cslist\bid@cs@lista}
6618 \long\def\bid@set@cslist#1#2{\begingroup\bid@toks@lista={#2}%
6619 \global#1=\expandafter{\the\bid@toks@lista}\endgroup}
6620
6621 %%%Stack macros
6622 %
6623 % push in terms of prepending of lists
6624 \def\bid@push@cs@onto@cs#1#2{\@bid@prepend@to@cslist#1\expandafter{\expandafter\expandafter
6625 \def\bid@push@onto#1{\bid@csarg\bid@push@onto@cs{#1}}
6626 \def\bid@push@onto@cs#1#2{\@bid@prepend@to@cslist#1}{\{#2}}
6627 \def\bid@local@push@onto#1#2{\let\relax
6628 \bid@local@in@front@of@list{#1}{\{#2}}
6629 % pop via auxiliary macro: #1 is result, #2 is stack
6630 % two cs arguments
6631 \def\bid@pop@cs@into#1#2{\edef\bid@cs@e
6632 {\noexpand\@bid@popinto\noexpand#1\noexpand#2\the#2\noexpand\@bid@pop}\bid@cs@e}
6633 % two string arguments
6634 \def\bid@pop@into#1#2{\edef\bid@cs@e
6635 {\noexpand\@bid@popinto\bid@csname{#1}\bid@csname{#2}\bid@csarg\the{#2}\noexpand\@bid@
6636 \long\def\@bid@popinto#1#2\#3#4\@bid@pop{#1}{#3}#2{#4}}
6637 \def\bid@copy@stacktop#1#2{%
6638 \edef\bid@cs@e{\noexpand\@bid@copy@stacktop
6639 {#1}\bid@csarg\the{#2}\noexpand\@bid@pop}%
6640 \bid@cs@e}
6641 \def\@bid@copy@stacktop#1\#2#3\@bid@pop{\csname#1\endcsname#2\relax}
6642 \newcount\bid@stack@length \newtoks\bid@empty@stack \bid@empty@stack{\{\}}
6643 \def\bid@length@of@stack#1{\bid@csarg\bid@length@of@csstack{#1}}
6644 \def\bid@length@of@csstack#1{\def\advance\bid@stack@length\@ne}%
6645 \bid@stack@length\m@ne \the#1}
6646 % turn a stack upside down
6647 \def\bid@invert@csstack#1{\bid@length@of@csstack{#1}%
6648 \bid@tempcountb\z@ \bid@temptoksa\bid@empty@stack
6649 \loop\ifnum\bid@tempcountb<\bid@stack@length

```



```

6650 \bidi@pop@cs@into\bidi@temptoksb#1\advance\bidi@stack@length@m@ne
6651 \bidi@push@cs@onto@cs\bidi@temptoksa\bidi@temptoksb
6652 % \bidi@append@cslst@to@cslst\bidi@temptoksb\bidi@temptoksa% append a to b
6653 % \bidi@temptoksa\bidi@temptoksb
6654 \repeat% copy b to a
6655 #1\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
6656 % invert a stack into a list
6657 \def\bidi@x@stack@to@list#1{\bidi@length@of@stack{#1}%
6658 \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@toks
6659 \loop\ifnum\bidi@tempcountb<\bidi@stack@length
6660 \bidi@pop@into{bidi@temptoksb}{#1}\advance\bidi@stack@length@m@ne
6661 \bidi@append@list@to@list{bidi@temptoksb}{bidi@temptoksa}\repeat
6662 \csname#1\endcsname\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
6663
6664
6665 % General loop macro:
6666 % \looprepeat
6667 % \forvariable{<var>} \fromvalue{<start>} \bystep{<step>} \tovalue{<end>} \downtovalue{<end>}
6668 % \untilcondition{<cond>} \whilecondition{<cond>}
6669 % \doloopbody { <loop body> }
6670 % where all control sequences in between \looprepeat and \doloopbody are optional.
6671 %
6672 % var: characters to form a control sequence;
6673 % after \forvariable{index} you can access the loop counter as \index.
6674 % This is a count register; to print it use \number\index.
6675 % start,step,end: integers with obvious relations to the loop counter;
6676 % start and step have a default value of 1
6677 % cond: (sequence of commands ending in) any TeX \if... test.
6678 %
6679 % Count down instead of up with \downtovalue; the increment given in \bystep
6680 % is always positive, and is added or subtracted accordingly.
6681 %
6682 % Tests: \untilcondition is evaluated at the end of the loop body; \whilecondition
6683 % at the beginning of the loop body.
6684 %
6685 % Exit from middle of loop: \breaklooprepeat
6686 % use this at any place in the loop; in case of a conditional use
6687 % \ifsomething ... \expandafter \breaklooprepeat \fi
6688 %
6689 % Note that the line ends do not cause spaces in the output.
6690 %
6691 % Technical details:
6692 % The loop body is not executed in a group: the braces are those
6693 % of a token list.
6694 % The `forvariable' variable is \let to a \count register.
6695
6696
6697
6698 % Auxiliary stuff
6699 \def\bidi@looprepeat@csarg#1#2{\expandafter#1\csname#2\endcsname}
6700 \def\bidi@looprepeat@csromannumeral#1{\csname #1\romannumeral\bidi@looprepeat@depth\endcsname}
6701 \def\bidi@looprepeat@csargromannumeral#1#2{\expandafter#1\csname#2\romannumeral\bidi@looprepeat@depth}
6702
6703 \newcount\bidi@looprepeat@depth

```



```

6704 \let\endlooprepeat\relax \def\bidi@csprotect{}
6705 % Trace switches may later be defined by PAC_utils
6706 \let\bidi@looprepeat@traceinit\relax \let\bidi@looprepeat@traceexit\relax
6707
6708 % Main repeatloop macro
6709 % - go to next level and allocate unique counter/toks if this is the
6710 %   first time we visit this level
6711 % - setup: gather bounds and termination conditions
6712 % - scoop up body in token list; after the assignment define and
6713 %   execute body
6714 \def\looprepeat#1\doloopbody{\bidi@looprepeat@traceinit % exit in \breakrepeatloop
6715   \advance\bidi@looprepeat@depth\@ne\relax
6716   \bidi@looprepeat@csargromannumeral\ifx\bidi@looprepeat@count}\relax
6717   \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidi@looprepea
6718   \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidi@looprepea
6719   \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidi@looprepea
6720   \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidi@looprepea
6721   \fi \bidi@looprepeat@zero \def\bidi@looprepeat@sign{}}\def\bidi@looprepeat@comp{>}\bidi@loo
6722   \edef\bidi@looprepeat@tmp
6723     {\def\bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@looprepeat}}{\bidi@loop
6724   \afterassignment\bidi@looprepeat@dxbod\bidi@looprepeat@csromannumeral{\bidi@looprepeat@tok
6725
6726 % Define and execute loop body
6727 % This is done with an \edef to construct the actual sequence
6728 \def\bidi@looprepeat@dxbod{\bidi@looprepeat@csargromannumeral\edef{\bidi@looprepeat@body}{%
6729   \bidi@looprepeat@csargromannumeral\the{\bidi@looprepeat@wtest}}%
6730   \noexpand\the\bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@toks}}%
6731   \bidi@looprepeat@csargromannumeral\the{\bidi@looprepeat@utest}}%
6732   \global\bidi@looprepeat@csargromannumeral\advance{\bidi@looprepeat@count} by \bidi@loopre
6733   \noexpand\endlooprepeat
6734   \bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@looprepeat}}}%
6735   \bidi@looprepeat@csromannumeral{\bidi@looprepeat@body}\ignorespaces}
6736
6737 % Stop test
6738 %% In order to stop, issue a
6739 % \breaklooprepeat which scoops up the rest of the body and exits
6740 \def\breaklooprepeat#1\endlooprepeat{\bidi@looprepeat@zero\bidi@looprepeat@csargromannumeral
6741   \advance\bidi@looprepeat@depth\m@ne \bidi@looprepeat@traceexit
6742   }
6743
6744
6745 % Setup
6746 % gather bounds and termination conditions
6747 \def\bidi@looprepeat@setup#1{%
6748   \begingroup
6749   \def\forvariable##1{%
6750     \edef\bidi@looprepeat@tmp{%
6751       \global\let\bidi@looprepeat@csarg\noexpand{##1}\bidi@looprepeat@csromannumeral{\bidi@
6752       \bidi@looprepeat@tmp}}%
6753     \def\fromvalue##1{\bidi@looprepeat@csargromannumeral\global{\bidi@looprepeat@count}##1\ig
6754     \def\tovalue##1{%
6755       \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{\bidi@loop
6756       {\bidi@looprepeat@csargromannumeral\the{\bidi@looprepeat@wtest}}%
6757       \noexpand\ifnum\bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@count}\bi

```



```

6758         \noexpand\expandafter \noexpand\breaklooprepeat
6759         \noexpand\fi}\ignorespaces}%
6760         \bidi@looprepeat@tmp}%
6761     \def\downtovalue##1{%
6762         \gdef\bidi@looprepeat@sign{-}\gdef\bidi@looprepeat@comp{<}\tovalue{##1}\ignorespaces}%
6763     \def\bystep##1{\ifnum##1<0 \bidi@error{LOOPREPEAT: increment has to be a positive value}%
6764         \bidi@looprepeat@csargromannumeral\gdef{\bidi@looprepeat@inc}{-##1}\else
6765         \bidi@looprepeat@csargromannumeral\gdef{\bidi@looprepeat@inc}{##1}\fi\ignorespaces}%
6766     \def\untilcondition##1{%
6767         \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@
6768             \noexpand##1\relax
6769             \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
6770         \bidi@looprepeat@tmp}%
6771     \def\whilecondition##1{%
6772         \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@
6773             \noexpand##1\relax \noexpand\else
6774             \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
6775         \bidi@looprepeat@tmp}%
6776     \fromvalue{\@ne}\bystep{\@ne}#1%
6777 \endgroup}
6778 \def\bidi@looprepeat@zero
6779     {\bidi@looprepeat@csromannumeral{\bidi@looprepeat@toks}{}\bidi@looprepeat@csromannumeral{\bidi@looprepeat@
6780     \bidi@looprepeat@csargromannumeral\def{\bidi@looprepeat@body}{}}
6781
6782 %\tracingmacros2
6783 %\newcount\tmpcount % used in some examples below
6784
6785 %\looprepeat \forvariable{i}
6786 %     \bystep{2}
6787 % \doloopbody {%
6788 %     \ifnum i=13 \expandafter\breaklooprepeat \fi
6789 %     \number i} %
6790 %}%
6791
6792 %\looprepeat \forvariable{iii}
6793 %     \tovalue{8}
6794 % \doloopbody {}
6795 %After loop: \number iii%
6796
6797 %\looprepeat \forvariable{i}
6798 %     \fromvalue{10}
6799 %     \bystep{2}
6800 %     \downtovalue{0}
6801 % \doloopbody {\number i} }
6802
6803 %\looprepeat \forvariable{x} \whilecondition{\ifnum x<7}
6804 % \doloopbody {\number x} }
6805
6806 %\looprepeat \tovalue{3} \doloopbody {Hello world! }
6807
6808 %\looprepeat \forvariable{j}
6809 %     \untilcondition{\tmpcount j \divide\tmpcount by 37 \noexpand\ifnum\tmpcount=1}
6810 % \doloopbody {\number j} }
6811

```



```

6812%\looprepeat \forvariable{i} \bystep{2} \tovalue{10} \doloopbody
6813% {\looprepeat \forvariable{j} \fromvalue{i} \bystep{3} \tovalue{18}
6814% \doloopbody {(\number{i}.\number{j}) }
6815% }
6816
6817% infinite loop
6818%\looprepeat \doloopbody {}
6819
6820\ExplSyntaxOn
6821\NewDocumentCommand \bidi@AfterClass { s m o +m }
6822 {
6823   \IfBooleanTF { #1 }
6824   {
6825     \@ifclassloaded{ #2 }
6826     { #4 }
6827     {
6828       \hook_gput_code:nnn
6829       { file / #2.\@clsextension / after }
6830       { #3 }
6831       { #4 }
6832     }
6833   }
6834   {
6835     \hook_gput_code:nnn { file / #2.\@clsextension / after } { #3 } { #4 }
6836   }
6837 }
6838
6839\seq_new:N \g__biditools_input_file_seq
6840
6841\prg_new_protected_conditional:Npnn \__bidi_if_loading:n #1 { T, F, TF }
6842 {
6843   \str_set:Nx \l_tmpa_str { #1 }
6844   \seq_if_in:NxTF \g__biditools_input_file_seq { \str_use:N \l_tmpa_str }
6845   { \prg_return_true: }
6846   { \prg_return_false: }
6847 }
6848
6849\prg_new_protected_conditional:Npnn \bidi_if_class_loaded:n #1 { T, F, TF }
6850 {
6851   \@ifclassloaded { #1 }
6852   {
6853     \__bidi_if_loading:nTF { #1.\@clsextension }
6854     { \prg_return_false: }
6855     { \prg_return_true: }
6856   }
6857   {
6858     \prg_return_false:
6859   }
6860 }
6861
6862\prg_new_protected_conditional:Npnn \bidi_if_package_loaded:n #1 { T, F, TF }
6863 {
6864   \@ifpackageloaded { #1 }
6865   {

```



```

6866     \_bidi_if_loading:nTF { #1.\@pkgextension }
6867     { \prg_return_false: }
6868     { \prg_return_true: }
6869   }
6870   {
6871     \prg_return_false:
6872   }
6873 }
6874
6875 \NewDocumentCommand \bidi@AfterAtEndOfClass { s m o +m }
6876 {
6877   \IfBooleanTF { #1 }
6878   {
6879     \bidi_if_class_loaded:nTF { #2 }
6880     { #4 }
6881     { \hook_gput_code:nnn { class / #2 / after } { #3 } { #4 } }
6882   }
6883   {
6884     \bidi_if_class_loaded:nF
6885     { #2 }
6886     { \hook_gput_code:nnn { class / #2 / after } { #3 } { #4 } }
6887   }
6888 }
6889
6890 \NewDocumentCommand \bidi@AfterPackage { s m o +m }
6891 {
6892   \IfBooleanTF { #1 }
6893   {
6894     \@ifpackageloaded{ #2 }
6895     { #4 }
6896     {
6897       \hook_gput_code:nnn
6898       { file / #2.\@pkgextension / after }
6899       { #3 }
6900       { #4 }
6901     }
6902   }
6903   {
6904     \hook_gput_code:nnn { file / #2.\@pkgextension / after } { #3 } { #4 }
6905   }
6906 }
6907
6908 \NewDocumentCommand \bidi@AfterAtEndOfPackage { s m o +m }
6909 {
6910   \IfBooleanTF { #1 }
6911   {
6912     \bidi_if_package_loaded:nTF { #2 }
6913     { #4 }
6914     { \hook_gput_code:nnn { package / #2 / after } { #3 } { #4 } }
6915   }
6916   {
6917     \bidi_if_package_loaded:nF
6918     { #2 }
6919     { \hook_gput_code:nnn { package / #2 / after } { #3 } { #4 } }

```





```

6920     }
6921 }
6922
6923 \clist_new:N \l__biditools_package_clist
6924 \msg_new:nnn { biditools } { cannot-prevent-for-already-loaded-package }
6925 {
6926     Can-not-prevent-package-`#1'-from-being-loaded,~
6927     since-it-has-been-loaded-already-before-line-\msg_line_number:
6928 }
6929 \clist_new:N \g__biditools_prevent_clist
6930
6931 \NewDocumentCommand \bidi@PreventPackageFromLoading { s +o m }
6932 {
6933     \clist_set:Nx \l__biditools_package_clist { #3 }
6934     \clist_map_inline:Nn \l__biditools_package_clist
6935     {
6936         \@ifpackageloaded { ##1 }
6937         {
6938             \IfBooleanTF { #1 } { \msg_info:nnn } { \msg_warning:nnn }
6939             { biditools } { cannot-prevent-for-already-loaded-package } { ##1 }
6940         }
6941         {
6942             \clist_if_in:NnF \g__biditools_prevent_clist { ##1 }
6943             { \clist_gput_right:Nn \g__biditools_prevent_clist { ##1 } }
6944             \tl_if_exist:cF { g__biditools_exclude_package_##1_tl }
6945             {
6946                 \tl_new:c { g__biditools_exclude_package_##1_tl }
6947             }
6948             \IfValueT { #2 }
6949             {
6950                 \tl_gput_right:cn { g__biditools_exclude_package_##1_tl } { #2 }
6951             }
6952             \disable@package@load { ##1 }
6953             { \tl_use:c { g__biditools_exclude_package_##1_tl } }
6954         }
6955     }
6956     \clist_clear:N \l__biditools_package_clist
6957 }
6958
6959 \NewDocumentCommand \bidi@ResetPreventPackageFromLoading {}
6960 {
6961     \clist_map_function:NN \g__biditools_prevent_clist \reenable@package@load
6962     \clist_gclear:N \g__biditools_prevent_clist
6963 }
6964
6965 \NewDocumentCommand \bidi@StorePreventPackageFromLoading { m }
6966 { \edef #1 { \clist_use:Nn \g__biditools_prevent_clist { , } } }
6967
6968 \NewDocumentCommand \bidi@UnPreventPackageFromLoading { s m }
6969 {
6970     \clist_set:Nx \l__biditools_package_clist { #2 }
6971     \clist_map_inline:Nn \l__biditools_package_clist
6972     {
6973         \clist_if_in:NnT \g__biditools_prevent_clist { ##1 }

```



```

6974     {
6975         \clist_gremove_all:Nn \g__biditools_prevent_clist { ##1 }
6976         \reenable@package@load { ##1 }
6977         \IfBooleanT { #1 }
6978             { \cs_undefine:c { g__biditools_exclude_package_##1_tl } }
6979     }
6980 }
6981 }
6982
6983 \NewDocumentCommand \bidi@BeforeClosingMainAux { o m }
6984 {
6985     \hook_gput_code:nnn { enddocument / afterlastpage } { #1 }
6986     {
6987         \debug_suspend:
6988         \RenewDocumentCommand \bidi@BeforeClosingMainAux { m } { ##1 }
6989         \cs_set_eq:NN \__biditools_protected@write:Nnn \protected@write
6990         \cs_set_eq:NN \protected@write \bidi@protected@immediate@write
6991         #2
6992         \cs_set_eq:NN \protected@write \__biditools_protected@write:Nnn
6993         \debug_resume:
6994     }
6995 }
6996
6997 \NewDocumentCommand \bidi@AfterReadingMainAux { o m }
6998 {
6999     \hook_gput_code:nnn { enddocument / afteraux } { #1 }
7000     {
7001         \debug_suspend:
7002         \RenewDocumentCommand \bidi@AfterReadingMainAux { m } { ##1 }
7003         \cs_set_eq:NN \__biditools_protected@write:Nnn \protected@write
7004         \cs_set_eq:NN \protected@write \bidi@protected@immediate@write
7005         #2
7006         \cs_set_eq:NN \protected@write \__biditools_protected@write:Nnn
7007         \debug_resume:
7008     }
7009 }
7010
7011 \clist_new:N \l__biditools_file_patch_clist
7012
7013 \NewDocumentCommand \ApplyPatchToFiles { m O{def} O{bidi} }
7014 {
7015     \clist_set:Nx \l__biditools_file_patch_clist { #1 }
7016     \clist_map_inline:Nn \l__biditools_file_patch_clist
7017     {
7018         \ApplyPatchToFile { ##1 } [ #2 ] [ #3 ]
7019     }
7020     \clist_clear:N \l__biditools_file_patch_clist
7021 }
7022
7023 \clist_new:N \l__biditools_package_patch_clist
7024
7025 \NewDocumentCommand \ApplyPatchToPackages { m O{bidi} }
7026 {
7027     \clist_set:Nx \l__biditools_package_patch_clist { #1 }

```



```

7028 \clist_map_inline:Nn \l__biditools_package_patch_clist
7029 {
7030   \ApplyPatchToPackage { ##1 } [ #2 ]
7031 }
7032 \clist_clear:N \l__biditools_package_patch_clist
7033 }
7034
7035 \clist_new:N \l__biditools_class_patch_clist
7036
7037 \NewDocumentCommand \ApplyPatchToClasses { m O{bidi} }
7038 {
7039   \clist_set:Nx \l__biditools_class_patch_clist { #1 }
7040   \clist_map_inline:Nn \l__biditools_class_patch_clist
7041   {
7042     \ApplyPatchToClass { ##1 } [ #2 ]
7043   }
7044   \clist_clear:N \l__biditools_class_patch_clist
7045 }
7046
7047 \NewDocumentCommand \ApplyPatchToClassesIfPackageLoadedF { m m O{bidi} }
7048 {
7049   \clist_set:Nx \l__biditools_class_patch_clist { #1 }
7050   \clist_map_inline:Nn \l__biditools_class_patch_clist
7051   {
7052     \ApplyPatchToClassIfPackageLoadedF { ##1 } { #2 } [ #3 ]
7053   }
7054   \clist_clear:N \l__biditools_class_patch_clist
7055 }
7056 \ExplSyntaxOff
7057
7058 \newcommand*{\bidi@ReplaceInput}{\declare@file@substitution}
7059 \newcommand*{\bidi@UnReplaceInput}
7060 {\undeclare@file@substitution}
7061 \newcommand*{\bidi@ReplacePackage}[2]{%
7062   \declare@file@substitution{#1.\@pkgextension}{#2.\@pkgextension}%
7063 }
7064 \newcommand*{\bidi@UnReplacePackage}[1]{%
7065   \undeclare@file@substitution{#1.\@pkgextension}%
7066 }
7067 \newcommand*{\bidi@ReplaceClass}[2]{%
7068   \declare@file@substitution{#1.\@clsextension}{#2.\@clsextension}%
7069 }
7070 \newcommand*{\bidi@UnReplaceClass}[1]{%
7071   \undeclare@file@substitution{#1.\@clsextension}%
7072 }
7073 \newcommand*{\bidi@BeforeFile}[1]{%
7074   \AddToHook{file/#1/before}%
7075 }
7076 \newcommand*{\bidi@AfterFile}[1]{%
7077   \AddToHook{file/#1/after}%
7078 }
7079 \newcommand*{\bidi@BeforeClass}[1]{%
7080   \bidi@BeforeFile{#1.\@clsextension}%
7081 }

```



```

7082 \newcommand*{\bidi@BeforePackage}[1]{%
7083   \bidi@BeforeFile{#1.\@pkgextension}%
7084 }
7085
7086 \long\def\bidi@protected@immediate@write#1#2#3{%
7087   \begingroup
7088     #2%
7089     \let\protect\@unexpandable@protect
7090     \edef\reserved@a{\immediate\write#1{#3}}%
7091     \reserved@a
7092   \endgroup
7093   \if@nobreak\ifvmode\nobreak\fi\fi
7094 }
7095
7096 \def\bidi@patch@AfterPackage#1{%
7097   \@ifpackageloaded{#1}{%
7098     \@firstofone
7099   }{%
7100     \AddToHook{package/#1/after}%
7101   }%
7102 }
7103
7104 \def\bidi@patch@AfterFile#1{%
7105   \IfFileLoadedTF{#1}{%
7106     \@firstofone
7107   }{%
7108     \AddToHook{file/#1/after}%
7109   }%
7110 }
7111
7112 \NewDocumentCommand \ApplyPatchToFile { m O{def} O{bidi} }
7113 {
7114   \bidi@patch@AfterFile{#1.#2}{%
7115     \ifnum\catcode`\@=11
7116       \input{#1-xetex-#3.def}%
7117     \else
7118       \bidi@storecatcode\@
7119       \makeatletter
7120       \input{#1-xetex-#3.def}%
7121       \bidi@restorecatcode\@
7122     \fi
7123   }%
7124 }
7125
7126 \NewDocumentCommand \ApplyPatchCodeToFile { m +m O{def} }
7127 {
7128   \bidi@patch@AfterFile{#1.#3}{#2}%
7129 }
7130
7131 \NewDocumentCommand \ApplyPatchToFilesIfPackageLoadedF { m m O{def} O{bidi} }
7132 {
7133   \AddToHook{begindocument/before}{%
7134     \IfPackageLoadedF{#1}{%
7135       \ApplyPatchToFiles{#2}[#3][#4]%

```



```

7136     }%
7137   }
7138 }
7139
7140 \NewDocumentCommand \ApplyPatchToClassIfPackageLoadedF { m m O{bidi} }
7141 {
7142   \AddToHook{begindocument/before}{%
7143     \IfPackageLoadedF{#2}{%
7144       \ifnum\catcode`\@=11
7145         \@ifclassloaded{#1}{%
7146           \input{#1-xetex-#3.def}%
7147         }{}%
7148       \else
7149         \bidi@storecatcode\@
7150         \makeatletter
7151         \@ifclassloaded{#1}{%
7152           \input{#1-xetex-#3.def}%
7153         }{}%
7154         \bidi@restorecatcode\@
7155       \fi
7156     }%
7157   }
7158 }
7159
7160 \NewDocumentCommand \ApplyPatchToPackageIfPackageLoadedF { m m O{bidi} }
7161 {
7162   \AddToHook{begindocument/before}{%
7163     \IfPackageLoadedF{#2}{%
7164       \IfPackageLoadedT{#1}{%
7165         \ifnum\catcode`\@=11
7166           \input{#1-xetex-#3.def}%
7167         \else
7168           \bidi@storecatcode\@
7169           \makeatletter
7170           \input{#1-xetex-#3.def}%
7171           \bidi@restorecatcode\@
7172         \fi
7173       }%
7174     }%
7175   }
7176 }
7177
7178 \NewDocumentCommand \ApplyPatchIfPackageLoaded { m +m +m }
7179 {
7180   \AddToHook{begindocument/before}{%
7181     \ifnum\catcode`\@=11
7182       \@ifpackageloaded{#1}{#2}{#3}%
7183     \else
7184       \bidi@storecatcode\@
7185       \makeatletter
7186       \@ifpackageloaded{#1}{#2}{#3}%
7187       \bidi@restorecatcode\@
7188     \fi
7189   }

```



```

7190 }
7191
7192 \NewDocumentCommand \ApplyPatchIfPackageLoadedT { m +m }
7193 {
7194   \ApplyPatchIfPackageLoaded{#1}{#2}{}%
7195 }
7196
7197 \NewDocumentCommand \ApplyPatchIfPackageLoadedF { m +m }
7198 {
7199   \ApplyPatchIfPackageLoaded{#1}{#2}{}%
7200 }
7201
7202 \NewDocumentCommand \ApplyPatchToPackage { m O{bidi} }
7203 {
7204   \bidi@patch@AfterPackage{#1}{\input{#1-xetex-#2.def}}%
7205 }
7206
7207 \NewDocumentCommand \ApplyPatchCodeToPackage { m +m }
7208 {
7209   \bidi@patch@AfterPackage{#1}{#2}%
7210 }
7211
7212 \NewDocumentCommand \ApplyPatchToClass { m O{bidi} }
7213 {
7214   \@ifclassloaded{#1}{\input{#1-xetex-#2.def}}{}%
7215 }

```

## 53 File `bidituftefloat.sty`

```

7216 \NeedsTeXFormat{LaTeX2e}
7217 \ProvidesPackage{bidituftefloat}[2025/01/03 v0.3
7218 bidi implementation of tufte float]
7219 \RequirePackage{xifthen}
7220 \newcommand{\@bidituftefloat@pkgname}{bidituftefloat}
7221 \newcommand{\bidituftefloatError}[2]{\PackageError{\@bidituftefloat@pkgname}{#1}{#2}}
7222 \newcommand{\bidituftefloatDebugInfoNL}[1]{\ifthenelse{\boolean{@bidituftefloat@debug}}{\bid
7223 \newcommand{\bidituftefloatInfoNL}[1]{\PackageInfo{\@bidituftefloat@pkgname}{#1@gobble}}
7224 \newboolean{@bidituftefloat@reversegeometry}
7225 \setboolean{@bidituftefloat@reversegeometry}{false}
7226 \DeclareOption{reversegeometry}{\setboolean{@bidituftefloat@reversegeometry}{true}}
7227 \newboolean{@bidituftefloat@a4paper}
7228 \DeclareOption{a4paper}{\setboolean{@bidituftefloat@a4paper}{true}}
7229 \newboolean{@bidituftefloat@b5paper}
7230 \DeclareOption{b5paper}{\setboolean{@bidituftefloat@b5paper}{true}}
7231 \newboolean{@bidituftefloat@symmetric}
7232 \newboolean{@bidituftefloat@twoside}
7233 \DeclareOption{twoside}{%
7234 \@twosidetrue \mparswitchtrue%
7235 \setboolean{@bidituftefloat@twoside}{true}%
7236 \setboolean{@bidituftefloat@symmetric}{true}%
7237 }
7238 \DeclareOption{oneside}{%
7239 \@twosidefalse \mparswitchfalse%
7240 \setboolean{@bidituftefloat@twoside}{false}%

```



```

7241 \setboolean{@biditytfloat@symmetric}{false}%
7242 }
7243 \IfClassLoadedT{book}{\ExecuteOptions{twoside}}
7244 \newboolean{@biditytfloat@debug}
7245 \newcommand*{@biditytfloat@caption@justification}{@biditytfloat@justification@autodete
7246 \ProcessOptions
7247 %% Globally sets the length
7248 \newcommand*{\gsetlength}[2]{%
7249   \setlength{#1}{#2}%
7250   \global#1=#1\relax%
7251 }
7252
7253 %% Set the font sizes and baselines to match biditytfloat's books
7254 \renewcommand\normalsize{%
7255   \@setfontsize\normalsize\expt{14}%
7256   \abovedisplayskip 10\p@ \@plus2\p@ \@minus5\p@
7257   \abovedisplayshortskip \z@ \@plus3\p@
7258   \belowdisplayshortskip 6\p@ \@plus3\p@ \@minus3\p@
7259   \belowdisplayskip \abovedisplayskip
7260   \let\@listi\@listI}
7261 \normalbaselineskip=14pt
7262 \normalsize
7263 \renewcommand\footnotesize{%
7264   \@setfontsize\footnotesize\viip{10}%
7265   \abovedisplayskip 6\p@ \@plus2\p@ \@minus4\p@
7266   \abovedisplayshortskip \z@ \@plus\p@
7267   \belowdisplayshortskip 3\p@ \@plus\p@ \@minus2\p@
7268   \def\@listi{\leftmargin\leftmargini
7269     \topsep 3\p@ \@plus\p@ \@minus\p@
7270     \parsep 2\p@ \@plus\p@ \@minus\p@
7271     \itemsep \parsep}%
7272   \belowdisplayskip \abovedisplayskip
7273 }
7274 %% Paragraph indentation and separation for marginal text
7275 \newcommand{@biditytfloat@margin@par}{%
7276   \setlength{\RaggedRightParindent}{0.5pc}%
7277   \setlength{\JustifyingParindent}{0.5pc}%
7278   \setlength{\parindent}{0.5pc}%
7279   \setlength{\parskip}{0pt}%
7280 }
7281 \RequirePackage{ragged2e}
7282 \ifthenelse{\boolean{@biditytfloat@reversegeometry}}{%
7283 \RequirePackage[letterpaper, right=1in, top=1in, headsep=2\baselineskip, textwidth=26pc, marginpa
7284 \ifthenelse{\boolean{@biditytfloat@a4paper}}
7285   {\geometry{a4paper, right=24.8mm, top=27.4mm, headsep=2\baselineskip, textwidth=107mm, marginpa
7286   }
7287 \ifthenelse{\boolean{@biditytfloat@b5paper}}
7288   {\geometry{paperwidth=176mm, paperheight=250mm, right=14.66mm, top=13.88mm, textwidth=102.66mm
7289   }
7290 \RequirePackage[letterpaper, left=1in, top=1in, headsep=2\baselineskip, textwidth=26pc, marginpa
7291 \ifthenelse{\boolean{@biditytfloat@a4paper}}
7292   {\geometry{a4paper, left=24.8mm, top=27.4mm, headsep=2\baselineskip, textwidth=107mm, marginpa
7293   }
7294 \ifthenelse{\boolean{@biditytfloat@b5paper}}

```



```

7295 {\geometry{paperwidth=176mm,paperheight=250mm,left=14.66mm,top=13.88mm,textwidth=102.66mm,
7296 {}}}
7297 \ifthenelse{\boolean{@bidituftefloat@symmetric}}
7298 {}
7299 {\geometry{asymmetric}}% forces internal LaTeX `twoside'
7300 \setlength\marginparpush{10pt}
7301 %% Font for margin items
7302 \newcommand{\@bidituftefloat@marginfont}{\normalfont\footnotesize}
7303 \newcommand*{\@bidituftefloat@caption@font}{\@bidituftefloat@marginfont}
7304 \newcommand*{\setcaptionfont}[1]{\renewcommand*{\@bidituftefloat@caption@font}{#1}}
7305 \newcommand{\@bidituftefloat@justification}{\justifying}%
7306 \setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
7307 \setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
7308 \newboolean{@bidituftefloat@changepage}
7309 \IfFileExists{changepage.sty}{%
7310 \bidituftefloatDebugInfoNL{Found changepage.sty}
7311 \RequirePackage[strict]{changepage}
7312 \setboolean{@bidituftefloat@changepage}{true}
7313 }{%
7314 \bidituftefloatDebugInfoNL{Found chngpage.sty}
7315 \RequirePackage[strict]{chngpage}
7316 \setboolean{@bidituftefloat@changepage}{false}
7317 }
7318 \newboolean{@bidituftefloat@odd@page}
7319 \setboolean{@bidituftefloat@odd@page}{true}
7320 \newcommand*{\@bidituftefloat@checkoddpage}{%
7321 \checkoddpage%
7322 \ifthenelse{\boolean{@bidituftefloat@changepage}}{%
7323 \ifoddpage%
7324 \setboolean{@bidituftefloat@odd@page}{true}%
7325 \else%
7326 \setboolean{@bidituftefloat@odd@page}{false}%
7327 \fi%
7328 }{%
7329 \ifcpoddpage%
7330 \setboolean{@bidituftefloat@odd@page}{true}%
7331 \else%
7332 \setboolean{@bidituftefloat@odd@page}{false}%
7333 \fi%
7334 }%
7335 }
7336 \newlength{\@bidituftefloat@overhang}% used by the fullwidth environment and the running head
7337 \newlength{\@bidituftefloat@fullwidth}
7338 \newlength{\@bidituftefloat@caption@fill}
7339 \newcommand{\bidituftefloatRecalculate}{%
7340 \setlength{\@bidituftefloat@overhang}{\marginparwidth}
7341 \addtolength{\@bidituftefloat@overhang}{\marginparsep}
7342
7343 \setlength{\@bidituftefloat@fullwidth}{\textwidth}
7344 \addtolength{\@bidituftefloat@fullwidth}{\marginparsep}
7345 \addtolength{\@bidituftefloat@fullwidth}{\marginparwidth}
7346
7347 \setlength{\@bidituftefloat@caption@fill}{\textwidth}
7348 \addtolength{\@bidituftefloat@caption@fill}{\marginparsep}

```





```

7349 }
7350 \AtBeginDocument{\biditytfloatRecalculate}
7351 \RequirePackage{optparams}% provides multiple optional arguments for commands
7352 \RequirePackage{placeins}
7353 \newsavebox{\@biditytfloat@margin@floatbox}
7354 \newenvironment{@biditytfloat@margin@float}[2] [-1.2ex]%
7355   {\FloatBarrier% process all floats before this point so the figure/table numbers stay in o
7356   \begin{lrbox}{\@biditytfloat@margin@floatbox}%
7357   \begin{minipage}{\marginparwidth}%
7358     \@biditytfloat@caption@font%
7359     \def\@capttype{#2}%
7360     \hbox{\vspace*{#1}}%
7361     \@biditytfloat@caption@justification%
7362     \@biditytfloat@margin@par%
7363     \noindent%
7364   }
7365   {\end{minipage}}%
7366   \end{lrbox}}%
7367   \marginpar{\usebox{\@biditytfloat@margin@floatbox}}%
7368 }
7369 \newenvironment{marginfigure}[1] [-1.2ex]%
7370   {\begin{@biditytfloat@margin@float}[#1]{figure}}
7371   {\end{@biditytfloat@margin@float}}
7372 \newenvironment{margintable}[1] [-1.2ex]%
7373   {\begin{@biditytfloat@margin@float}[#1]{table}}
7374   {\end{@biditytfloat@margin@float}}
7375 \newcommand*{\@biditytfloat@justification@autodetect}{\justifying}%
7376
7377 \newcommand{\@biditytfloat@float@debug@info}{}% contains debug info generated as the float
7378 \newcommand{\@biditytfloat@float@debug}[1]{% adds debug info to the queue for output
7379   \ifthenelse{equal{\@biditytfloat@float@debug@info}{}}%
7380     {\def\@biditytfloat@float@debug@info{#1}}%
7381     {\g@addto@macro\@biditytfloat@float@debug@info{\MessageBreak#1}}%
7382 }
7383 \newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
7384 \newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\@biditytfloat@float@debu
7385 \newboolean{@biditytfloat@float@recto}
7386 \newcommand{\forcerectofloat}{\GlobalSetBoolean{@biditytfloat@float@recto}{true}\@bidityt
7387 \newcommand{\forceeversofloat}{\GlobalSetBoolean{@biditytfloat@float@recto}{false}\@bidityt
7388 \newsavebox{\@biditytfloat@figure@box}
7389 \newsavebox{\@biditytfloat@caption@box}
7390 \let\@biditytfloat@orig@float\@float
7391 \let\@biditytfloat@orig@endfloat\end@float
7392 \newlength{\@biditytfloat@caption@vertical@offset}
7393 \setlength{\@biditytfloat@caption@vertical@offset}{0pt}
7394 \newcommand{\@biditytfloat@stored@shortcaption}{}
7395 \newcommand{\@biditytfloat@stored@caption}{}
7396 \newcommand{\@biditytfloat@stored@label}{}
7397 \long\def\@biditytfloat@caption[#1][#2]#3{%
7398   \ifthenelse{\isempty{#1}}%
7399     {\gdef\@biditytfloat@stored@shortcaption{#3}}%
7400     {\gdef\@biditytfloat@stored@shortcaption{#1}}%
7401   \gsetlength{\@biditytfloat@caption@vertical@offset}{-#2}% we want a positive offset to l
7402   \gdef\@biditytfloat@stored@caption{#3}%

```



```

7403 }
7404 \newcommand{\@biditytfloat@label}[1]{%
7405   \gdef\@biditytfloat@stored@label{#1}%
7406 }
7407 \newcommand{\@biditytfloat@fps}{}
7408 \newboolean{\@biditytfloat@float@star}
7409 \newlength{\@biditytfloat@float@contents@width}
7410 \newenvironment{\@biditytfloat@float}[3][htbp]%
7411   {% begin \@biditytfloat@float
7412     % Should this float be full-width or just text-width?
7413     \ifthenelse{\equal{#3}{star}}%
7414       {\GlobalSetBoolean{\@biditytfloat@float@star}{true}}%
7415       {\GlobalSetBoolean{\@biditytfloat@float@star}{false}}%
7416     % Check page side (recto/verso) and store detected value -- can be overridden in environm
7417     \@biditytfloat@checkoddpage%
7418     \ifthenelse{\boolean{\@biditytfloat@odd@page}}%
7419       {\GlobalSetBoolean{\@biditytfloat@float@recto}{true}\@biditytfloat@float@debug{Dete
7420       {\GlobalSetBoolean{\@biditytfloat@float@recto}{false}\@biditytfloat@float@debug{Det
7421     % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages
7422     \renewcommand{\@biditytfloat@fps}{#1}%
7423     \@biditytfloat@float@debug{Allowed positions: [#1]}%
7424     \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}%
7425       {\renewcommand{\floatalignment}{b}\@biditytfloat@float@debug{Presumed position: [bot
7426       {\renewcommand{\floatalignment}{t}\@biditytfloat@float@debug{Presumed position: [top
7427     % Capture the contents of the \caption and \label commands to use later
7428     \global\let\@biditytfloat@orig@caption\caption%
7429     \global\let\@biditytfloat@orig@label\label%
7430     \renewcommand{\caption}{\optparams{\@biditytfloat@caption}{[ ] [Opt]}}%
7431     \renewcommand{\label}[1]{\@biditytfloat@label{##1}}%
7432     % Handle subfigure package compatibility
7433     \ifthenelse{\boolean{\@biditytfloat@packages@subfigure}}{%
7434       \bidi@patchcmd{\subfigure}{%
7435         \let\subfig@oldlabel=\label
7436       }{%
7437         \let\subfig@oldlabel=\@biditytfloat@orig@label
7438       }
7439     }
7440     {}
7441     \let\subtable=\subfigure
7442   }{% subfigure package is not loaded
7443     \@biditytfloat@orig@float{#2}[#1]%
7444     \ifthenelse{\boolean{\@biditytfloat@float@star}}%
7445       {\setlength{\@biditytfloat@float@contents@width}{\@biditytfloat@fullwidth}}%
7446       {\setlength{\@biditytfloat@float@contents@width}{\textwidth}}%
7447     \begin{lrbox}{\@biditytfloat@figure@box}%
7448       \begin{minipage}[floatalignment]{\@biditytfloat@float@contents@width}\hbox{}%
7449   }{% end \@biditytfloat@float
7450     \par\hbox{} \vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}% a
7451     \end{minipage}%
7452     \end{lrbox}%
7453     % build the caption box
7454     \begin{lrbox}{\@biditytfloat@caption@box}%
7455       \begin{minipage}[floatalignment]{\marginparwidth}\hbox{}%
7456       \ifthenelse{\NOT\equal{\@biditytfloat@stored@caption}{}}{\@biditytfloat@orig@cap

```



```

7457     \ifthenelse{\NOT\equal{\@biditytfloat@stored@label}{}}{\@biditytfloat@orig@label
7458     \par\vspace{-\prevdepth}}% TODO: DOUBLE-CHECK FOR SAFETY
7459     \end{minipage}%
7460 \end{lrbox}%
7461 % now typeset the stored boxes
7462 \begin{fullwidth}%
7463     \begin{minipage}[\floatalignment]{\linewidth}%
7464         \ifthenelse{\boolean{@biditytfloat@float@star}}%
7465             {\@biditytfloat@float@fullwidth[\@biditytfloat@caption@vertical@offset]{\@bidi
7466             {\@biditytfloat@float@textwidth[\@biditytfloat@caption@vertical@offset]{\@bidi
7467         \end{minipage}%
7468     \end{fullwidth}%
7469 \@biditytfloat@orig@endfloat% end original LaTeX float environment
7470 % output debug info
7471 \ifthenelse{\boolean{@biditytfloat@debug}}{%
7472     \typeout{^^J^^J----- biditytfloat package float information -----}%
7473     \ifthenelse{\equal{\@biditytfloat@stored@label}{}}%
7474         {\typeout{Warning: Float unlabeled!}}%
7475         {\typeout{Float label: [\@biditytfloat@stored@label]}}%
7476     \typeout{Page number: [\thepage]}%
7477     \def\MessageBreak{^^J}%
7478     \typeout{\@biditytfloat@float@debug@info}%
7479     \ifthenelse{\boolean{@biditytfloat@symmetric}}%
7480         {\typeout{Symmetric: [true]}}%
7481         {\typeout{Symmetric: [false]}}%
7482     \typeout{-----^^J^^J}%
7483 }{}%
7484 % reset commands and temp boxes and captions
7485 \gdef\@biditytfloat@float@debug@info{}%
7486 \let\caption\@biditytfloat@orig@caption%
7487 \let\label\@biditytfloat@orig@label%
7488 \begin{lrbox}{\@biditytfloat@figure@box}\hbox{}\end{lrbox}%
7489 \begin{lrbox}{\@biditytfloat@caption@box}\hbox{}\end{lrbox}%
7490 \gdef\@biditytfloat@stored@shortcaption{}%
7491 \gdef\@biditytfloat@stored@caption{}%
7492 \gdef\@biditytfloat@stored@label{}%
7493 \gsetlength{\@biditytfloat@caption@vertical@offset}{0pt}% reset caption offset
7494 }
7495 \newcommand{\@biditytfloat@float@textwidth}[3][Opt]{%
7496 \ifthenelse{\NOT\boolean{@biditytfloat@symmetric}\OR\boolean{@biditytfloat@float@recto
7497 % asymmetric or page is odd, so caption is on the right
7498 \hbox{%
7499     \usebox{#2}%
7500     \hspace{\marginparsep}%
7501     \smash{\raisebox{#1}{\usebox{#3}}}%
7502 }
7503 \@biditytfloat@float@debug{Caption position: [right]}%
7504 }{% symmetric pages and page is even, so caption is on the left
7505 \hbox{%
7506     \smash{\raisebox{#1}{\usebox{#3}}}%
7507     \hspace{\marginparsep}%
7508     \usebox{#2}%
7509 }
7510 \@biditytfloat@float@debug{Caption position: [left]}%

```





```

7565 \ifdim\lastskip>\z@\else\space\fi
7566 \ignorespaces%
7567 }
7568 \DeclareRobustCommand{\newlinetospace}[1]{%
7569 \let\@bidityfteheading@orig@cr\% save the original meaning of \
7570 \def\{\@bidityfteheading@newlinetospace}% turn \ and \* into \space
7571 \let\newline\% turn \newline into \space
7572 #1%
7573 \let\{\@bidityfteheading@orig@cr% revert to original meaning of \
7574 }
7575 \RequirePackage{fancyhdr}
7576 \pagestyle{fancy}
7577 \AtBeginDocument{%
7578 \ifthenelse{\boolean{@bidityftefloat@symmetric}}
7579 {\fancyhfoffset[LE,RO]{\@bidityftefloat@overhang}}
7580 {\fancyhfoffset[RE,RO]{\@bidityftefloat@overhang}}
7581 }
7582 % The running heads/feet don't have rules
7583 \renewcommand{\headrulewidth}{0pt}
7584 \renewcommand{\footrulewidth}{0pt}
7585 % The 'fancy' page style is the default style for all pages.
7586 \fancyhf{} % clear header and footer fields
7587 \ifthenelse{\boolean{@bidityftefloat@symmetric}}
7588 {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}%
7589 \fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
7590 {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
7591 % The `plain' page style is used on chapter opening pages.
7592 % In Tufte's /Beautiful Evidence/ he never puts page numbers at the
7593 % bottom of pages -- the folios are unexpressed.
7594 \fancypagestyle{plain}{
7595 \fancyhf{} % clear header and footer fields
7596 % Uncomment the following five lines of code if you want the opening page
7597 % of the chapter to express the folio in the lower outside corner.
7598 % \ifthenelse{\boolean{@bidityftefloat@symmetric}}
7599 % {\fancyfoot[LE,RO]{\thepage}}
7600 % {\fancyfoot[RE,RO]{\thepage}}
7601 }
7602 % The `empty' page style suppresses all headers and footers.
7603 % It's used on title pages and `intentionally blank' pages.
7604 \fancypagestyle{empty}{
7605 \fancyhf{} % clear header and footer fields
7606 }
7607 \def\morefloats{% provides a total of 52 floats
7608 \ifthenelse{\isundefined{\bx@S}}{%
7609 \bidityftefloatDebugInfoNL{Adding 34 more float slots.}
7610 \newinsert\bx@S
7611 \newinsert\bx@T
7612 \newinsert\bx@U
7613 \newinsert\bx@V
7614 \newinsert\bx@W
7615 \newinsert\bx@X
7616 \newinsert\bx@Y
7617 \newinsert\bx@Z
7618 \newinsert\bx@a

```



```

7619 \newinsert\bx@b
7620 \newinsert\bx@c
7621 \newinsert\bx@d
7622 \newinsert\bx@e
7623 \newinsert\bx@f
7624 \newinsert\bx@g
7625 \newinsert\bx@h
7626 \newinsert\bx@i
7627 \newinsert\bx@j
7628 \newinsert\bx@k
7629 \newinsert\bx@l
7630 \newinsert\bx@m
7631 \newinsert\bx@n
7632 \newinsert\bx@o
7633 \newinsert\bx@p
7634 \newinsert\bx@q
7635 \newinsert\bx@r
7636 \newinsert\bx@s
7637 \newinsert\bx@t
7638 \newinsert\bx@u
7639 \newinsert\bx@v
7640 \newinsert\bx@w
7641 \newinsert\bx@x
7642 \newinsert\bx@y
7643 \newinsert\bx@z
7644 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
7645 \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
7646 \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
7647 \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
7648 \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
7649 \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
7650 \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
7651 \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
7652 \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
7653 \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
7654 \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
7655 \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
7656 }{% we've already added another 34 floats, so we'll add 26 more, but that's it!
7657 \ifthenelse{\isundefined{\bx@AA}}{%
7658 \bidituftefloatDebugInfoNL{Adding 26 more float slots.}
7659 \newinsert\bx@AA
7660 \newinsert\bx@BB
7661 \newinsert\bx@CC
7662 \newinsert\bx@DD
7663 \newinsert\bx@EE
7664 \newinsert\bx@FF
7665 \newinsert\bx@GG
7666 \newinsert\bx@HH
7667 \newinsert\bx@II
7668 \newinsert\bx@JJ
7669 \newinsert\bx@KK
7670 \newinsert\bx@LL
7671 \newinsert\bx@MM
7672 \newinsert\bx@NN

```



```

7673 \newinsert\bx@OO
7674 \newinsert\bx@PP
7675 \newinsert\bx@QQ
7676 \newinsert\bx@RR
7677 \newinsert\bx@SS
7678 \newinsert\bx@TT
7679 \newinsert\bx@UU
7680 \newinsert\bx@VV
7681 \newinsert\bx@WW
7682 \newinsert\bx@XX
7683 \newinsert\bx@YY
7684 \newinsert\bx@ZZ
7685 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
7686 \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
7687 \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
7688 \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
7689 \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
7690 \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
7691 \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
7692 \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
7693 \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
7694 \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
7695 \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
7696 \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
7697 \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
7698 \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
7699 \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
7700 \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
7701 \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
7702 \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
7703 }{%
7704 \biditytfloatError{You may only call \string\morefloats\space twice. See the\Message
7705 {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or
7706 }%
7707 }%
7708 }
7709 \newboolean{@biditytfloat@packages@subfigure}
7710 \setboolean{@biditytfloat@packages@subfigure}{false}
7711 \AtBeginDocument{%
7712 \@ifpackageloaded{subfigure}
7713 {\GlobalSetBoolean{@biditytfloat@packages@subfigure}{true}}
7714 {\GlobalSetBoolean{@biditytfloat@packages@subfigure}{false}}%
7715 }
7716 \AtBeginDocument{%
7717 \@ifpackageloaded{float}{%
7718 % Save the redefined float environment (instead of the LaTeX float environment)
7719 \let\@biditytfloat@orig@float\float
7720 \let\@biditytfloat@orig@endfloat\endfloat
7721
7722 % Define Tuftian float styles (with the caption in the margin)
7723 \newcommand{\floatc@biditytfloatplain}[2]{%
7724 \begin{lrbox}{\@biditytfloat@caption@box}%
7725 \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
7726 \@biditytfloat@caption@font{\@fs@font #1:} #2\par%

```



```

7727     \end{minipage}%
7728     \end{lrbox}%
7729     \smash{\hspace{\@biditytfloat@caption@fill}}\usebox{\@biditytfloat@caption@box}}%
7730 }
7731 \newcommand{\fs@biditytfloatplain}{%
7732   \def\@fs@cfont{\@biditytfloat@caption@font}%
7733   \let\@fs@capt\floatc@biditytfloatplain%
7734   \def\@fs@pre{}}%
7735   \def\@fs@post{}}%
7736   \def\@fs@mid{}}%
7737   \let\@fs@iftopcapt\iftrue%
7738 }
7739 \let\fs@biditytfloatplaintop=\fs@biditytfloatplain
7740 \let\floatc@biditytfloatplaintop=\floatc@biditytfloatplain
7741 \newcommand\floatc@biditytfloatruled[2]{%
7742   {\@fs@cfont #1} #2\par%
7743 }
7744 \newcommand\fs@biditytfloatruled{%
7745   \def\@fs@cfont{\@biditytfloat@caption@font}%
7746   \let\@fs@capt\floatc@biditytfloatplain%
7747   \def\@fs@pre{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
7748   \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
7749   \def\@fs@mid{}}%
7750   \let\@fs@iftopcapt\iftrue%
7751 }
7752 \newcommand\fs@biditytfloatboxed{%
7753   \def\@fs@cfont{}}%
7754   \let\@fs@capt\floatc@biditytfloatplain%
7755   \def\@fs@pre{%
7756     \setbox\@currbox\vbox{\hbadness10000
7757     \moveleft3.4pt\vbox{\advance\hsize by6.8pt
7758     \hrule \hbox to\hsize{\vrule\kern3pt
7759     \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}
7760   }%
7761   \def\@fs@mid{\kern2pt}%
7762   \def\@fs@post{}}%
7763   \let\@fs@iftopcapt\iftrue%
7764 }
7765 }{%
7766   % Nothing to do
7767 }
7768 }
7769 \AtBeginDocument{%
7770 \ifpackageloaded{algorithm}{%
7771   % Set the float style to the Tuftian version
7772   \ifthenelse{\equal{\ALG@floatstyle}{plain}\OR\equal{\ALG@floatstyle}{ruled}\OR\equal{\AL
7773     \biditytfloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBrea
7774     \floatstyle{biditytfloat\ALG@floatstyle}%
7775     \restylefloat{algorithm}%
7776   }{}}%
7777 }{%
7778   % Nothing to do
7779 }
7780 }

```





```
7781 \PassOptionsToPackage{caption=false}{subfig}
```

## 54 File `bidituftesidenote.sty`

```
7782 \NeedsTeXFormat{LaTeX2e}
7783 \ProvidesPackage{bidituftesidenote}[2017/08/09 v0.4
7784 bidi implementation of tufte sidenote]
7785 \RequirePackage{xifthen}
7786 \RequirePackage{ragged2e}
7787 \RequirePackage{setspace}
7788 \RequirePackage{biditools}
7789 \def\bidituftesidenotemarginpar{%
7790   \ifhmode
7791     \@bsphack
7792     \@floatpenalty -\@Mii
7793   \else
7794     \@floatpenalty-\@Miii
7795   \fi
7796   \ifinner
7797     \@parmoderr
7798     \@floatpenalty\z@
7799   \else
7800     \@next\@currbox\@freelist{}{}%
7801     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
7802     {\@floatpenalty\z@
7803       \fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
7804   \fi
7805   \@ifnextchar [\@bidituftesidenotexmpar\@bidituftesidenoteympar}
7806 \long\def\@bidituftesidenotexmpar[#1]#2{%
7807   \@bidituftesidenotesavemarbox\@marbox{#1}%
7808   \@bidituftesidenotesavemarbox\@currbox{#2}%
7809   \@xympar}
7810 \long\def\@bidituftesidenoteympar#1{%
7811   \@bidituftesidenotesavemarbox\@marbox{#1}%
7812   \global\setbox\@currbox\copy\@marbox
7813   \@xympar}
7814 \long\def \@bidituftesidenotesavemarbox #1#2{%
7815   \global\setbox #1%
7816     \color@vbox
7817     \vtop{%
7818       \hsize\marginparwidth
7819       \@parboxrestore
7820       \@bidituftesidenotemarginparreset
7821       #2%
7822       \@minipagefalse
7823       \outer@nobreak
7824     }%
7825   \color@endbox
7826 }
7827 \def \@bidituftesidenotemarginparreset {%
7828   \reset@font
7829   \normalsize
7830   \@minipagetrue
7831   \everypar{\@minipagefalse\everypar{}}\if@RTL@footnote\beginR\else\beginL\fi}%
```



```

7832 }
7833 \def\LTRbidituftesidenotemarginpar{%
7834   \ifhmode
7835     \@bsphack
7836     \@floatpenalty -\@Mii
7837   \else
7838     \@floatpenalty-\@Miii
7839   \fi
7840   \ifinner
7841     \@parmoderr
7842     \@floatpenalty\z@
7843   \else
7844     \@next\@currbox\@freelist{}{}%
7845     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
7846     {\@floatpenalty\z@
7847       \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
7848   \fi
7849   \@ifnextchar [\@LTRbidituftesidenotexmpar\@LTRbidituftesidenoteympar}
7850 \long\def\@LTRbidituftesidenotexmpar[#1]#2{%
7851   \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
7852   \@LTRbidituftesidenotesavemarbox\@currbox{#2}%
7853   \@xympar}
7854 \long\def\@LTRbidituftesidenoteympar#1{%
7855   \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
7856   \global\setbox\@currbox\copy\@marbox
7857   \@xympar}
7858 \long\def \@LTRbidituftesidenotesavemarbox #1#2{%
7859   \global\setbox #1%
7860     \color@vbox
7861     \vtop{%
7862       \hsize\marginparwidth
7863       \@parboxrestore
7864       \@LTRbidituftesidenotemarginparreset
7865       #2%
7866       \@minipagefalse
7867       \outer@nobreak
7868     }%
7869   \color@endbox
7870 }
7871 \def \@LTRbidituftesidenotemarginparreset {%
7872   \reset@font
7873   \normalsize
7874   \@minipagetrue
7875   \everypar{\@minipagefalse\everypar{}\beginL}%
7876 }
7877 \def\RTLbidituftesidenotemarginpar{%
7878   \ifhmode
7879     \@bsphack
7880     \@floatpenalty -\@Mii
7881   \else
7882     \@floatpenalty-\@Miii
7883   \fi
7884   \ifinner
7885     \@parmoderr

```



```

7886 \floatpenalty\z@
7887 \else
7888 \@next\@currbox\@freelist{}{}%
7889 \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
7890 {\floatpenalty\z@
7891 \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
7892 \fi
7893 \ifnextchar [\@RTLbidityftesidenotexmpar\@RTLbidityftesidenoteympar}
7894 \long\def\@RTLbidityftesidenotexmpar[#1]#2{%
7895 \@RTLbidityftesidenotesavemarbox\@marbox{#1}%
7896 \@RTLbidityftesidenotesavemarbox\@currbox{#2}%
7897 \@xympar}
7898 \long\def\@RTLbidityftesidenoteympar#1{%
7899 \@RTLbidityftesidenotesavemarbox\@marbox{#1}%
7900 \global\setbox\@currbox\copy\@marbox
7901 \@xympar}
7902 \long\def \@RTLbidityftesidenotesavemarbox #1#2{%
7903 \global\setbox #1%
7904 \color@vbox
7905 \vtop{%
7906 \hsize\marginparwidth
7907 \@parboxrestore
7908 \@RTLbidityftesidenotemarginparreset
7909 #2%
7910 \@minipagefalse
7911 \outer@nobreak
7912 }%
7913 \color@endbox
7914 }
7915 \def \@RTLbidityftesidenotemarginparreset {%
7916 \reset@font
7917 \normalsize
7918 \@minipagetrue
7919 \everypar{\@minipagefalse\everypar{}\beginR}%
7920 }
7921 \newcommand*{\@bidityftesidenote@marginfont}{\normalfont\footnotesize}
7922 \newcommand*{\@bidityftesidenote@LTRmarginfont}{\normalfont\footnotesize}
7923 \newcommand*{\@bidityftesidenote@RTLmarginfont}{\normalfont\footnotesize}
7924 \newcommand*{\@bidityftesidenote@sidenote@font}{\@bidityftesidenote@marginfont}
7925 \newcommand*{\@bidityftesidenote@LTRsidenote@font}{\@bidityftesidenote@LTRmarginfont}
7926 \newcommand*{\@bidityftesidenote@RTLSidenote@font}{\@bidityftesidenote@RTLmarginfont}
7927 \newcommand*{\@bidityftesidenote@marginnote@font}{\@bidityftesidenote@marginfont}
7928 \newcommand*{\@bidityftesidenote@LTRmarginnote@font}{\@bidityftesidenote@LTRmarginfont}
7929 \newcommand*{\@bidityftesidenote@RTLmarginnote@font}{\@bidityftesidenote@RTLmarginfont}
7930 \newcommand*{\@bidityftesidenote@citation@font}{\@bidityftesidenote@marginfont}
7931 \newcommand*{\@bidityftesidenote@LTRcitation@font}{\@bidityftesidenote@LTRmarginfont}
7932 \newcommand*{\@bidityftesidenote@RTLcitation@font}{\@bidityftesidenote@RTLmarginfont}
7933 \newcommand*{\setsidenotefont}[1]{\renewcommand*{\@bidityftesidenote@sidenote@font}{#1}}
7934 \newcommand*{\setLTRsidenotefont}[1]{\renewcommand*{\@bidityftesidenote@LTRsidenote@font}{#1}}
7935 \newcommand*{\setRTLSidenotefont}[1]{\renewcommand*{\@bidityftesidenote@RTLSidenote@font}{#1}}
7936 \newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@bidityftesidenote@marginnote@font}{#1}}
7937 \newcommand*{\setLTRmarginnotefont}[1]{\renewcommand*{\@bidityftesidenote@LTRmarginnote@font}{#1}}
7938 \newcommand*{\setRTLmarginnotefont}[1]{\renewcommand*{\@bidityftesidenote@RTLmarginnote@font}{#1}}
7939 \newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidityftesidenote@citation@font}{#1}}

```



```

7940 \newcommand*\setLTRcitationfont}[1]{\renewcommand*\@bidityftesidenote@LTRcitation@font}#{#1
7941 \newcommand*\setRTLcitationfont}[1]{\renewcommand*\@bidityftesidenote@RTLcitation@font}#{#1
7942 \newcommand*\@bidityftesidenote@margin@justification}{\@bidityftesidenote@justification@
7943 \newcommand*\@bidityftesidenote@marginnote@justification}{\@bidityftesidenote@justification
7944 \newcommand*\@bidityftesidenote@citation@justification}{\@bidityftesidenote@justification@
7945 \newcommand*\@bidityftesidenote@justification@autodetect}{\justifying}%
7946 \newcommand{\@bidityftesidenote@margin@par}{%
7947 \setlength{\RaggedRightParindent}{0.5pc}%
7948 \setlength{\JustifyingParindent}{0.5pc}%
7949 \setlength{\parindent}{0.5pc}%
7950 \setlength{\parskip}{0pt}%
7951 }
7952 %%
7953 % Globally sets the length
7954 \@ifundefined{gsetlength}{%
7955 \newcommand*\gsetlength}[2]{%
7956 \setlength{#1}{#2}%
7957 \global#1=#1\relax%
7958 }%
7959 }{}
7960
7961 %%
7962 % A function that removes leading and trailing spaces from the supplied macro.
7963 % Based on code written by Michael Downes (See ``Around the Bend'', #15.)
7964 % Executing \@bidityftesidenote@trim@spaces\xyzzy will result in the contents of \xyzzy
7965 % being trimmed of leading and trailing white space.
7966 \catcode\Q=3
7967 \def\@bidityftesidenote@trim@spaces#1{%
7968 % Use grouping to emulate a multi-token afterassignment queue
7969 \begingroup%
7970 % Put \toks 0 {' into the afterassignment queue
7971 \aftergroup\toks\aftergroup0\aftergroup{%
7972 % Apply \trimb to the replacement text of #1, adding a leading
7973 % \noexpand to prevent brace stripping and to serve another purpose
7974 % later.
7975 \expandafter\@bidityftesidenote@trim@b\expandafter\noexpand#1Q Q}%
7976 % Transfer the trimmed text back into #1.
7977 \edef#1{\the\toks0}%
7978 }
7979 % \trimb removes a trailing space if present, then calls \@bidityftesidenote@trim@c to
7980 % clean up any leftover bizarre Qs, and trim a leading space. In
7981 % order for \trimc to work properly we need to put back a Q first.
7982 \def\@bidityftesidenote@trim@b#1 Q{\@bidityftesidenote@trim@c#1Q}
7983 % Execute \vfuzz assignment to remove leading space; the \noexpand
7984 % will now prevent unwanted expansion of a macro or other expandable
7985 % token at the beginning of the trimmed text. The \endgroup will feed
7986 % in the \aftergroup tokens after the \vfuzz assignment is completed.
7987 \def\@bidityftesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
7988 \catcode\Q=11
7989 %%
7990 % Citations should go in the margin as sidenotes
7991
7992 \RequirePackage{natbib}
7993 \RequirePackage{bibentry} % allows bibitems to be typeset outside the bibliography env

```



```

7994 % Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
7995 \renewcommand\BR@b@bibitem[2] [] {%
7996   \ifthenelse{\isempty{#1}}{%
7997     {\BR@b@bibitem{#2}}%
7998     {\BR@b@bibitem[#1]{#2}}%
7999   \BR@c@bibitem{#2}%
8000 }
8001 \bidi@AtEndPreamble{\nobibliography*}           % pre-loads the bibliography keys
8002 %%
8003 % Normal \cite behavior
8004 \newcounter{@bidituftesidenote@num@bibkeys}%
8005 \newcommand{\@bidituftesidenote@normal@cite}[2] [Opt] {%
8006   % Snag the last bibentry in the list for later comparison
8007   \let\@temp@last@bibkey\@empty%
8008   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
8009   \sidenote[] [#1] {%
8010     % Loop through all the bibentries, separating them with semicolons and spaces
8011     \normalsize\normalfont\@bidituftesidenote@citation@font%
8012     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
8013     \@for\@temp@bibkeyx:=#2\do{%
8014       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
8015         {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{-}{and\ }}%
8016         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8017         \bibentry{\@temp@bibkeyx}}%
8018         {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8019         \bibentry{\@temp@bibkeyx};\ }%
8020     \stepcounter{@bidituftesidenote@num@bibkeys}%
8021   }%
8022 }%
8023 }
8024 \newcommand{\@bidituftelTRSsidenote@normal@cite}[2] [Opt] {%
8025   % Snag the last bibentry in the list for later comparison
8026   \let\@temp@last@bibkey\@empty%
8027   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
8028   \LTRsidenote[] [#1] {%
8029     % Loop through all the bibentries, separating them with semicolons and spaces
8030     \normalsize\normalfont\@bidituftesidenote@LTRcitation@font%
8031     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
8032     \@for\@temp@bibkeyx:=#2\do{%
8033       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
8034         {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{-}{and\ }}%
8035         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8036         \bibentry{\@temp@bibkeyx}}%
8037         {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8038         \bibentry{\@temp@bibkeyx};\ }%
8039     \stepcounter{@bidituftesidenote@num@bibkeys}%
8040   }%
8041 }%
8042 }
8043 \newcommand{\@biditufterTLsidenote@normal@cite}[2] [Opt] {%
8044   % Snag the last bibentry in the list for later comparison
8045   \let\@temp@last@bibkey\@empty%
8046   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
8047   \RTLsidenote[] [#1] {%

```



```

8048 % Loop through all the bibentries, separating them with semicolons and spaces
8049 \normalsize\normalfont\@bidityftesidenote@citation@font%
8050 \setcounter{@bidityftesidenote@num@bibkeys}{0}%
8051 \@for\@temp@bibkeyx:=#2\do{%
8052   \ifthenelse{equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
8053     {\ifthenelse{equal{\value{@bidityftesidenote@num@bibkeys}}{0}}{and\ }%
8054     \@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8055     \bibentry{\@temp@bibkeyx}}%
8056     {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8057     \bibentry{\@temp@bibkeyx};\ }%
8058   \stepcounter{@bidityftesidenote@num@bibkeys}%
8059 }%
8060 }%
8061 }
8062 %%
8063 % Macros for holding the list of cite keys until after the \sidenote
8064 \gdef\@bidityftesidenote@citations{}% list of cite keys
8065 \newcommand\@bidityftesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite
8066 \ifx\@bidityftesidenote@citations\@empty\else
8067   \g@addto@macro\@bidityftesidenote@citations{,}% separate by commas
8068 \fi
8069 \g@addto@macro\@bidityftesidenote@citations{#1}
8070 }
8071 \newcommand{\@bidityftesidenote@print@citations}[1][Opt]{% puts the citations in a margin no
8072 % Snag the last bibentry in the list for later comparison
8073 \let\@temp@last@bibkey\@empty%
8074 \@for\@temp@bibkey:=\@bidityftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
8075 \marginpar{%
8076   \hbox{} \vspace*{#1}%
8077   \@bidityftesidenote@citation@font%
8078   \@bidityftesidenote@citation@justification%
8079   \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
8080   \vspace*{-1\baselineskip}%
8081   % Loop through all the bibentries, separating them with semicolons and spaces
8082   \setcounter{@bidityftesidenote@num@bibkeys}{0}%
8083   \@for\@temp@bibkeyx:=\@bidityftesidenote@citations\do{%
8084     \ifthenelse{equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
8085       {\ifthenelse{equal{\value{@bidityftesidenote@num@bibkeys}}{0}}{and\ }%
8086       \@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8087       \bibentry{\@temp@bibkeyx}}%
8088       {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
8089       \bibentry{\@temp@bibkeyx};\ }%
8090     \stepcounter{@bidityftesidenote@num@bibkeys}%
8091   }%
8092 }%
8093 }
8094 %%
8095 % \cite behavior when executed within a sidenote
8096 \newcommand{\@bidityftesidenote@sidenote@citations}{}% contains list of \cites in sidenote
8097 \newcommand{\@bidityftesidenote@infootnote@cite}[1]{%
8098   \@bidityftesidenote@add@citation{#1}
8099 }
8100 %%
8101 % Set the default \cite style. This is set and reset by the \sidenote command.

```



```

8102 \let\cite\@bidityftesidenote@normal@cite
8103 \let\LTRcite\@bidityftteLTRsidenote@normal@cite
8104 \let\RTLcite\@bidityftteRTLsidenote@normal@cite
8105 %%
8106 % Transform existing \footnotes into \sidenotes
8107 % Sidenote: ``Where God meant footnotes to go.''' ---bidityftesidenote
8108 \RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional argu
8109 \providecommand{\footnotelayout}{\@bidityftesidenote@sidenote@font\@bidityftesidenote@sidenote
8110 \renewcommand{\footnotelayout}{\@bidityftesidenote@sidenote@font\@bidityftesidenote@sidenote
8111 % Override footmisc's definition to set the sidenote marks (numbers) inside the
8112 % sidenote's text block.
8113 \bidi@patch@AfterPackage{bidi}{\long\def\@makefnmark#1{\@textsuperscript{\@bidityftesidenote
8114 % Set the in-text footnote mark in the same typeface as the body text itself.
8115 \bidi@patch@AfterPackage{bidi}{\def\@makefnmark{\hbox{\@textsuperscript{\normalfont\footnote
8116 \providecommand*\@multiplefootnotemarker}{3sp}
8117 \providecommand*\multfootsep}{,}
8118 \bidi@patch@AfterPackage{bidi}{%
8119 \renewcommand{\@footnotemark}{%
8120 \leavevmode%
8121 \ifhmode%
8122 \edef\@x@sf{\the\spacefactor}%
8123 \@bidityftesidenote@check@multiple@sidenotes%
8124 \nobreak%
8125 \fi%
8126 \@makefnmark%
8127 \ifhmode\spacefactor\@x@sf\fi%
8128 \relax%
8129 }%
8130 }
8131 \newcommand{\@bidityftesidenote@check@multiple@sidenotes}{%
8132 \ifdim\lastkern=\@multiplefootnotemarker\relax%
8133 \edef\@x@sf{\the\spacefactor}%
8134 \unkern%
8135 \textsuperscript{\multfootsep}%
8136 \spacefactor\@x@sf\relax%
8137 \fi
8138 }
8139 \bidi@patch@AfterPackage{bidi}{%
8140 \renewcommand\@footnotetext[2][0pt]{%
8141 \bidityftesidenotemarginpar{%
8142 \hbox{} \vspace*{#1}%
8143 \def\baselinestretch {\set@space@singlespace}%
8144 \reset@font%
8145 \bidi@@footnotetext@font% \reset@font\footnotesize%
8146 \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
8147 \vspace*{-1\baselineskip}\noindent%
8148 \protected@edef\@currentlabel{%
8149 \csname p@footnote\endcsname\@thefnmark%
8150 }%
8151 \color@begingroup%
8152 \makefnmark%
8153 \ignorespaces#2%
8154 }%
8155 \color@endgroup%

```



```

8156 }%
8157 }%
8158 \renewcommand\@LTRfootnotetext[2][Opt]{%
8159   \LTRbidityftesidenotemarginpar{%
8160     \hbox{ }\vspace*{#1}%
8161     \def\baselinestretch {\set@space@singlespace}%
8162     \reset@font%
8163     \bidi@LTRfootnotetext@font% \reset@font\footnotesize%
8164     \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
8165     \vspace*{-1\baselineskip}\noindent%
8166     \protected@edef\@currentlabel{%
8167       \csname p@footnote\endcsname\@thefnmark%
8168     }%
8169     \color@begingroup%
8170       \@makefntext{%
8171         \ignorespaces#2%
8172       }%
8173     \color@endgroup%
8174 }%
8175 }%
8176 \renewcommand\@RTLfootnotetext[2][Opt]{%
8177   \RTLbidityftesidenotemarginpar{%
8178     \hbox{ }\vspace*{#1}%
8179     \def\baselinestretch {\set@space@singlespace}%
8180     \reset@font%
8181     \bidi@RTLfootnotetext@font% \reset@font\footnotesize%
8182     \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
8183     \vspace*{-1\baselineskip}\noindent%
8184     \protected@edef\@currentlabel{%
8185       \csname p@footnote\endcsname\@thefnmark%
8186     }%
8187     \color@begingroup%
8188       \@makefntext{%
8189         \ignorespaces#2%
8190       }%
8191     \color@endgroup%
8192 }%
8193 }%
8194 }
8195 %
8196 % Define \sidenote command. Can handle \cite.
8197 \newlength{\@bidityftesidenote@sidenote@vertical@offset}
8198 \setlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}
8199 % #1 = footnote num, #2 = vertical offset, #3 = footnote text
8200 \long\def\@bidityftesidenote@sidenote[#1][#2]#3{%
8201   \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
8202   \gdef\@bidityftesidenote@citations{}% clear out any old citations
8203   \ifthenelse{\NOT\isempty{#2}}{%
8204     \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
8205   }{%
8206     \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
8207   }%
8208   \ifthenelse{\isempty{#1}}{%
8209     % no specific footnote number provided

```





```

8210 \stepcounter\@mpfn%
8211 \protected@xdef\@thefnmark{\thempfn}%
8212 \@footnotemark\@footnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
8213 }-%
8214 % specific footnote number provided
8215 \begingroup%
8216 \csname c@\@mpfn\endcsname #1\relax%
8217 \unrestored@protected@xdef\@thefnmark{\thempfn}%
8218 \endgroup%
8219 \@footnotemark\@footnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
8220 }%
8221 \@bidityftesidenote@print@citations% print any citations
8222 \let\cite\@bidityftesidenote@normal@cite% go back to using normal in-text \cite comm
8223 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
8224 \let\RTLcite\@bidityfteRTLsidenote@normal@cite% go back to using normal in-text \RTL
8225 \unskip\ignorespaces% remove extra white space
8226 \kern-\multiplefootnotemarker% remove \kern left behind by sidenote
8227 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
8228 }
8229 \long\def\@LTRbidityftesidenote@sidenote[#1][#2]#3{%
8230 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
8231 \gdef\@bidityftesidenote@citations{}% clear out any old citations
8232 \ifthenelse{\NOT\isempty{#2}}{%
8233 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
8234 }-%
8235 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
8236 }%
8237 \ifthenelse{\isempty{#1}}{%
8238 % no specific footnote number provided
8239 \stepcounter\@mpfn%
8240 \protected@xdef\@thefnmark{\thempfn}%
8241 \@footnotemark\@LTRfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
8242 }-%
8243 % specific footnote number provided
8244 \begingroup%
8245 \csname c@\@mpfn\endcsname #1\relax%
8246 \unrestored@protected@xdef\@thefnmark{\thempfn}%
8247 \endgroup%
8248 \@footnotemark\@LTRfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
8249 }%
8250 \@bidityftesidenote@print@citations% print any citations
8251 \let\cite\@bidityftesidenote@normal@cite% go back to using normal in-text \cite comm
8252 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
8253 \let\RTLcite\@bidityfteRTLsidenote@normal@cite% go back to using normal in-text \RTL
8254 \unskip\ignorespaces% remove extra white space
8255 \kern-\multiplefootnotemarker% remove \kern left behind by sidenote
8256 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
8257 }
8258 \long\def\@RTLbidityftesidenote@sidenote[#1][#2]#3{%
8259 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
8260 \gdef\@bidityftesidenote@citations{}% clear out any old citations
8261 \ifthenelse{\NOT\isempty{#2}}{%
8262 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
8263 }-%

```



```

8264 \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
8265 }%
8266 \ifthenelse{\isempty{#1}}{%
8267 % no specific footnote number provided
8268 \stepcounter\@mpfn%
8269 \protected@xdef\@thefnmark{\thempfn}%
8270 \@footnotemark\@RTLfootnotetext [\@bidituftesidenote@sidenote@vertical@offset]{#3}%
8271 }{%
8272 % specific footnote number provided
8273 \begingroup%
8274 \csname c@\@mpfn\endcsname #1\relax%
8275 \unrestored@protected@xdef\@thefnmark{\thempfn}%
8276 \endgroup%
8277 \@footnotemark\@RTLfootnotetext [\@bidituftesidenote@sidenote@vertical@offset]{#3}%
8278 }%
8279 \@bidituftesidenote@print@citations% print any citations
8280 \let\cite\@bidituftesidenote@normal@cite% go back to using normal in-text \cite comm
8281 \let\LTRcite\@bidituftelTRSidenote@normal@cite% go back to using normal in-text \LTR
8282 \let\RTLcite\@biditufterTLsidenote@normal@cite% go back to using normal in-text \RTL
8283 \unskip\ignorespaces% remove extra white space
8284 \kern-\multiplefootnotemarker% remove \kern left behind by sidenote
8285 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
8286 }
8287 \newcommand{\sidenote}{\optparams{\@bidituftesidenote@sidenote}{[] [Opt]}}
8288 \newcommand{\LTRsidenote}{\optparams{\@LTRbidituftesidenote@sidenote}{[] [Opt]}}
8289 \newcommand{\RTLsidenote}{\optparams{\@RTLbidituftesidenote@sidenote}{[] [Opt]}}
8290 \bidi@patch@AfterPackage{bidi}{%
8291 \renewcommand{\footnote}{\optparams{\@bidituftesidenote@sidenote}{[] [Opt]}}%
8292 \renewcommand{\LTRfootnote}{\optparams{\@LTRbidituftesidenote@sidenote}{[] [Opt]}}%
8293 \renewcommand{\RTLfootnote}{\optparams{\@RTLbidituftesidenote@sidenote}{[] [Opt]}}%
8294 }
8295 %%
8296 % Sidenote without the footnote mark
8297 \newcommand\marginnote [2] [Opt]{%
8298 \let\cite\@bidituftesidenote@infootnote@cite% use the in-sidenote \cite command
8299 \gdef\@bidituftesidenote@citations{}% clear out any old citations
8300 \bidituftesidenotemarginpar{\hbox{} \vspace*{#1}\@bidituftesidenote@marginnote@font\@biditu
8301 \@bidituftesidenote@print@citations% print any citations
8302 \let\cite\@bidituftesidenote@normal@cite% go back to using normal in-text \cite comm
8303 \let\LTRcite\@bidituftelTRSidenote@normal@cite% go back to using normal in-text \LTR
8304 \let\RTLcite\@biditufterTLsidenote@normal@cite% go back to using normal in-text \RTL
8305 }
8306 \newcommand\LTRmarginnote [2] [Opt]{%
8307 \let\cite\@bidituftesidenote@infootnote@cite% use the in-sidenote \cite command
8308 \gdef\@bidituftesidenote@citations{}% clear out any old citations
8309 \LTRbidituftesidenotemarginpar{\hbox{} \vspace*{#1}\@bidituftesidenote@LTRmarginnote@font\@
8310 \@bidituftesidenote@print@citations% print any citations
8311 \let\cite\@bidituftesidenote@normal@cite% go back to using normal in-text \cite comm
8312 \let\LTRcite\@bidituftelTRSidenote@normal@cite% go back to using normal in-text \LTR
8313 \let\RTLcite\@biditufterTLsidenote@normal@cite% go back to using normal in-text \RTL
8314 }
8315 \newcommand\RTLmarginnote [2] [Opt]{%
8316 \let\cite\@bidituftesidenote@infootnote@cite% use the in-sidenote \cite command
8317 \gdef\@bidituftesidenote@citations{}% clear out any old citations

```



```

8318 \RTLbidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@RTLmarginnote@font\
8319 \@bidityftesidenote@print@citations%          print any citations
8320 \let\cite\@bidityftesidenote@normal@cite%      go back to using normal in-text \cite comm
8321 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
8322 \let\RTLcite\@bidityfteRTLsidenote@normal@cite% go back to using normal in-text \RTL
8323 }

```

## 55 File bidityftetoc.sty

```

8324 \NeedsTeXFormat{LaTeX2e}
8325 \ProvidesPackage{bidityftetoc}[2011/06/17 v0.1
8326 bidi implementation of tuftes toc]
8327 \RequirePackage{titlesec,titletoc,xifthen,biditytools}
8328 \newcommand{\@bidityftetoc@pkgname}{bidityftetoc}
8329 \newcommand{\@bidityftetoc@Error}[2]{\PackageError{\@bidityftetoc@pkgname}{#1}{#2}}
8330 %%
8331 % Turn off section numbering
8332 \setcounter{secnumdepth}{-1}
8333 \newboolean{@bidityftetoc@toc}
8334 \setboolean{@bidityftetoc@toc}{true}
8335 \DeclareOption{notoc}{\setboolean{@bidityftetoc@toc}{false}}
8336 \DeclareOption{toc}{\setboolean{@bidityftetoc@toc}{true}}
8337 \ProcessOptions
8338 %%
8339 % Make Tuftian-style section headings and TOC formatting
8340 \bidi@patch@AfterPackage{bidi}{%
8341 \titleformat{\chapter}%
8342 [display]% shape
8343 {\relax\ifthenelse{\NOT\boolean{@bidityftefloat@symmetric}}{\begin{fullwidth}}{}}% format
8344 {\itshape\huge\thechapter}% label
8345 {Opt}% horizontal separation between label and title body
8346 {\huge\rmfamily\itshape}% before the title body
8347 [\ifthenelse{\NOT\boolean{@bidityftefloat@symmetric}}{\end{fullwidth}}{}}% after the title
8348 \titleformat{\section}%
8349 [hang]% shape
8350 {\normalfont\Large\itshape}% format applied to label+text
8351 {\thesection}% label
8352 {1em}% horizontal separation between label and title body
8353 {}% before the title body
8354 []% after the title body
8355 \titleformat{\subsection}%
8356 [hang]% shape
8357 {\normalfont\large\itshape}% format applied to label+text
8358 {\thesubsection}% label
8359 {1em}% horizontal separation between label and title body
8360 {}% before the title body
8361 []% after the title body
8362 \titleformat{\paragraph}%
8363 [runin]% shape
8364 {\normalfont\itshape}% format applied to label+text
8365 {\theparagraph}% label
8366 {1em}% horizontal separation between label and title body
8367 {}% before the title body
8368 []% after the title body

```



```

8369 \titlespacing*{\chapter}{0pt}{50pt}{40pt}
8370 \titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
8371 \titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}
8372 }
8373 % Subsubsection and following section headings shouldn't be used.
8374 % See Bringhurst's _The Elements of Typography_, section 4.2.2.
8375 \renewcommand\subsubsection{%
8376 \bidityftetocError{\noexpand\subsubsection is undefined by this class.%
8377 \MessageBreak See Robert Bringhurst's _The Elements of
8378 \MessageBreak Typographic Style_, section 4.2.2.
8379 \MessageBreak \noexpand\subsubsection was used}
8380 {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
8381 \MessageBreak many levels of headings as you need, no more and no fewer. Also see the m
8382 \MessageBreak related threads on Ask E.T. at http://www.edwardbidityftetoc.com/.}
8383 }
8384 \renewcommand\subparagraph{%
8385 \bidityftetocError{\noexpand\subparagraph is undefined by this class.%
8386 \MessageBreak See Robert Bringhurst's _The Elements of
8387 \MessageBreak Typographic Style_, section 4.2.2.
8388 \MessageBreak \noexpand\subparagraph was used}
8389 {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
8390 \MessageBreak many levels of headings as you need, no more and no fewer. Also see the m
8391 \MessageBreak related threads on Ask E.T. at http://www.edwardbidityftetoc.com/.}
8392 }
8393 % Formatting for main TOC (printed in front matter)
8394 % {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
8395 \ifthenelse{\boolean{@bidityftetoc@toc}}{%
8396 \bidi@patch@AfterPackage{bidi}{%
8397 \titlecontents{part}% FIXME
8398 [0em] % distance from left margin
8399 {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
8400 {\contentslabel{2em}} % before w/label (label = ``II'')
8401 {} % before w/o label
8402 {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
8403 [\end{fullwidth}] % after
8404 \titlecontents{chapter}%
8405 [0em] % distance from left margin
8406 {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
8407 {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
8408 {\hspace*{0em}} % before w/o label
8409 {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
8410 [\end{fullwidth}] % after
8411 \titlecontents{section}% FIXME
8412 [0em] % distance from left margin
8413 {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global format
8414 {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
8415 {\hspace*{2em}} % before w/o label
8416 {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
8417 [\end{fullwidth}] % after
8418 \titlecontents{subsection}% FIXME
8419 [0em] % distance from left margin
8420 {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global format
8421 {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
8422 {\hspace*{4em}} % before w/o label

```



```

8423     {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
8424     [\end{fullwidth}] % after
8425 \titlecontents{paragraph}% FIXME
8426     [0em] % distance from left margin
8427     {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global f
8428     {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
8429     {\hspace*{6em}} % before w/o label
8430     {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
8431     [\end{fullwidth}] % after
8432 }%
8433 {}
8434 %%
8435 % Format lists of figures/tables
8436 \renewcommand\listoffigures{%
8437   \@ifundefined{chapter}%
8438     {\section*{\listfigurename}}%
8439     {\chapter*{\listfigurename}}%
8440 % \begin{fullwidth}%
8441   \@starttoc{lof}%
8442 % \end{fullwidth}%
8443 }
8444 \renewcommand\listoftables{%
8445   \@ifundefined{chapter}%
8446     {\section*{\listtablename}}%
8447     {\chapter*{\listtablename}}%
8448 % \begin{fullwidth}%
8449   \@starttoc{lot}%
8450 % \end{fullwidth}%
8451 }
8452 \newcommand{\@bidityfttoc@lof@line}[2]{%
8453   % #1 is the figure/table number and its caption text
8454   % #2 is the page number on which the figure/table appears
8455   \leftskip 0.0em
8456   \rightskip 0em
8457   \parfillskip 0em plus 1fil
8458   \parindent 0.0em
8459   \@afterindenttrue
8460   \interlinepenalty\@M
8461   \leavevmode
8462   \@tempdima 2.0em
8463   \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
8464   \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
8465   {#1}\nobreak\qqquad\nobreak#2%
8466   \par%
8467 }
8468 \renewcommand*\l@figure{\@bidityfttoc@lof@line}
8469 \let\l@table\l@figure

```

## 56 File bidityftgeneralstructure.sty

```

8470 \NeedsTeXFormat{LaTeX2e}
8471 \ProvidesPackage{bidityftgeneralstructure}[2011/06/18 v0.1
8472 bidi implementation of tufte general structure]
8473 \renewcommand\small{%

```



```

8474 \@setfontsize\small\@ixpt{12}%
8475 \abovedisplayskip 8.5\p@ \@plus3\p@ \@minus4\p@
8476 \abovedisplayshortskip \z@ \@plus2\p@
8477 \belowdisplayshortskip 4\p@ \@plus2\p@ \@minus2\p@
8478 \def\@listi{\leftmargin\leftmargini
8479         \topsep 4\p@ \@plus2\p@ \@minus2\p@
8480         \parsep 2\p@ \@plus\p@ \@minus\p@
8481         \itemsep \parsep}%
8482 \belowdisplayskip \abovedisplayskip
8483 }
8484 \renewcommand\scriptsize{\@setfontsize\scriptsize\@viipt\@viiipt}
8485 \renewcommand\tiny{\@setfontsize\tiny\@vpt\@vipt}
8486 \renewcommand\large{\@setfontsize\large\@xipt{15}}
8487 \renewcommand\Large{\@setfontsize\Large\@xipt{16}}
8488 \renewcommand\LARGE{\@setfontsize\LARGE\@xipt{18}}
8489 \renewcommand\huge{\@setfontsize\huge\@xxpt{30}}
8490 \renewcommand\Huge{\@setfontsize\Huge{24}{36}}
8491 \setlength\leftmargini {1pc}
8492 \setlength\leftmarginii {1pc}
8493 \setlength\leftmarginiii {1pc}
8494 \setlength\leftmarginiv {1pc}
8495 \setlength\leftmarginv {1pc}
8496 \setlength\leftmarginvi {1pc}
8497 \setlength\labelsep {.5pc}
8498 \setlength\labelwidth {\leftmargini}
8499 \addtolength\labelwidth{-\labelsep}
8500 \setlength{\parindent}{1.0pc}%
8501 \setlength{\parskip}{0pt}%
8502 \RequirePackage{ragged2e}
8503 \setlength{\RaggedRightRightskip}{\z@ plus 0.08\hsize}
8504 % Paragraph indentation and separation for normal text
8505 \newcommand{\@bidiuftegeneralstructure@reset@par}{%
8506 \setlength{\RaggedRightParindent}{1.0pc}%
8507 \setlength{\JustifyingParindent}{1.0pc}%
8508 \setlength{\parindent}{1pc}%
8509 \setlength{\parskip}{0pt}%
8510 }
8511 \@bidiuftegeneralstructure@reset@par
8512 % Require paralist package for tighter lists
8513 \RequirePackage{paralist}
8514 % Add rightmargin to compactenum
8515 \def\@compactenum@{%
8516 \expandafter\list\csname label\@enumctr\endcsname{%
8517 \usecounter{\@enumctr}%
8518 \rightmargin=2em% added this
8519 \parsep\plparsep
8520 \itemsep\plitemsep
8521 \topsep\pltopsep
8522 \partopsep\plpartopsep
8523 \def\makelabel##1{\hss\llap{##1}}}}
8524 %%
8525 % An environment for paragraph-style section
8526 \providecommand\newthought[1]{%
8527 \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%

```



```

8528 \noindent\textbf{#1}%
8529 }
8530 %%
8531 % Redefine the display environments (quote, quotation, etc.)
8532 \renewenvironment{verse}
8533     {\let\\@centercr
8534      \list{}{\itemsep \z@
8535              \itemindent -1pc%
8536              \listparindent\itemindent
8537              \rightmargin \leftmargin
8538              \advance\leftmargin 1pc}%
8539      \small%
8540      \item\relax}
8541     {\endlist}
8542 \renewenvironment{quotation}
8543     {\list{}{\listparindent 1pc%
8544             \itemindent \listparindent
8545             \rightmargin \leftmargin
8546             \parsep \z@ \@plus\p@}%
8547     \small%
8548     \item\relax\noindent\ignorespaces}
8549     {\endlist}
8550 \renewenvironment{quote}
8551     {\list{}{\rightmargin\leftmargin}%
8552     \small%
8553     \item\relax}
8554     {\endlist}
8555 % Italicize description run-in headings (instead of the default bold)
8556 \renewcommand*{descriptionlabel}[1]{\hspace\labelsep\normalfont\em #1}
8557 %%
8558 % Redefine \bibsection to not mark the running heads.
8559 % (Code modified from natbib.sty.)
8560 \@ifundefined{chapter}%
8561   {\renewcommand\bibsection{\section*{\refname}}}
8562   {\@ifundefined{NAT@sectionbib}%
8563     {\renewcommand\bibsection{\chapter{\bibname}}}
8564     {\renewcommand\bibsection{\section*{\bibname}}}}
8565 \RequirePackage{multicol}
8566 \renewenvironment{theindex}{%
8567 \@ifundefined{chapter}%
8568   {\section*{\indexname}}%
8569   {\chapter{\indexname}}%
8570 \begin{fullwidth}%
8571 \small%
8572 \parskip0pt%
8573 \parindent0pt%
8574 \let\item\@idxitem%
8575 \begin{multicols}{3}%
8576 }{%
8577 \end{multicols}%
8578 \end{fullwidth}%
8579 }
8580 \AtBeginDocument{%
8581 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi2em}%

```



```

8582 \renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
8583 \renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}%
8584 \renewcommand\indexspace{\par\advspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
8585 \newcommand{\lettergroup}[1]{}% swallow the letter heading in the index

```

## 57 File `bidituftehyperref.sty`

```

8586 \NeedsTeXFormat{LaTeX2e}
8587 \ProvidesPackage{bidituftehyperref}[2011/06/18 v0.1
8588 bidi implementation of tufte hyperref]
8589 %%
8590 % Color
8591 \RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
8592 \newboolean{@bidituftehyperref@loadhyper}
8593 \setboolean{@bidituftehyperref@loadhyper}{true}
8594 \DeclareOption{hyper}{\setboolean{@bidituftehyperref@loadhyper}{true}}
8595 \DeclareOption{nohyper}{\setboolean{@bidituftehyperref@loadhyper}{false}}
8596 \ProcessOptions
8597 %% Loads the hyperref package and sets some default options.
8598 \newcommand{\bidituftehyperrefLoadHyperref}{%
8599 \RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
8600 \hypersetup{%
8601     bookmarksdepth = section,
8602     citecolor = DarkGreen,
8603     linkcolor = DarkBlue,
8604     pagecolor = DarkBlue,
8605     urlcolor = DarkGreen,
8606 }%
8607 }
8608 \ifthenelse{\boolean{@bidituftehyperref@loadhyper}}{%
8609 \bidituftehyperrefLoadHyperref%
8610 }{% hyperfootnotes override our modifications to the \footnote* and \@footnote* commands.
8611 \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
8612 }

```

## 58 File `bidituftetitle.sty`

```

8613 \NeedsTeXFormat{LaTeX2e}
8614 \ProvidesPackage{bidituftetitle}[2011/06/18 v0.1
8615 bidi implementation of tufte title]
8616 \RequirePackage{biditools}
8617 %%
8618 % `titlepage' option -- creates a full title page with \maketitle
8619 \newboolean{@bidituftetitle@titlepage}
8620 \DeclareOption{titlepage}{\setboolean{@bidituftetitle@titlepage}{true}}
8621 \DeclareOption{notitlepage}{\setboolean{@bidituftetitle@titlepage}{false}}
8622 % Default `book' and `handout' options
8623 \@ifclassloaded{book}{%
8624 \ExecuteOptions{titlepage}}{%
8625 \@ifclassloaded{article}{%
8626 \ExecuteOptions{notitlepage}}%
8627 {}}
8628 \ProcessOptions
8629 %%

```





```

8630 % Modified \title, \author, and \date commands. These store the
8631 % (footnote-less) values in \plaintitle, \plainauthor, and \thedata, respectively.
8632 \newcommand{\plaintitle}{}% plain-text-only title
8633 \newcommand{\plainauthor}{}% plain-text-only author
8634 \newcommand{\plainpublisher}{}% plain-text-only publisher
8635 \newcommand{\thanklesstitle}{}% full title text minus \thanks{}
8636 \newcommand{\thanklessauthor}{}% full author text minus \thanks{}
8637 \newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
8638 \newcommand{\@publisher}{}% full publisher with \thanks{}
8639 \newcommand{\thedata}{\today}
8640 \bidi@patch@AfterPackage{bidi}{}%
8641 \renewcommand{\thanks}[1]{\footnote{#1}}
8642 \renewcommand{\LTRthanks}[1]{\LTRfootnote{#1}}
8643 \renewcommand{\RTLthanks}[1]{\RTLfootnote{#1}}
8644 }
8645 \renewcommand{\title}[2][]{%
8646 \gdef\@title{#2}%
8647 \begingroup%
8648 % TODO store contents of \thanks command
8649 \renewcommand{\thanks}[1]{}% swallow \thanks contents
8650 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
8651 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
8652 \protected@xdef\thanklesstitle{#2}%
8653 \endgroup%
8654 \ifthenelse{\isempty{#1}}%
8655 {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title
8656 {\renewcommand{\plaintitle}{#1}}% use provided plain-text title
8657 \@ifundefined{hypersetup}%
8658 {}% hyperref is not loaded; do nothing
8659 {\hypersetup{pdftitle={\plaintitle}}}% set the PDF metadata title
8660 }
8661 \let\@author\@empty% suppress default latex.ltx ``no author'' warning
8662 \renewcommand{\author}[2][]{%
8663 \ifthenelse{\isempty{#2}}{\gdef\@author{#2}}%
8664 \begingroup%
8665 % TODO store contents of \thanks command
8666 \renewcommand{\thanks}[1]{}% swallow \thanks contents
8667 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
8668 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
8669 \protected@xdef\thanklessauthor{#2}%
8670 \endgroup%
8671 \ifthenelse{\isempty{#1}}%
8672 {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
8673 {\renewcommand{\plainauthor}{#1}}% use provided plain-text author
8674 \@ifundefined{hypersetup}%
8675 {}% hyperref is not loaded; do nothing
8676 {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
8677 }
8678 \renewcommand{\date}[1]{%
8679 \gdef\@date{#1}%
8680 \begingroup%
8681 % TODO store contents of \thanks command
8682 \renewcommand{\thanks}[1]{}% swallow \thanks contents
8683 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents

```



```

8684 \renewcommand{\RTLthanks}[1]{% swallow \RTLthanks contents
8685 \protected@xdef\thedata{#1}%
8686 \endgroup%
8687 }
8688 %%
8689 % Provides a \publisher command to set the publisher
8690 \newcommand{\publisher}[2] [] {%
8691 \gdef\@publisher{#2}%
8692 \begingroup%
8693 \renewcommand{\thanks}[1]{% swallow \thanks contents
8694 \renewcommand{\LTRthanks}[1]{% swallow \LTRthanks contents
8695 \renewcommand{\RTLthanks}[1]{% swallow \RTLthanks contents
8696 \protected@xdef\thanklesspublisher{#2}%
8697 \endgroup%
8698 \ifthenelse{\isempty{#1}}
8699 {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
8700 {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
8701 }
8702 %%
8703 % Produces a full title page
8704 \newcommand{\maketitlepage}[0]{%
8705 \cleardoublepage%
8706 {%
8707 \bfseries%
8708 \begin{fullwidth}%
8709 \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
8710 \vspace{11.5pc}%
8711 \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
8712 \vfill%
8713 \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
8714 \end{fullwidth}%
8715 }
8716 \thispagestyle{empty}%
8717 \clearpage%
8718 }
8719 %%
8720 % Title block
8721 \bidi@AfterEndPreamble{%
8722 \renewcommand{\maketitle}{%
8723 \newpage%
8724 \global\@topnum\z@% prevent floats from being placed at the top of the page
8725 \begingroup%
8726 \setlength{\parindent}{0pt}%
8727 \setlength{\parskip}{4pt}%
8728 \let\@title\@empty%
8729 \let\@author\@empty%
8730 \let\@date\@empty%
8731 \gdef\@title{\LARGE\itshape\@title\par}%
8732 \gdef\@author{\Large\itshape\@author\par}%
8733 \gdef\@date{\Large\itshape\@date\par}%
8734 \@title%
8735 \@author%
8736 \@date%
8737 \endgroup%

```



```

8738 \thispagestyle{plain}% suppress the running head
8739 }%
8740 }
8741 %%
8742 % Title page (if the `titlepage' option was passed to the bidentuftetitle-handout
8743 % class.)
8744 \bidi@AfterEndPreamble{%
8745 \ifthenelse{\boolean{@bidentuftetitle@titlepage}}
8746 {\renewcommand{\maketitle}{\maketitlepage}}
8747 {}
8748 }
8749 %%
8750 % When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
8751 % without headers and footers
8752 \def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
8753 \hbox{}
8754 %\vspace*{\fill}
8755 %\begin{center}
8756 % This page intentionally contains only this sentence.
8757 %\end{center}
8758 %\vspace{\fill}
8759 \thispagestyle{empty}
8760 \newpage
8761 \if@twocolumn\hbox{} \newpage\fi\fi\fi}

```

## 59 File `biditufte-handout.cls`

```

8762 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
8763 \ProvidesClass{biditufte-handout}[2011/06/18 v0.1 biditufte-handout class]
8764 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
8765 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
8766 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
8767 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
8768 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
8769 \ProcessOptions\relax
8770 \LoadClass{article}
8771 \RequirePackage{bidituftefloat}
8772 \RequirePackage{bidituftesidenote}
8773 \RequirePackage{bidituftetoc}
8774 \RequirePackage{bidituftegeneralstructure}
8775 \RequirePackage{bidituftehyperref}
8776 \RequirePackage{bidituftetitle}
8777 \renewenvironment{abstract}
8778 {\begin{quotation}}
8779 {\end{quotation}}
8780 \AtBeginDocument{%
8781 \IfFileExists{biditufte-handout.cfg}
8782 {\input{biditufte-handout.cfg}
8783 \ClassInfo{biditufte-handout}{Loading biditufte-handout configuration file \@gobble}}
8784 {}%
8785 }

```

## 60 File `biditufte-book.cls`



```

8786 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
8787 \ProvidesClass{bidityfte-book}[2011/06/18 v0.1 bidityfte-book class]
8788 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
8789 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidityftefloat}}
8790 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidityftetoc}}
8791 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidityftehyperref}}
8792 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidityftetitle}}
8793 \ProcessOptions\relax
8794 \LoadClass{book}
8795 \RequirePackage{bidityftefloat}
8796 \RequirePackage{bidityftesidenote}
8797 \RequirePackage{bidityftetoc}
8798 \RequirePackage{bidityftegeneralstructure}
8799 \RequirePackage{bidityftehyperref}
8800 \RequirePackage{bidityftetitle}
8801 %%
8802 % Set up any book-specific stuff now
8803 %%
8804 % The front matter in Tufte's /Beautiful Evidence/ contains everything up
8805 % to the opening page of Chapter 1. The running heads, when they appear,
8806 % contain only the (arabic) page number in the outside corner.
8807 \newif\if@mainmatter \@mainmattertrue
8808 \renewcommand\frontmatter{%
8809   \cleardoublepage%
8810   \@mainmatterfalse%
8811   \pagenumbering{arabic}%
8812   %\pagestyle{plain}%
8813   \fancyhf{}%
8814   \ifthenelse{\boolean{@bidityftefloat@twoside}}%
8815     {\fancyhead[LE,RO]{\thepage}}%
8816     {\fancyhead[RE,RO]{\thepage}}%
8817 }
8818 %%
8819 % The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
8820 % numbering---it continues where it left off in the front matter.
8821 \renewcommand\mainmatter{%
8822   \cleardoublepage%
8823   \@mainmattertrue%
8824   \fancyhf{}%
8825   \ifthenelse{\boolean{@bidityftefloat@twoside}}%
8826     {\renewcommand{\chaptermark}[1]{\markboth{##1}{}}%
8827     \fancyhead[LE]{\thepage\quad\smallcaps{\newlinetospace{\plaintitle}}}% book title
8828     \fancyhead[RO]{\smallcaps{\newlinetospace{\leftmark}}\quad\thepage}% chapter title
8829     {\fancyhead[RE,RO]{\smallcaps{\newlinetospace{\plaintitle}}\quad\thepage}}% book title
8830 }
8831 %%
8832 % The back matter contains appendices, indices, glossaries, endnotes,
8833 % bibliographies, list of contributors, illustration credits, etc.
8834 \renewcommand\backmatter{%
8835   \if@openright%
8836     \cleardoublepage%
8837   \else%
8838     \clearpage%
8839   \fi%

```



```

8840 \@mainmatterfalse%
8841 }
8842 %%
8843 % Only show the chapter titles in the table of contents
8844 \setcounter{tocdepth}{0}
8845 \AtBeginDocument{%
8846 \IfFileExists{biditufte-book.cfg}
8847 {\input{biditufte-book.cfg}
8848 \ClassInfo{biditufte-book}{Loading biditufte-book configuration file \@gobble}}
8849 {}%
8850 }

```

## 61 File bidipoem.sty

```

8851 \NeedsTeXFormat{LaTeX2e}
8852 \ProvidesPackage{bidipoem}%
8853 [2019/03/03 v1.0 Environments for typesetting Persian traditional and modern poems]
8854
8855 % Usage:
8856 %
8857 % \Setversedim #1#2 % define the layout (within a group):
8858 % #1 = length of both half-verses
8859 % #2 = separation distance = length of a connection, if present
8860 % Variant:
8861 % \Setversedim #1[#2]#3 % for half-verses of unequal length
8862 % #1 = length of first (=right) half-verse
8863 % #2 = length of second (=left) half-verse
8864 % #3 = separation distance = length of a connection, if present
8865 %
8866 % \traditionalhalfverses #1#2 % typeset two separated half-verses
8867 % #1 = text of first (=right) half-verse
8868 % #2 = text of second (=left) half-verse
8869 % Variant:
8870 % \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
8871 % #1 = text of first (=right) half-verse
8872 % #2 = text of connection
8873 % #3 = text of second (=left) half-verse
8874 %
8875 % Alternative (if preferred):
8876 %
8877 % \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3
8878
8879
8880 \newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}
8881
8882 % define the layout, verses will be centered
8883
8884 \newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
8885 \newdimen \bidipoem@hvind \newdimen \bidipoem@@hvlen
8886
8887 \newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
8888 \bidipoem@hvind \textwidth
8889 \bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
8890 \ifx [#2\def \bidipoem@next {\bidipoem@set@verseI []}\else

```



```

8891 \bidipoem@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@verse {#2}}\fi \bidipoem
8892
8893 \def \bidipoem@set@verseI [#1]{% optional parameter
8894 \bidipoem@hvlen #1\relax \bidipoem@set@verse }
8895
8896 \newcommand*{\bidipoem@set@verse}[1]{% separation
8897 \advance \bidipoem@hvind -\bidipoem@hvlen \bidipoem@hvsep #1\relax
8898 \advance \bidipoem@hvind -\bidipoem@hvsep \divide \bidipoem@hvind 2 }
8899
8900 \newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
8901 \ifdim Opt > \bidipoem@hvind %
8902 \bidipoem@spreadbox \bidipoem@hvlen {#1}\ \hfill % first block
8903 \else
8904 \noindent \hskip \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
8905 \bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
8906 \bidipoem@spreadbox \bidipoem@hvlen {#3}% second block
8907 \par }
8908
8909 % macro for two half verses
8910 \newcommand*{\traditionalhalfverses}[2]{% optional parameter?
8911 \ifx [#2\def \bidipoem@half@verses@next{\bidipoem@half@verses {#1}[]}%
8912 \else\def \bidipoem@half@verses@next{\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
8913 \bidipoem@half@verses@next}
8914
8915 \def \bidipoem@half@verses #1[#2]#3{% first[mid]second
8916 \traditionalconnverses {#1}{#2}{#3}}
8917
8918
8919 {\catcode\^^M=\active % these lines must end with %
8920 \gdef\traditionalpoem@obeylines{\catcode\^^M=\active \let^^M\traditionalpoem@par}%
8921 \global\let^^M\traditionalpoem@par} % this is in case ^^M appears in a \write
8922 {\catcode\^^M=\active % these lines must end with %
8923 \gdef\modernpoem@obeylines{\catcode\^^M=\active \let^^M\modernpoem@par}%
8924 \global\let^^M\modernpoem@par} % this is in case ^^M appears in a \write
8925 \def\poemcolsepkip{.1\versewidth plus .1\versewidth minus .05\versewidth}
8926 \def\poemmarginkip{1em plus 1fil minus 1em}
8927 \def\poemextrabaseskip{0\baselineskip}
8928 \def\poemskip{\medskip}
8929 \newcommand{\bidipoem@openbox}{\leavevmode
8930 \hbox to.77778em{%
8931 \hfil\vrule
8932 \vbox to.675em{\hrule width.6em\vfil\hrule}%
8933 \vrule\hfil}}
8934 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
8935 \newdimen\versewidth
8936 \newtoks\bidipoem@p@ftn
8937 \def\poem@verse#1{%
8938 \ifdim\wd#1>\new@poem@width
8939 \xdef\new@poem@width{\the\wd#1}%
8940 \ifdim\new@poem@width>\poem@width
8941 \xdef\poem@width{\new@poem@width}%
8942 \global\let\poem@needrun\relax
8943 \fi
8944 \fi

```



```

8945 \hbox to\poem@width{\unhbox#1}%
8946 \global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
8947 }
8948 \def\poem@linebegin{\vadjust{}}\hskip\@flushglue\hskip\poemmargin\relax}
8949 \def\poem@lineend{\nobreak\hskip\poemmargin\hskip\@flushglue\vadjust{}}
8950 \def\poem@lineversesep{%
8951 \nobreak
8952 \hskip\z@ plus 1filll%
8953 \penalty600%
8954 \hskip\poemcolsepskip
8955 \hskip\z@ plus -2filll%
8956 \vadjust{}}%
8957 \nobreak
8958 \hskip\z@ plus 1filll%
8959 }
8960 \def\poem@lineparsebegin{%
8961 \halign\bgroup
8962 \global\setbox\verse@i=\hbox{%
8963 \let\@footnotetext\bidipoem@p@ftntext%
8964 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
8965 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
8966 \let\@xfootnotenext\bidipoem@p@xftntext%
8967 \let\@xfootnote\bidipoem@p@xfootnote%
8968 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
8969 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
8970 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
8971 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
8972 \ignorespaces##\unskip}&&
8973 \global\setbox\verse@ii=\hbox{%
8974 \let\@footnotetext\bidipoem@p@ftntext%
8975 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
8976 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
8977 \let\@xfootnotenext\bidipoem@p@xftntext%
8978 \let\@xfootnote\bidipoem@p@xfootnote%
8979 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
8980 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
8981 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
8982 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
8983 \ignorespaces##\unskip}
8984 \cr
8985 }
8986 \def\poem@lineparseend{%
8987 \crr\egroup
8988 \vskip-\baselineskip
8989 }
8990 \def\traditionalpoem@cr{%
8991 \cr\poem@line
8992 }
8993 \newbox\verse@i
8994 \newbox\verse@ii
8995 \newif\ifpoem@started
8996
8997 \def\poem@line{%
8998 \poem@lineparseend

```



```

8999 \ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
9000 \ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
9001 \ifpoem@started
9002   \ifdim\wd\verse@ii>\z@\else
9003     \nopcodebreak[3]
9004     \fi
9005     \leavevmode
9006     \poem@linebegin
9007     \poem@verse\verse@i
9008     \ifdim\wd\verse@ii>\z@
9009       \poem@lineversesep
9010       \poem@verse\verse@ii
9011       \fi
9012       \poem@lineend
9013     % \nopcodebreak
9014     \par
9015     \vskip\poemextrabaselineskip
9016 \fi
9017 \poem@lineparsebegin
9018 }
9019 \def\@traditionalpoem{%
9020 \stepcounter{poem@no}
9021   \ifnum\max@poem@no<\number\c@poem@no%
9022 \xdef\poem@width{\z@}%
9023   \else
9024 \xdef\poem@width{\poem@prop{poem@width}}%
9025 \fi
9026 \xdef\new@poem@width{\z@}%
9027 \global\versewidth=\poem@width
9028 \poemskip\par
9029 \begingroup
9030 \tabskip=\z@
9031 \parskip=\z@
9032 \parindent=\z@
9033 \parfillskip=\z@
9034 \rightskip=\z@
9035 \leftskip=\z@
9036 \widowpenalty=10000% No break between verses of the same line.
9037 \clubpenalty=10000% Same as above. Not really needed.
9038 \def\newblock{\hfil\poemblocksep\hfil\null}%
9039 \def\traditionalpoem@par{\traditionalpoem@cr}% Redefine \par for possible \obeylines
9040 \def\{\global\poem@startedtrue\traditionalpoem@cr}%
9041 \global\poem@startedfalse
9042 \csname poem@obeylines\endcsname
9043 \let\poem@obeylines\relax
9044 \poem@lineparsebegin
9045 }
9046 \def\@endtraditionalpoem{%
9047 \cr
9048 \ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
9049 \noalign{%
9050 \skip0=\poemextrabaselineskip
9051 \vskip-\skip0
9052 \vskip-\baselineskip

```





```

9053 }%
9054 \fi\fi
9055 \poem@lineparseend
9056 \endgroup
9057 \par
9058 \vskip\baselineskip
9059 \poemskip
9060 \ifdim\new@poem@width<\poem@width
9061 \global\let\poem@needrun\relax
9062 \fi
9063     \poem@write@aux{poem@width@romannumeral@c@poem@no}{\new@poem@width}%
9064 \ifx\AtEndDocument\undefined\poem@finish\fi
9065 \endparenv
9066 }
9067
9068
9069 \long\def\bidipoem@p@ftntext#1{%
9070 \edef\@temp{x\the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
9071 \global\bidipoem@p@ftn\expandafter{\@temp{x#1}}}%
9072 \long\def\bidipoem@p@LTRftntext#1{%
9073 \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
9074 \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}}%
9075 \long\def\bidipoem@p@RTLftntext#1{%
9076 \edef\@tempxii{\the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
9077 \global\bidipoem@p@ftn\expandafter{\@tempxii{#1}}}%
9078
9079 \long\def\bidipoem@p@xftntext[#1]#2{%
9080 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\footnotetext[#1]{#2}}}
9081
9082 \long\def\bidipoem@p@xLTRftntext[#1]#2{%
9083 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\LTRfootnotetext[#1]{#2}}}
9084
9085 \long\def\bidipoem@p@xRTLftntext[#1]#2{%
9086 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\RTLfootnotetext[#1]{#2}}}
9087
9088 \def\bidipoem@p@xfootnote[#1]{%
9089 \begingroup
9090 \csname c@\@mpfn\endcsname #1\relax
9091 \unrestored@protected@xdef\@thefnmark{\thempfn}%
9092 \endgroup
9093 \@footnotemark\bidipoem@p@xftntext[#1]}
9094
9095 \def\bidipoem@p@xLTRfootnote[#1]{%
9096 \begingroup
9097 \csname c@\@mpfn\endcsname #1\relax
9098 \unrestored@protected@xdef\@thefnmark{\thempfn}%
9099 \endgroup
9100 \@footnotemark\bidipoem@p@xLTRftntext[#1]}
9101
9102 \def\bidipoem@p@xRTLfootnote[#1]{%
9103 \begingroup
9104 \csname c@\@mpfn\endcsname #1\relax
9105 \unrestored@protected@xdef\@thefnmark{\thempfn}%
9106 \endgroup

```



```

9107 \footnotemark\bidipoem@p@xRTLftntext[#1]}
9108
9109
9110
9111 \newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
9112 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obey
9113 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
9114 \def\poem@finish{%
9115 \poem@write@aux{max@poem@no}{\number\c@poem@no}%
9116 \ifx\poem@needrun\relax
9117 \PackageWarning{bidipoem}{Unjustified poem. Rerun XeLaTeX to get poem right}%
9118 \global\let\poem@needrun\undefined
9119 \fi
9120 }
9121 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
9122 \newcounter{poem@no}\setcounter{poem@no}{\z@}
9123 \ifx\max@poem@no\undefined
9124 \def\max@poem@no{0}%
9125 \fi
9126 \newcommand{\poem@prop}[1]{\@nameuse{#1@romannumeral\c@poem@no}}
9127 \newcommand{\poem@write@aux}[2]{%
9128 \def\x{\immediate\write@auxout{\global\noexpand\@namedef{#1}{#2}}}%
9129 \x
9130 }
9131 \def\@modernpoem{%
9132 \par
9133 \begingroup
9134 \parskip=\z@
9135 \parindent=\z@
9136 \def\@settab\@tabplus\ignorespaces}%
9137 \def\@tabminus\ignorespaces}%
9138 \def\newblock{\poemblocksep}%
9139 \let\newpoem@tabcr\@tabcr
9140 \def\modernpoem@par{% Redefine \par for possible \obeylines
9141 \ifpoem@started\else
9142 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
9143 \@stopfield
9144 \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
9145 \@contfield
9146 \fi
9147 \fi
9148 \ifpoem@started\newpoem@tabcr\fi}%
9149 \def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
9150 \global\poem@startedfalse
9151 \csname poem@obeylines\endcsname
9152 \let\poem@obeylines\relax
9153 \begin{tabbing}%
9154 }
9155 \def\@endmodernpoem{%
9156 \global\poem@startedfalse
9157 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
9158 \@stopfield
9159 \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
9160 \@contfield

```



```

9161 \fi
9162 \ifpoem@started\else\let\@stopline\@stopfield\fi
9163 \end{tabbing}%
9164 \endgroup
9165 \par
9166 \if@nparlist \else
9167 \ifdim\lastskip >\z@
9168 \@tempskipa\lastskip \vskip -\lastskip
9169 \advance\@tempskipa\parskip \advance\@tempskipa -\outerparskip
9170 \vskip\@tempskipa
9171 \fi
9172 \endparenv
9173 \fi
9174 }
9175 \newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
9176 \expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\mode
9177 \expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
9178 \gdef\@startfield{%
9179 \global\setbox\@curfield\hbox\bgroup%
9180 \let\@footnotetext\bidipoem@p@ftntext%
9181 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
9182 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
9183 \let\@xfootnotenext\bidipoem@p@xftntext%
9184 \let\@xfootnote\bidipoem@p@xfootnote%
9185 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
9186 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
9187 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
9188 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
9189 \color@begingroup}
9190 \gdef\@stopfield{%
9191 \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
9192 \gdef\@contfield{%
9193 \global\setbox\@curfield\hbox\bgroup%
9194 \let\@footnotetext\bidipoem@p@ftntext%
9195 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
9196 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
9197 \let\@xfootnotenext\bidipoem@p@xftntext%
9198 \let\@xfootnote\bidipoem@p@xfootnote%
9199 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
9200 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
9201 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
9202 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
9203 \color@begingroup\unhbox\@curfield}

```

## 62 File boek3-xetex-bidi.def

```

9204 \ProvidesFile{boek3-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek3 class for XeT
9205 \renewenvironment{theindex}{%
9206 \if@twocolumn
9207 \@restonecolfalse
9208 \else
9209 \@restonecoltrue
9210 \fi
9211 \columnseprule \z@

```



```

9212 \columnsep 35\p@
9213 \twocolumn[\@makeschapterhead{\indexname}]%
9214 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
9215 \thispagestyle{plain}\parindent\z@
9216 \parskip\z@ \@plus .3\p@\relax
9217 \let\item\@idxitem
9218 }{%
9219 \if@restonecol\onecolumn\else\clearpage\fi}
9220 \renewcommand*\head@style{%
9221   \interlinepenalty \@M
9222   \hyphenpenalty=\@M \exhyphenpenalty=\@M
9223   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
9224 \renewcommand*\@regtocline[3]{%
9225   \ifnum #1>\c@tocdepth
9226   \else
9227     \vskip\z@\@plus.2\p@
9228     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
9229     \if@RTL\rightskip\else\leftskip\fi\unitindent
9230     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
9231     \parfillskip\z@
9232     \@tempdima\unitindent
9233     \parindent\z@
9234     \leavevmode
9235     \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
9236     \hskip 1em \nobreak{\slshape #3}\par
9237     }%
9238   \fi}
9239 \if@oldtoc
9240 \renewcommand*\l@part[2]{%
9241   \ifnum \c@tocdepth >-2\relax
9242     \addpenalty{-\@highpenalty}%
9243     \addvspace{2.25em \@plus\p@}%
9244     \begingroup
9245       \setlength\@tempdima{3em}%
9246       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9247       \parfillskip -\@pnumwidth
9248       {\leavevmode
9249         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
9250         \nobreak
9251         \global\@nobreaktrue
9252         \everypar{\global\@nobreakfalse\everypar{}}%
9253       \endgroup
9254   \fi}
9255 \else
9256   \renewcommand*\l@part{%
9257     \ifnum \c@tocdepth >-2\relax
9258       \addpenalty{-\@highpenalty}%
9259       \addvspace{2.25em \@plus \p@}%
9260       \@regtocline{0}%
9261     \fi}
9262 \fi
9263 \if@oldtoc
9264 \renewcommand*\l@chapter[2]{%
9265   \addpenalty{-\@highpenalty}%

```



```

9266 \vskip 1.0em \@plus\p@
9267 \setlength\@tempdima{1.5em}%
9268 \begingroup
9269 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9270 \parfillskip -\@pnumwidth
9271 \leavevmode \bfseries
9272 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
9273 \hskip -\if@RTL\rightskip\else\leftskip\fi
9274 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
9275 \penalty\@highpenalty
9276 \endgroup}
9277 \else
9278 \renewcommand*\l@chapter{\@regtocline{0}}
9279 \fi
9280 \renewenvironment{abstract}{%
9281 \titlepage
9282 \null\vfil
9283 \section*\SectFont \abstractname}
9284 \noindent\ignorespaces}
9285 {\par\vfil\null\endtitlepage}
9286 \renewenvironment{thebibliography}[1]
9287 {\chapter*\bibname}%
9288 \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
9289 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
9290 \bidi@thebibliography@font@hook%
9291 \list{\@biblabel{\@arabic\c@enumiv}}%
9292 {\settowidth\labelwidth{\@biblabel{#1}}%
9293 \leftmargin\labelwidth
9294 \advance\leftmargin\labelsep
9295 \@openbib@code
9296 \usecounter{enumiv}%
9297 \let\p@enumiv\@empty
9298 \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
9299 \sloppy\clubpenalty4000\widowpenalty4000%
9300 \sfcode\.\@m}
9301 {\def\@noitemerr
9302 {\@latex@warning{Empty `thebibliography' environment}}}%
9303 \endlist}
9304 \renewcommand*\left@footnoterule{%
9305 \kern-3\p@
9306 \kern.5\baselineskip
9307 \hrule\@width\unitindent
9308 \kern.4\baselineskip
9309 }
9310 \renewcommand*\right@footnoterule{%
9311 \kern-3\p@
9312 \kern.5\baselineskip
9313 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
9314 \kern.4\baselineskip}
9315 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
9316 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\csubsection}
9317 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\csubsubsection}
9318 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\cparagraph}
9319 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\csubparagraph}

```



```

9320 \renewcommand*\theequation{%
9321   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
9322 \renewcommand*\thefigure{%
9323   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
9324 \renewcommand*\thetable{%
9325   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
9326 \renewcommand*\maketitle{%
9327   \begin{titlepage}%
9328     \let\footnotesize\small
9329     \let\right@footnoterule\relax
9330     \let\left@footnoterule\relax
9331     \let\textwidth@footnoterule\relax
9332     \let \footnote \thanks
9333     \long\def\@makefntext##1{\parindent\z@
9334       \def\labelitemi{\textendash}\@revlabeltrue
9335       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
9336     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
9337     \if@compatibility\setcounter{page}{0}\fi
9338     \null\vfil
9339     \vskip 60\p@
9340     \begin{center}%
9341       \TitleFont
9342       {\LARGE \def\{\{\penalty -\@M}
9343         \if@allcaps
9344           \expandafter\uc@nothanks\@title\thanks\relax
9345         \else
9346           \@title
9347           \fi\par}%
9348       \vskip 3em%
9349       {\large
9350         \lineskip .75em \parindent\z@
9351         \begin{tabular}[t]{c}%
9352           \if@allcaps
9353             \expandafter\uc@authornothanks\@author\and\relax
9354           \else
9355             \@author
9356           \fi
9357         \end{tabular}\par}%
9358       \vskip 1.5em%
9359       {\large
9360         \if@allcaps
9361           \uppercase\expandafter{\@date}%
9362         \else
9363           \@date
9364         \fi\par}%
9365       \end{center}\par
9366       \@thanks
9367       \vfil\null
9368     \end{titlepage}%
9369     \setcounter{footnote}{0}%
9370     \global\let\thanks\relax
9371     \global\let\maketitle\relax
9372     \global\let\@thanks\@empty
9373     \global\let\@author\@empty

```



```

9374 \global\let\@title\@empty
9375 \global\let\@date\@empty
9376 \global\let\title\relax
9377 \global\let\author\relax
9378 \global\let\date\relax
9379 \global\let\and\relax
9380 }

```

## 63 File boek-xetex-bidi.def

```

9381 \ProvidesFile{boek-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek class for XeTeX]
9382 \renewenvironment{theindex}{%
9383   \if@twocolumn
9384     \@restonecolfalse
9385   \else
9386     \@restonecoltrue
9387   \fi
9388   \columnseprule \z@
9389   \columnsep 35\p@
9390   \twocolumn[\@makeschapterhead{\indexname}]%
9391   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
9392   \thispagestyle{plain}\parindent\z@
9393   \parskip\z@ \@plus .3\p@\relax
9394   \let\item\@idxitem
9395 }{%
9396 \if@restonecol\onecolumn\else\clearpage\fi}
9397 \renewcommand*{\head@style}{%
9398   \interlinepenalty \@M
9399   \hyphenpenalty=\@M \exhyphenpenalty=\@M
9400   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsizex\relax}
9401 \renewcommand*{\regtocline}[3]{%
9402   \ifnum #1>\c@tocdepth
9403   \else
9404     \vskip\z@\@plus.2\p@
9405     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
9406       \if@RTL\rightskip\else\leftskip\fi\unitindent
9407       \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
9408       \parfillskip\z@
9409       \@tempdima\unitindent
9410       \parindent\z@
9411       \leavevmode
9412       \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
9413       \hskip 1em \nobreak{\slshape #3}\par
9414     }%
9415   \fi}
9416 \if@oldtoc
9417 \renewcommand*\l@part[2]{%
9418   \ifnum \c@tocdepth >-2\relax
9419     \addpenalty{-\@highpenalty}%
9420     \addvspace{2.25em \@plus\p@}%
9421     \begingroup
9422       \setlength\@tempdima{3em}%
9423       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9424       \parfillskip -\@pnumwidth

```



```

9425     {\leavevmode
9426       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
9427       \nobreak
9428       \global\@nobreaktrue
9429       \everypar{\global\@nobreakfalse\everypar{}}%
9430     \endgroup
9431   \fi}
9432 \else
9433   \renewcommand*\l@part{%
9434     \ifnum \c@tocdepth >-2\relax
9435       \addpenalty{-\@highpenalty}%
9436       \addvspace{2.25em \@plus \p@}%
9437       \@regtocoline{0}%
9438     \fi}
9439 \fi
9440 \if@oldtoc
9441 \renewcommand*\l@chapter[2]{%
9442   \addpenalty{-\@highpenalty}%
9443   \vskip 1.0em \@plus \p@
9444   \setlength\@tempdima{1.5em}%
9445   \begingroup
9446   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9447   \parfillskip -\@pnumwidth
9448   \leavevmode \bfseries
9449   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
9450   \hskip -\if@RTL\rightskip\else\leftskip\fi
9451   #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
9452   \penalty\@highpenalty
9453   \endgroup}
9454 \else
9455   \renewcommand*\l@chapter{\@regtocoline{0}}
9456 \fi
9457 \renewcommand*\left@footnoterule{%
9458   \kern-3\p@
9459   \kern.5\baselineskip
9460   \hrule\@width\unitindent
9461   \kern.4\baselineskip
9462 }
9463 \renewcommand*\right@footnoterule{%
9464   \kern-3\p@
9465   \kern.5\baselineskip
9466   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
9467   \kern.4\baselineskip}
9468 \renewenvironment{abstract}{%
9469   \titlepage
9470   \null\vfil
9471   \section*{\SectFont \abstractname}
9472   \noindent\ignorespaces}
9473   {\par\vfil\null\endtitlepage}
9474 \renewenvironment{thebibliography}[1]
9475   {\chapter*{\bibname}%
9476     \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
9477     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
9478     \bidi@thebibliography@font@hook%

```





```

9479 \list{\@biblabel{\@arabic\c@enumiv}}%
9480     {\settowidth\labelwidth{\@biblabel{#1}}%
9481     \leftmargin\labelwidth
9482     \advance\leftmargin\labelsep
9483     \@openbib@code
9484     \usecounter{enumiv}}%
9485     \let\p@enumiv\@empty
9486     \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
9487 \sloppy\clubpenalty4000\widowpenalty4000%
9488 \sfcode`. \@m}
9489 {\def\@noitemerr
9490     {\@latex@warning{Empty `thebibliography' environment}}}%
9491 \endlist}
9492 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
9493 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
9494 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
9495 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
9496 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
9497 \renewcommand*\theequation{%
9498     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
9499 \renewcommand*\thefigure{%
9500     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
9501 \renewcommand*\thetable{%
9502     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
9503 \renewcommand*\maketitle{%
9504     \begin{titlepage}%
9505         \let\footnotesize\small
9506         \let\right@footnoterule\relax
9507         \let\left@footnoterule\relax
9508         \let\textwidth@footnoterule\relax
9509         \let \footnote \thanks
9510         \long\def\@makefntext##1{\parindent\z@
9511             \def\labelitemi{\textendash}\@revlabeltrue
9512             \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
9513         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
9514         \if@compatibility\setcounter{page}{0}\fi
9515         \null\vfil
9516         \vskip 60\p@
9517         \begin{center}%
9518             \TitleFont
9519             {\LARGE \def\\{\penalty -\@M}
9520             \if@allcaps
9521                 \expandafter\uc@nothanks\@title\thanks\relax
9522             \else
9523                 \@title
9524                 \fi\par}%
9525             \vskip 3em%
9526             {\large
9527                 \lineskip .75em \parindent\z@
9528                 \begin{tabular}[t]{c}%
9529                     \if@allcaps
9530                         \expandafter\uc@authornothanks\@author\and\relax
9531                     \else
9532                         \@author

```



```

9533         \fi
9534         \end{tabular}\par}%
9535     \vskip 1.5em%
9536     {\large
9537     \if@allcaps
9538         \uppercase\expandafter{\@date}%
9539     \else
9540         \@date
9541     \fi\par}%
9542     \end{center}\par
9543     \@thanks
9544     \vfil\null
9545 \end{titlepage}%
9546 \setcounter{footnote}{0}%
9547 \global\let\thanks\relax
9548 \global\let\maketitle\relax
9549 \global\let\@thanks\@empty
9550 \global\let\@author\@empty
9551 \global\let\@title\@empty
9552 \global\let\@date\@empty
9553 \global\let\title\relax
9554 \global\let\author\relax
9555 \global\let\date\relax
9556 \global\let\and\relax
9557 }

```

## 64 File `bookest-xetex-bidi.def`

```

9558 \ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for
9559 \def\@makechapterhead#1{%
9560     \vspace*{20\p@}
9561     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
9562     \ifnum \c@secnumdepth >\m@ne
9563         \if@mainmatter
9564             {\colorA\huge\scshape \@chapapp\space \thechapter}
9565             \par\nobreak
9566             \vskip 10\p@
9567         \fi
9568         \fi
9569         \interlinepenalty\@M
9570     {\colorB\hrule}
9571     \vskip 15\p@
9572     \if@RTL\begin{flushleft}\else\begin{flushright}\fi
9573         {\colorA\Huge \bfseries #1}\par\nobreak
9574     \if@RTL\end{flushleft}\else\end{flushright}\fi
9575     \vskip 5\p@
9576     {\colorB\hrule}
9577     \vskip 30\p@
9578     }}
9579 \def\@makeschapterhead#1{%
9580     \vspace*{20\p@}
9581     {\parindent \z@ \raggedright \normalfont
9582     {\colorB\hrule}
9583     \vskip 15\p@

```



```

9584 \begin{center}
9585   {\colorA\Huge \bfseries #1}\par\nobreak
9586 \end{center}
9587 \vskip 5\p@
9588 {\colorB\hrule}
9589 \vskip 30\p@
9590 }}

```

## 65 File book-xetex-bidi.def

```

9591 \ProvidesFile{book-xetex-bidi.def}[2025/01/03 v1.1 bidi adaptations for standard book class
9592 \renewenvironment{theindex}
9593   {\if@twocolumn
9594     \@restonecolfalse
9595     \else
9596     \@restonecoltrue
9597     \fi
9598     \columnseprule \z@
9599     \columnsep 35\p@
9600     \twocolumn[\@makeschapterhead{\indexname}]%
9601     \@mkboth{\MakeUppercase\indexname}%
9602             {\MakeUppercase\indexname}%
9603     \thispagestyle{plain}\parindent\z@
9604     \parskip\z@ \@plus .3\p@\relax
9605     \let\item\@idxitem}
9606   {\if@restonecol\onecolumn\else\clearpage\fi}
9607 \IfClassLoadedF{bookest}{%
9608   \if@titlepage
9609   \renewcommand\maketitle{\begin{titlepage}%
9610   \let\footnotesize\small
9611   \let\right@footnoterule\relax
9612   \let\left@footnoterule\relax
9613   \let\textwidth@footnoterule\relax
9614   \let \footnote \thanks
9615   \let \LTRfootnote \LTRthanks
9616   \let \RTLfootnote \RTLthanks
9617   \null\vfil
9618   \vskip 60\p@
9619   \begin{center}%
9620     {\LARGE \@title \par}%
9621     \vskip 3em%
9622     {\large
9623     \lineskip .75em%
9624     \begin{tabular}[t]{c}%
9625       \@author
9626       \end{tabular}\par}%
9627     \vskip 1.5em%
9628     {\large \@date \par}%           % Set date in \large size.
9629   \end{center}\par
9630   \@thanks
9631   \vfil\null
9632   \end{titlepage}%
9633   \setcounter{footnote}{0}%
9634   \global\let\thanks\relax

```



```

9635 \global\let\LTRthanks\relax
9636 \global\let\RTLthanks\relax
9637 \global\let\maketitle\relax
9638 \global\let\@thanks\@empty
9639 \global\let\@author\@empty
9640 \global\let\@date\@empty
9641 \global\let\@title\@empty
9642 \global\let\title\relax
9643 \global\let\author\relax
9644 \global\let\date\relax
9645 \global\let\and\relax
9646 }
9647 \else
9648 \renewcommand\maketitle{\par
9649 \begingroup
9650 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
9651 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
9652 \long\def\@makefntext##1{\parindent 1em\noindent
9653 \hb@xt@1.8em{%
9654 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
9655 \if@twocolumn
9656 \ifnum \col@number=\@ne
9657 \@maketitle
9658 \else
9659 \twocolumn[\@maketitle]%
9660 \fi
9661 \else
9662 \newpage
9663 \global\@topnum\z@ % Prevents figures from going at top of page.
9664 \@maketitle
9665 \fi
9666 \thispagestyle{plain}\@thanks
9667 \endgroup
9668 \setcounter{footnote}{0}%
9669 \global\let\thanks\relax
9670 \global\let\LTRthanks\relax
9671 \global\let\RTLthanks\relax
9672 \global\let\maketitle\relax
9673 \global\let\@maketitle\relax
9674 \global\let\@thanks\@empty
9675 \global\let\@author\@empty
9676 \global\let\@date\@empty
9677 \global\let\@title\@empty
9678 \global\let\title\relax
9679 \global\let\author\relax
9680 \global\let\date\relax
9681 \global\let\and\relax
9682 }
9683 \def\@maketitle{%
9684 \newpage
9685 \null
9686 \vskip 2em%
9687 \begin{center}%
9688 \let \footnote \thanks

```



```

9689 \let \LTRfootnote \LTRthanks
9690 \let \RTLfootnote \RTLthanks
9691 {\LARGE \@title \par}%
9692 \vskip 1.5em%
9693 {\large
9694 \lineskip .5em%
9695 \begin{tabular}[t]{c}%
9696 \@author
9697 \end{tabular}\par}%
9698 \vskip 1em%
9699 {\large \@date}%
9700 \end{center}%
9701 \par
9702 \vskip 1.5em}
9703 \fi}
9704 \renewcommand*\l@part[2]{%
9705 \ifnum \c@tocdepth >-2\relax
9706 \addpenalty{-\@highpenalty}%
9707 \addvspace{2.25em \@plus\p@}%
9708 \setlength\@tempdima{3em}%
9709 \begingroup
9710 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9711 \parfillskip -\@pnumwidth
9712 {\leavevmode
9713 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
9714 \nobreak
9715 \global\@nobreaktrue
9716 \everypar{\global\@nobreakfalse\everypar{}}%
9717 \endgroup
9718 \fi}
9719 \renewcommand*\l@chapter[2]{%
9720 \ifnum \c@tocdepth >\m@ne
9721 \addpenalty{-\@highpenalty}%
9722 \vskip 1.0em \@plus\p@
9723 \setlength\@tempdima{1.5em}%
9724 \begingroup
9725 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9726 \parfillskip -\@pnumwidth
9727 \leavevmode \bfseries
9728 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
9729 \hskip -\if@RTL\rightskip\else\leftskip\fi
9730 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
9731 \penalty\@highpenalty
9732 \endgroup
9733 \fi}
9734 \renewcommand\left@footnoterule{%
9735 \kern-3\p@
9736 \hrule\@width.4\columnwidth
9737 \kern2.6\p@}
9738 \renewcommand\right@footnoterule{%
9739 \kern-3\p@
9740 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
9741 \kern2.6\p@}
9742 \renewcommand\theequation

```



```

9743 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
9744 \renewcommand \thefigure
9745     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
9746 \renewcommand \thetable
9747     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
9748 \renewcommand \thechapter {\@arabic\c@chapter}
9749 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
9750 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
9751 \renewcommand \thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
9752 \renewcommand \theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
9753 \renewcommand \thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
9754 \def\@makechapterhead#1{%
9755     \vspace*{50\p@}%
9756     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
9757       \ifnum \c@secnumdepth >\m@ne
9758         \if@mainmatter
9759           \huge\bfseries \@chapapp\space \thechapter
9760           \par\nobreak
9761           \vskip 20\p@
9762         \fi
9763         \fi
9764         \interlinepenalty\@M
9765         \Huge \bfseries #1\par\nobreak
9766         \vskip 40\p@
9767     }}
9768 \def\@makeschapterhead#1{%
9769     \vspace*{50\p@}%
9770     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
9771       \normalfont
9772       \interlinepenalty\@M
9773       \Huge \bfseries #1\par\nobreak
9774       \vskip 40\p@
9775     }}
9776 \renewcommand\backmatter{%
9777     \if@openright
9778       \cleardoublepage
9779     \else
9780       \clearpage
9781     \fi
9782     \@mainmatterfalse}
9783 \renewenvironment{thebibliography}[1]
9784     {\chapter*{\bibname}%
9785     \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
9786     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
9787     \bidi@thebibliography@font@hook%
9788     \list{\@biblabel{\@arabic\c@enumiv}}%
9789         {\settowidth\labelwidth{\@biblabel{#1}}%
9790         \leftmargin\labelwidth
9791         \advance\leftmargin\labelsep
9792         \@openbib@code
9793         \usecounter{enumiv}%
9794         \let\p@enumiv\@empty
9795         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
9796     \sloppy

```



```

9797     \clubpenalty4000
9798     \@clubpenalty \clubpenalty
9799     \widowpenalty4000%
9800     \sfcode`.\@m}
9801     {\def\@noitemerr
9802       {\@latex@warning{Empty `thebibliography' environment}}}%
9803     \endlist}

```

## 66 File breqn-xetex-bidi.def

```

9804 \ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for X
9805 \def\@dmath[#1]{\ifRTL\@RTLfalse\fi%
9806 \everydisplay\expandafter{\the\everydisplay \display@setup}%
9807 \ifnoskipsec \leavevmode \fi
9808 \ifinlabel \leavevmode \global\@inlabelfalse \fi
9809 \if\eq@group\else\eq@prelim\fi
9810 \setkeys{breqn}{#1}%
9811 \the\eqstyle
9812 \eq@setnumber
9813 \begingroup
9814 \eq@setup@a
9815 \eq@startup
9816 }
9817 \def\@dgroup[#1]{\ifRTL\@RTLfalse\fi%
9818 \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
9819 \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
9820 \global\let\GRP@label\@empty
9821 \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
9822 \global\grp@linewidth\z@\global\grp@wdNum\z@
9823 \global\let\grp@eqs@numbered\@False
9824 \global\let\grp@aligned\@True
9825 \global\let\grp@shiftnumber\@False
9826 \eq@prelim
9827 \setkeys{breqn}{#1}%
9828 \if\grp@hasNumber \grp@setnumber \fi
9829 }
9830 \def\@dseries[#1]{\ifRTL\@RTLfalse\fi%
9831 \let\display@setup\dseries@display@setup
9832 % Question: should this be the default for dseries???
9833 \global\eq@wdCond\z@
9834 \@dmath[layout={M},#1]%
9835 \mathsurround\z@\@math \penalty\@Mi
9836 \let\endmath\ends@math
9837 \def\premath{%
9838   \ifdim\lastskip<.3em \unskip
9839   \else\ifnum\lastpenalty<\@M \dquad\fi\fi
9840 }%
9841 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
9842 \ignorespaces
9843 }
9844 \def\eqnumform#1{\ifnonlatin\beginR\@RTLtrue\fi(#1\@@italiccorr)\ifnonlatin\endR\fi}
9845 \renewenvironment{dsuspend}{%
9846 \global\setbox\EQ@box\ vbox\bgroup\ifnonlatin\@RTLtrue\fi \@parboxrestore
9847 \parshape 1 \displayindent \displaywidth\relax

```



```

9848 \hsize=\columnwidth \noindent\ignorespaces
9849 }{%
9850 \par\egroup
9851 \global\setbox\GRP@box\vbox{%
9852 \hbox{\copy\EQ@box\vtop{\unvbox\EQ@box}}%
9853 \unvbox\GRP@box
9854 }%
9855 \global\GRP@queue\@xp{\the\GRP@queue
9856 \@elt{\let\eq@isIntertext\@True}}%
9857 }%
9858 }

```

## 67 File cals-xetex-bidi.def

```

9859 \ProvidesFile{cals-xetex-bidi.def}[2016/11/30 v0.4 bidi adaptations for cals package for XeTeX]
9860 \renewcommand\cals@setup@alignment[1]{%
9861 \if c#1\relax \cals@vfillAdd \leftskip \cals@vfillAdd \rightskip \fi
9862 \if l#1\relax \cals@vfillDrop\leftskip \cals@vfillDrop\rightskip \fi
9863 \if r#1\relax \cals@vfillAdd \leftskip \cals@vfillDrop\rightskip \fi
9864 }
9865 \renewcommand\cals@table@alignment{\if@RTLtab r\else l\fi}
9866 \renewenvironment{calstable}[1][\cals@table@alignment]{%
9867 \if@RTLtab\cals@activate@rtl\fi
9868 \let\cals@thead@tokens=\relax
9869 \let\cals@tfoot@tokens=\relax
9870 \let\cals@tbody@tokens=\relax
9871 \cals@tfoot@height=0pt \relax
9872 \let\cals@last@context=n%
9873 \let\cals@current@context=b%
9874 \parindent=0pt \relax%
9875 \cals@setup@alignment{#1}%
9876 \cals@setpadding{Ag}\cals@setcellprevdepth{Al}\cals@set@tohsize%
9877 %% Alignment inside is independent on center/flushright outside
9878 \parfillskip=0pt plus1fil\relax
9879 \let\cals@borderL=\relax
9880 \let\cals@borderR=\relax
9881 \let\cals@borderT=\relax
9882 \let\cals@borderB=\relax
9883 \setbox\cals@backup@row=\box\voidb@x\relax
9884 \cals@AtBeginTable
9885 }{% End of the table
9886 \cals@tfoot@tokens\lastrule\cals@AtEndTable}
9887 \renewcommand\alignL{%
9888 \if@RTLtab
9889 \cals@vfillAdd\cals@paddingL
9890 \else
9891 \cals@vfillDrop\cals@paddingL
9892 \fi
9893 \cals@vfillDrop\cals@paddingR}
9894 \renewcommand\alignR{%
9895 \if@RTLtab
9896 \cals@vfillDrop\cals@paddingL
9897 \else
9898 \cals@vfillAdd\cals@paddingL

```





```

9899 \fi
9900 \cals@vfillDrop\cals@paddingR}

```

## 68 File caption-xetex-bidi.def

```

9901 \ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package f
9902 \let\makecaption\caption@makecaption

```

## 69 File caption3-xetex-bidi.def

```

9903 \ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package
9904 \renewcommand*\caption@par{%
9905 \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%

```

## 70 File colortbl-xetex-bidi.def

```

9906 \ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package
9907 \def\CT@setup{%
9908 \@tempdima\col@sep
9909 \@tempdimc\col@sep
9910 \def\CT@color{%
9911 \global\let\CT@do@color\CT@do@color
9912 \bicolor}}
9913 \def\@classz{\@classx
9914 \@tempcnta \count@
9915 \prepnext@tok
9916 \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
9917 \@addtopreamble{\if@RTLtab\beginL\fi%
9918 \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
9919 \ifcase \@cnum
9920 \hskip\stretch{.5}\kern\z@
9921 \dollarbegin
9922 \insert@column
9923 \dollarend\hskip\stretch{.5}\or
9924 \dollarbegin \insert@column \dollarend \hfill \or
9925 \hfill\kern\z@ \dollarbegin \insert@column \dollarend \or
9926 $\vcenter
9927 \@startpbox{\@nextchar}\insert@column \@endpbox $\or
9928 \vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
9929 \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
9930 \fi
9931 \if@RTLtab\endR\fi\egroup\egroup
9932 \begingroup
9933 \CT@setup
9934 \CT@column@color
9935 \CT@row@color
9936 \CT@cell@color
9937 \CT@do@color
9938 \endgroup
9939 \@tempdima\ht\z@
9940 \advance\@tempdima\minrowclearance
9941 \vrule\@height\@tempdima\@width\z@
9942 \unhbox\z@\if@RTLtab\endL\fi}%
9943 \prepnext@tok}

```



## 71 File color-xetex-bidi.def

```
9944 \ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for X
9945 \long\def\color@b@x#1#2#3{%
9946 \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
9947 \setbox\z@\hbox{\kern\fbboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fbboxsep}%
9948 \dimen@ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
9949 \dimen@dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
9950 {#1#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
9951 \box\z@}\ifmmode\else\if@RTL\endL\fi\fi}
9952 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi}
9953 \DeclareRobustCommand\color{%
9954 \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi@ifnextchar[\@undeclaredcolor\@declaredcolor]{%
9955 \def\@declaredcolor#1{%
9956 \@ifundefined{\string\color @#1}%
9957 {\color@error{`#1'}}%
9958 {\expandafter\let\expandafter\current@color
9959 \csname\string\color @#1\endcsname
9960 \set@color}%
9961 \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
9962 \def\@undeclaredcolor[#1]#2{%
9963 \@ifundefined{color@#1}%
9964 {\color@error{model `#1'}}%
9965 {\csname color@#1\endcsname\current@color{#2}%
9966 \set@color}%
9967 \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
9968 \DeclareRobustCommand\bidicolor{%
9969 \@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor]{%
9970 \def\@bidiundeclaredcolor[#1]#2{%
9971 \@ifundefined{color@#1}%
9972 {\color@error{model `#1'}}%
9973 {\csname color@#1\endcsname\current@color{#2}%
9974 \set@color}%
9975 \ignorespaces}
9976 \def\@bidideclaredcolor#1{%
9977 \@ifundefined{\string\color @#1}%
9978 {\color@error{`#1'}}%
9979 {\expandafter\let\expandafter\current@color
9980 \csname\string\color @#1\endcsname
9981 \set@color}%
9982 \ignorespaces}
9983 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
9984 \def\color@fbbox#1#2#3{%
9985 \color@b@x{\fbboxsep\z@\bidicolor#1{#2}\fbbox}{\bidicolor#1{#3}}}
9986 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode
```

## 72 File combine-xetex-bidi.def

```
9987 \ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for
9988 \renewcommand{\c@ll@chapsecii}[2]{%
9989 \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
9990 \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
9991 #1\nobreak\hfil\nobreak\hb@xt@\@pnumwidth{\hss #2}\par
9992 }
```



```

9993 \renewcommand{\c@ll@chapseci}{%
9994   \setlength\@tempdima{0em}%
9995   \begingroup
9996     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9997     \parfillskip -\@pnumwidth
9998     \leavevmode
9999 }
10000 \renewenvironment{tocindent}[1]{%
10001   \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{}

```

## 73 File crop-xetex-bidi.def

```

10002 \ProvidesFile{crop-xetex-bidi.def}[2025/01/03 v0.3 bidi adaptations for crop package for XeT
10003 \IfClassLoadedT{memoir}{\endinput}
10004 \RequirePackage{graphicx}
10005 \renewcommand*\CROP@ulc{%
10006   \if@RTLmain%
10007     \begin{picture}(0,0)
10008       \unitlength\p@\thinlines
10009       \put(-40,0){\circle{10}}
10010       \put(-30,-5){\line(0,1){10}}
10011       \put(-35,0){\line(1,0){30}}
10012       \put(-10,30){\circle{10}}
10013       \put(-5,30){\line(1,0){10}}
10014       \put(0,35){\line(0,-1){30}}
10015     \end{picture}%
10016   \else%
10017     \begin{picture}(0,0)
10018       \unitlength\p@\thinlines
10019       \put(-30,0){\circle{10}}
10020       \put(-30,-5){\line(0,1){10}}
10021       \put(-35,0){\line(1,0){30}}
10022       \put(0,30){\circle{10}}
10023       \put(-5,30){\line(1,0){10}}
10024       \put(0,35){\line(0,-1){30}}
10025     \end{picture}%
10026   \fi%
10027 }
10028 \renewcommand*\CROP@urc{%
10029   \if@RTLmain%
10030     \begin{picture}(0,0)
10031       \unitlength\p@\thinlines
10032       \put(20,0){\circle{10}}
10033       \put(30,-5){\line(0,1){10}}
10034       \put(35,0){\line(-1,0){30}}
10035       \put(-10,30){\circle{10}}
10036       \put(-5,30){\line(1,0){10}}
10037       \put(0,35){\line(0,-1){30}}
10038     \end{picture}%
10039   \else%
10040     \begin{picture}(0,0)
10041       \unitlength\p@\thinlines
10042       \put(30,0){\circle{10}}
10043       \put(30,-5){\line(0,1){10}}

```



```

10044     \put(35,0){\line(-1,0){30}}
10045     \put(0,30){\circle{10}}
10046     \put(-5,30){\line(1,0){10}}
10047     \put(0,35){\line(0,-1){30}}
10048 \end{picture}%
10049 \fi%
10050 }
10051 \renewcommand*\CROP@llc{%
10052   \if@RTLmain%
10053     \begin{picture}(0,0)
10054       \unitlength\p@\thinlines
10055       \put(-40,0){\circle{10}}
10056       \put(-30,-5){\line(0,1){10}}
10057       \put(-35,0){\line(1,0){30}}
10058       \put(-10,-30){\circle{10}}
10059       \put(-5,-30){\line(1,0){10}}
10060       \put(0,-35){\line(0,1){30}}
10061     \end{picture}%
10062   \else%
10063     \begin{picture}(0,0)
10064       \unitlength\p@\thinlines
10065       \put(-30,0){\circle{10}}
10066       \put(-30,-5){\line(0,1){10}}
10067       \put(-35,0){\line(1,0){30}}
10068       \put(0,-30){\circle{10}}
10069       \put(-5,-30){\line(1,0){10}}
10070       \put(0,-35){\line(0,1){30}}
10071     \end{picture}%
10072   \fi%
10073 }
10074 \renewcommand*\CROP@llrc{%
10075   \if@RTLmain%
10076     \begin{picture}(0,0)
10077       \unitlength\p@\thinlines
10078       \put(20,0){\circle{10}}
10079       \put(30,-5){\line(0,1){10}}
10080       \put(35,0){\line(-1,0){30}}
10081       \put(-10,-30){\circle{10}}
10082       \put(-5,-30){\line(1,0){10}}
10083       \put(0,-35){\line(0,1){30}}
10084     \end{picture}%
10085   \else%
10086     \begin{picture}(0,0)
10087       \unitlength\p@\thinlines
10088       \put(30,0){\circle{10}}
10089       \put(30,-5){\line(0,1){10}}
10090       \put(35,0){\line(-1,0){30}}
10091       \put(0,-30){\circle{10}}
10092       \put(-5,-30){\line(1,0){10}}
10093       \put(0,-35){\line(0,1){30}}
10094     \end{picture}%
10095   \fi%
10096 }
10097 \@ifpackagewith{crop}{cam}{%

```



```

10098 \CROP@execopt{cam}%
10099 }{}

```

## 74 File cutwin-xetex-bidi.def

```

10100 \ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for
10101 \renewcommand*{\c@twcompctr}[2]{%
10102   \def\c@twfirst{1}
10103   \loop\advance\c@twinlines\m@ne
10104   \setbox\c@twslicea=\vsplit#1 to\baselineskip
10105   \setbox\c@twsliceb=\vsplit#1 to\baselineskip
10106   \c@twprune{\c@twslicea}{\c@twlftside}%
10107   \c@twprune{\c@twsliceb}{\c@twrtside}%
10108   \ifnum\c@twfirst=\@ne
10109     \setbox#2=\vbox{\unvbox#2\hbox
10110       to\hsize{\ifRTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\ifRTL\box\c@tw
10111   \else
10112     \setbox#2=\vbox{\unvbox#2\hbox
10113       to\hsize{\ifRTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\ifRTL\box\c@twslicea\else\el
10114   \fi
10115   \def\c@twfirst{2}
10116   \ifnum\c@twinlines>\z@\repeat}
10117 \renewcommand*{\c@twcompodctr}[2]{%
10118   \def\c@twrounds{1}
10119   \def\c@twfirst{1}
10120   \@for\c@twlspec:=\c@twb\do{%
10121     \ifnum\c@twrounds=1
10122       \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
10123       \c@twprune{\c@twslicea}{\c@twlspec}%
10124       \def\c@twrounds{2}
10125     \else
10126       \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
10127       \c@twprune{\c@twsliceb}{\c@twlspec}%
10128       \ifnum\c@twfirst=1
10129         \setbox#2=\vbox{\unvbox#2\hbox
10130           to\hsize{\ifRTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\ifRTL\
10131         \def\c@twfirst{2}
10132       \else
10133         \setbox#2=\vbox{\unvbox#2\hbox
10134           to\hsize{\ifRTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\ifRTL\box\c@twslicea\el
10135       \fi
10136       \def\c@twrounds{1}
10137   \fi}}

```

## 75 File cuted-xetex-bidi.def

```

10138 \ProvidesFile{cuted-xetex-bidi.def}[2022/02/18 v0.7 bidi adaptations for cuted package for X
10139
10140 \def\RTL@outputdblcol{%
10141   \if@firstcolumn
10142     \global\@firstcolumnfalse
10143     \global\setbox\@leftcolumn\copy\@outputbox
10144     \splitmaxdepth\maxdimen
10145     \vbadness\maxdimen

```



```

10146     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
10147     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10148     \toks@\expandafter{\topmark}%
10149     \xdef\@firstcoltopmark{\the\toks@}%
10150     \toks@\expandafter{\splitfirstmark}%
10151     \xdef\@firstcolfirstmark{\the\toks@}%
10152     \ifx\@firstcolfirstmark\@empty
10153       \global\let\@setmarks\relax
10154     \else
10155       \gdef\@setmarks{%
10156         \let\firstmark\@firstcolfirstmark
10157         \let\topmark\@firstcoltopmark}%
10158     \fi
10159 \else
10160   \global\@firstcolumntrue
10161   \setbox\@outputbox\vbox{%
10162     \hb@xt@\textwidth{%
10163       \hskip \columnwidth
10164       \hfil
10165       {\normalcolor\vrule \@width\columnseprule}%
10166       \hfil
10167       \hb@xt@\columnwidth{%
10168         \bidi@firstcolumn@status@write%
10169         \box\@leftcolumn \hss}%
10170       \hskip -\textwidth
10171       \hb@xt@\columnwidth{%
10172         \bidi@lastcolumn@status@write%
10173         \box\@outputbox \hss}%
10174       \hskip \columnsep
10175       \hskip \columnwidth }}%
10176   \ifvoid\hold@viper
10177   \else
10178     \setbox\@outputbox \vbox to\textheight{%
10179       \box\hold@viper
10180       \box\@outputbox
10181       \vss
10182     }%
10183   \fi
10184 \@@combinedblfloats
10185   \@setmarks
10186   \@outputpage
10187   \begin@group
10188     \@dblfloatplacement
10189     \@startdblcolumn
10190     \@whilesw\if@colmade \fi{\@outputpage
10191     \@startdblcolumn}%
10192     \ifvoid\@viper
10193     \else
10194       \global\setbox\@viper\vbox{%
10195         \vskip-\stripsep
10196         \unvbox\@viper
10197       }%
10198     \@viperoutput
10199   \fi

```



```

10200   \endgroup
10201   \fi}%
10202
10203   \def\LTR@outputdblcol{%
10204     \if@firstcolumn
10205       \global\@firstcolumnfalse
10206       \global\setbox\@leftcolumn\copy\@outputbox
10207       \splitmaxdepth\maxdimen
10208       \vbadness\maxdimen
10209       \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
10210       \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10211       \toks@\expandafter{\topmark}%
10212       \xdef\@firstcoltopmark{\the\toks@}%
10213       \toks@\expandafter{\splitfirstmark}%
10214       \xdef\@firstcolfirstmark{\the\toks@}%
10215       \ifx\@firstcolfirstmark\@empty
10216         \global\let\@setmarks\relax
10217       \else
10218         \gdef\@setmarks{%
10219           \let\firstmark\@firstcolfirstmark
10220           \let\topmark\@firstcoltopmark}%
10221       \fi
10222     \else
10223       \global\@firstcolumntrue
10224       \setbox\@outputbox\vbox{%
10225         \hb@xt@\textwidth{%
10226           \hb@xt@\columnwidth{%
10227             \bidi@firstcolumn@status@write%
10228             \box\@leftcolumn \hss}%
10229           \hfil
10230           {\normalcolor\vrule \@width\columnseprule}%
10231           \hfil
10232           \hb@xt@\columnwidth{%
10233             \bidi@lastcolumn@status@write%
10234             \box\@outputbox \hss}}}%
10235       \ifvoid\hold@viper
10236       \else
10237         \setbox\@outputbox \vbox to\textheight{%
10238           \box\hold@viper
10239           \box\@outputbox
10240           \vss
10241         }%
10242       \fi
10243     \@combinedblfloats
10244     \@setmarks
10245     \@outputpage
10246     \begingroup
10247       \@dblfloatplacement
10248       \@startdblcolumn
10249       \@whilesw\if@colmade \fi{\@outputpage
10250     \@startdblcolumn}%
10251     \ifvoid\@viper
10252     \else
10253       \global\setbox\@viper\vbox{%

```



```

10254             \vskip-\stripsep
10255             \unvbox\@viper
10256             }%
10257         \@viperoutput
10258     \fi
10259 \endgroup
10260 \fi}%
10261
10262 \def\@addviper{%
10263     \@insertfalse
10264     \def\var@thecol@num{2}%
10265     \if@firstcolumn
10266         \def\var@thecol@num{1}%
10267         \@reqcolroom=.5\@pageht
10268         \ht@viper=\@reqcolroom
10269         \advance\@reqcolroom by\ht\@viper
10270         \advance\@reqcolroom by\stripsep
10271     \else
10272         \@reqcolroom=\@colht
10273         \advance\@reqcolroom by\@pageht
10274         \ht@viper.5\@reqcolroom
10275         \@reqcolroom=\ht@viper
10276         \advance\@reqcolroom by\ht\@viper
10277         \advance\@reqcolroom by\stripsep
10278         \global\setbox\@holdpg\vbox{%
10279             \setbox\cuted@tempbox@a\vbox{%
10280                 \aftergroup\unvbox
10281                 \unvcopy\@leftcolumn
10282                 \unskip\unkern\unpenalty
10283                 \setbox\@tempbox@a\lastbox
10284                 \ifdim\dimexpr\ht\@tempbox+a\wd\@tempbox+a\dp\@tempbox>\z@
10285                     %% keeps lastbox
10286                 \aftergroup\@leftcolumn
10287                 \else
10288                     %% removes lastbox
10289                 \aftergroup\cuted@tempbox@a
10290             \fi
10291         }%
10292         \unskip\unkern\unpenalty
10293         \on@stripcols@break
10294         \the\At@ViperColsBreak
10295         \unvbox\@holdpg
10296         }%
10297         \global\At@ViperColsBreak{}%
10298         \ht@viper=.5\ht\@holdpg
10299         \ifdim\ht@viper>\@colht
10300             \ht@viper=\@colht
10301         \fi
10302     \fi
10303     %%
10304     %% calculations for breaking
10305     %%
10306     \ifvoid\hold@viper
10307         \ht@hold@viper=\z@

```





```

10308 \else
10309 \ht@hold@viper=\ht\hold@viper
10310 \fi
10311 \cuted@@tempdim@b\ht@viper
10312 \set@split@topskip@to\topskip
10313 \loop
10314 \xdef\saved@tempdimb{\the\cuted@@tempdim@b}%
10315 \setbox\cuted@@varbox@a\copy\@holdpg
10316 \setbox\cuted@@tempbox@a\vsplit\cuted@@varbox@a to\cuted@@tempdim@b
10317 %% set leftcolumn boxes
10318 \setbox\cuted@@tempbox@c\ vbox{\unvbox\cuted@@tempbox@a}%
10319 \setbox\cuted@@tempbox@a\ vbox to\cuted@@tempdim@b{\unvcopy\cuted@@tempbox@c}%
10320 \xdef\var@@leftcolumn@badness{\the\badness}%
10321 %% set rightcolumn boxes
10322 \setbox\cuted@@varbox@c\ vbox{\unvbox\cuted@@varbox@a}%
10323 \setbox\cuted@@varbox@a\ vbox to\cuted@@tempdim@b{\unvcopy\cuted@@varbox@c}%
10324 \xdef\var@@rightcolumn@badness{\the\badness}%
10325 %% analyzing split goodness
10326 \cuted@@tempdim@spread=\ht\cuted@@tempbox@c
10327 \advance\cuted@@tempdim@spread by\dp\cuted@@tempbox@c
10328 \advance\cuted@@tempdim@spread by-\ht\cuted@@varbox@c
10329 \advance\cuted@@tempdim@spread by-\dp\cuted@@varbox@c
10330 \cuted@@wlog@debug{CUTED [----]}%
10331 ^^JLeft: \the\ht\cuted@@tempbox@c
10332 +\the\dp\cuted@@tempbox@c\space/\var@@leftcolumn@badness
10333 ^^JRight: \the\ht\cuted@@varbox@c
10334 +\the\dp\cuted@@varbox@c\space/\var@@rightcolumn@badness
10335 ^^JSplit: \the\cuted@@tempdim@b
10336 ^^JExtra height: \the\cuted@@tempdim@spread
10337 }%
10338 \ifnum\var@@leftcolumn@badness<\cuted@@column@badness
10339 \ifnum\var@@rightcolumn@badness<\cuted@@column@badness
10340 \cuted@@tempdim@spread=\z@
10341 \fi
10342 \fi
10343 \ifdim\cuted@@tempdim@spread<\z@
10344 \ifleftcolumn@spread
10345 \ifrightcolumn@shrink
10346 \ifdim\dimexpr\cuted@@tempdim@spread+\pageshrink>\z@
10347 \cuted@@tempdim@a=\dimexpr\ht\cuted@@tempbox@c-0.5\cuted@@tempdim@spread
10348 \else
10349 \cuted@@tempdim@a=-\dimexpr\cuted@@tempdim@spread+.5\pageshrink\relax
10350 \fi
10351 \setbox\cuted@@varbox@a\ vbox to\cuted@@tempdim@a{\unvcopy\cuted@@tempbox@c}
10352 \ifnum\badness<\cuted@@column@badness
10353 \cuted@@tempdim@b=\cuted@@tempdim@a
10354 \cuted@@tempdim@spread=\z@
10355 \fi
10356 \cuted@@wlog@debug{CUTED [leftcolumn badness]: \number\badness\space on
10357 \setbox\cuted@@varbox@a\ vbox to\cuted@@tempdim@a{\unvcopy\cuted@@varbox@c}
10358 \cuted@@wlog@debug{CUTED [rightcolumn badness]: \number\badness\space on
10359 \else
10360 \setbox\cuted@@varbox@a\ vbox to\ht\cuted@@varbox@c{
10361 \unvcopy\cuted@@tempbox@c

```



```

10362         }%
10363         \ifnum\badness<\cuted@@column@badness
10364             \@tempdimb=\ht\cuted@@varbox@c
10365             \cuted@@tempdim@spread=\z@
10366         \fi
10367         \cuted@@wlog@debug{CUTED [leftcolumn badness]: \number\badness on \the\h
10368         \setbox\cuted@@varbox@a\vbox to\ht\cuted@@varbox@c{%
10369             \unvcopy\cuted@@varbox@c
10370         }%
10371         \cuted@@wlog@debug{CUTED [rightcolumn badness]: \number\badness on \the\
10372     \fi
10373     \else
10374         \if@right@column@shrink
10375             \ifdim\dimexpr\cuted@@tempdim@spread+\pageshrink<\z@
10376             \else
10377                 \cuted@@tempdim@b=\ht\cuted@@tempbox@c
10378                 \cuted@@tempdim@spread=\z@
10379             \fi
10380         \fi
10381     \fi
10382 \else
10383     \ifdim\cuted@@tempdim@spread>\z@
10384         \ifdim\dimexpr\@tempdimb+p@\relax>\@colht
10385             \cuted@@tempdim@b=\@colht
10386             \cuted@@tempdim@spread=\z@
10387         \fi
10388     \fi
10389 \fi
10390 \ifdim\cuted@@tempdim@spread<\z@
10391     \advance\cuted@@tempdim@b 1\p@
10392 \repeat
10393 \wlog{CUTED [- LAST -]}%
10394 ^^JExtra skip:\the\cuted@@tempdim@spread
10395 ^^JLeft:\the\ht\cuted@@tempbox@c/\the\dp\cuted@@tempbox@c
10396 ^^JRight:\the\ht\cuted@@varbox@c/\the\dp\cuted@@varbox@c
10397 ^^JSplit:\saved@tempdimb
10398 ^^JOutput:\the\cuted@@tempdim@b
10399 ^^JPageshrink:\the\pageshrink
10400 ^^JPagestretch:\the\pagestretch
10401 ^^J@colht:\the\@colht
10402 }%
10403 %%
10404 %% final construction of the cuted page above strip
10405 %%
10406 \setbox\cuted@@tempbox@c\vsplit\@holdpg to\saved@tempdimb
10407 \setbox\cuted@@tempbox@a\vbox to\cuted@@tempdim@b{%
10408     \cuted@@tempdim@a=\dimexpr
10409         \cuted@@tempdim@b-\ht\cuted@@tempbox@c
10410     \relax
10411     \cuted@@tempdim@spread=\dp\cuted@@tempbox@c
10412     \unvbox\cuted@@tempbox@c
10413     \ifdim\cuted@@tempdim@spread>\dp\strutbox
10414     \else
10415         \vskip-\cuted@@tempdim@spread

```



```

10416     \fi
10417     \prevdepth\z@
10418     \hrule\@height\cuted@@page@rule width\textwidth
10419     \vskip-\cuted@@page@rule
10420     \ifdim\cuted@@tempdim@a>\z@
10421         \if@left@column@spread
10422         \else
10423             \vss
10424         \fi
10425     \else
10426         \ifdim\cuted@@tempdim@a<\z@
10427             \if@left@column@shrink
10428             \else
10429                 \vss
10430             \fi
10431         \fi
10432     \fi
10433 }%
10434 \wlog{CUTED [output]: \the\cuted@@tempdim@b
10435     ^^JCUTED [leftcolumn badness]: \number\badness
10436 }%
10437 \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@b{%
10438     \cuted@@tempdim@a=\dimexpr
10439     \cuted@@tempdim@b-\ht\@holdpg
10440     \relax
10441     \unvbox\@holdpg
10442     \ifdim\cuted@@tempdim@a>\z@
10443         \if@right@column@spread
10444         \else
10445             \vss
10446         \fi
10447     \else
10448         \ifdim\cuted@@tempdim@a<\z@
10449             \if@right@column@shrink
10450             \else
10451                 \vss
10452             \fi
10453         \fi
10454     \fi
10455 }%
10456 \wlog{CUTED [rightcolumn badness]: \number\badness}%
10457 \setbox\cuted@@tempbox@var\vbox{%
10458     \hb@xt@\textwidth{%
10459         \if@RTLmain
10460             \hskip \columnwidth
10461             \hfil
10462             {\normalcolor\vrule \@width\columnseprule}%
10463             \hfil
10464             \hb@xt@\columnwidth{%
10465                 \vbox to\ht@viper{\box\cuted@@tempbox@a\vss}%
10466                 \hss
10467             }%
10468             \hskip -\textwidth
10469             \hb@xt@\columnwidth{%

```



```

10470         \vbox to\ht@viper{\box\cuted@@varbox@a\vss}%
10471         \hss
10472     }%
10473     \hskip \columnsep
10474     \hskip \columnwidth
10475 \else
10476     \hb@xt@\columnwidth{%
10477         \vbox to\ht@viper{\box\cuted@@tempbox@a\vss}%
10478         \hss
10479     }%
10480     \hfil
10481     {\normalcolor\vrule \@width\columnseprule}%
10482     \hfil
10483     \hb@xt@\columnwidth{%
10484         \vbox to\ht@viper{\box\cuted@@varbox@a\vss}%
10485         \hss
10486     }%
10487 \fi
10488 }%
10489 }%
10490 %%
10491 %% finalize cuted page
10492 %%
10493 \ifvoid\hold@viper
10494     \global\setbox\hold@viper\vbox{%
10495         \unvbox\cuted@@tempbox@var
10496         \penalty\interlinepenalty
10497         \vskip\stripsep
10498         \the\preCutedStrip
10499         \ifnum\outputpenalty<-\@Mii
10500             \vskip -\parskip
10501         \fi
10502         \outputpenalty\z@
10503     }%
10504 \else
10505     \global\setbox\hold@viper\vbox{%
10506         \unvbox\hold@viper
10507         \cuted@@tempbox@var
10508         \penalty\interlinepenalty
10509         \vskip\stripsep
10510         \the\preCutedStrip
10511         \ifnum\outputpenalty<-\@Mii
10512             \vskip -\parskip
10513         \fi
10514         \outputpenalty\z@
10515     }%
10516 \fi
10517 \ifdim\@colht>\@reqcolroom
10518     \global\setbox\hold@viper\vbox{%
10519         \unvbox\hold@viper
10520         \box@viper
10521         \penalty\interlinepenalty
10522         \the\postCutedStrip
10523         \vskip\stripsep

```



```

10524         \ifnum\outputpenalty<-\@Mii
10525             \vskip -\parskip
10526         \fi
10527         \outputpenalty\z@
10528     }%
10529 \@inserttrue
10530 \global\@firstcolumntrue
10531 \advance\ht@hold@viper by-\ht\hold@viper
10532 \global\advance\@colht by\ht@hold@viper
10533 \ifdim\@colht<2.5\baselineskip
10534     \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
10535                             too tall on page \thepage (\var@@thecol@num column)}%
10536     \@emptycol
10537     \if@firstcolumn
10538     \else
10539         \@emptycol
10540     \fi
10541     \global\@lastvipertrue
10542 \else
10543     \global\vsizel\@colht
10544     \global\@colroom\@colht
10545     \check@floats\cuted@@tempdim@a
10546     \ifdim\cuted@@tempdim@a>\z@
10547         \global\advance\@colroom by-\cuted@@tempdim@a
10548     \fi
10549     \ifdim\@colroom<\z@
10550         \global\@colroom1\p@
10551         \ifdim\cuted@@tempdim@a>\@colht
10552             \@latex@warning@no@line{TOP and/or BOT FLOAT's
10553                 to large on \thepage (\var@@thecol@num column)}%
10554         \fi
10555         \@emptycol
10556         \if@firstcolumn
10557         \else
10558             \@emptycol
10559         \fi
10560         \global\@lastvipertrue
10561     \fi
10562 \fi
10563 \fi
10564 \if@insert
10565 \else
10566     \advance\ht@hold@viper by-\ht\hold@viper
10567     \global\advance\@colht by\ht@hold@viper
10568     \global\setbox\hold@viper\ vbox{%
10569         \unvbox\hold@viper
10570         \set@split@topskip@to{\z@ plus2\p@}%
10571         \vsplit\@viper to\@colht
10572         \vss
10573     }%
10574     \vbox{%
10575     \global\@firstcolumnfalse
10576     \newpage
10577 \fi

```



```
10578 }
```

## 76 File cvthemebidicasual.sty

```
10579 \NeedsTeXFormat{LaTeX2e}
10580 \ProvidesPackage{cvthemebidicasual}
10581 \DeclareOption{blue}{}
10582 \newif\if@colourorange\@colourorangefalse
10583 \DeclareOption{orange}{\@colourorange>true}
10584 \newif\if@colourgreen\@colourgreenfalse
10585 \DeclareOption{green}{\@colourgreentrue}
10586 \newif\if@coloured\@colouredfalse
10587 \DeclareOption{red}{\@colouredtrue}
10588 \newif\if@colourgrey\@colourgreyfalse
10589 \DeclareOption{grey}{\@colourgreytrue}
10590 \DeclareOption*{
10591   \PackageWarning{cvthemebidicasual}{Unknown option ‘\CurrentOption’}}
10592 \ExecuteOptions{colour}
10593 \ProcessOptions\relax
10594 \renewcommand*{\listitemsymbol}{\textbullet}
10595 \definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
10596 \familynamecolour{808080}
10597 \firstnamecolour{A9A9A9}
10598 \quotecolour{696969}
10599 \addresscolour{696969}
10600 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
10601 \sectiontitlecolour{1E90FF}
10602 \subsectioncolour{4682B4}
10603 \definecolor{rulecolour}{gray}{0.6}
10604 \definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
10605 \definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
10606 \if@colourorange
10607   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
10608   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
10609   \sectiontitlecolour{FF8C00}
10610   \subsectioncolour{FF8C00}
10611   \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
10612   \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
10613 \if@colourgreen
10614   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
10615   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
10616   \sectiontitlecolour{008000}
10617   \subsectioncolour{008000}
10618   \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
10619   \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
10620 \if@coloured
10621   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
10622   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
10623   \sectiontitlecolour{FF0000}
10624   \subsectioncolour{FF0000}
10625   \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
10626   \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
10627 \if@colourgrey
10628   \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
```



```

10629 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
10630 \sectiontitlecolour{808080}
10631 \subsectioncolour{808080}
10632 \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
10633 \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
10634 \renewcommand*{\ttdefault}{pcr}
10635 \renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
10636 \renewcommand*{\familynamefont}{\firstnamefont}
10637 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
10638 \renewcommand*{\quoteont}{\large\slshape}
10639 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
10640 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
10641 \renewcommand*{\maketitle}{%
10642   {%
10643     \ifthenelse{\isundefined{\@photo}}{%
10644       {}%
10645       {\color{firstnamecolor}\framebox{\includegraphics[width=\@photowidth]{\@photo}}}%
10646       \hfill%
10647       \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}}\[-.35em]}%
10648       {\color{firstnamecolor}\rule{\textwidth}{.25ex}\[2.5em]}%
10649     \ifthenelse{\isundefined{\@quote}}{%
10650       {}%
10651       {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\}
10652     }%
10653   \newif\if@firstfooterelement\@firstfooterelementtrue
10654   \providecommand*{\footersymbol}{}
10655   \renewcommand*{\footersymbol}{%
10656     \if@firstfooterelement%
10657     \else%
10658     { ~-\color{footersymbolcolor}\textbullet~-\fi}
10659   \providecommand*{\makefooter}{}
10660   \renewcommand*{\makefooter}{%
10661     \fancypagestyle{plain}{%
10662       \fancyfoot[c]{%
10663         \parbox{0.8\textwidth}{%
10664           \centering%
10665           \addressfont\@addresscolour%
10666           \ifthenelse{\isundefined{\@address}}{}{}%
10667           \addresssymbol~\@address\%
10668           \@firstfooterelementfalse}%
10669         \ifthenelse{\isundefined{\@mobile}}{}{\mobilesymbol~\@mobile\@firstfooterelementfalse}%
10670         \ifthenelse{\isundefined{\@phone}}{}{\footersymbol\phonesymbol~\@phone\@firstfooterelementfalse}%
10671         \ifthenelse{\isundefined{\@fax}}{}{\footersymbol\faxsymbol~\@fax\@firstfooterelementfalse}%
10672         \ifthenelse{\isundefined{\@email}}{}{\footersymbol\emailsymbol~\emailink{\@email}\@firstfooterelementfalse}%
10673         \ifthenelse{\isundefined{\@extrainfo}}{}{\footersymbol\@extrainfo\@firstfooterelementfalse}%
10674       }%
10675     \pagestyle{plain}}
10676   \AtBeginDocument{\makefooter}

```

## 77 File cvthemebidiclassic.sty

```

10677 \NeedsTeXFormat{LaTeX2e}
10678 \ProvidesPackage{cvthemebidiclassic}
10679 \DeclareOption{blue}{}

```



```

10680 \newif\if@colourorange\@colourorangefalse
10681 \DeclareOption{orange}{\@colourorangetrue}
10682 \newif\if@colourgreen\@colourgreenfalse
10683 \DeclareOption{green}{\@colourgreentrue}
10684 \newif\if@colourred\@colourredfalse
10685 \DeclareOption{red}{\@colourredtrue}
10686 \newif\if@colourgrey\@colourgreyfalse
10687 \DeclareOption{grey}{\@colourgreytrue}
10688 \DeclareOption*{
10689   \PackageWarning{cvthemebidiclassic}{Unknown option ‘\CurrentOption’}}
10690 \ExecuteOptions{colour}
10691 \ProcessOptions\relax
10692 \renewcommand*\listitemsymbol{\textbullet}
10693 \firstnamecolour{}
10694 \familynamecolour{}
10695 \titlecolour{808080}
10696 \quotecolour{696969}
10697 \addresscolour{696969}
10698 \definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
10699 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
10700 \sectiontitlecolour{1E90FF}
10701 \subsectioncolour{4682B4}
10702 \if@colourorange
10703   \addresscolour{FF8C00}
10704   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
10705   \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
10706   \sectiontitlecolour{FF8C00}
10707   \subsectioncolour{FF8C00}\fi
10708 \if@colourgreen
10709   \addresscolour{008000}
10710   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
10711   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
10712   \sectiontitlecolour{008000}
10713   \subsectioncolour{008000}\fi
10714 \if@colourred
10715   \addresscolour{FF0000}
10716   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
10717   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
10718   \sectiontitlecolour{FF0000}
10719   \subsectioncolour{FF0000}\fi
10720 \if@colourgrey
10721   \addresscolour{808080}
10722   \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
10723   \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
10724   \sectiontitlecolour{808080}
10725   \subsectioncolour{808080}\fi
10726 \renewcommand*\ttdefault{pcr}
10727 \renewcommand*\firstnamefont{\fontsize{34}{36}\mdseries\upshape}
10728 \renewcommand*\titlefont{\LARGE\mdseries\slshape}
10729 \renewcommand*\addressfont{\normalsize\mdseries\slshape}
10730 \renewcommand*\familynamefont{\firstnamefont}
10731 \renewcommand*\quotefont{\large\slshape}
10732 \renewcommand*\sectionfont{\Large\mdseries\upshape}
10733 \renewcommand*\subsectionfont{\large\mdseries\upshape}

```





```

10734 \newlength{\maketitlenamemaxwidth}
10735 \setlength{\maketitlenamemaxwidth}{.525\textwidth}
10736 \newlength{\maketitlenamefullwidth}
10737 \settowidth{\maketitlenamefullwidth}{\firstnamestyle{\@firstname~}\familynamestyle{\@familyname}}
10738 \newlength{\maketitlewidth}
10739 \ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlewidth}{\maketitlenamefullwidth}
10740 \newlength{\maketitlepicturewidth}
10741 \setlength{\maketitlepicturewidth}{\@photowidth}
10742 \newlength{\maketitledetailwidth}
10743 \renewcommand*\recomputethemelengths{%
10744   \setlength{\maketitledetailwidth}{\textwidth}%
10745   \addtolength{\maketitledetailwidth}{-\maketitlewidth}%
10746   \addtolength{\maketitledetailwidth}{-\separatorcolumnwidth}%
10747   \addtolength{\maketitledetailwidth}{-\maketitlepicturewidth}}
10748 \recomputethemelengths
10749 \newif\if@firstdetailselement\@firstdetailselementtrue
10750 \newcommand*\maketitledetailsnewline{%
10751   \if@firstdetailselement%
10752     \@firstdetailselementfalse%
10753   \else%
10754     \[.2em]\fi}
10755 \renewcommand*\maketitle{%
10756   % name and title
10757   \begin{minipage}[b]{\maketitlewidth}%
10758     \firstnamestyle{\@firstname~}\familynamestyle{\@familyname}%
10759     \ifthenelse{equal{\@title}{}}{\[1.25em]\titlestyle{\@title}}{}%
10760   \end{minipage}%
10761   % optional data
10762   \begin{minipage}[b]{\maketitledetailwidth}%
10763     \bidi@raggedleft\addressfont\addresscolour%
10764     \ifthenelse{\isundefined{\@address}}{\}{}%
10765     \maketitledetailsnewline%
10766     \addresssymbol~\@address%
10767     \ifthenelse{\isundefined{\@mobile}}{\}{}{\maketitledetailsnewline\mobilesymbol~\@mobile}%
10768     \ifthenelse{\isundefined{\@phone}}{\}{}{\maketitledetailsnewline\phonesymbol~\@phone}%
10769     \ifthenelse{\isundefined{\@fax}}{\}{}{\maketitledetailsnewline\faxsymbol~\@fax}%
10770     \ifthenelse{\isundefined{\@email}}{\}{}{\maketitledetailsnewline\emailsymbol~\emailink{\@email}}%
10771     \ifthenelse{\isundefined{\@extrainfo}}{\}{}{\maketitledetailsnewline\@extrainfo}%
10772   \end{minipage}%
10773   % optional photo
10774   \ifthenelse{\isundefined{\@photo}}{\}{}%
10775     {}%
10776     {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\maketitlepicturewidth]{\@photo}}}%
10777   % optional quote
10778   \ifthenelse{\isundefined{\@quote}}{\}{}%
10779     {}%
10780     {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\@quote}%
10781   }

```

## 78 File dblfnote-xetex-bidi.def

```

10782 \ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package]
10783 \let\autofooterule\relax
10784 \let\rightfootnoterule\relax

```



```

10785 \let\leftfootnoterule\relax
10786 \let\textwidthfootnoterule\relax
10787 \let\LRfootnoterule\relax
10788 \def\footnoterule{\kern-3\p@
10789 \hrule \@width \DFNcolumnwidth \kern 2.6\p@}%
10790 \AtBeginDocument{\let\dfn@latex@footnotetext\@footnotetext
10791 \let\@footnotetext\dfn@footnotetext}
10792 \long\def\dfn@LTRfootnotetext#1{{\setbox\dfn@boxa\vbox{
10793 \let\insert\dfn@gobble
10794 \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
10795 \def\@makefnmark{\smash{\dfn@makefnmark}}
10796 \dfn@latex@LTRfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
10797 \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
10798 \ifdim\dfn@dima>\z@\else
10799 \dfn@dima1sp\relax
10800 \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
10801 \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
10802 \ifvoid\dfn@ins\else
10803 \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
10804 \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
10805 \setbox\dfn@boxa\copy\dfn@ins
10806 \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10807 \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
10808 \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
10809 \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
10810 \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
10811 \AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
10812 \let\@LTRfootnotetext\dfn@LTRfootnotetext}
10813 \long\def\dfn@RTLfootnotetext#1{{\setbox\dfn@boxa\vbox{
10814 \let\insert\dfn@gobble
10815 \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
10816 \def\@makefnmark{\smash{\dfn@makefnmark}}
10817 \dfn@latex@RTLfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
10818 \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
10819 \ifdim\dfn@dima>\z@\else
10820 \dfn@dima1sp\relax
10821 \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
10822 \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
10823 \ifvoid\dfn@ins\else
10824 \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
10825 \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
10826 \setbox\dfn@boxa\copy\dfn@ins
10827 \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10828 \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
10829 \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
10830 \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
10831 \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
10832 \AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
10833 \let\@RTLfootnotetext\dfn@RTLfootnotetext}
10834 \def\dfn@RTLmakecol{{\ifvoid\footins\else
10835 \dfn@dima\ht\footins
10836 \@tempcnta\z@ \dfn@countins
10837 \@tempdima\z@ \let\@elt\dfn@elt@getht
10838 \dfn@list\@nil

```



```

10839 \ifdim\@tempdima=\z@\else
10840 \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
10841 \global\setbox\dfn@ins\box\dfn@ins
10842 \@tempswatrue
10843 \ifdfn@trysingle
10844 \setbox\dfn@boxb\ vbox{\unvcopy\@cclv}\@tempdima\@colroom
10845 \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
10846 \advance\@tempdima-\skip\footins
10847 \advance\@tempdima-\ht\dfn@boxa
10848 \ifdim\@tempdima<\z@\else \@tempswafalse
10849 \global\setbox\footins\ vbox{\boxmaxdepth\dfn@fnmaxdp
10850 \footnoterule \unvbox\dfn@boxa}\fi\fi
10851 \if@tempswa
10852 \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10853 \global\setbox\footins\ vbox{\hbox{%
10854 \hskip \DFNcolumnwidth
10855 \hskip\DFNcolumnsep
10856 \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
10857 \unvbox\dfn@boxb\vss}\hss}
10858 \hskip -\textwidth
10859 \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
10860 \vbox to\@tempdima{
10861 \setbox\@tempboxa\vbox{\footnoterule}
10862 \ifdfn@ruleboth \unvbox\@tempboxa
10863 \else \@tempdima\ht\@tempboxa
10864 \advance\@tempdima\dp\@tempboxa
10865 \vskip\@tempdima
10866 \prevdepth\dp\@tempboxa \fi
10867 \unvbox\dfn@boxa\vss}\fi\hss}
10868 \hskip \DFNcolumnsep
10869 \hskip \DFNcolumnwidth}}\fi\fi
10870 \global\dfn@fnht\z@
10871 \ifx\dfn@list\@empty\else
10872 \let\@elt\dfn@eltadjust \dfn@dima\z@ \dfn@dimb\z@
10873 \dfn@list \global\advance\dfn@fnht\dfn@dimb
10874 \let\@elt\relax
10875 \ifdim\dfn@dimb>\z@
10876 \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
10877 \insert\footins{\floatingpenalty\@MM
10878 \vbox to\dfn@dimb{}}\fi
10879 \ifdim\dfn@fnht>\@tempdima
10880 \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
10881 \global\dfn@fnht\@tempdima
10882 \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
10883 \xdef\dfn@afteroutput{\insert\footins{
10884 \floatingpenalty\@MM
10885 \vbox to\number\@tempdimb sp{}}%
10886 \global\let\noexpand\dfn@afteroutput\relax}%
10887 \fi\fi
10888 \fi}%
10889 \let\footnoterule\relax \dfn@latex@makecol
10890 \let\footnoterule\dfn@footnoterule}
10891 \def\dfn@LTRmakecol{\ifvoid\footins\else
10892 \dfn@dima\ht\footins

```



```

10893 \tempcnta\z@ \dfn@countins
10894 \@tempdima\z@ \let\@elt\dfn@elt@getht
10895 \dfn@list\@nil
10896 \ifdim\@tempdima=\z@\else
10897 \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
10898 \global\setbox\dfn@ins\box\dfn@ins
10899 \@tempswatruue
10900 \ifdfn@trysingle
10901 \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
10902 \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
10903 \advance\@tempdima-\skip\footins
10904 \advance\@tempdima-\ht\dfn@boxa
10905 \ifdim\@tempdima<\z@\else \@tempswafalse
10906 \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
10907 \footnoterule \unvbox\dfn@boxa}\fi\fi
10908 \if@tempswa
10909 \dfn@split{\dfn@dim}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10910 \global\setbox\footins\vbox{\hbox{%
10911 \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
10912 \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
10913 \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
10914 \vbox to\@tempdima{
10915 \setbox\@tempboxa\vbox{\footnoterule}
10916 \ifdfn@ruleboth \unvbox\@tempboxa
10917 \else \@tempdima\ht\@tempboxa
10918 \advance\@tempdima\dp\@tempboxa
10919 \vskip\@tempdima
10920 \prevdepth\dp\@tempboxa \fi
10921 \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi
10922 \global\dfn@fnht\z@
10923 \ifx\dfn@list\@empty\else
10924 \let\@elt\dfn@elt@adjust \dfn@dim\z@ \dfn@dimb\z@
10925 \dfn@list \global\advance\dfn@fnht\dfn@dimb
10926 \let\@elt\relax
10927 \ifdim\dfn@dimb>\z@
10928 \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
10929 \insert\footins{\floatingpenalty\@MM
10930 \vbox to\dfn@dimb{}}\fi
10931 \ifdim\dfn@fnht>\@tempdima
10932 \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
10933 \global\dfn@fnht\@tempdima
10934 \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
10935 \xdef\dfn@afteroutput{\insert\footins{
10936 \floatingpenalty\@MM
10937 \vbox to\number\@tempdimb sp{}}}%
10938 \global\let\noexpand\dfn@afteroutput\relax}%
10939 \fi\fi
10940 \fi}%
10941 \let\footnoterule\relax \dfn@latex@makecol
10942 \let\footnoterule\dfn@footnoterule}
10943 \renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
10944 \newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
10945 \newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
10946 \DFNalwaysdouble

```



## 79 File diagbox-xetex-bidi.def

```
10947 \ProvidesFile{diagbox-xetex-bidi.def}[2017/12/30 v0.2 bidi adaptations for diagbox package f
10948 \bidi@patchcmd{\diagbox@double}{%
10949   \begin{tabular}{@{\hspace{\diagbox@insepl}}>\diagbox@font}l@{}
10950 }{\bidi@@diagbox@double@ii}{-}{-}
10951 \bidi@patchcmd{\diagbox@double}{%
10952   \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepr}}
10953 }{\bidi@@diagbox@double@iii}{-}{-}
10954 \newcommand*\bidi@@diagbox@double@ii}{%
10955   \ifRTL
10956     \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepl}}
10957   \else
10958     \begin{tabular}{@{\hspace{\diagbox@insepl}}>\diagbox@font}l@{}
10959   \fi
10960 }
10961 \newcommand*\bidi@@diagbox@double@iii}{%
10962   \ifRTL
10963     \begin{tabular}{@{\hspace{\diagbox@insepr}}>\diagbox@font}l@{}
10964   \else
10965     \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepr}}
10966   \fi
10967 }
10968 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
10969   \begin{tabular}{@{\hspace{\diagbox@insepl}}>\diagbox@font}l@{}
10970 }{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{-}{-}
10971 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
10972   \begin{tabular}{@{\hspace{\diagbox@insepl}}>\diagbox@font}l@{}
10973 }{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{-}{-}
10974 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
10975   \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepr}}
10976 }{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{-}{-}
10977 \newcommand*\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{%
10978   \ifRTL
10979     \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepl}}
10980   \else
10981     \begin{tabular}{@{\hspace{\diagbox@insepl}}>\diagbox@font}l@{}
10982   \fi}
10983 \newcommand*\bidi@@diagbox@triple@setbox@NW@tabular@iii}{%
10984   \ifRTL
10985     \begin{tabular}{@{\hspace{\diagbox@insepr}}>\diagbox@font}l@{}
10986   \else
10987     \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepr}}
10988   \fi}
10989 \let\diagbox@triple@setbox@SW\diagbox@triple@setbox@NW
10990 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
10991   \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}%
10992 }{\bidi@@diagbox@triple@setbox@SE@tabular@i}{-}{-}
10993 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
10994   \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
10995 }{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{-}{-}
10996 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
10997   \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
10998 }{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{-}{-}
```



```

11099 \newcommand*{\bidi@diagbox@triple@setbox@SE@tabular@i}{%
11000 \if@RTL
11001 \begin{tabular}{@{}r@{\hspace{\diagbox@insepl}}}}
11002 \else
11003 \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}
11004 \fi
11005 }
11006 \newcommand*{\bidi@diagbox@triple@setbox@SE@tabular@ii@iii}{%
11007 \if@RTL
11008 \begin{tabular}{@{\hspace{\diagbox@insepr}}l@{}}
11009 \else
11010 \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}}
11011 \fi
11012 }
11013 \let\diagbox@triple@setbox@NE\diagbox@triple@setbox@SE
11014 \bidi@patchcmd{\diagbox@double@pict@SE}{%
11015 \diagbox@setlinecolor
11016 \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)%
11017 }{%
11018 {\diagbox@setlinecolor
11019 \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)}%
11020 }{}{}
11021 \let\diagbox@double@pict@NW\diagbox@double@pict@SE
11022 \bidi@patchcmd{\diagbox@double@pict@NE}{%
11023 \diagbox@setlinecolor
11024 \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)%
11025 }{%
11026 {\diagbox@setlinecolor
11027 \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)}%
11028 }{}{}
11029 \let\diagbox@double@pict@SW\diagbox@double@pict@NE
11030 \bidi@patchcmd{\diagbox@triple@pict@NW}{%
11031 \diagbox@setlinecolor
11032 \Line(0,\yym)(\x,0)
11033 \Line(\xm,\y)(\x,0)%
11034 }{%
11035 {\diagbox@setlinecolor
11036 \Line(0,\yym)(\x,0)
11037 \Line(\xm,\y)(\x,0)}%
11038 }{}{}
11039 \bidi@patchcmd{\diagbox@triple@pict@NE}{%
11040 \diagbox@setlinecolor
11041 \Line(0,0)(\xxm,\y)
11042 \Line(0,0)(\x,\yym)%
11043 }{%
11044 {\diagbox@setlinecolor
11045 \Line(0,0)(\xxm,\y)
11046 \Line(0,0)(\x,\yym)}%
11047 }{}{}
11048 \bidi@patchcmd{\diagbox@triple@pict@SW}{%
11049 \diagbox@setlinecolor
11050 \Line(0,\ym)(\x,\y)
11051 \Line(\xm,0)(\x,\y)%
11052 }{%

```



```

11053 {\diagbox@setlinecolor
11054 \Line(0,\ym)(\x,\y)
11055 \Line(\xm,0)(\x,\y)}%
11056 }{}{}
11057 \bidi@patchcmd{\diagbox@triple@pict@SE}{%
11058 \diagbox@setlinecolor
11059 \Line(0,\y)(\xxm,0)
11060 \Line(0,\y)(\x,\ym)}%
11061 }{}%
11062 {\diagbox@setlinecolor
11063 \Line(0,\y)(\xxm,0)
11064 \Line(0,\y)(\x,\ym)}%
11065 }{}{}

```

## 80 File draftwatermark-xetex-bidi.def

```

11066 \ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwater
11067 \renewcommand\SetWatermarkText[1]{%
11068 \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}

```

## 81 File eso-pic-xetex-bidi.def

```

11069 \ProvidesFile{eso-pic-xetex-bidi.def}[2022/02/18 v0.4 bidi adaptations for eso-pic package f
11070 \renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
11071 \put(\if@RTLmain\paperwidth\else 0\fi,-\paperheight){#1}}
11072
11073 \ESO@isMEMOIR{%
11074 \renewcommand\AtTextUpperLeft[1]{%
11075 \begingroup
11076 \ifodd\c@page
11077 \if@RTLmain
11078 \ESO@tempdima=\paperwidth
11079 \advance\ESO@tempdima-\textwidth
11080 \advance\ESO@tempdima-\spinemargin
11081 \else
11082 \ESO@tempdima=\spinemargin
11083 \fi
11084 \else
11085 \if@RTLmain
11086 \ESO@tempdima=\spinemargin
11087 \else
11088 \ESO@tempdima=\paperwidth
11089 \advance\ESO@tempdima-\textwidth
11090 \advance\ESO@tempdima-\spinemargin
11091 \fi
11092 \fi
11093 \ESO@tempdimb=-\uppermargin
11094 \AtPageUpperLeft{%
11095 \put(\if@RTLmain-\textwidth-\fi\ESO@tempdima,\ESO@tempdimb){#1}%
11096 }%
11097 \endgroup
11098 }
11099 }{}%
11100 \renewcommand\AtTextUpperLeft[1]{%

```



```

11101 \begingroup
11102 \ESO@tempdima=1in\relax
11103 \if@twoside
11104 \ifodd\c@page
11105 \if@RTLmain
11106 \advance\ESO@tempdima\evensidemargin
11107 \else
11108 \advance\ESO@tempdima\oddsidemargin
11109 \fi
11110 \else
11111 \if@RTLmain
11112 \advance\ESO@tempdima\oddsidemargin
11113 \else
11114 \advance\ESO@tempdima\evensidemargin
11115 \fi
11116 \fi
11117 \else
11118 \advance\ESO@tempdima\oddsidemargin
11119 \fi
11120 \ESO@tempdimb=-1in\relax
11121 \advance\ESO@tempdimb-\topmargin
11122 \advance\ESO@tempdimb-\headheight
11123 \advance\ESO@tempdimb-\headsep
11124 \AtPageUpperLeft{%
11125 \put(\if@RTLmain-\textwidth-\fi\ESO@tempdima,\ESO@tempdimb){#1}%
11126 }%
11127 \endgroup
11128 }
11129 }

```

## 82 File empheq-xetex-bidi.def

```

11130 \ProvidesFile{empheq-xetex-bidi.def}[2018/01/08 v0.2 bidi adaptations for empheq package for
11131 \MHInternalSyntaxOn
11132 \def\EQ_tag_plus_endmark:{%
11133 \iftagsleft@
11134 \gdef\maketag@@@#1{%
11135 \hfuzz\displaywidth
11136 \if@RTL\makebox[\widthof{##1}][r]{%
11137 \hbox to \displaywidth{\m@th\normalfont##1\hss
11138 \raisebox{-\dp\EQ_mathdisplay_box
11139 -\depthof{\EQ_outerbox:}}{
11140 {\PotEndMark{\hss}}}}
11141 \else\makebox[\widthof{##1}][l]{%
11142 \hbox to \displaywidth{\m@th\normalfont##1\hss
11143 \raisebox{-\dp\EQ_mathdisplay_box
11144 -\depthof{\EQ_outerbox:}}{
11145 {\PotEndMark{\hss}}}}\fi}%
11146 \MH_else:
11147 \gdef\maketag@@@#1{%
11148 \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
11149 \settoheight{\@tempdima}{\@nameuse{\InTheoType Symbol}}}%
11150 \MH_addtolength:dn \@tempdima
11151 {\g_EQ_bottomtag_depth_dim+\mintagvsep}

```





```

11152     \setlength{\@tempdimb}
11153         {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox:}}
11154         +\depthof{\EQ_innerbox:}}
11155     \MH_if_dim:w \@tempdima>\@tempdimb
11156     \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
11157         -\@tempdima+\g_EQ_bottomrow_depth_dim}
11158     \addtolength{\@tempdima}{\depthof{\EQ_innerbox:}}
11159     \def\EQ_next:{\raisebox{\@tempdima}}%
11160     \MH_else:
11161     \def\EQ_next:{
11162         \raisebox{-\dp\EQ_mathdisplay_box
11163             -\depthof{\EQ_outerbox:}}
11164     \MH_fi:\EQ_next:}}}%
11165 \MH_fi:}
11166 \def\EQ_post_process:{%
11167 \EQ_initialize:
11168 \EQ_begin_equation:
11169 \MH_if_boolean:nT {outer_mult}{
11170     \setkeys{\MT_options_name:}{
11171         firstline-afterskip=Opt,
11172         lastline-preskip=Opt,
11173         multlined-width=Opt,
11174     }
11175     \ifodd \l_EQ_alignmentmode_int
11176     \setkeys{\MT_options_name:}{multlined-pos=b}
11177     \MH_else:
11178     \setkeys{\MT_options_name:}{multlined-pos=t}
11179     \MH_fi:
11180     \g@addto@macro\EQ_complete_mathdisplay:{
11181         \begin{MTmultlined}\relax
11182     }
11183     \g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
11184     \MH_if_boolean:nT {outer_mult}{
11185         \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
11186     }
11187     \EQ_end_equation:
11188     \edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
11189     \savecounters@
11190     \EQ_typeset_tags:
11191     \edef\l_EQ_equation_fint{\number\c@equation}
11192     \restorecounters@
11193     \Hy@linkcounter=\EQ_hyperref_link_fint
11194     \settowidth\l_EQ_totalwidth_dim{%
11195         $\EQ_left_side:\EQ_innerbox:}\EQ_right_side:$}%
11196     \MH_if_boolean:nTF {outer_mult}
11197         { \def\EQ_next:{_mult} }
11198         { \def\EQ_next:{} }
11199     \@nameuse{EQ_modify_linewidth_
11200         \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
11201     \EQ_typeset_display:
11202     \@nameuse{EQ_find_displaywidth_
11203         \romannumeral\l_EQ_equationtype_int\EQ_next: :}
11204     \MH_addtolength:dn
11205     \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}

```



```

11206 \savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim][c]{%
11207   $\EQ_left_side:
11208   \EQ_innerbox:{%
11209     \MH_if_case:w \l_EQ_alignmentmode_int\MH_or:
11210     \makebox[\l_EQ_displaywidth_dim][c]
11211     {\usebox{\EQ_mathdisplay_box}}%
11212   \MH_or:
11213     \makebox[\l_EQ_displaywidth_dim][c]
11214     {\usebox{\EQ_mathdisplay_box}}%
11215   \MH_or:
11216     \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
11217       \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11218       \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11219       \kern-\@mathmargin
11220       \MH_fi:
11221     \MH_fi:
11222     \usebox{\EQ_mathdisplay_box}}%
11223   \else\makebox[\l_EQ_displaywidth_dim][l]{%
11224     \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11225     \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11226     \kern-\@mathmargin
11227     \MH_fi:
11228     \MH_fi:
11229     \usebox{\EQ_mathdisplay_box}}\fi%
11230   \MH_or:
11231     \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
11232       \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11233       \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11234       \kern-\@mathmargin
11235       \MH_fi:
11236     \MH_fi:
11237     \usebox{\EQ_mathdisplay_box}}
11238   \else\makebox[\l_EQ_displaywidth_dim][l]{%
11239     \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11240     \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11241     \kern-\@mathmargin
11242     \MH_fi:
11243     \MH_fi:
11244     \usebox{\EQ_mathdisplay_box}}\fi%
11245   \MH_fi:}%
11246   \EQ_right_side:$}%
11247 \begin{AmSequation*}
11248 \@nameuse{EQ_place_display_
11249   \romannumeral\l_EQ_equationtype_int\EQ_next: :}
11250 \MH_if_dim:w \g_EQ_widesttag_dim>\z@
11251 \MH_set_boolean_T:n {show_manual_tags}
11252 \MH_if_case:w \l_EQ_alignmentmode_int
11253 \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#1
11254 \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#2
11255 \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#3
11256 \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#4
11257 \MH_fi:
11258 \MH_fi:
11259 \end{AmSequation*}

```



```

11260 \global\c@equation=\l_EQ_equation_fint\relax
11261 }
11262 \AtBeginDocument{%
11263   \@ifpackageloaded{fancybox}{%
11264     \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}%
11265     {\renewcommand*\textcolor[2]{\normalcolor{#2}}}%
11266     \renewcommand*\shadowbox{%
11267       \@ifstar{\MH_set_boolean_T:n {shadowbox_star}
11268         \VerbBox\EQ_shadowbox:n}
11269       {\MH_set_boolean_F:n {shadowbox_star}
11270         \VerbBox\EQ_shadowbox:n}}
11271     \def\EQ_shadowbox:n #1{%
11272       \sbox{z@}{\fbox{#1}}%
11273       \MH_if_boolean:nTF {shadowbox_star}{
11274         \MH_setlength:dn \@tempdima{z@}%
11275       }{
11276         \MH_setlength:dn \@tempdima{\dp z@+\shadowsize}%
11277       }
11278       \raisebox{\@tempdima}{%
11279         \if@RTL\makebox[z@][r]{%
11280           \kern\shadowsize \textcolor{shadowcolor}{%
11281             \rule[-\dp z@-\shadowsize]{\wd z@}{\shadowsize}}%
11282         }%
11283         \else\makebox[z@][l]{%
11284           \kern\shadowsize \textcolor{shadowcolor}{%
11285             \rule[-\dp z@-\shadowsize]{\wd z@}{\shadowsize}}%
11286         }\fi%
11287         \usebox z@\textcolor{shadowcolor}{%
11288           \rule[-\dp z@-\shadowsize]{\shadowsize}{\ht z@+\dp z@}}}%
11289       }{}%
11290 }
11291 \MHInternalSyntaxOff

```

### 83 File extarticle-xetex-bidi.def

```

11292 \ProvidesFile{extarticle-xetex-bidi.def}[2025/01/05 v0.5 bidi adaptations for extarticle cla
11293 \renewcommand*\l@section[2]{%
11294   \ifnum \c@tocdepth >z@
11295     \addpenalty\@secpenalty
11296     \addvspace{1.0em \@plus\p@}%
11297     \setlength\@tempdima{1.5em}%
11298     \begingroup
11299       \parindent z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
11300       \parfillskip -\@pnumwidth
11301       \leavevmode \bfseries
11302       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
11303       \hskip -\if@RTL\rightskip\else\leftskip\fi
11304       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
11305     \endgroup
11306   \fi}
11307 \renewcommand*\l@part[2]{%
11308   \ifnum \c@tocdepth >-2\relax
11309     \addpenalty\@secpenalty
11310     \addvspace{2.25em \@plus\p@}%

```



```

11311 \beginngroup
11312 \setlength\@tempdima{3em}%
11313 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
11314 \parfillskip -\@pnumwidth
11315 {\leavevmode
11316 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
11317 \nobreak
11318 \endgroup
11319 \fi}
11320 \def\@part[#1]#2{%
11321 \ifnum \c@secnumdepth >\m@ne
11322 \refstepcounter{part}%
11323 \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
11324 \else
11325 \addcontentsline{toc}{part}{#1}%
11326 \fi
11327 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
11328 \interlinepenalty \M
11329 \normalfont
11330 \ifnum \c@secnumdepth >\m@ne
11331 \Large\bfseries \partname-\thepart
11332 \par\nobreak
11333 \fi
11334 \huge \bfseries #2%
11335 \markboth{}{}\par}%
11336 \nobreak
11337 \vskip 3ex
11338 \@afterheading}
11339 \ApplyPatchIfPackageLoaded{nameref}{%
11340 \bidi@patchcmd\NR@spart\raggedright{%
11341 \if@RTL\raggedleft\else\raggedright\fi
11342 }-{\bidi@warningnoline{Oops! patching `string\NR@spart' failed}}%
11343 }{%
11344 \bidi@patchcmd\@spart\raggedright{%
11345 \if@RTL\raggedleft\else\raggedright\fi
11346 }-{\bidi@warningnoline{Oops! patching `string@\@spart' failed}}%
11347 }
11348 \renewenvironment{thebibliography}[1]
11349 {\section*\refname
11350 \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
11351 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
11352 \bidi@@thebibliography@font@hook%
11353 \list{\@biblabel{\@arabic\c@enumiv}}%
11354 {\settowidth\labelwidth{\@biblabel{#1}}%
11355 \leftmargin\labelwidth
11356 \advance\leftmargin\labelsep
11357 \@openbib@code
11358 \usecounter{enumiv}}%
11359 \let\p@enumiv\@empty
11360 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
11361 \sloppy\clubpenalty4000\widowpenalty4000%
11362 \sfcode`. \@m}
11363 {\def\@noitemerr
11364 {\@latex@warning{Empty `thebibliography' environment}}%

```



```

11365     \endlist}
11366 \renewcommand\left@footnoterule{%
11367   \kern-3\p@
11368   \hrule\@width.4\columnwidth
11369   \kern2.6\p@}
11370 \renewcommand\right@footnoterule{%
11371   \kern-3\p@
11372   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
11373   \kern2.6\p@}
11374   \if@titlepage
11375   \renewcommand\maketitle{\begin{titlepage}%
11376     \let\footnotesize\small
11377     \let\right@footnoterule\relax
11378     \let\left@footnoterule\relax
11379     \let\textwidth@footnoterule\relax
11380     \let \footnote \thanks
11381     \null\vfil
11382     \vskip 60\p@
11383     \begin{center}%
11384       {\LARGE \@title \par}%
11385       \vskip 3em%
11386       {\large
11387         \lineskip .75em%
11388         \begin{tabular}[t]{c}%
11389           \@author
11390           \end{tabular}\par}%
11391       \vskip 1.5em%
11392       {\large \@date \par}%           % Set date in \large size.
11393     \end{center}\par
11394     \@thanks
11395     \vfil\null
11396   \end{titlepage}%
11397   \setcounter{footnote}{0}%
11398   \global\let\thanks\relax
11399   \global\let\maketitle\relax
11400   \global\let\@thanks\@empty
11401   \global\let\@author\@empty
11402   \global\let\@date\@empty
11403   \global\let\@title\@empty
11404   \global\let\title\relax
11405   \global\let\author\relax
11406   \global\let\date\relax
11407   \global\let\and\relax
11408 }
11409 \else
11410 \renewcommand\maketitle{\par
11411   \begingroup
11412     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
11413     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
11414     \long\def\@makefntext##1{\parindent 1em\noindent
11415       \hb@xt@1.8em{%
11416         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
11417     \if@twocolumn
11418       \ifnum \col@number=\@ne

```



```

11419     \@maketitle
11420     \else
11421       \twocolumn[\@maketitle]%
11422     \fi
11423   \else
11424     \newpage
11425     \global\@topnum\z@ % Prevents figures from going at top of page.
11426     \@maketitle
11427     \fi
11428     \thispagestyle{plain}\@thanks
11429 \endgroup
11430 \setcounter{footnote}{0}%
11431 \global\let\thanks\relax
11432 \global\let\maketitle\relax
11433 \global\let\@maketitle\relax
11434 \global\let\@thanks\@empty
11435 \global\let\@author\@empty
11436 \global\let\@date\@empty
11437 \global\let\@title\@empty
11438 \global\let\title\relax
11439 \global\let\author\relax
11440 \global\let\date\relax
11441 \global\let\and\relax
11442 }
11443 \def\@maketitle{%
11444   \newpage
11445   \null
11446   \vskip 2em%
11447   \begin{center}%
11448     \let \footnote \thanks
11449     {\LARGE \@title \par}%
11450     \vskip 1.5em%
11451     {\large
11452       \lineskip .5em%
11453       \begin{tabular}[t]{c}%
11454         \@author
11455       \end{tabular}\par}%
11456     \vskip 1em%
11457     {\large \@date}%
11458   \end{center}%
11459   \par
11460   \vskip 1.5em}
11461 \fi
11462 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
11463 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
11464 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
11465 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}%%

```

## 84 File extbook-xetex-bidi.def

```

11466 \ProvidesFile{extbook-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extbook class for
11467 \if@titlepage
11468 \renewcommand\maketitle{\begin{titlepage}%
11469 \let\footnotesize\small

```



```

11470 \let\right@footnoterule\relax
11471 \let\left@footnoterule\relax
11472 \let\textwidth@footnoterule\relax
11473 \let \footnote \thanks
11474 \let \LTRfootnote \LTRthanks
11475 \let \RTLfootnote \RTLthanks
11476 \null\vfil
11477 \vskip 60\p@
11478 \begin{center}%
11479   {\LARGE \@title \par}%
11480   \vskip 3em%
11481   {\large
11482     \lineskip .75em%
11483     \begin{tabular}[t]{c}%
11484       \@author
11485     \end{tabular}\par}%
11486     \vskip 1.5em%
11487     {\large \@date \par}%           % Set date in \large size.
11488 \end{center}\par
11489 \@thanks
11490 \vfil\null
11491 \end{titlepage}%
11492 \setcounter{footnote}{0}%
11493 \global\let\thanks\relax
11494 \global\let\LTRthanks\relax
11495 \global\let\RTLthanks\relax
11496 \global\let\maketitle\relax
11497 \global\let\@thanks\@empty
11498 \global\let\@author\@empty
11499 \global\let\@date\@empty
11500 \global\let\@title\@empty
11501 \global\let\title\relax
11502 \global\let\author\relax
11503 \global\let\date\relax
11504 \global\let\and\relax
11505 }
11506 \else
11507 \renewcommand\maketitle{\par
11508   \begingroup
11509     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
11510     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
11511     \long\def\@makefntext##1{\parindent 1em\noindent
11512       \hb@xt@1.8em{%
11513         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
11514     \if@twocolumn
11515       \ifnum \col@number=\@ne
11516         \@maketitle
11517       \else
11518         \twocolumn[\@maketitle]%
11519       \fi
11520     \else
11521       \newpage
11522       \global\@topnum\z@   % Prevents figures from going at top of page.
11523       \@maketitle

```



```

11524 \fi
11525 \thispagestyle{plain}\@thanks
11526 \endgroup
11527 \setcounter{footnote}{0}%
11528 \global\let\thanks\relax
11529 \global\let\LTRthanks\relax
11530 \global\let\RTLthanks\relax
11531 \global\let\maketitle\relax
11532 \global\let\@maketitle\relax
11533 \global\let\@thanks\@empty
11534 \global\let\@author\@empty
11535 \global\let\@date\@empty
11536 \global\let\@title\@empty
11537 \global\let\title\relax
11538 \global\let\author\relax
11539 \global\let\date\relax
11540 \global\let\and\relax
11541 }
11542 \def\@maketitle{%
11543 \newpage
11544 \null
11545 \vskip 2em%
11546 \begin{center}%
11547 \let \footnote \thanks
11548 \let \LTRfootnote \LTRthanks
11549 \let \RTLfootnote \RTLthanks
11550 {\LARGE \@title \par}%
11551 \vskip 1.5em%
11552 {\large
11553 \lineskip .5em%
11554 \begin{tabular}[t]{c}%
11555 \@author
11556 \end{tabular}\par}%
11557 \vskip 1em%
11558 {\large \@date}%
11559 \end{center}%
11560 \par
11561 \vskip 1.5em}
11562 \fi
11563 \renewcommand*\l@part[2]{%
11564 \ifnum \c@tocdepth >-2\relax
11565 \addpenalty{-\@highpenalty}%
11566 \addvspace{2.25em \@plus\p}%
11567 \begingroup
11568 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
11569 \parfillskip -\@pnumwidth
11570 {\leavevmode
11571 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
11572 \nobreak
11573 \global\@nobreaktrue
11574 \everypar{\global\@nobreakfalse\everypar{}}%
11575 \endgroup
11576 \fi}
11577 \renewcommand\theequation

```





```

11578 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
11579 \renewcommand \thefigure
11580     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
11581 \renewcommand \thetable
11582     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
11583 \renewcommand \thechapter {\@arabic\c@chapter}
11584 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
11585 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
11586 \renewcommand \thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
11587 \renewcommand \theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
11588 \renewcommand \thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
11589 \def\@makechapterhead#1{%
11590     \vspace*{50\p@}%
11591     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
11592       \ifnum \c@secnumdepth >\m@ne
11593         \if@mainmatter
11594           \huge\bfseries \@chapapp\space \thechapter
11595           \par\nobreak
11596           \vskip 20\p@
11597         \fi
11598         \fi
11599         \interlinepenalty\@M
11600         \Huge \bfseries #1\par\nobreak
11601         \vskip 40\p@
11602     }}
11603
11604 \def\@makeschapterhead#1{%
11605     \vspace*{50\p@}%
11606     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
11607       \normalfont
11608       \interlinepenalty\@M
11609       \Huge \bfseries #1\par\nobreak
11610       \vskip 40\p@
11611     }}
11612 \renewcommand\backmatter{%
11613     \if@openright
11614       \cleardoublepage
11615     \else
11616       \clearpage
11617     \fi
11618     \@mainmatterfalse}
11619 \renewenvironment{thebibliography}[1]
11620     {\chapter*{\bibname
11621       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
11622     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
11623     \bidi@thebibliography@font@hook%
11624     \list{\@biblabel{\@arabic\c@enumiv}}%
11625         {\settowidth\labelwidth{\@biblabel{#1}}%
11626         \leftmargin\labelwidth
11627         \advance\leftmargin\labelsep
11628         \@openbib@code
11629         \usecounter{enumiv}}%
11630     \let\p@enumiv\@empty
11631     \renewcommand\theenumiv{\@arabic\c@enumiv}}%

```



```

11632     \sloppy
11633     \clubpenalty4000
11634     \@clubpenalty \clubpenalty
11635     \widowpenalty4000%
11636     \sfcode`.\@m}
11637     {\def\@noitemerr
11638       {\@latex@warning{Empty `thebibliography' environment}}}%
11639     \endlist}

```

## 85 File extletter-xetex-bidi.def

```

11640 \ProvidesFile{extletter-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extletter class]
11641 \renewcommand*\opening}[1]{\ifx\@empty\fromaddress
11642   \thispagestyle{firstpage}%
11643   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
11644   \else % home address
11645     \thispagestyle{empty}%
11646     {\if@RTL\raggedright\begin{tabular}{r@{}}\else\raggedleft\begin{tabular}{l@{}}\fi\ignore
11647       \fromaddress \*[2\parskip]%
11648       \@date \end{tabular}\par}%
11649   \fi
11650   \vspace{2\parskip}%
11651   {\if@RTL\raggedleft\else\raggedright\fi \toname \ \ toaddress \par}%
11652   \vspace{2\parskip}%
11653   #1\par\nobreak}
11654 \renewcommand\closing}[1]{\par\nobreak\vspace{\parskip}%
11655   \stopbreaks
11656   \noindent
11657   \ifx\@empty\fromaddress\else
11658     \hspace*\{\longindentation\}\fi
11659   \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
11660     \ignorespaces #1\[\[6\medskipamount]}%
11661     \ifx\@empty\fromsig
11662       \fromname
11663     \else \fromsig \fi\strut}%
11664   \par}
11665 \renewcommand\left@footnoterule{%
11666   \kern-\p@
11667   \hrule \@width .4\columnwidth
11668   \kern .6\p@}
11669 \renewcommand\right@footnoterule{%
11670   \kern-\p@
11671   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
11672   \kern .6\p@}

```

## 86 File extrafootnotefeatures-xetex-bidi.def

```

11673 \ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2025/01/03 v2.7 bidi extra footnote feat
11674 \newdimen\bidi@columnwidth
11675 \def\bidi@floathook{%
11676   \bidi@columnwidth\columnwidth
11677 }
11678 \newcommand*\@bidi@before@Hy@hyperfootnotes}{%
11679 \if@bidi@csundef{\ifHy@hyperfootnotes}{}{%

```



```

11680 \if@bidi@csundef{HLTR@LTRfootnotetext}{-}{%
11681 \ifHy@hyperfootnotes
11682 \let\@H@footnotetext\@footnotetext
11683 \let\@HLTR@LTRfootnotetext\@LTRfootnotetext
11684 \let\@HRTL@RTLfootnotetext\@RTLfootnotetext
11685 \let\@H@mpfootnotetext\@mpfootnotetext
11686 \let\@HLTR@mpLTRfootnotetext\@mpLTRfootnotetext
11687 \let\@HRTL@mpRTLfootnotetext\@mpRTLfootnotetext
11688 \fi
11689 }%
11690 }%
11691 }
11692 \newcommand*\@bidi@after@Hy@hyperfootnotes}{%
11693 \if@bidi@csundef{ifHy@hyperfootnotes}{-}{%
11694 \if@bidi@csundef{HLTR@LTRfootnotetext}{-}{%
11695 \ifHy@hyperfootnotes
11696 \let\H@footnotetext\@footnotetext
11697 \let\@footnotetext\@H@footnotetext
11698 \let\HLTR@LTRfootnotetext\@LTRfootnotetext
11699 \let\@LTRfootnotetext\@HLTR@LTRfootnotetext
11700 \let\HRTL@RTLfootnotetext\@RTLfootnotetext
11701 \let\@RTLfootnotetext\@HRTL@RTLfootnotetext
11702 \let\H@mpfootnotetext\@mpfootnotetext
11703 \let\@mpfootnotetext\@H@mpfootnotetext
11704 \let\HLTR@mpLTRfootnotetext\@mpLTRfootnotetext
11705 \let\@mpLTRfootnotetext\@HLTR@mpLTRfootnotetext
11706 \let\HRTL@mpRTLfootnotetext\@mpRTLfootnotetext
11707 \let\@mpRTLfootnotetext\@HRTL@mpRTLfootnotetext
11708 \fi
11709 }%
11710 }%
11711 }
11712 \let\autofootnoterule\relax
11713 \let\rightfootnoterule\relax
11714 \let\leftfootnoterule\relax
11715 \let\textwidthfootnoterule\relax
11716 \let\LRfootnoterule\relax
11717 \def\footnoterule{\kern-3\p@
11718 \hrule \@width \columnwidth \kern 2.6\p@}
11719 \newcommand{\@preamnormalfmt}{%
11720 \parindent 1em%
11721 \noindent
11722 }
11723 \newcommand{\@normalfootfmt}[1]{%
11724 \@preamnormalfmt
11725 \footfootmark
11726 \rule{z@\footnotesep\ignorespaces}{\foottextfont #1}%
11727 \@finalstrut\strutbox
11728 }
11729 \newcommand{\@normalRTLfootfmt}[1]{%
11730 \@preamnormalfmt
11731 \RTLfootfootmark
11732 \rule{z@\footnotesep\ignorespaces}{\RTLfoottextfont #1}%
11733 \@finalstrut\strutbox

```



```

11734 }
11735 \newcommand{\@normalLTRfootfmt}[1]{%
11736   \@preamnormalfmt
11737   \LTRfootfootmark
11738   \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
11739   \@finalstrut\strutbox
11740 }
11741 \renewcommand{\@footnotetext}[1]{%
11742   \insert\footins{%
11743     \ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11744     \def\baselinestretch{\m@m@footnote@spacing}%
11745     \reset@font
11746     \foottextfont
11747     \@preamfntext
11748     \hsize\columnwidth
11749     \protected@edef\@currentlabel{%
11750       \csname p@footnote\endcsname\@thefnmark}%
11751     \color@begingroup
11752     \@normalfootfmt{#1}%
11753     \color@endgroup}%
11754     \m@mmf@prepare}
11755 \newcommand{\@bidi@bidiold@footnotetext}[1]{%
11756   \bidi@step@absolute@footnote@count
11757   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
11758   \insert\footins{%
11759     \ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11760     \def\baselinestretch{\m@m@footnote@spacing}%
11761     \reset@font
11762     \foottextfont
11763     \@preamfntext
11764     \hsize\columnwidth
11765     \protected@edef\@currentlabel{%
11766       \csname p@footnote\endcsname\@thefnmark}%
11767     \color@begingroup
11768     \@normalfootfmt{#1}%
11769     \color@endgroup}%
11770     \m@mmf@prepare}
11771 }
11772 \renewcommand{\@RTLfootnotetext}[1]{%
11773   \insert\footins{%
11774     \@RTLtrue%
11775     \def\baselinestretch{\m@m@footnote@spacing}%
11776     \reset@font
11777     \RTLfoottextfont
11778     \@preamfntext
11779     \hsize\columnwidth
11780     \protected@edef\@currentlabel{%
11781       \csname p@footnote\endcsname\@thefnmark}%
11782     \color@begingroup
11783     \@normalRTLfootfmt{#1}%
11784     \color@endgroup}%
11785     \m@mmf@prepare}
11786 \newcommand{\@bidi@bidiold@RTLfootnotetext}[1]{%
11787   \bidi@step@absolute@footnote@count

```



```

11788 \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
11789 \insert\footins{%
11790 \@RTLtrue%
11791 \def\baselinestretch{\m@m@footnote@spacing}%
11792 \reset@font
11793 \RTLfoottextfont
11794 \@preamfntext
11795 \hsize\columnwidth
11796 \protected@edef\@currentlabel{%
11797 \csname p@footnote\endcsname\@thefnmark}%
11798 \color@begingroup
11799 \@normalRTLfootfmt{#1}%
11800 \color@endgroup}%
11801 \m@mmf@prepare
11802 }
11803 \renewcommand{\@LTRfootnotetext}[1]{%
11804 \insert\footins{%
11805 \@RTLfalse%
11806 \def\baselinestretch{\m@m@footnote@spacing}%
11807 \reset@font
11808 \LTRfoottextfont
11809 \@preamfntext
11810 \hsize\columnwidth
11811 \protected@edef\@currentlabel{%
11812 \csname p@footnote\endcsname\@thefnmark}%
11813 \color@begingroup
11814 \@normalLTRfootfmt{#1}%
11815 \color@endgroup}%
11816 \m@mmf@prepare}
11817 \renewcommand{\@mpfootnotetext}[1]{%
11818 \global\setbox\@mpfootins\vbox{%
11819 \unvbox\@mpfootins
11820 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
11821 \def\baselinestretch{\m@m@footnote@spacing}%
11822 \reset@font%
11823 \foottextfont \hsize\columnwidth \@parboxrestore
11824 \protected@edef\@currentlabel{%
11825 \csname p@mpfootnote\endcsname\@thefnmark}%
11826 \color@begingroup
11827 \@normalfootfmt{#1}%
11828 \color@endgroup}}
11829 \newcommand{\bidi@bidiold@mpfootnotetext}[1]{%
11830 \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
11831 \global\setbox\@mpfootins\vbox{%
11832 \unvbox\@mpfootins
11833 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11834 \def\baselinestretch{\m@m@footnote@spacing}%
11835 \reset@font%
11836 \foottextfont \hsize\columnwidth \@parboxrestore
11837 \protected@edef\@currentlabel{%
11838 \csname p@mpfootnote\endcsname\@thefnmark}%
11839 \color@begingroup
11840 \@normalfootfmt{#1}%
11841 \color@endgroup}}

```



```

11842 \renewcommand{\@mpLTRfootnotetext}[1]{%
11843   \global\setbox\@mpfootins\vbox{%
11844     \unvbox\@mpfootins
11845     \@RTLfalse
11846     \def\baselinestretch{\m@m@footnote@spacing}%
11847     \reset@font%
11848     \LTRfoottextfont \hsize\columnwidth \@parboxrestore
11849     \protected@edef\@currentlabel{%
11850       \csname p@mpfootnote\endcsname\@thefnmark}%
11851     \color@begingroup
11852       \@normalLTRfootfmt{#1}%
11853     \color@endgroup}}
11854 \renewcommand{\@mpRTLfootnotetext}[1]{%
11855   \global\setbox\@mpfootins\vbox{%
11856     \unvbox\@mpfootins
11857     \@RTLtrue
11858     \def\baselinestretch{\m@m@footnote@spacing}%
11859     \reset@font%
11860     \RTLfoottextfont \hsize\columnwidth \@parboxrestore
11861     \protected@edef\@currentlabel{%
11862       \csname p@mpfootnote\endcsname\@thefnmark}%
11863     \color@begingroup
11864       \@normalRTLfootfmt{#1}%
11865     \color@endgroup}}
11866 \newcommand{\bidi@bidiold@mpRTLfootnotetext}[1]{%
11867   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
11868   \global\setbox\@mpfootins\vbox{%
11869     \unvbox\@mpfootins
11870     \@RTLtrue
11871     \def\baselinestretch{\m@m@footnote@spacing}%
11872     \reset@font%
11873     \RTLfoottextfont \hsize\columnwidth \@parboxrestore
11874     \protected@edef\@currentlabel{%
11875       \csname p@mpfootnote\endcsname\@thefnmark}%
11876     \color@begingroup
11877       \@normalRTLfootfmt{#1}%
11878     \color@endgroup}}
11879 \let\m@mold@footnotetext\@footnotetext
11880 \let\m@mold@LTRfootnotetext\@LTRfootnotetext
11881 \let\m@mold@RTLfootnotetext\@RTLfootnotetext
11882 \let\m@mold@mpfootnotetext\@mpfootnotetext
11883 \let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
11884 \let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
11885 \bidi@ensure@newcommand{\normalfootnotes}{%
11886   \@bidi@before@Hy@hyperfootnotes
11887   \let\@footnotetext\m@mold@footnotetext
11888   \let\@LTRfootnotetext\m@mold@LTRfootnotetext
11889   \let\@RTLfootnotetext\m@mold@RTLfootnotetext
11890   \let\@mpfootnotetext\m@mold@mpfootnotetext
11891   \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
11892   \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
11893   \@bidi@after@Hy@hyperfootnotes
11894   \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
11895 }

```



```

11896 \IfClassLoadedT{memoir}{\let\plainfootnotes\normalfootnotes}
11897 \bidi@ensure@newcommand*{\setSingleSpace}[1]{%
11898   \def\m@m@singlespace{#1}%
11899   \def\m@m@footnote@spacing{#1}%
11900   \def\m@m@float@spacing{#1} %
11901 }
11902 \setSingleSpace{1}
11903 \bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
11904 \bidi@ensure@newcommand*{\m@mmf@prepare}{%
11905   \kern-\multiplefootnotemarker
11906   \kern\multiplefootnotemarker\relax}
11907 \bidi@ensure@newlength{\footmarkwidth}
11908 \bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{#1}}
11909 \bidi@ensure@newcommand*{\LTRfootmarkstyle}[1]{\def\LTRfootscript##1{#1}}
11910 \bidi@ensure@newcommand*{\RTLfootmarkstyle}[1]{\def\RTLfootscript##1{#1}}
11911 \bidi@ensure@newcommand{\footfootmark}{%
11912   \ifdim\footmarkwidth < \z@
11913     \llap{\hb@xt@ -\footmarkwidth{%
11914       \hss\normalfont\footscript{\@thefnmark}}%
11915       \hspace*{-\footmarkwidth}}}%
11916   \else
11917     \ifdim\footmarkwidth = \z@
11918       {\normalfont\footscript{\@thefnmark}}%
11919     \else
11920       \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
11921     \fi
11922   \fi}
11923 \bidi@ensure@newcommand{\LTRfootfootmark}{%
11924   \ifdim\footmarkwidth < \z@
11925     \llap{\hb@xt@ -\footmarkwidth{%
11926       \hss\normalfont\LTRfootscript{\@thefnmark}}%
11927       \hspace*{-\footmarkwidth}}}%
11928   \else
11929     \ifdim\footmarkwidth = \z@
11930       {\normalfont\LTRfootscript{\@thefnmark}}%
11931     \else
11932       \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\@thefnmark}}%
11933     \fi
11934   \fi}
11935 \bidi@ensure@newcommand{\RTLfootfootmark}{%
11936   \ifdim\footmarkwidth < \z@
11937     \llap{\hb@xt@ -\footmarkwidth{%
11938       \hss\normalfont\RTLfootscript{\@thefnmark}}%
11939       \hspace*{-\footmarkwidth}}}%
11940   \else
11941     \ifdim\footmarkwidth = \z@
11942       {\normalfont\RTLfootscript{\@thefnmark}}%
11943     \else
11944       \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}%
11945     \fi
11946   \fi}
11947 \footmarkstyle{\textsuperscript{#1}}
11948 \LTRfootmarkstyle{\textsuperscript{#1}}
11949 \RTLfootmarkstyle{\textsuperscript{#1}}

```



```

11950 \newcommand*{\bidi@normal@footmarkwidth}{%
11951   \setlength{\footmarkwidth}{1em plus.3em minus.3em}%
11952 }
11953 \newcommand*{\bidi@star@footmarkwidth}{%
11954   \setlength{\footmarkwidth}{0em plus.3em minus.3em}%
11955 }
11956 \bidi@normal@footmarkwidth
11957 \bidi@ensure@newcommand{\m@mmdoextrafeet}{\extrafeetins}
11958 \bidi@ensure@newcommand*{\extrafeetins}{%
11959   \bidi@joinfootnotes\footinsv@r\@footstartv@r\@footgroupv@r
11960   \bidi@joinfootnotes\footinsv@l\@footstartv@l\@LTRfootgroupv@l
11961   \bidi@joinfootnotes\@bidi@copyins@{ }\@unvbox\@bidi@copyins@}%
11962   \extrafeetinshook}
11963 \bidi@ensure@newcommand{\extrafeetinshook}{ }
11964 \bidi@ensure@newcommand{\foottextfont}{\footnotesize}
11965 \bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
11966 \bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
11967 \bidi@ensure@newlength{\footinsdim}
11968   \setlength{\footinsdim}{8in} % standard for \dimen\footins
11969 \bidi@ensure@newcommand{\@preamfntext}{%
11970   \interlinepenalty\interfootnotelinepenalty
11971   \floatingpenalty \@MM
11972   \splittopskip=\footnotesep
11973   \splitmaxdepth=\dp\strutbox
11974   \@parboxrestore}
11975 \def\bidi@ifmulticol#1#2{\@tempswafalse
11976   \ifnum\col@number>\@ne
11977     \ifnum\count\footins>1999 \@tempwatrue \fi
11978   \fi
11979   \if@tempswa #1\else #2\fi
11980 }
11981 \def\bidi@joinfootnotes#1#2#3{%
11982   \ifvoid#1
11983   \else
11984     \@tempskipa\skip#1%
11985     \bidi@ifmulticol{\divide\@tempskipa\col@number}{ }%
11986     \edef\bidi@footskip{\vskip\the\@tempskipa\relax}%
11987     \bidi@removexfootskip
11988     \ifvoid\footins
11989       \global\setbox\footins\vbox{#2#3}%
11990     \else
11991       \global\setbox\footins\vbox{%
11992         \unvbox\footins
11993         \bidi@footskip
11994         #2#3%
11995       }%
11996     \fi
11997   \fi
11998 }
11999 \def\bidi@reinsertfootnote#1#2#3{%
12000   \ifvoid#1%
12001   \else
12002     \insert\footins{#2#3}%
12003   \fi

```





```

12004 }
12005 \def\bidi@joinmpfootnotes#1#2#3{%
12006   \ifvoid#1
12007   \else
12008     \@tempskipa\skip#1%
12009     \bidi@ifmulticol{\divide\@tempskipa\col@number}{}%
12010     \edef\bidi@footskip{\vskip\the\@tempskipa\relax}%
12011     \bidi@removexfootskip
12012     \ifvoid\@mpfootins
12013       \global\setbox\@mpfootins\vbox{#2#3}%
12014     \else
12015       \global\setbox\@mpfootins\vbox{%
12016         \unvbox\@mpfootins
12017         \bidi@footskip
12018         #2#3%
12019       }%
12020     \fi
12021   \fi
12022 }
12023 \newcount\bidi@absolute@page@count
12024 \bidi@absolute@page@count\@ne
12025 \newcount\bidi@absolute@footnote@count
12026 \bidi@AfterOutputBoxOutputPage{%
12027   \if@filesw
12028     \edef\@tempa{%
12029       \write\@auxout{%
12030         \string\bidi@finalfootnoteperpage%
12031         {\noexpand\number\noexpand\bidi@absolute@page@count}%
12032         {\noexpand\number\noexpand\bidi@absolute@footnote@count}%
12033       }%
12034     }%
12035     \@tempa
12036   \fi
12037 }
12038 \bidi@AtEndOutputPage{%
12039   \global\advance\bidi@absolute@page@count\@ne
12040 }
12041 \newcommand*\bidi@finalfootnoteperpage}[2]{%
12042   \expandafter\gdef\csname bidi@currentpagefinalfootnote@@#1\endcsname{#2}%
12043 }
12044 \newif\if@bidi@finalfootnoteperpage
12045 \newcommand{\bidi@ifafterfinalfootnoteperpage}[2]{%
12046   \if@bidi@csundef{bidi@currentpagefinalfootnote@@\number\bidi@absolute@page@count}{%
12047     \global\@bidi@finalfootnoteperpagetrue
12048   }{%
12049     \global\@bidi@finalfootnoteperpagefalse
12050     \ifnum\bidi@absolute@footnote@count=\bidi@csuse{bidi@currentpagefinalfootnote@@\number\bidi@absolute@footnote@count}
12051       #1%
12052     \else
12053       #2%
12054     \fi
12055   }%
12056 }
12057 \newcommand{\bidi@reinsertfinalfootnoteperpage}[3]{%

```



```

12058 \bidi@ifafterfinalfootnoteperpage{%
12059   \bidi@reinsertfootnote{#1}{#2}{#3}%
12060 }{%
12061 }%
12062 }
12063 \newcommand*{\bidi@step@absolutefootnote@count}{%
12064   \global\advance\bidi@absolutefootnote@count\one
12065 }
12066 \bidi@AfterEndDocumentCheckLabelsRerun{%
12067   \if\bidi@finalfootnoteperpage
12068     \PackageWarningNoLine{bidi}{%
12069       The absolute final footnote is not
12070       known on every page of your
12071       document. Rerun TeX to get the
12072       absolute final footnote on every page
12073       of your document%
12074     }%
12075   \fi
12076 }
12077 \bidi@ensure@newcommand{\m@mdoextrafeetmini}{%
12078   \extrafeetminihook}
12079 \bidi@ensure@newcommand{\extrafeetendmini}{%
12080 \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
12081 \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
12082 \extrafeetendminihook}
12083 \bidi@ensure@newcommand{\extrafeetendminihook}{%
12084 \bidi@ensure@newcommand{\m@mdoextrafeetendmini}{\extrafeetendmini}
12085 \def\endminipage{%
12086   \par
12087   \unskip
12088   \m@mdoextrafeetendmini
12089   \ifvoid\@mpfootins
12090   \else
12091     \vskip\skip\@mpfootins
12092     \normalcolor
12093     \footnoterule
12094     \unvbox\@mpfootins
12095   \fi
12096   \@minipagefalse
12097   \color@endgroup
12098   \egroup
12099   \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
12100 \bidi@ensure@newcommand{\m@make@footstart}[1]{%
12101   \@namedef{footstart#1}{%
12102     \leftskip=\z@
12103     \rightskip=\z@
12104     \parindent=\z@
12105   }%
12106 }
12107 \newinsert\footinsv@r
12108 \skip\footinsv@r\skip\footins
12109 \count\footinsv@r=1000 % no magnification
12110 \dimen\footinsv@r=\footinsdim
12111 \m@make@footstart{v@r}

```



```

12112 \newinsert\footinsv@l
12113 \skip\footinsv@l\skip\footins
12114 \count\footinsv@l=1000 % no magnification
12115 \dimen\footinsv@l=\footinsdim
12116 \make@footstart{v@l}
12117 \bidi@ensure@newcommand{\@footgroupv@r}{-}
12118 \newinsert\@mpfootinsv@r
12119 \skip\@mpfootinsv@r\skip\@mpfootins
12120 \newinsert\@mpfootinsv@l
12121 \skip\@mpfootinsv@l\skip\@mpfootins
12122 \bidi@ensure@newcommand{\mp@footgroupv@r}{-}
12123 \newcount\m@m@k \newdimen\m@m@h
12124 \bidi@ensure@newcommand*{\m@m@rigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
12125 \@@line{\beginR\splittopskip=\m@m@h \vbadness=\@M \hfilneg
12126 \valign{##\vfill\cr\m@m@dosplits}\endR}}
12127 \newcommand*{\bidi@LTRrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
12128 \@@line{\beginL\splittopskip=\m@m@h \vbadness=\@M \hfilneg
12129 \valign{##\vfill\cr\m@m@dosplits}\endL}}
12130 \bidi@ensure@newcommand*{\m@m@dosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@m@splitoff
12131 \global\advance\m@m@k-1\cr\m@m@dosplits\fi}
12132 \bidi@ensure@newcommand*{\m@m@splitoff}{\dimen0=\ht0
12133 \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
12134 \setbox2 \vsplit0 to \dimen0
12135 \unvbox2 }
12136 \bidi@ensure@newcommand{\twocolumnfootnotes}{%
12137 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
12138 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12139 \@bidi@before@Hy@hyperfootnotes
12140 \let\@footnotetext\@twocolfootnotetext
12141 \let\@LTRfootnotetext\@twocolLTRfootnotetext
12142 \let\@RTLfootnotetext\@twocolRTLfootnotetext
12143 \dimen\footinsv@r=2\footinsdim
12144 \count\footinsv@r=500\relax
12145 \make@twocol@footgroup{v@r}%
12146 \let\@footgroupv@r\@twocol@footgroupv@r
12147 \dimen\footinsv@l=2\footinsdim
12148 \count\footinsv@l=500\relax
12149 \bidi@make@twocol@LTRfootgroup{v@l}%
12150 \let\@LTRfootgroupv@l\@twocol@LTRfootgroupv@l
12151 \let\@mpfootnotetext\@mptwocolfootnotetext
12152 \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
12153 \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
12154 \@bidi@after@Hy@hyperfootnotes
12155 \make@mptwocol@footgroup{v@r}%
12156 \let\mp@footgroupv@r\@mptwocol@footgroupv@r
12157 \bidi@make@mptwocol@LTRfootgroup{v@l}%
12158 \let\mp@LTRfootgroupv@l\@mptwocol@LTRfootgroupv@l
12159 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12160 }
12161 \newcommand{\TwoColumnFootnotes}{%
12162 \@namedef{foottextfontv@r}{\foottextfont}%
12163 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12164 \@bidi@before@Hy@hyperfootnotes
12165 \let\@footnotetext\@TwoColfootnotetext

```



```

12166 \let\@LTRfootnotetext\@TwoColLTRfootnotetext
12167 \let\@RTLfootnotetext\@TwoColRTLfootnotetext
12168 \dimen\footinsv@r=2\footinsdim
12169 \count\footinsv@r=500\relax
12170 \m@make@twocol@footgroup{v@r}%
12171 \let\@footgroupv@r\@twocol@footgroupv@r
12172 \dimen\footinsv@l=2\footinsdim
12173 \count\footinsv@l=500\relax
12174 \bidi@make@twocol@LTRfootgroup{v@l}%
12175 \let\@LTRfootgroupv@l\@twocol@LTRfootgroupv@l
12176 \let\@mpfootnotetext\@mpTwoColfootnotetext
12177 \let\@mpLTRfootnotetext\@mpTwoColLTRfootnotetext
12178 \let\@mpRTLfootnotetext\@mpTwoColRTLfootnotetext
12179 \@bidi@after@Hy@hyperfootnotes
12180 \m@make@emptwocol@footgroup{v@r}%
12181 \let\mp@footgroupv@r\@emptwocol@footgroupv@r
12182 \bidi@make@emptwocol@LTRfootgroup{v@l}%
12183 \let\mp@LTRfootgroupv@l\@emptwocol@LTRfootgroupv@l
12184 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12185 }
12186 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert
12187 \ifRTL@footnote
12188 \footinsv@r
12189 \else
12190 \footinsv@l
12191 \fi
12192 {\ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12193 \def\baselinestretch{\m@footnote@spacing}%
12194 \reset@font\foottextfont
12195 \@preamfntext
12196 \protected@edef\@currentlabel{%
12197 \csname p@footnote\endcsname\@thefnmark}%
12198 \color@begingroup
12199 \@twocolfootfmt{#1}%
12200 \color@endgroup}%
12201 \m@mmf@prepare}
12202 \newcommand{\@TwoColfootnotetext}[1]{%
12203 \bidi@step@absolute@footnote@count
12204 \ifRTL@footnote
12205 \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12206 \else
12207 \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
12208 \fi
12209 \global\setbox
12210 \ifRTL@footnote
12211 \footinsv@r
12212 \else
12213 \footinsv@l
12214 \fi
12215 \vbox{%
12216 \unvbox
12217 \ifRTL@footnote
12218 \footinsv@r
12219 \else

```



```

12220   \footinsv@l
12221   \fi
12222   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12223   \def\baselinestretch{\m@m@footnote@spacing}%
12224   \reset@font\foottextfont
12225   \@preamfntext
12226   \protected@edef\@currentlabel{%
12227     \csname p@footnote\endcsname\@thefnmark}%
12228   \color@begingroup
12229     \@twocolfootfmt{#1}%
12230   \color@endgroup}%
12231   \m@mmf@prepare
12232   \if@RTL@footnote
12233     \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
12234   \else
12235     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12236   \fi
12237 }
12238 \bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12239   \def\baselinestretch{\m@m@footnote@spacing}%
12240   \reset@font\LTRfoottextfont
12241   \@preamfntext
12242   \protected@edef\@currentlabel{%
12243     \csname p@footnote\endcsname\@thefnmark}%
12244   \color@begingroup
12245     \@twocolLTRfootfmt{#1}%
12246   \color@endgroup}%
12247   \m@mmf@prepare}
12248 \newcommand{\@TwoCollTRfootnotetext}[1]{%
12249   \bidi@step@absolute@footnote@count
12250   \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
12251   \global\setbox\footinsv@l\vbox{%
12252     \unvbox\footinsv@l
12253     \@RTLfalse
12254     \def\baselinestretch{\m@m@footnote@spacing}%
12255     \reset@font\LTRfoottextfont
12256     \@preamfntext
12257     \protected@edef\@currentlabel{%
12258       \csname p@footnote\endcsname\@thefnmark}%
12259     \color@begingroup
12260       \@twocolLTRfootfmt{#1}%
12261     \color@endgroup}%
12262     \m@mmf@prepare
12263     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12264 }
12265 \bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12266   \def\baselinestretch{\m@m@footnote@spacing}%
12267   \reset@font\RTLfoottextfont
12268   \@preamfntext
12269   \protected@edef\@currentlabel{%
12270     \csname p@footnote\endcsname\@thefnmark}%
12271   \color@begingroup
12272     \@twocolRTLfootfmt{#1}%
12273   \color@endgroup}%

```



```

12274 \m@mmf@prepare}
12275 \newcommand{\@TwoColRTLfootnotetext}[1]{%
12276 \bidi@step@absolutefootnote@count
12277 \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12278 \global\setbox\footinsv@r\vbox{%
12279 \unvbox\footinsv@r
12280 \RTLtrue
12281 \def\baselinestretch{\m@m@footnote@spacing}%
12282 \reset@font\RTLfoottextfont
12283 \@preamfntext
12284 \protected@edef\@currentlabel{%
12285 \csname p@footnote\endcsname\@thefnmark}%
12286 \color@begingroup
12287 \@twocolRTLfootfmt{#1}%
12288 \color@endgroup}%
12289 \m@mmf@prepare
12290 \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
12291 }
12292 \bidi@ensure@newcommand{\@preamtwofmt}{%
12293 \hsize .45\hsize
12294 \parindent=\z@
12295 \tolerance=5000\relax
12296 \leavevmode}
12297 \bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
12298 \@preamtwofmt
12299 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12300 \bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
12301 \@preamtwofmt
12302 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12303 \bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
12304 \@preamtwofmt
12305 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12306 \bidi@ensure@newcommand{\@emptwocolfootnotetext}[1]{%
12307 \global\setbox
12308 \if@RTL@footnote
12309 \mpfootinsv@r
12310 \else
12311 \mpfootinsv@l
12312 \fi
12313 \vbox{%
12314 \unvbox
12315 \if@RTL@footnote
12316 \mpfootinsv@r
12317 \else
12318 \mpfootinsv@l
12319 \fi
12320 \if@RTL@footnote\RTLtrue\else\RTLfalse\fi
12321 \def\baselinestretch{\m@m@footnote@spacing}%
12322 \reset@font\foottextfont
12323 \hsize\columnwidth \@parboxrestore
12324 \protected@edef\@currentlabel{%
12325 \csname p@mpfootnote\endcsname\@thefnmark}%
12326 \color@begingroup
12327 \@twocolfootfmt{#1}%

```



```

12328 \color@endgroup}%
12329 \m@mmf@prepare}
12330 \newcommand{\@mpTwoColFootnotetext}[1]{%
12331   \if@RTL@footnote
12332     \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
12333   \else
12334     \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
12335   \fi
12336   \global\setbox
12337     \if@RTL@footnote
12338     \@mpfootinsv@r
12339   \else
12340     \@mpfootinsv@l
12341   \fi
12342   \vbox{%
12343     \unvbox
12344     \if@RTL@footnote
12345     \@mpfootinsv@r
12346   \else
12347     \@mpfootinsv@l
12348   \fi
12349   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12350   \def\baselinestretch{\m@m@footnote@spacing}%
12351   \reset@font\foottextfont
12352   \hsize\columnwidth \@parboxrestore
12353   \protected@edef\@currentlabel{%
12354     \csname p@mpfootnote\endcsname\@thefnmark}%
12355   \color@begingroup
12356     \@twocolfootfmt{#1}%
12357   \color@endgroup}%
12358   \m@mmf@prepare}
12359 \bidi@ensure@newcommand{\@mptwoCOLLTRfootnotetext}[1]{%
12360   \global\setbox\@mpfootinsv@l\vbox{%
12361     \unvbox\@mpfootinsv@l
12362     \@RTLfalse
12363     \def\baselinestretch{\m@m@footnote@spacing}%
12364     \reset@font\LTRfoottextfont
12365     \hsize\columnwidth \@parboxrestore
12366     \protected@edef\@currentlabel{%
12367       \csname p@mpfootnote\endcsname\@thefnmark}%
12368     \color@begingroup
12369       \@twocolLTRfootfmt{#1}%
12370     \color@endgroup}%
12371     \m@mmf@prepare}
12372 \newcommand{\@mpTwoCOLLTRfootnotetext}[1]{%
12373   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
12374   \global\setbox\@mpfootinsv@l\vbox{%
12375     \unvbox\@mpfootinsv@l
12376     \@RTLfalse
12377     \def\baselinestretch{\m@m@footnote@spacing}%
12378     \reset@font\LTRfoottextfont
12379     \hsize\columnwidth \@parboxrestore
12380     \protected@edef\@currentlabel{%
12381       \csname p@mpfootnote\endcsname\@thefnmark}%

```



```

12382 \color@begingroup
12383   \@twocolLTRfootfmt{#1}%
12384 \color@endgroup}%
12385 \m@mmf@prepare}
12386 \bidi@ensure@newcommand{\@mptwocolRTLfootnotetext}[1]{%
12387   \global\setbox\@mpfootinsv@r\vbox{%
12388     \unvbox\@mpfootinsv@r
12389     \RTLtrue
12390     \def\baselinestretch{\m@m@footnote@spacing}%
12391     \reset@font\RTLfoottextfont
12392     \hsize\columnwidth \@parboxrestore
12393     \protected@edef\@currentlabel{%
12394       \csname p@mpfootnote@endcsname\@thefnmark}%
12395   \color@begingroup
12396     \@twocolRTLfootfmt{#1}%
12397   \color@endgroup}%
12398   \m@mmf@prepare}
12399 \newcommand{\@mpTwoColRTLfootnotetext}[1]{%
12400   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
12401   \global\setbox\@mpfootinsv@r\vbox{%
12402     \unvbox\@mpfootinsv@r
12403     \RTLtrue
12404     \def\baselinestretch{\m@m@footnote@spacing}%
12405     \reset@font\RTLfoottextfont
12406     \hsize\columnwidth \@parboxrestore
12407     \protected@edef\@currentlabel{%
12408       \csname p@mpfootnote@endcsname\@thefnmark}%
12409   \color@begingroup
12410     \@twocolRTLfootfmt{#1}%
12411   \color@endgroup}%
12412   \m@mmf@prepare}
12413 \bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
12414   \@namedef{@twocol@footgroup#1}{%
12415     \def\baselinestretch{\m@m@footnote@spacing}%
12416     \hsize\bidi@columnwidth
12417     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12418     \m@mrigidbalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}
12419 \newcommand{\bidi@make@twocol@LTRfootgroup}[1]{%
12420   \@namedef{@twocol@LTRfootgroup#1}{%
12421     \def\baselinestretch{\m@m@footnote@spacing}%
12422     \hsize\bidi@columnwidth
12423     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12424     \bidi@LTRrigidbalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}
12425 \bidi@ensure@newcommand{\m@make@mptwocol@footgroup}[1]{%
12426   \@namedef{@mptwocol@footgroup#1}{%
12427     \def\baselinestretch{\m@m@footnote@spacing}%
12428     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12429     \m@mrigidbalance{\@nameuse{mpfootins#1}}{\tw@}{\splittopskip}}
12430 \newcommand{\bidi@make@mptwocol@LTRfootgroup}[1]{%
12431   \@namedef{@mptwocol@LTRfootgroup#1}{%
12432     \def\baselinestretch{\m@m@footnote@spacing}%
12433     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12434     \bidi@LTRrigidbalance{\@nameuse{mpfootins#1}}{\tw@}{\splittopskip}}
12435 \bidi@ensure@newcommand{\threecolumnfootnotes}{%

```





```

12436 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
12437 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12438 \@bidi@before@Hy@hyperfootnotes
12439 \let\@footnotetext\@threecolfootnotetext
12440 \let\@LTRfootnotetext\@threecolLTRfootnotetext
12441 \let\@RTLfootnotetext\@threecolRTLfootnotetext
12442 \dimen\footinsv@r=3\footinsdim
12443 \count\footinsv@r=333\relax
12444 \m@make@threecol@footgroup{v@r}%
12445 \let\@footgroupv@r\@threecol@footgroupv@r
12446 \dimen\footinsv@l=3\footinsdim
12447 \count\footinsv@l=333\relax
12448 \bidi@make@threecol@LTRfootgroup{v@l}%
12449 \let\@LTRfootgroupv@l\@threecol@LTRfootgroupv@l
12450 \let\@mpfootnotetext\@mpthreecolfootnotetext
12451 \let\@mpLTRfootnotetext\@mpthreecolLTRfootnotetext
12452 \let\@mpRTLfootnotetext\@mpthreecolRTLfootnotetext
12453 \@bidi@after@Hy@hyperfootnotes
12454 \m@make@mpthreecol@footgroup{v@r}%
12455 \let\mp@footgroupv@r\@mpthreecol@footgroupv@r
12456 \bidi@make@mpthreecol@LTRfootgroup{v@l}%
12457 \let\mp@LTRfootgroupv@l\@mpthreecol@LTRfootgroupv@l
12458 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12459 }
12460 \newcommand{\ThreeColumnFootnotes}{%
12461 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
12462 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12463 \@bidi@before@Hy@hyperfootnotes
12464 \let\@footnotetext\@ThreeColfootnotetext
12465 \let\@LTRfootnotetext\@ThreeColLTRfootnotetext
12466 \let\@RTLfootnotetext\@ThreeColRTLfootnotetext
12467 \dimen\footinsv@r=3\footinsdim
12468 \count\footinsv@r=333\relax
12469 \m@make@threecol@footgroup{v@r}%
12470 \let\@footgroupv@r\@threecol@footgroupv@r
12471 \dimen\footinsv@l=3\footinsdim
12472 \count\footinsv@l=333\relax
12473 \bidi@make@threecol@LTRfootgroup{v@l}%
12474 \let\@LTRfootgroupv@l\@threecol@LTRfootgroupv@l
12475 \let\@mpfootnotetext\@mpThreeColfootnotetext
12476 \let\@mpLTRfootnotetext\@mpThreeColLTRfootnotetext
12477 \let\@mpRTLfootnotetext\@mpThreeColRTLfootnotetext
12478 \@bidi@after@Hy@hyperfootnotes
12479 \m@make@mpthreecol@footgroup{v@r}%
12480 \let\mp@footgroupv@r\@mpthreecol@footgroupv@r
12481 \bidi@make@mpthreecol@LTRfootgroup{v@l}%
12482 \let\mp@LTRfootgroupv@l\@mpthreecol@LTRfootgroupv@l
12483 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12484 }
12485 \bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert
12486 \if@RTL@footnote
12487 \footinsv@r
12488 \else
12489 \footinsv@l

```



```

12490 \fi
12491 {\ifRTL@footnote\RTLtrue\else\RTLfalse\fi%
12492 \def\baselinestretch{\m@m@footnote@spacing}%
12493 \reset@font\foottextfont
12494 \@preamfntext
12495 \protected@edef\@currentlabel{%
12496 \csname p@footnote\endcsname\@thefnmark}%
12497 \color@begingroup
12498 \@threecolfootfmt{#1}%
12499 \color@endgroup}\m@mmf@prepare}
12500 \newcommand{\@ThreeColfootnotetext}[1]{%
12501 \bidi@step@absolute@footnote@count
12502 \ifRTL@footnote
12503 \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12504 \else
12505 \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
12506 \fi
12507 \global\setbox
12508 \ifRTL@footnote
12509 \footinsv@r
12510 \else
12511 \footinsv@l
12512 \fi
12513 \vbox{%
12514 \unvbox
12515 \ifRTL@footnote
12516 \footinsv@r
12517 \else
12518 \footinsv@l
12519 \fi
12520 \ifRTL@footnote\RTLtrue\else\RTLfalse\fi
12521 \def\baselinestretch{\m@m@footnote@spacing}%
12522 \reset@font\foottextfont
12523 \@preamfntext
12524 \protected@edef\@currentlabel{%
12525 \csname p@footnote\endcsname\@thefnmark}%
12526 \color@begingroup
12527 \@threecolfootfmt{#1}%
12528 \color@endgroup}\m@mmf@prepare
12529 \ifRTL@footnote
12530 \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
12531 \else
12532 \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12533 \fi
12534 }
12535 \bidi@ensure@newcommand{\@threecolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12536 \def\baselinestretch{\m@m@footnote@spacing}%
12537 \reset@font\LTRfoottextfont
12538 \@preamfntext
12539 \protected@edef\@currentlabel{%
12540 \csname p@footnote\endcsname\@thefnmark}%
12541 \color@begingroup
12542 \@threecolLTRfootfmt{#1}%
12543 \color@endgroup}\m@mmf@prepare}

```



```

12544 \newcommand{\@ThreeCollTRfootnotetext}[1]{%
12545   \bidi@step@absolutefootnote@count
12546   \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
12547   \global\setbox\footinsv@l\vbox{%
12548     \unvbox\footinsv@l
12549     \@RTLfalse
12550     \def\baselinestretch{\m@m@footnote@spacing}%
12551     \reset@font\LTRfoottextfont
12552     \@preamfntext
12553     \protected@edef\@currentlabel{%
12554       \csname p@footnote\endcsname\@thefnmark}%
12555     \color@begingroup
12556       \@threecolLTRfootfmt{#1}%
12557     \color@endgroup}\m@mmf@prepare
12558   \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12559 }
12560 \bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12561   \def\baselinestretch{\m@m@footnote@spacing}%
12562   \reset@font\RTLfoottextfont
12563   \@preamfntext
12564   \protected@edef\@currentlabel{%
12565     \csname p@footnote\endcsname\@thefnmark}%
12566   \color@begingroup
12567     \@threecolRTLfootfmt{#1}%
12568   \color@endgroup}\m@mmf@prepare}
12569 \newcommand{\@ThreeColRTLfootnotetext}[1]{%
12570   \bidi@step@absolutefootnote@count
12571   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12572   \global\setbox\footinsv@r\vbox{%
12573     \unvbox\footinsv@r
12574     \@RTLtrue
12575     \def\baselinestretch{\m@m@footnote@spacing}%
12576     \reset@font\RTLfoottextfont
12577     \@preamfntext
12578     \protected@edef\@currentlabel{%
12579       \csname p@footnote\endcsname\@thefnmark}%
12580     \color@begingroup
12581       \@threecolRTLfootfmt{#1}%
12582     \color@endgroup}\m@mmf@prepare
12583   \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
12584 }
12585 \bidi@ensure@newcommand{\@preamthreefmt}{%
12586   \hspace .3\hspace
12587   \parindent=\z@
12588   \tolerance=5000\relax
12589   \leavevmode}
12590 \bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
12591   \@preamthreefmt
12592   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12593 \bidi@ensure@newcommand{\@threecolLTRfootfmt}[1]{%
12594   \@preamthreefmt
12595   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12596 \bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
12597   \@preamthreefmt

```



```

12598 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12599 \bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
12600 \global\setbox
12601 \if@RTL@footnote
12602 \@mpfootinsv@r
12603 \else
12604 \@mpfootinsv@l
12605 \fi
12606 \vbox{%
12607 \unvbox
12608 \if@RTL@footnote
12609 \@mpfootinsv@r
12610 \else
12611 \@mpfootinsv@l
12612 \fi
12613 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12614 \def\baselinestretch{\m@m@footnote@spacing}%
12615 \reset@font\foottextfont
12616 \hsize\columnwidth \@parboxrestore
12617 \protected@edef\@currentlabel{%
12618 \csname p@mpfootnote\endcsname\@thefnmark}%
12619 \color@begingroup
12620 \@threecolfootfmt{#1}%
12621 \color@endgroup}\m@mmf@prepare}
12622 \newcommand{\@mpThreeColFootnotetext}[1]{%
12623 \if@RTL@footnote
12624 \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
12625 \else
12626 \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
12627 \fi
12628 \global\setbox
12629 \if@RTL@footnote
12630 \@mpfootinsv@r
12631 \else
12632 \@mpfootinsv@l
12633 \fi
12634 \vbox{%
12635 \unvbox
12636 \if@RTL@footnote
12637 \@mpfootinsv@r
12638 \else
12639 \@mpfootinsv@l
12640 \fi
12641 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12642 \def\baselinestretch{\m@m@footnote@spacing}%
12643 \reset@font\foottextfont
12644 \hsize\columnwidth \@parboxrestore
12645 \protected@edef\@currentlabel{%
12646 \csname p@mpfootnote\endcsname\@thefnmark}%
12647 \color@begingroup
12648 \@threecolfootfmt{#1}%
12649 \color@endgroup}\m@mmf@prepare}
12650 \bidi@ensure@newcommand{\@mpthreecolLTRfootnotetext}[1]{%
12651 \global\setbox\@mpfootinsv@l\vbox{%

```



```

12652 \unvbox\@mpfootinsv@l
12653 \@RTLfalse
12654 \def\baselinestretch{\m@m@footnote@spacing}%
12655 \reset@font\LTRfoottextfont
12656 \hsize\columnwidth \@parboxrestore
12657 \protected@edef\@currentlabel{%
12658   \csname p@mpfootnote\endcsname\@thefnmark}%
12659 \color@begingroup
12660   \@threecolLTRfootfmt{#1}%
12661 \color@endgroup}\m@mmf@prepare}
12662 \newcommand{\@mpThreeColLTRfootnotetext}[1]{%
12663   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
12664   \global\setbox\@mpfootinsv@l\vbox{%
12665     \unvbox\@mpfootinsv@l
12666     \@RTLfalse
12667     \def\baselinestretch{\m@m@footnote@spacing}%
12668     \reset@font\LTRfoottextfont
12669     \hsize\columnwidth \@parboxrestore
12670     \protected@edef\@currentlabel{%
12671       \csname p@mpfootnote\endcsname\@thefnmark}%
12672     \color@begingroup
12673     \@threecolLTRfootfmt{#1}%
12674     \color@endgroup}\m@mmf@prepare}
12675 \bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
12676   \global\setbox\@mpfootinsv@r\vbox{%
12677     \unvbox\@mpfootinsv@r
12678     \@RTLtrue
12679     \def\baselinestretch{\m@m@footnote@spacing}%
12680     \reset@font\RTLfoottextfont
12681     \hsize\columnwidth \@parboxrestore
12682     \protected@edef\@currentlabel{%
12683       \csname p@mpfootnote\endcsname\@thefnmark}%
12684     \color@begingroup
12685     \@threecolRTLfootfmt{#1}%
12686     \color@endgroup}\m@mmf@prepare}
12687 \newcommand{\@mpThreeColRTLfootnotetext}[1]{%
12688   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
12689   \global\setbox\@mpfootinsv@r\vbox{%
12690     \unvbox\@mpfootinsv@r
12691     \@RTLtrue
12692     \def\baselinestretch{\m@m@footnote@spacing}%
12693     \reset@font\RTLfoottextfont
12694     \hsize\columnwidth \@parboxrestore
12695     \protected@edef\@currentlabel{%
12696       \csname p@mpfootnote\endcsname\@thefnmark}%
12697     \color@begingroup
12698     \@threecolRTLfootfmt{#1}%
12699     \color@endgroup}\m@mmf@prepare}
12700 \bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
12701 \@namedef{\@threecol@footgroup#1}{%
12702 \def\baselinestretch{\m@m@footnote@spacing}%
12703 \hsize\bidi@columnwidth
12704 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12705 \m@mrigidbalance{\@nameuse{footins#1}}{\thr@@}{\splittopskip}}

```



```

12706 \newcommand{\bidi@make@threecol@LTRfootgroup}[1]{%
12707 \@namedef{@threecol@LTRfootgroup#1}{%
12708 \def\baselinestretch{\m@m@footnote@spacing}%
12709 \hsize\bidi@columnwidth
12710 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12711 \bidi@LTRrigidbalance{\@nameuse{footins#1}}{\thr@@}{\splittopskip}}}}
12712 \bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
12713 \@namedef{@mpthreecol@footgroup#1}{%
12714 \def\baselinestretch{\m@m@footnote@spacing}%
12715 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12716 \m@r@rigidbalance{\@nameuse{mpfootins#1}}{\thr@@}{\splittopskip}}}}
12717 \newcommand{\bidi@make@mpthreecol@LTRfootgroup}[1]{%
12718 \@namedef{@mpthreecol@LTRfootgroup#1}{%
12719 \def\baselinestretch{\m@m@footnote@spacing}%
12720 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12721 \bidi@LTRrigidbalance{\@nameuse{mpfootins#1}}{\thr@@}{\splittopskip}}}}
12722 \bidi@ensure@newcommand{\fourcolumnfootnotes}{%
12723 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
12724 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12725 \@bidi@before@Hy@hyperfootnotes
12726 \let\@footnotetext\@fourcolfootnotetext
12727 \let\@LTRfootnotetext\@fourcolLTRfootnotetext
12728 \let\@RTLfootnotetext\@fourcolRTLfootnotetext
12729 \dimen\footinsv@r=4\footinsdim
12730 \count\footinsv@r=250\relax
12731 \m@make@fourcol@footgroup{v@r}%
12732 \let\@footgroupv@r\@fourcol@footgroupv@r
12733 \dimen\footinsv@l=4\footinsdim
12734 \count\footinsv@l=250\relax
12735 \bidi@make@fourcol@LTRfootgroup{v@l}%
12736 \let\@LTRfootgroupv@l\@fourcol@LTRfootgroupv@l
12737 \let\@mpfootnotetext\@mpfourcolfootnotetext
12738 \let\@mpLTRfootnotetext\@mpfourcolLTRfootnotetext
12739 \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
12740 \@bidi@after@Hy@hyperfootnotes
12741 \m@make@mpfourcol@footgroup{v@r}%
12742 \let\mp@footgroupv@r\@mpfourcol@footgroupv@r
12743 \bidi@make@mpfourcol@LTRfootgroup{v@l}%
12744 \let\mp@LTRfootgroupv@l\@mpfourcol@LTRfootgroupv@l
12745 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12746 }
12747 \newcommand{\FourColumnFootnotes}{%
12748 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
12749 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12750 \@bidi@before@Hy@hyperfootnotes
12751 \let\@footnotetext\@FourColfootnotetext
12752 \let\@LTRfootnotetext\@FourColLTRfootnotetext
12753 \let\@RTLfootnotetext\@FourColRTLfootnotetext
12754 \dimen\footinsv@r=4\footinsdim
12755 \count\footinsv@r=250\relax
12756 \m@make@fourcol@footgroup{v@r}%
12757 \let\@footgroupv@r\@fourcol@footgroupv@r
12758 \dimen\footinsv@l=4\footinsdim
12759 \count\footinsv@l=250\relax

```



```

12760 \bidi@make@fourcol@LTRfootgroup{v@1}%
12761 \let@LTRfootgroupv@1\@fourcol@LTRfootgroupv@1
12762 \let@mpfootnotetext\@mpFourColfootnotetext
12763 \let@mpLTRfootnotetext\@mpFourCollTRfootnotetext
12764 \let@mpRTLfootnotetext\@mpFourColRTLfootnotetext
12765 \@bidi@after@Hy@hyperfootnotes
12766 \m@make@mpfourcol@footgroup{v@r}%
12767 \let@mp@footgroupv@r\@mpfourcol@footgroupv@r
12768 \bidi@make@mpfourcol@LTRfootgroup{v@1}%
12769 \let@mp@LTRfootgroupv@1\@mpfourcol@LTRfootgroupv@1
12770 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12771 }
12772 \bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert
12773 \if@RTL@footnote
12774 \footinsv@r
12775 \else
12776 \footinsv@l
12777 \fi
12778 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12779 \def\baselinestretch{\m@mm@footnote@spacing}%
12780 \reset@font\foottextfont
12781 \@preamfntext
12782 \protected@edef\@currentlabel{%
12783 \csname p@footnote\endcsname\@thefnmark}%
12784 \color@begingroup
12785 \@fourcolfootfmt{#1}%
12786 \color@endgroup}%
12787 \m@mmf@prepare}
12788 \newcommand{\@FourColfootnotetext}[1]{%
12789 \bidi@step@absolutefootnote@count
12790 \if@RTL@footnote
12791 \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@1
12792 \else
12793 \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
12794 \fi
12795 \global\setbox
12796 \if@RTL@footnote
12797 \footinsv@r
12798 \else
12799 \footinsv@l
12800 \fi
12801 \vbox{%
12802 \unvbox
12803 \if@RTL@footnote
12804 \footinsv@r
12805 \else
12806 \footinsv@l
12807 \fi
12808 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12809 \def\baselinestretch{\m@mm@footnote@spacing}%
12810 \reset@font\foottextfont
12811 \@preamfntext
12812 \protected@edef\@currentlabel{%
12813 \csname p@footnote\endcsname\@thefnmark}%

```



```

12814 \color@begingroup
12815   \@fourcolfootfmt{#1}%
12816 \color@endgroup}%
12817 \m@mmf@prepare
12818 \if@RTL@footnote
12819   \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
12820 \else
12821   \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12822 \fi
12823 }
12824 \bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12825   \def\baselinestretch{\m@mm@footnote@spacing}%
12826   \reset@font\LTRfoottextfont
12827   \@preamfntext
12828   \protected@edef\@currentlabel{%
12829     \csname p@footnote\endcsname\@thefnmark}%
12830   \color@begingroup
12831     \@fourcolLTRfootfmt{#1}%
12832   \color@endgroup}%
12833   \m@mmf@prepare}
12834 \newcommand{\@FourColLTRfootnotetext}[1]{%
12835   \bidi@step@absolute@footnote@count
12836   \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
12837   \global\setbox\footinsv@l\vbox{%
12838     \unvbox\footinsv@l
12839     \@RTLfalse%
12840     \def\baselinestretch{\m@mm@footnote@spacing}%
12841     \reset@font\LTRfoottextfont
12842     \@preamfntext
12843     \protected@edef\@currentlabel{%
12844       \csname p@footnote\endcsname\@thefnmark}%
12845     \color@begingroup
12846       \@fourcolLTRfootfmt{#1}%
12847     \color@endgroup}%
12848     \m@mmf@prepare
12849     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12850 }
12851 \bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12852   \def\baselinestretch{\m@mm@footnote@spacing}%
12853   \reset@font\RTLfoottextfont
12854   \@preamfntext
12855   \protected@edef\@currentlabel{%
12856     \csname p@footnote\endcsname\@thefnmark}%
12857   \color@begingroup
12858     \@fourcolRTLfootfmt{#1}%
12859   \color@endgroup}%
12860   \m@mmf@prepare}
12861 \newcommand{\@FourColRTLfootnotetext}[1]{%
12862   \bidi@step@absolute@footnote@count
12863   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12864   \global\setbox\footinsv@r\vbox{%
12865     \unvbox\footinsv@r
12866     \@RTLtrue
12867   \def\baselinestretch{\m@mm@footnote@spacing}%

```





```

12868 \reset@font\RTLfoottextfont
12869 \@preamfntext
12870 \protected@edef\@currentlabel{%
12871   \csname p@footnote\endcsname\@thefnmark}%
12872 \color@begingroup
12873   \@fourcolRTLfootfmt{#1}%
12874 \color@endgroup}%
12875 \m@mmf@prepare
12876 \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
12877 }
12878 \bidi@ensure@newcommand{\@preamfourfmt}{%
12879   \hspace .25\hspace
12880   \parindent=\z@
12881   \tolerance=5000\relax
12882   \leavevmode}
12883 \bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
12884   \@preamfourfmt
12885   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12886 \bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
12887   \@preamfourfmt
12888   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12889 \bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%
12890   \@preamfourfmt
12891   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12892 \bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%
12893   \global\setbox
12894     \if@RTL@footnote
12895     \@mpfootinsv@r
12896   \else
12897     \@mpfootinsv@l
12898   \fi
12899   \vbox{%
12900     \unvbox
12901     \if@RTL@footnote
12902     \@mpfootinsv@r
12903   \else
12904     \@mpfootinsv@l
12905   \fi
12906   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12907   \def\baselinestretch{\m@m@footnote@spacing}%
12908   \reset@font\foottextfont
12909   \hspace\columnwidth \@parboxrestore
12910   \protected@edef\@currentlabel{%
12911     \csname p@mpfootnote\endcsname\@thefnmark}%
12912   \color@begingroup
12913     \@fourcolfootfmt{#1}%
12914   \color@endgroup}%
12915   \m@mmf@prepare}
12916 \newcommand{\@mpFourColfootnotetext}[1]{%
12917   \if@RTL@footnote
12918     \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
12919   \else
12920     \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
12921   \fi

```



```

12922 \global\setbox
12923   \if@RTL@footnote
12924     \@mpfootinsv@r
12925   \else
12926     \@mpfootinsv@l
12927   \fi
12928 \vbox{%
12929   \unvbox
12930   \if@RTL@footnote
12931     \@mpfootinsv@r
12932   \else
12933     \@mpfootinsv@l
12934   \fi
12935   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12936   \def\baselinestretch{\m@m@footnote@spacing}%
12937   \reset@font\foottextfont
12938   \hsize\columnwidth \@parboxrestore
12939   \protected@edef\@currentlabel{%
12940     \csname p@mpfootnote\endcsname\@thefnmark}%
12941   \color@begingroup
12942     \@fourcolfootfmt{#1}%
12943   \color@endgroup}%
12944   \m@mmf@prepare}
12945 \bidi@ensure@newcommand{\@mpfourcolLTRfootnotetext}[1]{%
12946   \global\setbox\@mpfootinsv@l\vbox{%
12947     \unvbox\@mpfootinsv@l
12948     \@RTLfalse
12949     \def\baselinestretch{\m@m@footnote@spacing}%
12950     \reset@font\LTRfoottextfont
12951     \hsize\columnwidth \@parboxrestore
12952     \protected@edef\@currentlabel{%
12953       \csname p@mpfootnote\endcsname\@thefnmark}%
12954     \color@begingroup
12955       \@fourcolLTRfootfmt{#1}%
12956     \color@endgroup}%
12957     \m@mmf@prepare}
12958 \newcommand{\@mpFourColLTRfootnotetext}[1]{%
12959   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
12960   \global\setbox\@mpfootinsv@l\vbox{%
12961     \unvbox\@mpfootinsv@l
12962     \@RTLfalse
12963     \def\baselinestretch{\m@m@footnote@spacing}%
12964     \reset@font\LTRfoottextfont
12965     \hsize\columnwidth \@parboxrestore
12966     \protected@edef\@currentlabel{%
12967       \csname p@mpfootnote\endcsname\@thefnmark}%
12968     \color@begingroup
12969       \@fourcolLTRfootfmt{#1}%
12970     \color@endgroup}%
12971     \m@mmf@prepare}
12972 \bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
12973   \global\setbox\@mpfootinsv@r\vbox{%
12974     \unvbox\@mpfootinsv@r
12975     \@RTLtrue

```



```

12976 \def\baselinestretch{\m@m@footnote@spacing}%
12977 \reset@font\RTLfoottextfont
12978 \hsize\columnwidth \@parboxrestore
12979 \protected@edef\@currentlabel{%
12980 \csname p@mpfootnote\endcsname\@thefnmark}%
12981 \color@begingroup
12982 \@fourcolRTLfootfmt{#1}%
12983 \color@endgroup}%
12984 \m@mmf@prepare}
12985 \newcommand{\@mpFourColRTLfootnotetext}[1]{%
12986 \bidi@joinmpfootnotes\@mpfootinsv@l\footstartv@l\mp@LTRfootgroupv@l
12987 \global\setbox\@mpfootinsv@r\vbox{%
12988 \unvbox\@mpfootinsv@r
12989 \RTLtrue
12990 \def\baselinestretch{\m@m@footnote@spacing}%
12991 \reset@font\RTLfoottextfont
12992 \hsize\columnwidth \@parboxrestore
12993 \protected@edef\@currentlabel{%
12994 \csname p@mpfootnote\endcsname\@thefnmark}%
12995 \color@begingroup
12996 \@fourcolRTLfootfmt{#1}%
12997 \color@endgroup}%
12998 \m@mmf@prepare}
12999 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
13000 \@namedef{@fourcol@footgroup#1}{%
13001 \def\baselinestretch{\m@m@footnote@spacing}%
13002 \hsize\bidi@columnwidth
13003 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13004 \m@r@rigidbalance{\@nameuse{footins#1}}{4}{\splittopskip}}}}
13005 \newcommand{\bidi@make@fourcol@LTRfootgroup}[1]{%
13006 \@namedef{@fourcol@LTRfootgroup#1}{%
13007 \def\baselinestretch{\m@m@footnote@spacing}%
13008 \hsize\bidi@columnwidth
13009 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13010 \bidi@LTR@rigidbalance{\@nameuse{footins#1}}{4}{\splittopskip}}}}
13011 \bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
13012 \@namedef{@mpfourcol@footgroup#1}{%
13013 \def\baselinestretch{\m@m@footnote@spacing}%
13014 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13015 \m@r@rigidbalance{\@nameuse{@mpfootins#1}}{4}{\splittopskip}}}}
13016 \newcommand{\bidi@make@mpfourcol@LTRfootgroup}[1]{%
13017 \@namedef{@mpfourcol@LTRfootgroup#1}{%
13018 \def\baselinestretch{\m@m@footnote@spacing}%
13019 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13020 \bidi@LTR@rigidbalance{\@nameuse{@mpfootins#1}}{4}{\splittopskip}}}}
13021 \bidi@ensure@newcommand{\fivecolumnfootnotes}{%
13022 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
13023 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
13024 \@bidi@before@Hy@hyperfootnotes
13025 \let\@footnotetext\@fivecolfootnotetext
13026 \let\@LTRfootnotetext\@fivecolLTRfootnotetext
13027 \let\@RTLfootnotetext\@fivecolRTLfootnotetext
13028 \dimen\footinsv@r=5\footinsdim
13029 \count\footinsv@r=200\relax

```



```

13030 \m@make@fivecol@footgroup{v@r}%
13031 \let\@footgroupv@r\@fivecol@footgroupv@r
13032 \dimen\footinsv@l=5\footinsdim
13033 \count\footinsv@l=200\relax
13034 \bidi@make@fivecol@LTRfootgroup{v@l}%
13035 \let\@LTRfootgroupv@l\@fivecol@LTRfootgroupv@l
13036 \let\@mpfootnotetext\@mpfivecolfootnotetext
13037 \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
13038 \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
13039 \@bidi@after@Hy@hyperfootnotes
13040 \m@make@mpfivecol@footgroup{v@r}%
13041 \let\mp@footgroupv@r\@mpfivecol@footgroupv@r
13042 \bidi@make@mpfivecol@LTRfootgroup{v@l}%
13043 \let\mp@LTRfootgroupv@l\@mpfivecol@LTRfootgroupv@l
13044 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13045 }
13046 \newcommand{\FiveColumnFootnotes}{%
13047 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
13048 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
13049 \@bidi@before@Hy@hyperfootnotes
13050 \let\@footnotetext\@FiveColfootnotetext
13051 \let\@LTRfootnotetext\@FiveColLTRfootnotetext
13052 \let\@RTLfootnotetext\@FiveColRTLfootnotetext
13053 \dimen\footinsv@r=5\footinsdim
13054 \count\footinsv@r=200\relax
13055 \m@make@fivecol@footgroup{v@r}%
13056 \let\@footgroupv@r\@fivecol@footgroupv@r
13057 \dimen\footinsv@l=5\footinsdim
13058 \count\footinsv@l=200\relax
13059 \bidi@make@fivecol@LTRfootgroup{v@l}%
13060 \let\@LTRfootgroupv@l\@fivecol@LTRfootgroupv@l
13061 \let\@mpfootnotetext\@mpFiveColfootnotetext
13062 \let\@mpLTRfootnotetext\@mpFiveColLTRfootnotetext
13063 \let\@mpRTLfootnotetext\@mpFiveColRTLfootnotetext
13064 \@bidi@after@Hy@hyperfootnotes
13065 \m@make@mpfivecol@footgroup{v@r}%
13066 \let\mp@footgroupv@r\@mpfivecol@footgroupv@r
13067 \bidi@make@mpfivecol@LTRfootgroup{v@l}%
13068 \let\mp@LTRfootgroupv@l\@mpfivecol@LTRfootgroupv@l
13069 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13070 }
13071 \bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert
13072 \if@RTL@footnote
13073 \footinsv@r
13074 \else
13075 \footinsv@l
13076 \fi
13077 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
13078 \def\baselinestretch{\m@f@footnote@spacing}%
13079 \reset@font\foottextfont
13080 \@preamfntext
13081 \protected@edef\@currentlabel{%
13082 \csname p@footnote\endcsname\@thefnmark}%
13083 \color@begingroup

```



```

13084   \@fivecolfootfmt{#1}%
13085   \color@endgroup}%
13086   \m@mmf@prepare}
13087 \newcommand{\@FiveColfootnotetext}[1]{%
13088   \bidi@step@absolute@footnote@count
13089   \if@RTL@footnote
13090     \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13091   \else
13092     \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
13093   \fi
13094   \global\setbox
13095   \if@RTL@footnote
13096     \footinsv@r
13097   \else
13098     \footinsv@l
13099   \fi
13100 \vbox{%
13101   \unvbox
13102   \if@RTL@footnote
13103     \footinsv@r
13104   \else
13105     \footinsv@l
13106   \fi
13107   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13108   \def\baselinestretch{\m@m@footnote@spacing}%
13109   \reset@font\foottextfont
13110   \@preamfntext
13111   \protected@edef\@currentlabel{%
13112     \csname p@footnote\endcsname\@thefnmark}%
13113   \color@begingroup
13114     \@fivecolfootfmt{#1}%
13115   \color@endgroup}%
13116   \m@mmf@prepare
13117   \if@RTL@footnote
13118     \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
13119   \else
13120     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13121   \fi
13122 }
13123 \bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
13124   \def\baselinestretch{\m@m@footnote@spacing}%
13125   \reset@font\LTRfoottextfont
13126   \@preamfntext
13127   \protected@edef\@currentlabel{%
13128     \csname p@footnote\endcsname\@thefnmark}%
13129   \color@begingroup
13130     \@fivecolLTRfootfmt{#1}%
13131   \color@endgroup}%
13132   \m@mmf@prepare}
13133 \newcommand{\@FiveColLTRfootnotetext}[1]{%
13134   \bidi@step@absolute@footnote@count
13135   \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
13136   \global\setbox\footinsv@l\vbox{%
13137     \unvbox\footinsv@l

```



```

13138 \@RTLfalse
13139 \def\baselinestretch{\m@m@footnote@spacing}%
13140 \reset@font\LTRfoottextfont
13141 \@preamfntext
13142 \protected@edef\@currentlabel{%
13143   \csname p@footnote\endcsname\@thefnmark}%
13144 \color@begingroup
13145   \@fivecolLTRfootfmt{#1}%
13146 \color@endgroup}%
13147 \m@mmf@prepare
13148 \bidi@reinsertfinalfootnoteperpage\footinsv@1\@footstartv@1\@LTRfootgroupv@1
13149 }
13150 \bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
13151 \def\baselinestretch{\m@m@footnote@spacing}%
13152 \reset@font\RTLfoottextfont
13153 \@preamfntext
13154 \protected@edef\@currentlabel{%
13155   \csname p@footnote\endcsname\@thefnmark}%
13156 \color@begingroup
13157   \@fivecolRTLfootfmt{#1}%
13158 \color@endgroup}%
13159 \m@mmf@prepare}
13160 \newcommand{\@FiveColRTLfootnotetext}[1]{%
13161 \bidi@step@absolute@footnote@count
13162 \bidi@reinsertfootnote\footinsv@1\@footstartv@1\@LTRfootgroupv@1
13163 \global\setbox\footinsv@r\vbox{%
13164 \unvbox\footinsv@r
13165 \@RTLtrue
13166 \def\baselinestretch{\m@m@footnote@spacing}%
13167 \reset@font\RTLfoottextfont
13168 \@preamfntext
13169 \protected@edef\@currentlabel{%
13170   \csname p@footnote\endcsname\@thefnmark}%
13171 \color@begingroup
13172   \@fivecolRTLfootfmt{#1}%
13173 \color@endgroup}%
13174 \m@mmf@prepare
13175 \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
13176 }
13177 \bidi@ensure@newcommand{\@preamfivefmt}{%
13178 \hspace .2\hspace
13179 \parindent=\z@
13180 \tolerance=5000\relax
13181 \leavevmode}
13182 \bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
13183 \@preamfivefmt
13184 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
13185 \bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
13186 \@preamfivefmt
13187 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
13188 \bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
13189 \@preamfivefmt
13190 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
13191 \bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%

```



```

13192 \global\setbox
13193 \if@RTL@footnote
13194 \@mpfootinsv@r
13195 \else
13196 \@mpfootinsv@l
13197 \fi
13198 \vbox{%
13199 \unvbox
13200 \if@RTL@footnote
13201 \@mpfootinsv@r
13202 \else
13203 \@mpfootinsv@l
13204 \fi
13205 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13206 \def\baselinestretch{\m@m@footnote@spacing}%
13207 \reset@font\foottextfont
13208 \hsize\columnwidth \@parboxrestore
13209 \protected@edef\@currentlabel{%
13210 \csname p@mpfootnote\endcsname\@thefnmark}%
13211 \color@begingroup
13212 \@fivecolfootfmt{#1}%
13213 \color@endgroup}%
13214 \m@mmf@prepare}
13215 \newcommand{\@mpFiveColfootnotetext}[1]{%
13216 \if@RTL@footnote
13217 \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
13218 \else
13219 \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
13220 \fi
13221 \global\setbox
13222 \if@RTL@footnote
13223 \@mpfootinsv@r
13224 \else
13225 \@mpfootinsv@l
13226 \fi
13227 \vbox{%
13228 \unvbox
13229 \if@RTL@footnote
13230 \@mpfootinsv@r
13231 \else
13232 \@mpfootinsv@l
13233 \fi
13234 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13235 \def\baselinestretch{\m@m@footnote@spacing}%
13236 \reset@font\foottextfont
13237 \hsize\columnwidth \@parboxrestore
13238 \protected@edef\@currentlabel{%
13239 \csname p@mpfootnote\endcsname\@thefnmark}%
13240 \color@begingroup
13241 \@fivecolfootfmt{#1}%
13242 \color@endgroup}%
13243 \m@mmf@prepare}
13244 \bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
13245 \global\setbox\@mpfootinsv@l\vbox{%

```



```

13246 \unvbox\@mpfootinsv@l
13247 \@RTLfalse
13248 \def\baselinestretch{\m@m@footnote@spacing}%
13249 \reset@font\LTRfoottextfont
13250 \hsize\columnwidth \@parboxrestore
13251 \protected@edef\@currentlabel{%
13252   \csname p@mpfootnote\endcsname\@thefnmark}%
13253 \color@begingroup
13254 \@fivecolLTRfootfmt{#1}%
13255 \color@endgroup}%
13256 \m@mmf@prepare}
13257 \newcommand{\@mpFiveColLTRfootnotetext}[1]{%
13258 \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
13259 \global\setbox\@mpfootinsv@l\vbox{%
13260   \unvbox\@mpfootinsv@l
13261   \@RTLfalse
13262   \def\baselinestretch{\m@m@footnote@spacing}%
13263   \reset@font\LTRfoottextfont
13264   \hsize\columnwidth \@parboxrestore
13265   \protected@edef\@currentlabel{%
13266     \csname p@mpfootnote\endcsname\@thefnmark}%
13267   \color@begingroup
13268   \@fivecolLTRfootfmt{#1}%
13269   \color@endgroup}%
13270 \m@mmf@prepare}
13271 \bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
13272 \global\setbox\@mpfootinsv@r\vbox{%
13273   \unvbox\@mpfootinsv@r
13274   \@RTLtrue
13275   \def\baselinestretch{\m@m@footnote@spacing}%
13276   \reset@font\RTLfoottextfont
13277   \hsize\columnwidth \@parboxrestore
13278   \protected@edef\@currentlabel{%
13279     \csname p@mpfootnote\endcsname\@thefnmark}%
13280   \color@begingroup
13281   \@fivecolRTLfootfmt{#1}%
13282   \color@endgroup}%
13283 \m@mmf@prepare}
13284 \newcommand{\@mpFiveColRTLfootnotetext}[1]{%
13285 \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
13286 \global\setbox\@mpfootinsv@r\vbox{%
13287   \unvbox\@mpfootinsv@r
13288   \@RTLtrue
13289   \def\baselinestretch{\m@m@footnote@spacing}%
13290   \reset@font\RTLfoottextfont
13291   \hsize\columnwidth \@parboxrestore
13292   \protected@edef\@currentlabel{%
13293     \csname p@mpfootnote\endcsname\@thefnmark}%
13294   \color@begingroup
13295   \@fivecolRTLfootfmt{#1}%
13296   \color@endgroup}%
13297 \m@mmf@prepare}
13298 \bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
13299 \@namedef{@fivecol@footgroup#1}{%

```





```

13300 \def\baselinestretch{\m@m@footnote@spacing}%
13301 \hsize\bidicolumnwidth
13302 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13303 \m@mrigidbalance{\@nameuse{footins#1}}{5}{\splittopskip}}
13304 \newcommand{\bidi@make@fivecol@LTRfootgroup}[1]{%
13305 \@namedef{@fivecol@LTRfootgroup#1}{%
13306 \def\baselinestretch{\m@m@footnote@spacing}%
13307 \hsize\bidicolumnwidth
13308 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13309 \bidi@LTRrigidbalance{\@nameuse{footins#1}}{5}{\splittopskip}}}}
13310 \bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
13311 \@namedef{@mpfivecol@footgroup#1}{%
13312 \def\baselinestretch{\m@m@footnote@spacing}%
13313 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13314 \m@mrigidbalance{\@nameuse{mpfootins#1}}{5}{\splittopskip}}}}
13315 \newcommand{\bidi@make@mpfivecol@LTRfootgroup}[1]{%
13316 \@namedef{@mpfivecol@LTRfootgroup#1}{%
13317 \def\baselinestretch{\m@m@footnote@spacing}%
13318 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13319 \bidi@LTRrigidbalance{\@nameuse{mpfootins#1}}{5}{\splittopskip}}}}
13320 \bidi@ensure@newcommand{\sixcolumnfootnotes}{%
13321 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
13322 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
13323 \@bidi@before@Hy@hyperfootnotes
13324 \let@footnotetext@sixcolfootnotetext
13325 \let@LTRfootnotetext@sixcolLTRfootnotetext
13326 \let@RTLfootnotetext@sixcolRTLfootnotetext
13327 \dimen\footinsv@r=6\footinsdim
13328 \count\footinsv@r=166\relax
13329 \m@make@sixcol@footgroup{v@r}%
13330 \let@footgroupv@r@sixcol@footgroupv@r
13331 \dimen\footinsv@l=6\footinsdim
13332 \count\footinsv@l=166\relax
13333 \bidi@make@sixcol@LTRfootgroup{v@l}%
13334 \let@LTRfootgroupv@l@sixcol@LTRfootgroupv@l
13335 \let@mpfootnotetext@mpsixcolfootnotetext
13336 \let@mpLTRfootnotetext@mpsixcolLTRfootnotetext
13337 \let@mpRTLfootnotetext@mpsixcolRTLfootnotetext
13338 \@bidi@after@Hy@hyperfootnotes
13339 \m@make@mpsixcol@footgroup{v@r}%
13340 \let@mp@footgroupv@r@mpsixcol@footgroupv@r
13341 \bidi@make@mpsixcol@LTRfootgroup{v@l}%
13342 \let@mp@LTRfootgroupv@l@mpsixcol@LTRfootgroupv@l
13343 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13344 }
13345 \newcommand{\SixColumnFootnotes}{%
13346 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
13347 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
13348 \@bidi@before@Hy@hyperfootnotes
13349 \let@footnotetext@SixColfootnotetext
13350 \let@LTRfootnotetext@SixColLTRfootnotetext
13351 \let@RTLfootnotetext@SixColRTLfootnotetext
13352 \dimen\footinsv@r=6\footinsdim
13353 \count\footinsv@r=166\relax

```



```

13354 \m@make@sixcol@footgroup{v@r}%
13355 \let\@footgroupv@r\@sixcol@footgroupv@r
13356 \dimen\footinsv@l=6\footinsdim
13357 \count\footinsv@l=166\relax
13358 \bidi@make@sixcol@LTRfootgroup{v@l}%
13359 \let\@LTRfootgroupv@l\@sixcol@LTRfootgroupv@l
13360 \let\@mpfootnotetext\@mpSixColfootnotetext
13361 \let\@mpLTRfootnotetext\@mpSixColLTRfootnotetext
13362 \let\@mpRTLfootnotetext\@mpSixColRTLfootnotetext
13363 \@bidi@after@Hy@hyperfootnotes
13364 \m@make@mpsixcol@footgroup{v@r}%
13365 \let\mp@footgroupv@r\@mpsixcol@footgroupv@r
13366 \bidi@make@mpsixcol@LTRfootgroup{v@l}%
13367 \let\mp@LTRfootgroupv@l\@mpsixcol@LTRfootgroupv@l
13368 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13369 }
13370 \bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert
13371 \ifRTL@footnote
13372 \footinsv@r
13373 \else
13374 \footinsv@l
13375 \fi
13376 {\ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi%
13377 \def\baselinestretch{\m@footnote@spacing}%
13378 \reset@font\foottextfont
13379 \@preamfntext
13380 \protected@edef\@currentlabel{%
13381 \csname p@footnote\endcsname\@thefnmark}%
13382 \color@begingroup
13383 \@sixcolfootfmt{#1}%
13384 \color@endgroup}%
13385 \m@mmf@prepare}
13386 \newcommand{\@SixColfootnotetext}[1]{%
13387 \bidi@step@absolute@footnote@count
13388 \ifRTL@footnote
13389 \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13390 \else
13391 \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
13392 \fi
13393 \global\setbox
13394 \ifRTL@footnote
13395 \footinsv@r
13396 \else
13397 \footinsv@l
13398 \fi
13399 \vbox{%
13400 \unvbox
13401 \ifRTL@footnote
13402 \footinsv@r
13403 \else
13404 \footinsv@l
13405 \fi
13406 \ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi%
13407 \def\baselinestretch{\m@footnote@spacing}%

```



```

13408 \reset@font\foottextfont
13409 \@preamfntext
13410 \protected@edef\@currentlabel{%
13411   \csname p@footnote\endcsname\@thefnmark}%
13412 \color@begingroup
13413   \@sixcolfootfmt{#1}%
13414 \color@endgroup}%
13415 \m@mmf@prepare
13416 \if@RTL@footnote
13417   \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
13418 \else
13419   \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13420 \fi
13421 }
13422 \bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
13423 \def\baselinestretch{\m@mm@footnote@spacing}%
13424 \reset@font\LTRfoottextfont
13425 \@preamfntext
13426 \protected@edef\@currentlabel{%
13427   \csname p@footnote\endcsname\@thefnmark}%
13428 \color@begingroup
13429   \@sixcolLTRfootfmt{#1}%
13430 \color@endgroup}%
13431 \m@mmf@prepare}
13432 \newcommand{\@SixColLTRfootnotetext}[1]{%
13433 \bidi@step@absolute@footnote@count
13434 \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
13435 \global\setbox\footinsv@l\vbox{%
13436 \unvbox\footinsv@l
13437 \@RTLfalse
13438 \def\baselinestretch{\m@mm@footnote@spacing}%
13439 \reset@font\LTRfoottextfont
13440 \@preamfntext
13441 \protected@edef\@currentlabel{%
13442   \csname p@footnote\endcsname\@thefnmark}%
13443 \color@begingroup
13444   \@sixcolLTRfootfmt{#1}%
13445 \color@endgroup}%
13446 \m@mmf@prepare
13447 \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13448 }
13449 \bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
13450 \def\baselinestretch{\m@mm@footnote@spacing}%
13451 \reset@font\RTLfoottextfont
13452 \@preamfntext
13453 \protected@edef\@currentlabel{%
13454   \csname p@footnote\endcsname\@thefnmark}%
13455 \color@begingroup
13456   \@sixcolRTLfootfmt{#1}%
13457 \color@endgroup}%
13458 \m@mmf@prepare}
13459 \newcommand{\@SixColRTLfootnotetext}[1]{%
13460 \bidi@step@absolute@footnote@count
13461 \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l

```



```

13462 \global\setbox\footinsv@r\vbox{%
13463 \unvbox\footinsv@r
13464 \@RTLtrue
13465 \def\baselinestretch{\m@m@footnote@spacing}%
13466 \reset@font\RTLfoottextfont
13467 \@preamfntext
13468 \protected@edef\@currentlabel{%
13469   \csname p@footnote\endcsname\@thefnmark}%
13470 \color@begingroup
13471   \@sixcolRTLfootfmt{#1}%
13472 \color@endgroup}%
13473 \m@mmf@prepare
13474 \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
13475 }
13476 \bidi@ensure@newcommand{\@preamsixfmt}{%
13477   \hspace .16\hspace
13478   \parindent=\z@
13479   \tolerance=5000\relax
13480   \leavevmode}
13481 \bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
13482   \@preamsixfmt
13483   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
13484 \bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
13485   \@preamsixfmt
13486   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
13487 \bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
13488   \@preamsixfmt
13489   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
13490 \bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{%
13491   \global\setbox
13492     \if@RTL@footnote
13493     \@mpfootinsv@r
13494   \else
13495     \@mpfootinsv@l
13496   \fi
13497   \vbox{%
13498     \unvbox
13499     \if@RTL@footnote
13500     \@mpfootinsv@r
13501   \else
13502     \@mpfootinsv@l
13503   \fi
13504   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13505   \def\baselinestretch{\m@m@footnote@spacing}%
13506   \reset@font\foottextfont
13507   \hspace\columnwidth \@parboxrestore
13508   \protected@edef\@currentlabel{%
13509     \csname p@mpfootnote\endcsname\@thefnmark}%
13510   \color@begingroup
13511     \@sixcolfootfmt{#1}%
13512   \color@endgroup}%
13513   \m@mmf@prepare}
13514 \newcommand{\@mpSixColfootnotetext}[1]{%
13515   \if@RTL@footnote

```



```

13516 \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
13517 \else
13518 \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
13519 \fi
13520 \global\setbox
13521 \if@RTL@footnote
13522 \@mpfootinsv@r
13523 \else
13524 \@mpfootinsv@l
13525 \fi
13526 \vbox{%
13527 \unvbox
13528 \if@RTL@footnote
13529 \@mpfootinsv@r
13530 \else
13531 \@mpfootinsv@l
13532 \fi
13533 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13534 \def\baselinestretch{\m@m@footnote@spacing}%
13535 \reset@font\foottextfont
13536 \hsize\columnwidth \@parboxrestore
13537 \protected@edef\@currentlabel{%
13538 \csname p@mpfootnote\endcsname\@thefnmark}%
13539 \color@begingroup
13540 \@sixcolfootfmt{#1}%
13541 \color@endgroup}%
13542 \m@mmf@prepare}
13543 \bidi@ensure@newcommand{\@mpsixcollTRfootnotetext}[1]{%
13544 \global\setbox\@mpfootinsv@l\vbox{%
13545 \unvbox\@mpfootinsv@l
13546 \@RTLfalse
13547 \def\baselinestretch{\m@m@footnote@spacing}%
13548 \reset@font\LTRfoottextfont
13549 \hsize\columnwidth \@parboxrestore
13550 \protected@edef\@currentlabel{%
13551 \csname p@mpfootnote\endcsname\@thefnmark}%
13552 \color@begingroup
13553 \@sixcollTRfootfmt{#1}%
13554 \color@endgroup}%
13555 \m@mmf@prepare}
13556 \newcommand{\@mpSixCollTRfootnotetext}[1]{%
13557 \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
13558 \global\setbox\@mpfootinsv@l\vbox{%
13559 \unvbox\@mpfootinsv@l
13560 \@RTLfalse
13561 \def\baselinestretch{\m@m@footnote@spacing}%
13562 \reset@font\LTRfoottextfont
13563 \hsize\columnwidth \@parboxrestore
13564 \protected@edef\@currentlabel{%
13565 \csname p@mpfootnote\endcsname\@thefnmark}%
13566 \color@begingroup
13567 \@sixcollTRfootfmt{#1}%
13568 \color@endgroup}%
13569 \m@mmf@prepare}

```



```

13570 \bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{%
13571   \global\setbox\@mpfootinsv@r\vbox{%
13572     \unvbox\@mpfootinsv@r
13573     \RTLtrue
13574     \def\baselinestretch{\m@m@footnote@spacing}%
13575     \reset@font\RTLfoottextfont
13576     \hsize\columnwidth \@parboxrestore
13577     \protected@edef\@currentlabel{%
13578       \csname p@mpfootnote\endcsname\@thefnmark}%
13579   \color@begingroup
13580     \@sixcolRTLfootfmt{#1}%
13581   \color@endgroup}%
13582   \m@mmf@prepare}
13583 \newcommand{\@mpSixColRTLfootnotetext}[1]{%
13584   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
13585   \global\setbox\@mpfootinsv@r\vbox{%
13586     \unvbox\@mpfootinsv@r
13587     \RTLtrue
13588     \def\baselinestretch{\m@m@footnote@spacing}%
13589     \reset@font\RTLfoottextfont
13590     \hsize\columnwidth \@parboxrestore
13591     \protected@edef\@currentlabel{%
13592       \csname p@mpfootnote\endcsname\@thefnmark}%
13593   \color@begingroup
13594     \@sixcolRTLfootfmt{#1}%
13595   \color@endgroup}%
13596   \m@mmf@prepare}
13597 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
13598   \@namedef{@sixcol@footgroup#1}{%
13599     \def\baselinestretch{\m@m@footnote@spacing}%
13600     \hsize\bidi@columnwidth
13601     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13602     \m@r rigidbalance{\@nameuse{footins#1}}{6}{\splittopskip}}}}
13603 \newcommand{\bidi@make@sixcol@LTRfootgroup}[1]{%
13604   \@namedef{@sixcol@LTRfootgroup#1}{%
13605     \def\baselinestretch{\m@m@footnote@spacing}%
13606     \hsize\bidi@columnwidth
13607     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13608     \bidi@LTRrigidbalance{\@nameuse{footins#1}}{6}{\splittopskip}}}}
13609 \bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
13610   \@namedef{@mpsixcol@footgroup#1}{%
13611     \def\baselinestretch{\m@m@footnote@spacing}%
13612     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13613     \m@r rigidbalance{\@nameuse{mpfootins#1}}{6}{\splittopskip}}}}
13614 \newcommand{\bidi@make@mpsixcol@LTRfootgroup}[1]{%
13615   \@namedef{@mpsixcol@LTRfootgroup#1}{%
13616     \def\baselinestretch{\m@m@footnote@spacing}%
13617     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13618     \bidi@LTRrigidbalance{\@nameuse{mpfootins#1}}{6}{\splittopskip}}}}
13619 \bidi@ensure@newcommand{\sevendcolumnfootnotes}{%
13620   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
13621   \@namedef{foottextfontv@l}{\LTRfoottextfont}%
13622   \@bidi@before@Hy@hyperfootnotes
13623   \let\@footnotetext\@sevendcolfootnotetext

```



```

13624 \let\@LTRfootnotetext\@sevencolLTRfootnotetext
13625 \let\@RTLfootnotetext\@sevencolRTLfootnotetext
13626 \dimen\footinsv@r=7\footinsdim
13627 \count\footinsv@r=142\relax
13628 \m@make@sevencol@footgroup{v@r}%
13629 \let\@footgroupv@r\@sevencol@footgroupv@r
13630 \dimen\footinsv@l=7\footinsdim
13631 \count\footinsv@l=142\relax
13632 \bidi@make@sevencol@LTRfootgroup{v@l}%
13633 \let\@LTRfootgroupv@l\@sevencol@LTRfootgroupv@l
13634 \let\@mpfootnotetext\@mpsevencolfootnotetext
13635 \let\@mpLTRfootnotetext\@mpsevencolLTRfootnotetext
13636 \let\@mpRTLfootnotetext\@mpsevencolRTLfootnotetext
13637 \@bidi@after@Hy@hyperfootnotes
13638 \m@make@mpsevencol@footgroup{v@r}%
13639 \let\mp@footgroupv@r\@mpsevencol@footgroupv@r
13640 \bidi@make@mpsevencol@LTRfootgroup{v@l}%
13641 \let\mp@LTRfootgroupv@l\@mpsevencol@LTRfootgroupv@l
13642 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13643 }
13644 \newcommand{\SevenColumnFootnotes}{%
13645 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
13646 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
13647 \@bidi@before@Hy@hyperfootnotes
13648 \let\@footnotetext\@SevenColfootnotetext
13649 \let\@LTRfootnotetext\@SevenColLTRfootnotetext
13650 \let\@RTLfootnotetext\@SevenColRTLfootnotetext
13651 \dimen\footinsv@r=7\footinsdim
13652 \count\footinsv@r=142\relax
13653 \m@make@sevencol@footgroup{v@r}%
13654 \let\@footgroupv@r\@sevencol@footgroupv@r
13655 \dimen\footinsv@l=7\footinsdim
13656 \count\footinsv@l=142\relax
13657 \bidi@make@sevencol@LTRfootgroup{v@l}%
13658 \let\@LTRfootgroupv@l\@sevencol@LTRfootgroupv@l
13659 \let\@mpfootnotetext\@mpSevenColfootnotetext
13660 \let\@mpLTRfootnotetext\@mpSevenColLTRfootnotetext
13661 \let\@mpRTLfootnotetext\@mpSevenColRTLfootnotetext
13662 \@bidi@after@Hy@hyperfootnotes
13663 \m@make@mpsevencol@footgroup{v@r}%
13664 \let\mp@footgroupv@r\@mpsevencol@footgroupv@r
13665 \bidi@make@mpsevencol@LTRfootgroup{v@l}%
13666 \let\mp@LTRfootgroupv@l\@mpsevencol@LTRfootgroupv@l
13667 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13668 }
13669 \bidi@ensure@newcommand{\@sevencolfootnotetext}[1]{\insert
13670 \if@RTL@footnote
13671 \footinsv@r
13672 \else
13673 \footinsv@l
13674 \fi
13675 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
13676 \def\baselinestretch{\m@f@footnote@spacing}%
13677 \reset@font\foottextfont

```



```

13678 \@preamfntext
13679 \protected@edef\@currentlabel{%
13680   \csname p@footnote\endcsname\@thefnmark}%
13681 \color@begingroup
13682   \@sevendcolfootfmt{#1}%
13683 \color@endgroup}%
13684 \m@mmf@prepare}
13685 \newcommand{\@SevenColfootnotetext}[1]{%
13686   \bidi@step@absolute@footnote@count
13687   \if@RTL@footnote
13688     \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13689   \else
13690     \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
13691   \fi
13692   \global\setbox
13693   \if@RTL@footnote
13694     \footinsv@r
13695   \else
13696     \footinsv@l
13697   \fi
13698   \vbox{%
13699     \unvbox
13700     \if@RTL@footnote
13701       \footinsv@r
13702     \else
13703       \footinsv@l
13704     \fi
13705     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13706     \def\baselinestretch{\m@m@footnote@spacing}%
13707     \reset@font\foottextfont
13708     \@preamfntext
13709     \protected@edef\@currentlabel{%
13710       \csname p@footnote\endcsname\@thefnmark}%
13711     \color@begingroup
13712       \@sevendcolfootfmt{#1}%
13713     \color@endgroup}%
13714     \m@mmf@prepare
13715     \if@RTL@footnote
13716       \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
13717     \else
13718       \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13719     \fi
13720 }
13721 \bidi@ensure@newcommand{\@sevendcolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
13722   \def\baselinestretch{\m@m@footnote@spacing}%
13723   \reset@font\LTRfoottextfont
13724   \@preamfntext
13725   \protected@edef\@currentlabel{%
13726     \csname p@footnote\endcsname\@thefnmark}%
13727   \color@begingroup
13728     \@sevendcolLTRfootfmt{#1}%
13729   \color@endgroup}%
13730   \m@mmf@prepare}
13731 \newcommand{\@SevenCollTRfootnotetext}[1]{%

```





```

13732 \bidi@step@absolutefootnote@count
13733 \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
13734 \global\setbox\footinsv@l\vbox{%
13735 \unvbox\footinsv@l
13736 \@RTLfalse
13737 \def\baselinestretch{\m@m@footnote@spacing}%
13738 \reset@font\LTRfoottextfont
13739 \@preamfntext
13740 \protected@edef\@currentlabel{%
13741 \csname p@footnote\endcsname\@thefnmark}%
13742 \color@begingroup
13743 \@sevenscolLTRfootfmt{#1}%
13744 \color@endgroup}%
13745 \m@mmf@prepare
13746 \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13747 }
13748 \bidi@ensure@newcommand{\@sevenscolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
13749 \def\baselinestretch{\m@m@footnote@spacing}%
13750 \reset@font\RTLfoottextfont
13751 \@preamfntext
13752 \protected@edef\@currentlabel{%
13753 \csname p@footnote\endcsname\@thefnmark}%
13754 \color@begingroup
13755 \@sevenscolRTLfootfmt{#1}%
13756 \color@endgroup}%
13757 \m@mmf@prepare}
13758 \newcommand{\@SevenColRTLfootnotetext}[1]{%
13759 \bidi@step@absolutefootnote@count
13760 \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13761 \global\setbox\footinsv@r\vbox{%
13762 \unvbox\footinsv@r
13763 \@RTLtrue
13764 \def\baselinestretch{\m@m@footnote@spacing}%
13765 \reset@font\RTLfoottextfont
13766 \@preamfntext
13767 \protected@edef\@currentlabel{%
13768 \csname p@footnote\endcsname\@thefnmark}%
13769 \color@begingroup
13770 \@sevenscolRTLfootfmt{#1}%
13771 \color@endgroup}%
13772 \m@mmf@prepare
13773 \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
13774 }
13775 \bidi@ensure@newcommand{\@preamsevenfmt}{%
13776 \hspace .142\hspace
13777 \parindent=\z@
13778 \tolerance=5000\relax
13779 \leavevmode}
13780 \bidi@ensure@newcommand{\@sevenscolfootfmt}[1]{%
13781 \@preamsevenfmt
13782 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
13783 \bidi@ensure@newcommand{\@sevenscolLTRfootfmt}[1]{%
13784 \@preamsevenfmt
13785 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}

```



```

13786 \bidi@ensure@newcommand{\@sevendcolRTLfootfmt}[1]{%
13787   \@preamsevenfmt
13788   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
13789 \bidi@ensure@newcommand{\@mpsevencolfootnotetext}[1]{%
13790   \global\setbox
13791     \if@RTL@footnote
13792     \@mpfootinsv@r
13793   \else
13794     \@mpfootinsv@l
13795   \fi
13796   \vbox{%
13797     \unvbox
13798     \if@RTL@footnote
13799     \@mpfootinsv@r
13800   \else
13801     \@mpfootinsv@l
13802   \fi
13803   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13804   \def\baselinestretch{\m@m@footnote@spacing}%
13805   \reset@font\foottextfont
13806   \hsize\columnwidth \@parboxrestore
13807   \protected@edef\@currentlabel{%
13808     \csname p@mpfootnote\endcsname\@thefnmark}%
13809   \color@begingroup
13810     \@sevendcolfootfmt{#1}%
13811   \color@endgroup}%
13812   \m@m@mmf@prepare}
13813 \newcommand{\@mpSevenColfootnotetext}[1]{%
13814   \if@RTL@footnote
13815   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
13816   \else
13817   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
13818   \fi
13819   \global\setbox
13820     \if@RTL@footnote
13821     \@mpfootinsv@r
13822   \else
13823     \@mpfootinsv@l
13824   \fi
13825   \vbox{%
13826     \unvbox
13827     \if@RTL@footnote
13828     \@mpfootinsv@r
13829   \else
13830     \@mpfootinsv@l
13831   \fi
13832   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13833   \def\baselinestretch{\m@m@footnote@spacing}%
13834   \reset@font\foottextfont
13835   \hsize\columnwidth \@parboxrestore
13836   \protected@edef\@currentlabel{%
13837     \csname p@mpfootnote\endcsname\@thefnmark}%
13838   \color@begingroup
13839     \@sevendcolfootfmt{#1}%

```



```

13840 \color@endgroup}%
13841 \m@mmf@prepare}
13842 \bidi@ensure@newcommand{\@mpsevencolLTRfootnotetext}[1]{%
13843 \global\setbox\@mpfootinsv@l\vbox{%
13844 \unvbox\@mpfootinsv@l
13845 \RTLfalse
13846 \def\baselinestretch{\m@m@footnote@spacing}%
13847 \reset@font\LTRfoottextfont
13848 \hsize\columnwidth \@parboxrestore
13849 \protected@edef\@currentlabel{%
13850 \csname p@mpfootnote\endcsname\@thefnmark}%
13851 \color@begingroup
13852 \@sevencolLTRfootfmt{#1}%
13853 \color@endgroup}%
13854 \m@mmf@prepare}
13855 \newcommand{\@mpSevenColLTRfootnotetext}[1]{%
13856 \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
13857 \global\setbox\@mpfootinsv@l\vbox{%
13858 \unvbox\@mpfootinsv@l
13859 \RTLfalse
13860 \def\baselinestretch{\m@m@footnote@spacing}%
13861 \reset@font\LTRfoottextfont
13862 \hsize\columnwidth \@parboxrestore
13863 \protected@edef\@currentlabel{%
13864 \csname p@mpfootnote\endcsname\@thefnmark}%
13865 \color@begingroup
13866 \@sevencolLTRfootfmt{#1}%
13867 \color@endgroup}%
13868 \m@mmf@prepare}
13869 \bidi@ensure@newcommand{\@mpsevencolRTLfootnotetext}[1]{%
13870 \global\setbox\@mpfootinsv@r\vbox{%
13871 \unvbox\@mpfootinsv@r
13872 \RTLtrue
13873 \def\baselinestretch{\m@m@footnote@spacing}%
13874 \reset@font\RTLfoottextfont
13875 \hsize\columnwidth \@parboxrestore
13876 \protected@edef\@currentlabel{%
13877 \csname p@mpfootnote\endcsname\@thefnmark}%
13878 \color@begingroup
13879 \@sevencolRTLfootfmt{#1}%
13880 \color@endgroup}%
13881 \m@mmf@prepare}
13882 \newcommand{\@mpSevenColRTLfootnotetext}[1]{%
13883 \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
13884 \global\setbox\@mpfootinsv@r\vbox{%
13885 \unvbox\@mpfootinsv@r
13886 \RTLtrue
13887 \def\baselinestretch{\m@m@footnote@spacing}%
13888 \reset@font\RTLfoottextfont
13889 \hsize\columnwidth \@parboxrestore
13890 \protected@edef\@currentlabel{%
13891 \csname p@mpfootnote\endcsname\@thefnmark}%
13892 \color@begingroup
13893 \@sevencolRTLfootfmt{#1}%

```



```

13894 \color@endgroup}%
13895 \m@mmf@prepare}
13896 \bidi@ensure@newcommand{\m@make@sevencol@footgroup}[1]{%
13897 \namedef{@sevencol@footgroup#1}{%
13898 \def\baselinestretch{\m@m@footnote@spacing}%
13899 \hsize\bidi@columnwidth
13900 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13901 \m@r rigidbalance{\nameuse{footins#1}}{7}{\splittopskip}}}}
13902 \newcommand{\bidi@make@sevencol@LTRfootgroup}[1]{%
13903 \namedef{@sevencol@LTRfootgroup#1}{%
13904 \def\baselinestretch{\m@m@footnote@spacing}%
13905 \hsize\bidi@columnwidth
13906 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13907 \bidi@LTRrigidbalance{\nameuse{footins#1}}{7}{\splittopskip}}}}
13908 \bidi@ensure@newcommand{\m@make@mpsevencol@footgroup}[1]{%
13909 \namedef{@mpsevencol@footgroup#1}{%
13910 \def\baselinestretch{\m@m@footnote@spacing}%
13911 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13912 \m@r rigidbalance{\nameuse{mpfootins#1}}{7}{\splittopskip}}}}
13913 \newcommand{\bidi@make@mpsevencol@LTRfootgroup}[1]{%
13914 \namedef{@mpsevencol@LTRfootgroup#1}{%
13915 \def\baselinestretch{\m@m@footnote@spacing}%
13916 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13917 \bidi@LTRrigidbalance{\nameuse{mpfootins#1}}{7}{\splittopskip}}}}
13918 \bidi@ensure@newcommand{\eightcolumnfootnotes}{%
13919 \namedef{foottextfontv@r}{\foottextfont}% % [RS]
13920 \namedef{foottextfontv@l}{\LTRfoottextfont}%
13921 \@bidi@before@Hy@hyperfootnotes
13922 \let\@footnotetext\@eightcolfootnotetext
13923 \let\@LTRfootnotetext\@eightcolLTRfootnotetext
13924 \let\@RTLfootnotetext\@eightcolRTLfootnotetext
13925 \dimen\footinsv@r=8\footinsdim
13926 \count\footinsv@r=125\relax
13927 \m@make@eightcol@footgroup{v@r}%
13928 \let\@footgroupv@r\@eightcol@footgroupv@r
13929 \dimen\footinsv@l=8\footinsdim
13930 \count\footinsv@l=125\relax
13931 \bidi@make@eightcol@LTRfootgroup{v@l}%
13932 \let\@LTRfootgroupv@l\@eightcol@LTRfootgroupv@l
13933 \let\@mpfootnotetext\@mpeightcolfootnotetext
13934 \let\@mpLTRfootnotetext\@mpeightcolLTRfootnotetext
13935 \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
13936 \@bidi@after@Hy@hyperfootnotes
13937 \m@make@mpeightcol@footgroup{v@r}%
13938 \let\mp@footgroupv@r\@mpeightcol@footgroupv@r
13939 \bidi@make@mpeightcol@LTRfootgroup{v@l}%
13940 \let\mp@LTRfootgroupv@l\@mpeightcol@LTRfootgroupv@l
13941 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13942 }
13943 \newcommand{\EightColumnFootnotes}{%
13944 \namedef{foottextfontv@r}{\foottextfont}% % [RS]
13945 \namedef{foottextfontv@l}{\LTRfoottextfont}%
13946 \@bidi@before@Hy@hyperfootnotes
13947 \let\@footnotetext\@EightColfootnotetext

```



```

13948 \let\@LTRfootnotetext\@EightColLTRfootnotetext
13949 \let\@RTLfootnotetext\@EightColRTLfootnotetext
13950 \dimen\footinsv@r=8\footinsdim
13951 \count\footinsv@r=125\relax
13952 \m@make@eightcol@footgroup{v@r}%
13953 \let\@footgroupv@r\@eightcol@footgroupv@r
13954 \dimen\footinsv@l=8\footinsdim
13955 \count\footinsv@l=125\relax
13956 \bidi@make@eightcol@LTRfootgroup{v@l}%
13957 \let\@LTRfootgroupv@l\@eightcol@LTRfootgroupv@l
13958 \let\@mpfootnotetext\@mpEightColfootnotetext
13959 \let\@mpLTRfootnotetext\@mpEightColLTRfootnotetext
13960 \let\@mpRTLfootnotetext\@mpEightColRTLfootnotetext
13961 \@bidi@after@Hy@hyperfootnotes
13962 \m@make@mp@eightcol@footgroup{v@r}%
13963 \let\mp@footgroupv@r\@mp@eightcol@footgroupv@r
13964 \bidi@make@mp@eightcol@LTRfootgroup{v@l}%
13965 \let\mp@LTRfootgroupv@l\@mp@eightcol@LTRfootgroupv@l
13966 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13967 }
13968 \bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert
13969 \ifRTL@footnote
13970 \footinsv@r
13971 \else
13972 \footinsv@l
13973 \fi
13974 {\ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi%
13975 \def\baselinestretch{\m@mm@footnote@spacing}%
13976 \reset@font\foottextfont
13977 \@preamfntext
13978 \protected@edef\@currentlabel{%
13979 \csname p@footnote\endcsname\@thefnmark}%
13980 \color@begingroup
13981 \@eightcolfootfmt{#1}%
13982 \color@endgroup}%
13983 \m@mmf@prepare}
13984 \newcommand{\@EightColfootnotetext}[1]{%
13985 \bidi@step@absolute@footnote@count
13986 \ifRTL@footnote
13987 \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13988 \else
13989 \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
13990 \fi
13991 \global\setbox
13992 \ifRTL@footnote
13993 \footinsv@r
13994 \else
13995 \footinsv@l
13996 \fi
13997 \vbox{%
13998 \unvbox
13999 \ifRTL@footnote
14000 \footinsv@r
14001 \else

```



```

14002   \footinsv@l
14003   \fi
14004   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14005   \def\baselinestretch{\m@m@footnote@spacing}%
14006   \reset@font\foottextfont
14007   \@preamfntext
14008   \protected@edef\@currentlabel{%
14009     \csname p@footnote\endcsname\@thefnmark}%
14010   \color@begingroup
14011     \@eightcolfootfmt{#1}%
14012   \color@endgroup}%
14013   \m@mmf@prepare
14014   \if@RTL@footnote
14015     \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
14016   \else
14017     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14018   \fi
14019 }
14020 \bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
14021   \def\baselinestretch{\m@m@footnote@spacing}%
14022   \reset@font\LTRfoottextfont
14023   \@preamfntext
14024   \protected@edef\@currentlabel{%
14025     \csname p@footnote\endcsname\@thefnmark}%
14026   \color@begingroup
14027     \@eightcolLTRfootfmt{#1}%
14028   \color@endgroup}%
14029   \m@mmf@prepare}
14030 \newcommand{\@EightCollTRfootnotetext}[1]{%
14031   \bidi@step@absolute@footnote@count
14032   \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
14033   \global\setbox\footinsv@l\vbox{%
14034     \unvbox\footinsv@l
14035     \@RTLfalse
14036     \def\baselinestretch{\m@m@footnote@spacing}%
14037     \reset@font\LTRfoottextfont
14038     \@preamfntext
14039     \protected@edef\@currentlabel{%
14040       \csname p@footnote\endcsname\@thefnmark}%
14041     \color@begingroup
14042       \@eightcolLTRfootfmt{#1}%
14043     \color@endgroup}%
14044     \m@mmf@prepare
14045     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14046 }
14047 \bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
14048   \def\baselinestretch{\m@m@footnote@spacing}%
14049   \reset@font\RTLfoottextfont
14050   \@preamfntext
14051   \protected@edef\@currentlabel{%
14052     \csname p@footnote\endcsname\@thefnmark}%
14053   \color@begingroup
14054     \@eightcolRTLfootfmt{#1}%
14055   \color@endgroup}%

```



```

14056 \m@mmf@prepare}
14057 \newcommand{\@EightColRTLfootnotetext}[1]{%
14058 \bidi@step@absolute@footnote@count
14059 \bidi@reinsert@footnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14060 \global\setbox\footinsv@r\vbox{%
14061 \unvbox\footinsv@r
14062 \@RTLtrue%
14063 \def\baselinestretch{\m@m@footnote@spacing}%
14064 \reset@font\RTLfoottextfont
14065 \@preamfntext
14066 \protected@edef\@currentlabel{%
14067 \csname p@footnote\endcsname\@thefnmark}%
14068 \color@begingroup
14069 \@eightcolRTLfootfmt{#1}%
14070 \color@endgroup}%
14071 \m@mmf@prepare
14072 \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
14073 }
14074 \bidi@ensure@newcommand{\@preameightfmt}{%
14075 \hspace .125\hspace
14076 \parindent=\z@
14077 \tolerance=5000\relax
14078 \leavevmode}
14079 \bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
14080 \@preameightfmt
14081 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
14082 \bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
14083 \@preameightfmt
14084 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
14085 \bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
14086 \@preameightfmt
14087 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
14088 \bidi@ensure@newcommand{\@mpeightcolfootnotetext}[1]{%
14089 \global\setbox
14090 \if@RTL@footnote
14091 \@mpfootinsv@r
14092 \else
14093 \@mpfootinsv@l
14094 \fi
14095 \vbox{%
14096 \unvbox
14097 \if@RTL@footnote
14098 \@mpfootinsv@r
14099 \else
14100 \@mpfootinsv@l
14101 \fi
14102 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14103 \def\baselinestretch{\m@m@footnote@spacing}%
14104 \reset@font\foottextfont
14105 \hspace\columnwidth \@parboxrestore
14106 \protected@edef\@currentlabel{%
14107 \csname p@mpfootnote\endcsname\@thefnmark}%
14108 \color@begingroup
14109 \@eightcolfootfmt{#1}%

```



```

14110 \color@endgroup}%
14111 \m@mmf@prepare}
14112 \newcommand{\@mpEightColfootnotetext}[1]{%
14113   \if@RTL@footnote
14114   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
14115   \else
14116   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
14117   \fi
14118   \global\setbox
14119   \if@RTL@footnote
14120   \@mpfootinsv@r
14121   \else
14122   \@mpfootinsv@l
14123   \fi
14124   \vbox{%
14125     \unvbox
14126     \if@RTL@footnote
14127     \@mpfootinsv@r
14128     \else
14129     \@mpfootinsv@l
14130     \fi
14131     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14132     \def\baselinestretch{\m@m@footnote@spacing}%
14133     \reset@font\foottextfont
14134     \hsize\columnwidth \@parboxrestore
14135     \protected@edef\@currentlabel{%
14136       \csname p@mpfootnote\endcsname\@thefnmark}%
14137   \color@begingroup
14138   \@eightcolfootfmt{#1}%
14139   \color@endgroup}%
14140 \m@mmf@prepare}
14141 \bidi@ensure@newcommand{\@mpeightcolLTRfootnotetext}[1]{%
14142   \global\setbox\@mpfootinsv@l\vbox{%
14143     \unvbox\@mpfootinsv@l
14144     \@RTLfalse
14145     \def\baselinestretch{\m@m@footnote@spacing}%
14146     \reset@font\LTRfoottextfont
14147     \hsize\columnwidth \@parboxrestore
14148     \protected@edef\@currentlabel{%
14149       \csname p@mpfootnote\endcsname\@thefnmark}%
14150   \color@begingroup
14151   \@eightcolLTRfootfmt{#1}%
14152   \color@endgroup}%
14153 \m@mmf@prepare}
14154 \newcommand{\@mpEightColLTRfootnotetext}[1]{%
14155   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
14156   \global\setbox\@mpfootinsv@l\vbox{%
14157     \unvbox\@mpfootinsv@l
14158     \@RTLfalse
14159     \def\baselinestretch{\m@m@footnote@spacing}%
14160     \reset@font\LTRfoottextfont
14161     \hsize\columnwidth \@parboxrestore
14162     \protected@edef\@currentlabel{%
14163       \csname p@mpfootnote\endcsname\@thefnmark}%

```





```

14164 \color@begingroup
14165   \@eightcolLTRfootfmt{#1}%
14166 \color@endgroup}%
14167 \m@mmf@prepare}
14168 \bidi@ensure@newcommand{\@mpeightcolRTLfootnotetext}[1]{%
14169   \global\setbox\@mpfootinsv@r\vbox{%
14170     \unvbox\@mpfootinsv@r
14171     \RTLtrue
14172     \def\baselinestretch{\m@m@footnote@spacing}%
14173     \reset@font\RTLfoottextfont
14174     \hsize\columnwidth \@parboxrestore
14175     \protected@edef\@currentlabel{%
14176       \csname p@mpfootnote@endcsname\@thefnmark}%
14177   \color@begingroup
14178     \@eightcolLTRfootfmt{#1}%
14179   \color@endgroup}%
14180 \m@mmf@prepare}
14181 \newcommand{\@mpEightColRTLfootnotetext}[1]{%
14182   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
14183   \global\setbox\@mpfootinsv@r\vbox{%
14184     \unvbox\@mpfootinsv@r
14185     \RTLtrue
14186     \def\baselinestretch{\m@m@footnote@spacing}%
14187     \reset@font\RTLfoottextfont
14188     \hsize\columnwidth \@parboxrestore
14189     \protected@edef\@currentlabel{%
14190       \csname p@mpfootnote@endcsname\@thefnmark}%
14191   \color@begingroup
14192     \@eightcolLTRfootfmt{#1}%
14193   \color@endgroup}%
14194 \m@mmf@prepare}
14195 \bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
14196   \@namedef{@eightcol@footgroup#1}{%
14197     \def\baselinestretch{\m@m@footnote@spacing}%
14198     \hsize\bidi@columnwidth
14199     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14200     \m@mrigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}}
14201 \newcommand{\bidi@make@eightcol@LTRfootgroup}[1]{%
14202   \@namedef{@eightcol@LTRfootgroup#1}{%
14203     \def\baselinestretch{\m@m@footnote@spacing}%
14204     \hsize\bidi@columnwidth
14205     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14206     \bidi@LTRrigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}}
14207 \bidi@ensure@newcommand{\m@make@mpeightcol@footgroup}[1]{%
14208   \@namedef{@mpeightcol@footgroup#1}{%
14209     \def\baselinestretch{\m@m@footnote@spacing}%
14210     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14211     \m@mrigidbalance{\@nameuse{mpfootins#1}}{8}{\splittopskip}}}}
14212 \newcommand{\bidi@make@mpeightcol@LTRfootgroup}[1]{%
14213   \@namedef{@mpeightcol@LTRfootgroup#1}{%
14214     \def\baselinestretch{\m@m@footnote@spacing}%
14215     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14216     \bidi@LTRrigidbalance{\@nameuse{mpfootins#1}}{8}{\splittopskip}}}}
14217 \bidi@ensure@newcommand{\nincolumnfootnotes}{%

```



```

14218 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
14219 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
14220 \@bidi@before@Hy@hyperfootnotes
14221 \let\@footnotetext\@ninelcolfootnotetext
14222 \let\@LTRfootnotetext\@ninelcolLTRfootnotetext
14223 \let\@RTLfootnotetext\@ninelcolRTLfootnotetext
14224 \dimen\footinsv@r=9\footinsdim
14225 \count\footinsv@r=111\relax
14226 \m@make@ninelcol@footgroup{v@r}%
14227 \let\@footgroupv@r\@ninelcol@footgroupv@r
14228 \dimen\footinsv@l=9\footinsdim
14229 \count\footinsv@l=111\relax
14230 \bidi@make@ninelcol@LTRfootgroup{v@l}%
14231 \let\@LTRfootgroupv@l\@ninelcol@LTRfootgroupv@l
14232 \let\@mpfootnotetext\@mpninelcolfootnotetext
14233 \let\@mpLTRfootnotetext\@mpninelcolLTRfootnotetext
14234 \let\@mpRTLfootnotetext\@mpninelcolRTLfootnotetext
14235 \@bidi@after@Hy@hyperfootnotes
14236 \m@make@mpninelcol@footgroup{v@r}%
14237 \let\mp@footgroupv@r\@mpninelcol@footgroupv@r
14238 \bidi@make@mpninelcol@LTRfootgroup{v@l}%
14239 \let\mp@LTRfootgroupv@l\@mpninelcol@LTRfootgroupv@l
14240 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14241 }
14242 \newcommand{\NineColumnFootnotes}{%
14243 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
14244 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
14245 \@bidi@before@Hy@hyperfootnotes
14246 \let\@footnotetext\@NineColfootnotetext
14247 \let\@LTRfootnotetext\@NineColLTRfootnotetext
14248 \let\@RTLfootnotetext\@NineColRTLfootnotetext
14249 \dimen\footinsv@r=9\footinsdim
14250 \count\footinsv@r=111\relax
14251 \m@make@ninelcol@footgroup{v@r}%
14252 \let\@footgroupv@r\@ninelcol@footgroupv@r
14253 \dimen\footinsv@l=9\footinsdim
14254 \count\footinsv@l=111\relax
14255 \bidi@make@ninelcol@LTRfootgroup{v@l}%
14256 \let\@LTRfootgroupv@l\@ninelcol@LTRfootgroupv@l
14257 \let\@mpfootnotetext\@mpNineColfootnotetext
14258 \let\@mpLTRfootnotetext\@mpNineColLTRfootnotetext
14259 \let\@mpRTLfootnotetext\@mpNineColRTLfootnotetext
14260 \@bidi@after@Hy@hyperfootnotes
14261 \m@make@mpninelcol@footgroup{v@r}%
14262 \let\mp@footgroupv@r\@mpninelcol@footgroupv@r
14263 \bidi@make@mpninelcol@LTRfootgroup{v@l}%
14264 \let\mp@LTRfootgroupv@l\@mpninelcol@LTRfootgroupv@l
14265 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14266 }
14267 \bidi@ensure@newcommand{\@ninelcolfootnotetext}[1]{\insert
14268 \if@RTL@footnote
14269 \footinsv@r
14270 \else
14271 \footinsv@l

```



```

14272 \fi
14273 {\ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi%
14274 \def\baselinestretch{\m@m@footnote@spacing}%
14275 \reset@font\foottextfont
14276 \@preamftext
14277 \protected@edef\@currentlabel{%
14278 \csname p@footnote\endcsname\@thefnmark}%
14279 \color@begingroup
14280 \@ninecolfootfmt{#1}%
14281 \color@endgroup}%
14282 \m@mmf@prepare}
14283 \newcommand{\@NineColFootnotetext}[1]{%
14284 \bidi@step@absolute@footnote@count
14285 \ifRTL@footnote
14286 \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14287 \else
14288 \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
14289 \fi
14290 \global\setbox
14291 \ifRTL@footnote
14292 \footinsv@r
14293 \else
14294 \footinsv@l
14295 \fi
14296 \vbox{%
14297 \unvbox
14298 \ifRTL@footnote
14299 \footinsv@r
14300 \else
14301 \footinsv@l
14302 \fi
14303 \ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi
14304 \def\baselinestretch{\m@m@footnote@spacing}%
14305 \reset@font\foottextfont
14306 \@preamftext
14307 \protected@edef\@currentlabel{%
14308 \csname p@footnote\endcsname\@thefnmark}%
14309 \color@begingroup
14310 \@ninecolfootfmt{#1}%
14311 \color@endgroup}%
14312 \m@mmf@prepare
14313 \ifRTL@footnote
14314 \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
14315 \else
14316 \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14317 \fi
14318 }
14319 \bidi@ensure@newcommand{\@NineColLTRFootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
14320 \def\baselinestretch{\m@m@footnote@spacing}%
14321 \reset@font\LTRfoottextfont
14322 \@preamftext
14323 \protected@edef\@currentlabel{%
14324 \csname p@footnote\endcsname\@thefnmark}%
14325 \color@begingroup

```



```

14326   \@ninecolLTRfootfmt{#1}%
14327   \color@endgroup}%
14328   \m@mmf@prepare}
14329 \newcommand{\@NineColLTRfootnotetext}[1]{%
14330   \bidi@step@absolute@footnote@count
14331   \bidi@reinsert@footnote\footinsv@r\@footstartv@r\@footgroupv@r
14332   \global\setbox\footinsv@l\vbox{%
14333     \unvbox\footinsv@l
14334     \@RTLfalse
14335     \def\baselinestretch{\m@mm@footnote@spacing}%
14336     \reset@font\LTRfoottextfont
14337     \@preamfntext
14338     \protected@edef\@currentlabel{%
14339       \csname p@footnote\endcsname\@thefnmark}%
14340     \color@begingroup
14341       \@ninecolLTRfootfmt{#1}%
14342     \color@endgroup}%
14343     \m@mmf@prepare
14344     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14345   }
14346 \bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
14347   \def\baselinestretch{\m@mm@footnote@spacing}%
14348   \reset@font\RTLfoottextfont
14349   \@preamfntext
14350   \protected@edef\@currentlabel{%
14351     \csname p@footnote\endcsname\@thefnmark}%
14352   \color@begingroup
14353     \@ninecolRTLfootfmt{#1}%
14354   \color@endgroup}%
14355   \m@mmf@prepare}
14356 \newcommand{\@NineColRTLfootnotetext}[1]{%
14357   \bidi@step@absolute@footnote@count
14358   \bidi@reinsert@footnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14359   \global\setbox\footinsv@r\vbox{%
14360     \unvbox\footinsv@r
14361     \@RTLtrue
14362     \def\baselinestretch{\m@mm@footnote@spacing}%
14363     \reset@font\RTLfoottextfont
14364     \@preamfntext
14365     \protected@edef\@currentlabel{%
14366       \csname p@footnote\endcsname\@thefnmark}%
14367     \color@begingroup
14368       \@ninecolRTLfootfmt{#1}%
14369     \color@endgroup}%
14370     \m@mmf@prepare
14371     \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
14372   }
14373 \bidi@ensure@newcommand{\@preamninefmt}{%
14374   \hspace .1\hspace
14375   \parindent=\z@
14376   \tolerance=5000\relax
14377   \leavevmode}
14378 \bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
14379   \@preamninefmt

```



```

14380 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
14381 \bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
14382   \@preamninefmt
14383   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
14384 \bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
14385   \@preamninefmt
14386   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
14387 \bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
14388   \global\setbox
14389     \if@RTL@footnote
14390     \@mpfootinsv@r
14391   \else
14392     \@mpfootinsv@l
14393   \fi
14394   \vbox{%
14395     \unvbox
14396     \if@RTL@footnote
14397     \@mpfootinsv@r
14398   \else
14399     \@mpfootinsv@l
14400   \fi
14401   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14402   \def\baselinestretch{\m@m@footnote@spacing}%
14403   \reset@font\foottextfont
14404   \hsize\columnwidth \@parboxrestore
14405   \protected@edef\@currentlabel{%
14406     \csname p@mpfootnote\endcsname\@thefnmark}%
14407   \color@begingroup
14408     \@ninecolfootfmt{#1}%
14409   \color@endgroup}%
14410   \m@mmf@prepare}
14411 \newcommand{\@mpNineColfootnotetext}[1]{%
14412   \if@RTL@footnote
14413     \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
14414   \else
14415     \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
14416   \fi
14417   \global\setbox
14418     \if@RTL@footnote
14419     \@mpfootinsv@r
14420   \else
14421     \@mpfootinsv@l
14422   \fi
14423   \vbox{%
14424     \unvbox
14425     \if@RTL@footnote
14426     \@mpfootinsv@r
14427   \else
14428     \@mpfootinsv@l
14429   \fi
14430   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14431   \def\baselinestretch{\m@m@footnote@spacing}%
14432   \reset@font\foottextfont
14433   \hsize\columnwidth \@parboxrestore

```



```

14434 \protected@edef\@currentlabel{%
14435 \csname p@mpfootnote\endcsname\@thefnmark}%
14436 \color@begingroup
14437 \@ninecolfootfmt{#1}%
14438 \color@endgroup}%
14439 \m@mmf@prepare}
14440 \bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
14441 \global\setbox\@mpfootinsv@l\vbox{%
14442 \unvbox\@mpfootinsv@l
14443 \@RTLfalse
14444 \def\baselinestretch{\m@m@footnote@spacing}%
14445 \reset@font\LTRfoottextfont
14446 \hsize\columnwidth \@parboxrestore
14447 \protected@edef\@currentlabel{%
14448 \csname p@mpfootnote\endcsname\@thefnmark}%
14449 \color@begingroup
14450 \@ninecolLTRfootfmt{#1}%
14451 \color@endgroup}%
14452 \m@mmf@prepare}
14453 \newcommand{\@mpNineColLTRfootnotetext}[1]{%
14454 \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
14455 \global\setbox\@mpfootinsv@l\vbox{%
14456 \unvbox\@mpfootinsv@l
14457 \@RTLfalse
14458 \def\baselinestretch{\m@m@footnote@spacing}%
14459 \reset@font\LTRfoottextfont
14460 \hsize\columnwidth \@parboxrestore
14461 \protected@edef\@currentlabel{%
14462 \csname p@mpfootnote\endcsname\@thefnmark}%
14463 \color@begingroup
14464 \@ninecolLTRfootfmt{#1}%
14465 \color@endgroup}%
14466 \m@mmf@prepare}
14467 \bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
14468 \global\setbox\@mpfootinsv@r\vbox{%
14469 \unvbox\@mpfootinsv@r
14470 \@RTLtrue
14471 \def\baselinestretch{\m@m@footnote@spacing}%
14472 \reset@font\RTLfoottextfont
14473 \hsize\columnwidth \@parboxrestore
14474 \protected@edef\@currentlabel{%
14475 \csname p@mpfootnote\endcsname\@thefnmark}%
14476 \color@begingroup
14477 \@ninecolRTLfootfmt{#1}%
14478 \color@endgroup}%
14479 \m@mmf@prepare}
14480 \newcommand{\@mpNineColRTLfootnotetext}[1]{%
14481 \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
14482 \global\setbox\@mpfootinsv@r\vbox{%
14483 \unvbox\@mpfootinsv@r
14484 \@RTLtrue
14485 \def\baselinestretch{\m@m@footnote@spacing}%
14486 \reset@font\RTLfoottextfont
14487 \hsize\columnwidth \@parboxrestore

```



```

14488 \protected@edef\@currentlabel{%
14489 \csname p@mpfootnote\endcsname\@thefnmark}%
14490 \color@begingroup
14491 \@ninecolRTLfootfmt{#1}%
14492 \color@endgroup}%
14493 \m@mmf@prepare}
14494 \bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
14495 \@namedef{@ninecol@footgroup#1}{%
14496 \def\baselinestretch{\m@m@footnote@spacing}%
14497 \hsize\bidi@columnwidth
14498 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14499 \m@r rigidbalance{\@nameuse{footins#1}}{9}{\splittopskip}}}}
14500 \newcommand{\bidi@make@ninecol@LTRfootgroup}[1]{%
14501 \@namedef{@ninecol@LTRfootgroup#1}{%
14502 \def\baselinestretch{\m@m@footnote@spacing}%
14503 \hsize\bidi@columnwidth
14504 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14505 \bidi@LTRrigidbalance{\@nameuse{footins#1}}{9}{\splittopskip}}}}
14506 \bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
14507 \@namedef{@mpninecol@footgroup#1}{%
14508 \def\baselinestretch{\m@m@footnote@spacing}%
14509 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14510 \m@r rigidbalance{\@nameuse{mpfootins#1}}{9}{\splittopskip}}}}
14511 \newcommand{\bidi@make@mpninecol@LTRfootgroup}[1]{%
14512 \@namedef{@mpninecol@LTRfootgroup#1}{%
14513 \def\baselinestretch{\m@m@footnote@spacing}%
14514 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14515 \bidi@LTRrigidbalance{\@nameuse{mpfootins#1}}{9}{\splittopskip}}}}
14516 \bidi@ensure@newcommand{\tencolumnfootnotes}{%
14517 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
14518 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
14519 \@bidi@before@Hy@hyperfootnotes
14520 \let\@footnotetext\@tencolfootnotetext
14521 \let\@LTRfootnotetext\@tencolLTRfootnotetext
14522 \let\@RTLfootnotetext\@tencolRTLfootnotetext
14523 \dimen\footinsv@r=10\footinsdim
14524 \count\footinsv@r=100\relax
14525 \m@make@tencol@footgroup{v@r}%
14526 \let\@footgroupv@r\@tencol@footgroupv@r
14527 \dimen\footinsv@l=10\footinsdim
14528 \count\footinsv@l=100\relax
14529 \bidi@make@tencol@LTRfootgroup{v@l}%
14530 \let\@LTRfootgroupv@l\@tencol@LTRfootgroupv@l
14531 \let\@mpfootnotetext\@mptencolfootnotetext
14532 \let\@mpLTRfootnotetext\@mptencolLTRfootnotetext
14533 \let\@mpRTLfootnotetext\@mptencolRTLfootnotetext
14534 \@bidi@after@Hy@hyperfootnotes
14535 \m@make@mptencol@footgroup{v@r}%
14536 \let\mp@footgroupv@r\@mptencol@footgroupv@r
14537 \bidi@make@mptencol@LTRfootgroup{v@l}%
14538 \let\mp@LTRfootgroupv@l\@mptencol@LTRfootgroupv@l
14539 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14540 }
14541 \newcommand{\TenColumnFootnotes}{%

```



```

14542 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
14543 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
14544 \@bidi@before@Hy@hyperfootnotes
14545 \let\@footnotetext\@TenColfootnotetext
14546 \let\@LTRfootnotetext\@TenColLTRfootnotetext
14547 \let\@RTLfootnotetext\@TenColRTLfootnotetext
14548 \dimen\footinsv@r=10\footinsdim
14549 \count\footinsv@r=100\relax
14550 \m@make@tencol@footgroup{v@r}%
14551 \let\@footgroupv@r\@tencol@footgroupv@r
14552 \dimen\footinsv@l=10\footinsdim
14553 \count\footinsv@l=100\relax
14554 \bidi@make@tencol@LTRfootgroup{v@l}%
14555 \let\@LTRfootgroupv@l\@tencol@LTRfootgroupv@l
14556 \let\@mpfootnotetext\@mpTenColfootnotetext
14557 \let\@mpLTRfootnotetext\@mpTenColLTRfootnotetext
14558 \let\@mpRTLfootnotetext\@mpTenColRTLfootnotetext
14559 \@bidi@after@Hy@hyperfootnotes
14560 \m@make@mptencol@footgroup{v@r}%
14561 \let\mp@footgroupv@r\@mptencol@footgroupv@r
14562 \bidi@make@mptencol@LTRfootgroup{v@l}%
14563 \let\mp@LTRfootgroupv@l\@mptencol@LTRfootgroupv@l
14564 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14565 }
14566 \bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert
14567   \if@RTL@footnote
14568     \footinsv@r
14569   \else
14570     \footinsv@l
14571   \fi
14572 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
14573   \def\baselinestretch{\m@mm@footnote@spacing}%
14574   \reset@font\foottextfont
14575   \@preamfntext
14576   \protected@edef\@currentlabel{%
14577     \csname p@footnote\endcsname\@thefnmark}%
14578   \color@begingroup
14579     \@tencolfootfmt{#1}%
14580   \color@endgroup}%
14581   \m@mmf@prepare}
14582 \newcommand{\@TenColfootnotetext}[1]{%
14583   \bidi@step@absolute@footnote@count
14584   \if@RTL@footnote
14585     \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14586   \else
14587     \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
14588   \fi
14589   \global\setbox
14590   \if@RTL@footnote
14591     \footinsv@r
14592   \else
14593     \footinsv@l
14594   \fi
14595   \vbox{%

```





```

14596 \unvbox
14597 \if@RTL@footnote
14598   \footinsv@r
14599 \else
14600   \footinsv@l
14601 \fi
14602 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14603 \def\baselinestretch{\m@m@footnote@spacing}%
14604 \reset@font\foottextfont
14605 \@preamfntext
14606 \protected@edef\@currentlabel{%
14607   \csname p@footnote\endcsname\@thefnmark}%
14608 \color@begingroup
14609   \@tencolfootfmt{#1}%
14610 \color@endgroup}%
14611 \m@mmf@prepare
14612 \if@RTL@footnote
14613   \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
14614 \else
14615   \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14616 \fi
14617 }
14618 \bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
14619 \def\baselinestretch{\m@m@footnote@spacing}%
14620 \reset@font\LTRfoottextfont
14621 \@preamfntext
14622 \protected@edef\@currentlabel{%
14623   \csname p@footnote\endcsname\@thefnmark}%
14624 \color@begingroup
14625   \@tencolLTRfootfmt{#1}%
14626 \color@endgroup}%
14627 \m@mmf@prepare}
14628 \newcommand{\@TenColLTRfootnotetext}[1]{%
14629 \bidi@step@absolute@footnote@count
14630 \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
14631 \global\setbox\footinsv@l\vbox{%
14632 \unvbox\footinsv@l
14633 \@RTLfalse%
14634 \def\baselinestretch{\m@m@footnote@spacing}%
14635 \reset@font\LTRfoottextfont
14636 \@preamfntext
14637 \protected@edef\@currentlabel{%
14638   \csname p@footnote\endcsname\@thefnmark}%
14639 \color@begingroup
14640   \@tencolLTRfootfmt{#1}%
14641 \color@endgroup}%
14642 \m@mmf@prepare
14643 \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14644 }
14645 \bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
14646 \def\baselinestretch{\m@m@footnote@spacing}%
14647 \reset@font\RTLfoottextfont
14648 \@preamfntext
14649 \protected@edef\@currentlabel{%

```



```

14650   \csname p@footnote\endcsname\@thefnmark}%
14651   \color@begingroup
14652     \@tencolRTLfootfmt{#1}%
14653   \color@endgroup}%
14654   \m@mmf@prepare}
14655 \newcommand{\@TenColRTLfootnotetext}[1]{%
14656   \bidi@step@absolute@footnote@count
14657   \bidi@reinsertfootnote\footinsv@1\@footstartv@1\@LTRfootgroupv@1
14658   \global\setbox\footinsv@r\vbox{%
14659     \unvbox\footinsv@r
14660     \@RTLtrue
14661     \def\baselinestretch{\m@m@footnote@spacing}%
14662     \reset@font\RTLfoottextfont
14663     \@preamfntext
14664     \protected@edef\@currentlabel{%
14665       \csname p@footnote\endcsname\@thefnmark}%
14666     \color@begingroup
14667       \@tencolRTLfootfmt{#1}%
14668     \color@endgroup}%
14669     \m@mmf@prepare
14670     \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
14671   }
14672 \bidi@ensure@newcommand{\@preamtenfmt}{%
14673   \hspace .1\hspace
14674   \parindent=\z@
14675   \tolerance=5000\relax
14676   \leavevmode}
14677 \bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
14678   \@preamtenfmt
14679   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
14680 \bidi@ensure@newcommand{\@tencolLTRfootfmt}[1]{%
14681   \@preamtenfmt
14682   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
14683 \bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
14684   \@preamtenfmt
14685   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
14686 \bidi@ensure@newcommand{\@mptencolfootnotetext}[1]{%
14687   \global\setbox
14688     \if@RTL@footnote
14689     \@mpfootinsv@r
14690   \else
14691     \@mpfootinsv@l
14692   \fi
14693   \vbox{%
14694     \unvbox
14695     \if@RTL@footnote
14696     \@mpfootinsv@r
14697   \else
14698     \@mpfootinsv@l
14699   \fi
14700   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14701   \def\baselinestretch{\m@m@footnote@spacing}%
14702   \reset@font\foottextfont
14703   \hspace\columnwidth \@parboxrestore

```



```

14704   \protected@edef\@currentlabel{%
14705     \csname p@mpfootnote\endcsname\@thefnmark}%
14706   \color@begingroup
14707     \@tencolfootfmt{#1}%
14708   \color@endgroup}%
14709   \m@mmf@prepare}
14710 \newcommand{\@mpTenColfootnotetext}[1]{%
14711   \if@RTL@footnote
14712     \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
14713   \else
14714     \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
14715   \fi
14716   \global\setbox
14717     \if@RTL@footnote
14718       \@mpfootinsv@r
14719   \else
14720     \@mpfootinsv@l
14721   \fi
14722   \vbox{%
14723     \unvbox
14724     \if@RTL@footnote
14725       \@mpfootinsv@r
14726   \else
14727     \@mpfootinsv@l
14728   \fi
14729   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14730   \def\baselinestretch{\m@m@footnote@spacing}%
14731   \reset@font\foottextfont
14732   \hsize\columnwidth \@parboxrestore
14733   \protected@edef\@currentlabel{%
14734     \csname p@mpfootnote\endcsname\@thefnmark}%
14735   \color@begingroup
14736     \@tencolfootfmt{#1}%
14737   \color@endgroup}%
14738   \m@mmf@prepare}
14739 \bidi@ensure@newcommand{\@mptencollTRfootnotetext}[1]{%
14740   \global\setbox\@mpfootinsv@l\vbox{%
14741     \unvbox\@mpfootinsv@l
14742     \@RTLfalse
14743     \def\baselinestretch{\m@m@footnote@spacing}%
14744     \reset@font\LTRfoottextfont
14745     \hsize\columnwidth \@parboxrestore
14746     \protected@edef\@currentlabel{%
14747       \csname p@mpfootnote\endcsname\@thefnmark}%
14748   \color@begingroup
14749     \@tencollTRfootfmt{#1}%
14750   \color@endgroup}%
14751   \m@mmf@prepare}
14752 \newcommand{\@mpTenCollTRfootnotetext}[1]{%
14753   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
14754   \global\setbox\@mpfootinsv@l\vbox{%
14755     \unvbox\@mpfootinsv@l
14756     \@RTLfalse
14757     \def\baselinestretch{\m@m@footnote@spacing}%

```



```

14758 \reset@font\LTRfoottextfont
14759 \hsize\columnwidth \@parboxrestore
14760 \protected@edef\@currentlabel{%
14761 \csname p@mpfootnote\endcsname\@thefnmark}%
14762 \color@begingroup
14763 \@tencolLTRfootfmt{#1}%
14764 \color@endgroup}%
14765 \m@mmf@prepare}
14766 \bidi@ensure@newcommand{\@mptencolRTLfootnotetext}[1]{%
14767 \global\setbox\@mpfootinsv@r\vbox{%
14768 \unvbox\@mpfootinsv@r
14769 \@RTLtrue
14770 \def\baselinestretch{\m@m@footnote@spacing}%
14771 \reset@font\RTLfoottextfont
14772 \hsize\columnwidth \@parboxrestore
14773 \protected@edef\@currentlabel{%
14774 \csname p@mpfootnote\endcsname\@thefnmark}%
14775 \color@begingroup
14776 \@tencolRTLfootfmt{#1}%
14777 \color@endgroup}%
14778 \m@mmf@prepare}
14779 \newcommand{\@mpTenColRTLfootnotetext}[1]{%
14780 \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
14781 \global\setbox\@mpfootinsv@r\vbox{%
14782 \unvbox\@mpfootinsv@r
14783 \@RTLtrue
14784 \def\baselinestretch{\m@m@footnote@spacing}%
14785 \reset@font\RTLfoottextfont
14786 \hsize\columnwidth \@parboxrestore
14787 \protected@edef\@currentlabel{%
14788 \csname p@mpfootnote\endcsname\@thefnmark}%
14789 \color@begingroup
14790 \@tencolRTLfootfmt{#1}%
14791 \color@endgroup}%
14792 \m@mmf@prepare}
14793 \bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
14794 \@namedef{@tencol@footgroup#1}{%
14795 \def\baselinestretch{\m@m@footnote@spacing}%
14796 \hsize\bidi@columnwidth
14797 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14798 \m@r@rigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}}
14799 \newcommand{\bidi@make@tencol@LTRfootgroup}[1]{%
14800 \@namedef{@tencol@LTRfootgroup#1}{%
14801 \def\baselinestretch{\m@m@footnote@spacing}%
14802 \hsize\bidi@columnwidth
14803 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14804 \bidi@LTRrigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}}
14805 \bidi@ensure@newcommand{\m@make@mptencol@footgroup}[1]{%
14806 \@namedef{@mptencol@footgroup#1}{%
14807 \def\baselinestretch{\m@m@footnote@spacing}%
14808 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14809 \m@r@rigidbalance{\@nameuse{mpfootins#1}}{10}{\splittopskip}}}}
14810 \newcommand{\bidi@make@mptencol@LTRfootgroup}[1]{%
14811 \@namedef{@mptencol@LTRfootgroup#1}{%

```



```

14812 \def\baselinestretch{\m@m@footnote@spacing}%
14813 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14814 \bidi@LTRrigidbalance{\@nameuse{@mpfootins#1}}{10}{\splittopskip}}
14815 \bidi@ensure@newcommand{\m@munvxh}[1]{%
14816   \setbox0=\vbox{\unvbox#1%
14817     \global\setbox1=\lastbox}%
14818   \unhbox1
14819   \unskip
14820   \unskip
14821   \unpenalty
14822   \hskip\m@mipn@skip}
14823 \bidi@ensure@newcommand{\m@mungebox}{%
14824   \setbox0=\hbox{\m@munvxh0}%
14825   \dp0=\z@
14826   \ht0=\footfudgefactor\wd0
14827   \box0
14828   \penalty0}
14829 \newskip\m@mipn@skip
14830 \bidi@ensure@newcommand*{\m@minterparanoteglu}[1]{%
14831   {\foottextfont\global\m@mipn@skip=#1\relax}}
14832 \m@minterparanoteglu{1em plus.3em minus.3em}
14833 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
14834   \setbox0=\hbox{}%
14835   \loop
14836     \unpenalty
14837     \setbox2=\lastbox
14838     \ifhbox2
14839       \setbox0=\hbox{\box2\unhbox0}
14840     \repeat}
14841 \bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
14842   \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
14843 \newcommand*\AddExtraParaSkip[1]{%
14844   \def\bidi@xparaskip{\advance\@tempdima#1\relax}%
14845 }
14846 \let\bidi@xparaskip\relax
14847 \@onlypreamble\AddExtraParaSkip
14848 \@onlypreamble\bidi@xparaskip
14849 \def\bidi@startparafootskip#1{%
14850   \global\advance\skip#1\bidi@paraskip
14851 }
14852 \@onlypreamble\bidi@startparafootskip
14853 \bidi@ensure@newcommand{\paragraphfootnotes}{%
14854   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
14855   \@namedef{foottextfontv@l}{\LTRfoottextfont}%
14856   \@bidi@before@Hy@hyperfootnotes
14857   \let\@footnotetext\@parafootnotetext
14858   \let\@LTRfootnotetext\@paraLTRfootnotetext
14859   \let\@RTLfootnotetext\@paraRTLfootnotetext
14860   \dimen\footinsv@r=\footinsdim
14861   \count\footinsv@r=1000\relax
14862   \let\bidi@removexfootskip\bidi@removexparafootskip
14863   \m@make@para@footgroup{v@r}%
14864   \m@make@para@footstart{v@r}%
14865   \let\@footgroupv@r\@para@footgroupv@r

```



```

14866 \let\@footstartv@r\@para@footstartv@r
14867 \dimen\footinsv@l=\footinsdim
14868 \count\footinsv@l=1000\relax
14869 \bidi@make@para@LTRfootgroup{v@l}%
14870 \m@make@para@footstart{v@l}%
14871 \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l
14872 \let\@footstartv@l\@para@footstartv@l
14873 \let\@mpfootnotetext\@mpparafootnotetext
14874 \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
14875 \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
14876 \@bidi@after@Hy@hyperfootnotes
14877 \m@make@mppara@footgroup{v@r}%
14878 \bidi@make@mppara@LTRfootgroup{v@l}%
14879 \let\mp@footgroupv@r\@mppara@footgroupv@r
14880 \let\mp@LTRfootgroupv@l\@mppara@LTRfootgroupv@l
14881 \g@addto@macro\bidi@floodhook{%
14882   \begingroup
14883     \foottextfont \@tempdima\normalbaselineskip
14884     \multiply \@tempdima \ccclvi
14885     \@tempdimb \columnwidth
14886     \divide \@tempdimb \ccclvi
14887     \divide \@tempdima \@tempdimb
14888     \xdef\footfudgefactor{\strip@pt\@tempdima}%
14889   \endgroup
14890 }
14891 \AtBeginDocument{%
14892   \begingroup
14893     \foottextfont
14894     \@tempdima\footnotesep
14895     \advance\@tempdima -\ht\strutbox
14896     \ifdim\@tempdima<\z@ \@tempdima\z@ \fi
14897     \advance\@tempdima.5\normalbaselineskip
14898     \bidi@xparaskip
14899     \xdef\bidi@paraskip{\the\@tempdima\relax}%
14900   \endgroup
14901   \bidi@startparafootskip\footinsv@r
14902   \bidi@startparafootskip\footinsv@l
14903 }
14904 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14905 }
14906 \newcommand{\ParagraphFootnotes}{%
14907   \@namedef{foottextfontv@r}{\foottextfont}%
14908   \@namedef{foottextfontv@l}{\LTRfoottextfont}%
14909   \@bidi@before@Hy@hyperfootnotes
14910   \let\@footnotetext\@Parafootnotetext
14911   \let\@LTRfootnotetext\@ParaLTRfootnotetext
14912   \let\@RTLfootnotetext\@ParaRTLfootnotetext
14913   \dimen\footinsv@r=\footinsdim
14914   \count\footinsv@r=1000\relax
14915   \let\bidi@removexfootskip\bidi@removexparafootskip
14916   \m@make@para@footgroup{v@r}%
14917   \m@make@para@footstart{v@r}%
14918   \let\@footgroupv@r\@para@footgroupv@r
14919   \let\@footstartv@r\@para@footstartv@r

```



```

14920 \dimen\footinsv@l=\footinsdim
14921 \count\footinsv@l=1000\relax
14922 \bidi@make@para@LTRfootgroup{v@l}%
14923 \m@make@para@footstart{v@l}%
14924 \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l
14925 \let\@footstartv@l\@para@footstartv@l
14926 \let\@mpfootnotetext\@mpParafootnotetext
14927 \let\@mpLTRfootnotetext\@mpParaLTRfootnotetext
14928 \let\@mpRTLfootnotetext\@mpParaRTLfootnotetext
14929 \@bidi@after@Hy@hyperfootnotes
14930 \m@make@mppara@footgroup{v@r}%
14931 \bidi@make@mppara@LTRfootgroup{v@l}%
14932 \let\mp@footgroupv@r\@mppara@footgroupv@r
14933 \let\mp@LTRfootgroupv@l\@mppara@LTRfootgroupv@l
14934 \g@addto@macro\bidi@floathook{%
14935   \begingroup
14936     \foottextfont \@tempdima\normalbaselineskip
14937     \multiply \@tempdima \@cclvi
14938     \@tempdimb \columnwidth
14939     \divide \@tempdimb \@cclvi
14940     \divide \@tempdima \@tempdimb
14941     \xdef\footfudgefactor{\strip@pt\@tempdima}%
14942   \endgroup
14943 }
14944 \@AtBeginDocument{%
14945   \begingroup
14946     \foottextfont
14947     \@tempdima\footnotesep
14948     \advance\@tempdima -\ht\strutbox
14949     \ifdim\@tempdima<\z@ \@tempdima\z@ \fi
14950     \advance\@tempdima.5\normalbaselineskip
14951     \bidi@xparaskip
14952     \xdef\bidi@paraskip{\the\@tempdima\relax}%
14953   \endgroup
14954   \bidi@startparafootskip\footinsv@r
14955   \bidi@startparafootskip\footinsv@l
14956 }
14957 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14958 }
14959 \newcommand{\normalRTLparaLTRfootnotes}{%
14960   \@namedef{foottextfontv@l}{\LTRfoottextfont}%
14961   \@bidi@before@Hy@hyperfootnotes
14962   \if@RTL@footnote
14963     \let\@footnotetext\m@old@footnotetext
14964   \else
14965     \let\@footnotetext\@parafootnotetext
14966   \fi
14967   \let\@LTRfootnotetext\@paraLTRfootnotetext
14968   \let\@RTLfootnotetext\m@old@RTLfootnotetext
14969   \dimen\footinsv@l=\footinsdim
14970   \count\footinsv@l=1000\relax
14971   \let\bidi@removexfootskip\bidi@removexparafootskip
14972   \bidi@make@para@LTRfootgroup{v@l}%
14973   \m@make@para@footstart{v@l}%

```



```

14974 \let\@LTRfootgroupv@1\@para@LTRfootgroupv@1
14975 \let\@footstartv@1\@para@footstartv@1
14976 \if@RTL@footnote
14977   \let\@mpfootnotetext\m@mold@mpfootnotetext
14978 \else
14979   \let\@mpfootnotetext\@mpparafootnotetext
14980 \fi
14981 \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
14982 \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
14983 \@bidi@after@Hy@hyperfootnotes
14984 \bidi@make@mppara@LTRfootgroup{v@1}%
14985 \let\mp@LTRfootgroupv@1\@mppara@LTRfootgroupv@1
14986 \g@addto@macro\bidi@floathook{%
14987   \begingroup
14988     \LTRfoottextfont \@tempdima\normalbaselineskip
14989     \multiply \@tempdima \@cclvi
14990     \@tempdimb \columnwidth
14991     \divide \@tempdimb \@cclvi
14992     \divide \@tempdima \@tempdimb
14993     \xdef\footfudgefactor{\strip@pt\@tempdima}%
14994   \endgroup
14995 }
14996 \AtBeginDocument{%
14997   \begingroup
14998     \LTRfoottextfont
14999     \@tempdima\footnotesep
15000     \advance\@tempdima -\ht\strutbox
15001     \ifdim\@tempdima<\z@ \@tempdima\z@ \fi
15002     \advance\@tempdima.5\normalbaselineskip
15003     \bidi@xparaskip
15004     \xdef\bidi@paraskip{\the\@tempdima\relax}%
15005   \endgroup
15006   \bidi@startparafootskip\footinsv@1
15007 }
15008 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
15009 }
15010 \newcommand{\NormalRTLParaLTRFootnotes}{%
15011   \@namedef{foottextfontv@1}{\LTRfoottextfont}%
15012   \@bidi@before@Hy@hyperfootnotes
15013   \if@RTL@footnote
15014     \let\@footnotetext\bidi@bidiold@footnotetext
15015   \else
15016     \let\@footnotetext\@Parafootnotetext
15017   \fi
15018   \let\@LTRfootnotetext\@ParaLTRfootnotetext
15019   \let\@RTLfootnotetext\bidi@bidiold@RTLfootnotetext
15020   \dimen\footinsv@1=\footinsdim
15021   \count\footinsv@1=1000\relax
15022   \let\bidi@removexfootskip\bidi@removexparafootskip
15023   \bidi@make@para@LTRfootgroup{v@1}%
15024   \m@make@para@footstart{v@1}%
15025   \let\@LTRfootgroupv@1\@para@LTRfootgroupv@1
15026   \let\@footstartv@1\@para@footstartv@1
15027   \if@RTL@footnote

```





```

15028 \let\@mpfootnotetext\@bidi@bidiold@mpfootnotetext
15029 \else
15030 \let\@mpfootnotetext\@mpParafootnotetext
15031 \fi
15032 \let\@mpLTRfootnotetext\@mpParaLTRfootnotetext
15033 \let\@mpRTLfootnotetext\@bidi@bidiold@mpRTLfootnotetext
15034 \@bidi@after@Hy@hyperfootnotes
15035 \bidi@make@mppara@LTRfootgroup{v@1}%
15036 \let\mp@LTRfootgroupv@1\@mppara@LTRfootgroupv@1
15037 \g@addto@macro\@bidi@floathook{%
15038 \begingroup
15039 \LTRfoottextfont \@tempdima\normalbaselineskip
15040 \multiply \@tempdima \@cclvi
15041 \@tempdimb \columnwidth
15042 \divide \@tempdimb \@cclvi
15043 \divide \@tempdima \@tempdimb
15044 \xdef\footfudgefactor{\strip@pt\@tempdima}%
15045 \endgroup
15046 }
15047 \AtBeginDocument{%
15048 \begingroup
15049 \LTRfoottextfont
15050 \@tempdima\footnotesep
15051 \advance\@tempdima -\ht\strutbox
15052 \ifdim\@tempdima<z@ \@tempdima\z@ \fi
15053 \advance\@tempdima.5\normalbaselineskip
15054 \bidi@xparaskip
15055 \xdef\@bidi@paraskip{\the\@tempdima\relax}%
15056 \endgroup
15057 \bidi@startparafootskip\footinsv@1
15058 }
15059 \@ifstar\@bidi@star@footmarkwidth\@bidi@normal@footmarkwidth
15060 }
15061 \bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert
15062 \if@RTL@footnote
15063 \footinsv@r
15064 \else
15065 \footinsv@l
15066 \fi
15067 {%
15068 \let\@bidi@RTL@everypar\@empty%
15069 \def\baselinestretch{\m@mm@footnote@spacing}%
15070 \reset@font\foottextfont
15071 \@preamfntext
15072 \protected@edef\@currentlabel{%
15073 \csname p@footnote\endcsname\@thefnmark}%
15074 \setbox0=\vbox{\hsize=\maxdimen
15075 \color@begingroup
15076 \noindent \@parafootfmt{#1}%
15077 \color@endgroup}%
15078 \m@mmungebox}\m@mmmf@prepare}
15079 \newcommand{\@Parafootnotetext}[1]{%
15080 \bidi@step@absolute@footnote@count
15081 \if@RTL@footnote

```



```

15082     \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
15083 \else
15084     \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
15085 \fi
15086 \global\setbox
15087 \if@RTL@footnote
15088     \footinsv@r
15089 \else
15090     \footinsv@l
15091 \fi
15092 \vbox{%
15093 \unvbox
15094 \if@RTL@footnote
15095     \footinsv@r
15096 \else
15097     \footinsv@l
15098 \fi
15099 \let\bidi@RTL@everypar\@empty%
15100 \def\baselinestretch{\m@m@footnote@spacing}%
15101 \reset@font\foottextfont
15102 \@preamfntext
15103 \protected@edef\@currentlabel{%
15104     \csname p@footnote\endcsname\@thefnmark}%
15105 \setbox0=\vbox{\hsize=\maxdimen
15106     \color@begingroup
15107     \noindent \@parafootfmt{#1}%
15108     \color@endgroup}%
15109 \m@mungebox}\m@mmf@prepare
15110 \if@RTL@footnote
15111     \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
15112 \else
15113     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
15114 \fi
15115 }
15116 \bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@l{%
15117 \let\bidi@RTL@everypar\@empty%
15118 \def\baselinestretch{\m@m@footnote@spacing}%
15119 \reset@font\LTRfoottextfont
15120 \@preamfntext
15121 \protected@edef\@currentlabel{%
15122     \csname p@footnote\endcsname\@thefnmark}%
15123 \setbox0=\vbox{\hsize=\maxdimen
15124     \color@begingroup
15125     \noindent \@paraLTRfootfmt{#1}%
15126     \color@endgroup}%
15127 \m@mungebox}\m@mmf@prepare}
15128 \newcommand{\@ParaLTRfootnotetext}[1]{%
15129 \bidi@step@absolute@footnote@count
15130 \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
15131 \global\setbox\footinsv@l\vbox{%
15132 \unvbox\footinsv@l
15133 \let\bidi@RTL@everypar\@empty%
15134 \def\baselinestretch{\m@m@footnote@spacing}%
15135 \reset@font\LTRfoottextfont

```



```

15136 \@preamfntext
15137 \protected@edef\@currentlabel{%
15138   \csname p@footnote\endcsname\@thefnmark}%
15139 \setbox0=\vbox{\hsize=\maxdimen
15140   \color@begingroup
15141   \noindent \@paraLTRfootfmt{#1}%
15142   \color@endgroup}%
15143 \m@mungebox}\m@mmf@prepare
15144 \bidi@reinsertfinalfootnoteperpage\footinsv@1\@footstartv@1\@LTRfootgroupv@1
15145 }
15146 \bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{%
15147   \let\bidi@RTL@everypar\@empty%
15148   \def\baselinestretch{\m@m@footnote@spacing}%
15149   \reset@font\RTLfoottextfont
15150   \@preamfntext
15151   \protected@edef\@currentlabel{%
15152     \csname p@footnote\endcsname\@thefnmark}%
15153   \setbox0=\vbox{\hsize=\maxdimen
15154     \color@begingroup
15155     \noindent \@paraRTLfootfmt{#1}%
15156     \color@endgroup}%
15157   \m@mungebox}\m@mmf@prepare}
15158 \newcommand{\@ParaRTLfootnotetext}[1]{%
15159   \bidi@step@absolute@footnote@count
15160   \bidi@reinsertfootnote\footinsv@1\@footstartv@1\@LTRfootgroupv@1
15161   \global\setbox\footinsv@r\vbox{%
15162     \unvbox\footinsv@r
15163     \let\bidi@RTL@everypar\@empty%
15164     \def\baselinestretch{\m@m@footnote@spacing}%
15165     \reset@font\RTLfoottextfont
15166     \@preamfntext
15167     \protected@edef\@currentlabel{%
15168       \csname p@footnote\endcsname\@thefnmark}%
15169     \setbox0=\vbox{\hsize=\maxdimen
15170       \color@begingroup
15171       \noindent \@paraRTLfootfmt{#1}%
15172       \color@endgroup}%
15173     \m@mungebox}\m@mmf@prepare
15174     \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
15175   }
15176 \bidi@ensure@newcommand{\@parafootfmt}[1]{%
15177   \parindent=\z@
15178   \parfillskip=0pt \@plus 1fil
15179   {\footfootmark\strut {\foottextfont #1}\penalty-10}}
15180 \bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
15181   \parindent=\z@
15182   \parfillskip=0pt \@plus 1fil
15183   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
15184 \bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
15185   \parindent=\z@
15186   \parfillskip=0pt \@plus 1fil
15187   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
15188 \bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
15189   \global\setbox

```



```

15190 \if@RTL@footnote
15191   \@mpfootinsv@r
15192 \else
15193   \@mpfootinsv@l
15194 \fi
15195 \vbox{%
15196   \unvbox
15197   \if@RTL@footnote
15198     \@mpfootinsv@r
15199   \else
15200     \@mpfootinsv@l
15201   \fi
15202   \let\bidir@RTL@everypar\@empty
15203   \def\baselinestretch{\m@m@footnote@spacing}%
15204   \reset@font\foottextfont
15205   \hsize\columnwidth \@parboxrestore
15206   \protected@edef\@currentlabel{%
15207     \csname p@mpfootnote\endcsname\@thefnmark}%
15208   \setbox0=\vbox{\hsize=\maxdimen
15209     \color@begingroup
15210     \noindent \@parafootfmt{#1}%
15211     \color@endgroup}%
15212   \m@mungebox}\m@mmf@prepare}
15213 \newcommand{\@mpParafootnotetext}[1]{%
15214 \if@RTL@footnote
15215   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
15216 \else
15217   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
15218 \fi
15219 \global\setbox
15220 \if@RTL@footnote
15221   \@mpfootinsv@r
15222 \else
15223   \@mpfootinsv@l
15224 \fi
15225 \vbox{%
15226   \unvbox
15227   \if@RTL@footnote
15228     \@mpfootinsv@r
15229   \else
15230     \@mpfootinsv@l
15231   \fi
15232   \let\bidir@RTL@everypar\@empty
15233   \def\baselinestretch{\m@m@footnote@spacing}%
15234   \reset@font\foottextfont
15235   \hsize\columnwidth \@parboxrestore
15236   \protected@edef\@currentlabel{%
15237     \csname p@mpfootnote\endcsname\@thefnmark}%
15238   \setbox0=\vbox{\hsize=\maxdimen
15239     \color@begingroup
15240     \noindent \@parafootfmt{#1}%
15241     \color@endgroup}%
15242   \m@mungebox}\m@mmf@prepare}
15243 \bidi@ensure@newcommand{\@mpparaLTRfootnotetext}[1]{%

```



```

15244 \global\setbox\@mpfootinsv@l\vbox{%
15245 \unvbox\@mpfootinsv@l
15246 \let\bidirTL@everypar\@empty
15247 \def\baselinestretch{\m@m@footnote@spacing}%
15248 \reset@font\LTRfoottextfont
15249 \hsize\columnwidth \@parboxrestore
15250 \protected@edef\@currentlabel{%
15251 \csname p@mpfootnote\endcsname\@thefnmark}%
15252 \setbox0=\vbox{\hsize=\maxdimen
15253 \color@begingroup
15254 \noindent \@paraLTRfootfmt{#1}%
15255 \color@endgroup}%
15256 \m@mungebox}\m@mmf@prepare}
15257 \newcommand{\@mpParaLTRfootnotetext}[1]{%
15258 \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
15259 \global\setbox\@mpfootinsv@l\vbox{%
15260 \unvbox\@mpfootinsv@l
15261 \let\bidirTL@everypar\@empty
15262 \def\baselinestretch{\m@m@footnote@spacing}%
15263 \reset@font\LTRfoottextfont
15264 \hsize\columnwidth \@parboxrestore
15265 \protected@edef\@currentlabel{%
15266 \csname p@mpfootnote\endcsname\@thefnmark}%
15267 \setbox0=\vbox{\hsize=\maxdimen
15268 \color@begingroup
15269 \noindent \@paraLTRfootfmt{#1}%
15270 \color@endgroup}%
15271 \m@mungebox}\m@mmf@prepare}
15272 \bidi@ensure@newcommand{\@mpparaRTLfootnotetext}[1]{%
15273 \global\setbox\@mpfootinsv@r\vbox{%
15274 \unvbox\@mpfootinsv@r
15275 \let\bidirTL@everypar\@empty
15276 \def\baselinestretch{\m@m@footnote@spacing}%
15277 \reset@font\RTLfoottextfont
15278 \hsize\columnwidth \@parboxrestore
15279 \protected@edef\@currentlabel{%
15280 \csname p@mpfootnote\endcsname\@thefnmark}%
15281 \setbox0=\vbox{\hsize=\maxdimen
15282 \color@begingroup
15283 \noindent \@paraRTLfootfmt{#1}%
15284 \color@endgroup}%
15285 \m@mungebox}\m@mmf@prepare}
15286 \newcommand{\@mpParaRTLfootnotetext}[1]{%
15287 \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
15288 \global\setbox\@mpfootinsv@r\vbox{%
15289 \unvbox\@mpfootinsv@r
15290 \let\bidirTL@everypar\@empty
15291 \def\baselinestretch{\m@m@footnote@spacing}%
15292 \reset@font\RTLfoottextfont
15293 \hsize\columnwidth \@parboxrestore
15294 \protected@edef\@currentlabel{%
15295 \csname p@mpfootnote\endcsname\@thefnmark}%
15296 \setbox0=\vbox{\hsize=\maxdimen
15297 \color@begingroup

```



```

15298     \noindent \@paraRTLfootfmt{#1}%
15299     \color@endgroup}%
15300     \m@mungebox}\m@mmf@prepare}
15301 \bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
15302 \@namedef{@para@footgroup#1}{%
15303   \unvbox\@nameuse{footins#1}
15304   \@RTLtrue
15305   \m@mmakehboxofhboxes
15306   \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
15307   \hsize\bidi@columnwidth
15308   \@parboxrestore
15309   \def\baselinestretch{\m@m@footnote@spacing}%
15310   \@nameuse{foottextfont#1}%
15311   \noindent\unhbox0\par}}
15312 \bidi@ensure@newcommand{\bidi@make@para@LTRfootgroup}[1]{%
15313 \@namedef{@para@LTRfootgroup#1}{%
15314   \unvbox\@nameuse{footins#1}
15315   \@RTLfalse
15316   \m@mmakehboxofhboxes
15317   \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
15318   \hsize\bidi@columnwidth
15319   \@parboxrestore
15320   \def\baselinestretch{\m@m@footnote@spacing}%
15321   \@nameuse{foottextfont#1}%
15322   \noindent\unhbox0\par}}
15323 \newcommand{\bidi@removexparafootskip}{%
15324   \advance\@tempskipa -\bidi@paraskip
15325   \edef\bidi@footskip{\vskip\the\@tempskipa\relax}%
15326 }
15327 \let\bidi@removexfootskip\relax
15328 \bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
15329 \@namedef{@mppara@footgroup#1}{%
15330   \unvbox\@nameuse{mpfootins#1}
15331   \@RTLtrue
15332   \m@mmakehboxofhboxes
15333   \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
15334   \def\baselinestretch{\m@m@footnote@spacing}%
15335   \@nameuse{foottextfont#1}%
15336   \noindent\unhbox0\par}}
15337 \bidi@ensure@newcommand{\bidi@make@mppara@LTRfootgroup}[1]{%
15338 \@namedef{@mppara@LTRfootgroup#1}{%
15339   \unvbox\@nameuse{mpfootins#1}
15340   \@RTLfalse
15341   \m@mmakehboxofhboxes
15342   \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
15343   \def\baselinestretch{\m@m@footnote@spacing}%
15344   \@nameuse{foottextfont#1}%
15345   \noindent\unhbox0\par}}
15346 \bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
15347 \@namedef{@para@footstart#1}{%
15348   \leftskip=\z@
15349   \rightskip=\z@
15350   \parindent=\z@
15351   }%

```



```

15352 }
15353 \bidi@ensure@newcommand*{\m@m@makecolfloats}{%
15354   \xdef\@freelist{\@freelist\@midlist}%
15355   \global\let\@midlist\@empty
15356   \@combinefloats}
15357 \bidi@ensure@newcommand*{\m@m@makecoltext}{%
15358   \ifvbox\@kludgeins
15359     \@makespecialcolbox
15360   \else
15361     \setbox\@outputbox \vbox to\@colht{%
15362       \@texttop
15363       \dimen@ \dp\@outputbox
15364       \unvbox \@outputbox
15365       \vskip -\dimen@
15366       \@textbottom}%
15367   \fi}
15368 \bidi@ensure@newcommand*{\m@m@makecolintro}{-}
15369 \bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\@outputbox \vbox{%
15370   \boxmaxdepth\@maxdepth
15371   \@tempdima\dp\@cclv
15372   \unvbox\@cclv
15373   \vskip-\@tempdima
15374   \bidi@mopfn@bottom
15375   \vskip \skip\footins
15376   \color@begingroup
15377     \normalcolor
15378     \footnoterule
15379     \unvbox \footins
15380   \color@endgroup
15381   }%
15382 }
15383 \newcommand*{\bidi@mopfootnotebf}{%
15384   \setbox\@outputbox \vbox{%
15385     \boxmaxdepth\@maxdepth
15386     \unvbox\@outputbox
15387     \bidi@mopfn@bottom
15388     \vskip\skip\footins
15389     \color@begingroup
15390       \normalcolor
15391       \footnoterule
15392       \unvbox \footins
15393     \color@endgroup
15394   }%
15395 }
15396 \gdef\mem@makecol{%
15397   \m@m@makecolintro
15398   \m@mdoextrafeet
15399   \ifvoid\footins
15400     \setbox\@outputbox \box\@cclv
15401   \else
15402     \m@mopfootnote
15403   \fi
15404   \m@m@makecolfloats
15405   \m@m@makecoltext

```



```

15406 \global \maxdepth \@maxdepth}
15407 \gdef\bidi@makecolbf{%
15408 \m@m@makecolintro
15409 \m@m@doextrafeet
15410 \setbox\@outputbox \box\@cclv
15411 \m@m@makecolfloats
15412 \ifvoid\footins
15413 \else
15414 \bidi@mopfootnotebf
15415 \fi
15416 \m@m@makecoltext
15417 \global \maxdepth \@maxdepth}
15418 \newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem@makecol}}
15419 \newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi@makecolbf}}
15420 \newcommand\FeetAtBottom{\def\bidi@mopfn@bottom{\vfill\relax}}
15421 \newcommand\FeetBelowRagged{\let\bidi@mopfn@bottom\relax}
15422 \FeetAboveFloat
15423 \FeetBelowRagged
15424 \def\bidi@reinserts#1{\ifvoid#1\else
15425 \ifnum\count\@currbox>\z@
15426 \advance\@pageht \ht#1%
15427 \advance\@pageht \skip#1%
15428 \advance\@pageht \dp#1%
15429 \fi
15430 \insert#1{\unvbox#1}%
15431 \fi
15432 }
15433 \def\bidi@init@multi@footins#1{%
15434 \multiply\count#1\col@number
15435 \multiply\skip#1\col@number
15436 }
15437 \def\bidi@reinsert@footnotes#1{\ifvoid#1\else
15438 \insert#1{\fi}
15439 \AtBeginDocument{%
15440 \bidi@preto\@doclearpage\m@m@doextrafeet
15441 \g@addto@macro\@reinserts{%
15442 \bidi@reinserts\footinsv@r
15443 \bidi@reinserts\footinsv@l
15444 }
15445 \bidi@floathook
15446 \g@addto@macro\@floatplacement{%
15447 \bidi@ifmulticol}{\bidi@floathook}%
15448 }%
15449 \if@bidi@csundef{multi@column@out}{%
15450 \@onlypreamble\bidi@init@multi@footins
15451 \let\bidi@ifmulticol\@secondoftwo
15452 }{%
15453 \bidi@preto\multi@column@out\m@m@doextrafeet
15454 \g@addto@macro\init@multi@footins{%
15455 \bidi@init@multi@footins\footinsv@r
15456 \bidi@init@multi@footins\footinsv@l
15457 }%
15458 \g@addto@macro\reinsert@footnotes{%
15459 \bidi@reinsert@footnotes\footinsv@r

```





```

15460     \bidi@reinsert@footnotes\footinsv@l
15461     }%
15462 }%
15463 }

```

## 87 File extreport-xetex-bidi.def

```

15464 \ProvidesFile{extreport-xetex-bidi.def}[2017/06/09 v0.3 bidi adaptations for extreport class]
15465 \renewcommand*\l@part[2]{%
15466   \ifnum \c@tocdepth >-2\relax
15467     \addpenalty{-\@highpenalty}%
15468     \addvspace{2.25em \@plus\p@}%
15469     \begingroup
15470     \setlength\@tempdima{3em}%
15471     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
15472     \parfillskip -\@pnumwidth
15473     {\leavevmode
15474       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
15475     \nobreak
15476     \global\@nobreaktrue
15477     \everypar{\global\@nobreakfalse\everypar{}}%
15478   \endgroup
15479   \fi}
15480 \renewcommand*\l@chapter[2]{%
15481   \ifnum \c@tocdepth >\m@ne
15482     \addpenalty{-\@highpenalty}%
15483     \vskip 1.0em \@plus\p@
15484     \setlength\@tempdima{1.5em}%
15485     \begingroup
15486     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
15487     \parfillskip -\@pnumwidth
15488     \leavevmode \bfseries
15489     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
15490     \hskip -\if@RTL\rightskip\else\leftskip\fi
15491     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
15492     \penalty\@highpenalty
15493   \endgroup
15494   \fi}
15495 \def\@makechapterhead#1{%
15496   \vspace*{50\p@}%
15497   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
15498     \ifnum \c@secnumdepth >\m@ne
15499       \huge\bfseries \@chapapp\space \thechapter
15500       \par\nobreak
15501       \vskip 20\p@
15502     \fi
15503     \interlinepenalty\@M
15504     \Huge \bfseries #1\par\nobreak
15505     \vskip 40\p@
15506   }}
15507 \def\@makeschapterhead#1{%
15508   \vspace*{50\p@}%
15509   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
15510     \normalfont

```



```

15511 \interlinepenalty\@M
15512 \Huge \bfseries #1\par\nobreak
15513 \vskip 40\p@
15514 }
15515 \renewcommand\left@footnoterule{%
15516 \kern-3\p@
15517 \hrule\@width.4\columnwidth
15518 \kern2.6\p@}
15519 \renewcommand\right@footnoterule{%
15520 \kern-3\p@
15521 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
15522 \kern2.6\p@}
15523 \renewenvironment{thebibliography}[1]
15524 {\chapter*{\bibname
15525 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
15526 \ifRTL\ifLTRbibitems\RTLfalse\else\fi\else\ifRTLbibitems\RTLtrue\else\fi\fi
15527 \bidi@thebibliography@font@hook%
15528 \list{\@biblabel{\@arabic\c@enumiv}}%
15529 {\settowidth\labelwidth{\@biblabel{#1}}%
15530 \leftmargin\labelwidth
15531 \advance\leftmargin\labelsep
15532 \@openbib@code
15533 \usecounter{enumiv}%
15534 \let\p@enumiv\@empty
15535 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
15536 \sloppy\clubpenalty4000\widowpenalty4000%
15537 \sfcode\.\@m}
15538 {\def\@noitemerr
15539 {\@latex@warning{Empty `thebibliography' environment}}%
15540 \endlist}
15541 \if@titlepage
15542 \renewcommand\maketitle{\begin{titlepage}%
15543 \let\footnotesize\small
15544 \let\right@footnoterule\relax
15545 \let\left@footnoterule\relax
15546 \let\textwidth@footnoterule\relax
15547 \let\footnote\thanks
15548 \null\vfil
15549 \vskip 60\p@
15550 \begin{center}%
15551 {\LARGE \@title \par}%
15552 \vskip 3em%
15553 {\large
15554 \lineskip .75em%
15555 \begin{tabular}[t]{c}%
15556 \@author
15557 \end{tabular}\par}%
15558 \vskip 1.5em%
15559 {\large \@date \par}% % Set date in \large size.
15560 \end{center}\par
15561 \@thanks
15562 \vfil\null
15563 \end{titlepage}%
15564 \setcounter{footnote}{0}%

```



```

15565 \global\let\thanks\relax
15566 \global\let\maketitle\relax
15567 \global\let\@thanks\@empty
15568 \global\let\@author\@empty
15569 \global\let\@date\@empty
15570 \global\let\@title\@empty
15571 \global\let\title\relax
15572 \global\let\author\relax
15573 \global\let\date\relax
15574 \global\let\and\relax
15575 }
15576 \else
15577 \renewcommand\maketitle{\par
15578 \begingroup
15579 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
15580 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
15581 \long\def\@makefntext##1{\parindent 1em\noindent
15582 \hb@xt@1.8em{%
15583 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
15584 \if@twocolumn
15585 \ifnum \col@number=\@ne
15586 \@maketitle
15587 \else
15588 \twocolumn[\@maketitle]%
15589 \fi
15590 \else
15591 \newpage
15592 \global\@topnum\z@ % Prevents figures from going at top of page.
15593 \@maketitle
15594 \fi
15595 \thispagestyle{plain}\@thanks
15596 \endgroup
15597 \setcounter{footnote}{0}%
15598 \global\let\thanks\relax
15599 \global\let\maketitle\relax
15600 \global\let\@maketitle\relax
15601 \global\let\@thanks\@empty
15602 \global\let\@author\@empty
15603 \global\let\@date\@empty
15604 \global\let\@title\@empty
15605 \global\let\title\relax
15606 \global\let\author\relax
15607 \global\let\date\relax
15608 \global\let\and\relax
15609 }
15610 \def\@maketitle{%
15611 \newpage
15612 \null
15613 \vskip 2em%
15614 \begin{center}%
15615 \let \footnote \thanks
15616 {\LARGE \@title \par}%
15617 \vskip 1.5em%
15618 {\large

```



```

15619     \lineskip .5em%
15620     \begin{tabular}[t]{c}%
15621         \@author
15622     \end{tabular}\par}%
15623     \vskip 1em%
15624     {\large \@date}%
15625 \end{center}%
15626 \par
15627 \vskip 1.5em}
15628 \fi
15629 \renewcommand\thesection      {\thechapter\@SepMark\@arabic\c@section}
15630 \renewcommand\thesubsection   {\thesection\@SepMark\@arabic\csubsection}
15631 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\csubsubsection}
15632 \renewcommand\theparagraph   {\thesubsubsection\@SepMark\@arabic\cparagraph}
15633 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\csubparagraph}
15634 \renewcommand\theequation{%
15635     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
15636 \renewcommand\thefigure{%
15637     \ifnum \c@chapter>\z@\thechapter\@SepMark\fi \@arabic\c@figure}
15638 \renewcommand\thetable{%
15639     \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}

```

## 88 File fancybox-xetex-bidi.def

```

15640 \ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package]
15641 \def\fancy@oval#1#2#3{%
15642     \boxmaxdepth \maxdimen
15643     \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue
15644     \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%
15645     \@ovxx#1\relax
15646     \advance\@ovxx-\@wholewidth
15647     \@ovyy#2\relax
15648     \advance\@ovyy-\@wholewidth
15649     \@tempdimb \ifdim \@ovyy >\@ovxx \@ovxx\else \@ovyy \fi
15650     \advance\@tempdimb-2\p@
15651     \ifdim\@tempdimb>\the@cornersize\relax
15652         \@tempdimb=\the@cornersize
15653     \fi
15654     \@getcirc\@tempdimb
15655     \@ovro\ht\@tempboxa \@ovri\dp\@tempboxa
15656     \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
15657     \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
15658     \@circlefont
15659     \setbox\@tempboxa\hbox{\beginL%
15660         \if@ovr \@ovvert32\kern -\@tempdima \fi
15661         \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
15662         \if@ovt \@ovhorz \kern -\@ovxx \fi
15663         \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
15664     \advance\@ovdx\@ovro
15665     \advance\@ovdy\@ovro
15666     \advance\@ovxx\@wholewidth
15667     \wd\@tempboxa=\@ovxx
15668     \dp\@tempboxa=\z@}

```



## 89 File fancyhdr-xetex-bidi.def

```
15669 \ProvidesFile{fancyhdr-xetex-bidi.def}[2025/01/07 v0.9 bidi adaptations for fancyhdr package]
15670
15671 \let\f@nch@everypar\everypar
15672
15673 \bidi@patchcmd\f@nch@hfbbox@center\raggedright\bidi@raggedright
15674 {}{\bidi@warningnoline{Oops! patching `string\f@nch@hfbbox@center' failed}}
15675 \bidi@patchcmd\f@nch@hfbbox@center\raggedleft\bidi@raggedleft
15676 {}{\bidi@warningnoline{Oops! patching `string\f@nch@hfbbox@center' failed}}
15677
15678 \bidi@patchcmd\f@nch@hfbbox@fit\raggedright\bidi@raggedright
15679 {}{\bidi@warningnoline{Oops! patching `string\f@nch@hfbbox@fit' failed}}
15680 \bidi@patchcmd\f@nch@hfbbox@fit\raggedleft\bidi@raggedleft
15681 {}{\bidi@warningnoline{Oops! patching `string\f@nch@hfbbox@fit' failed}}
15682
```

## 90 File fix2col-xetex-bidi.def

```
15683 \ProvidesFile{fix2col-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for fix2col package]
15684 \def\RTL@outputdblcol{%
15685   \if@firstcolumn
15686     \global\@firstcolumnfalse
15687     \global\setbox\@leftcolumn\copy\@outputbox
15688     \splitmaxdepth\maxdimen
15689     \vbadness\maxdimen
15690     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
15691     \toks@\expandafter{\topmark}%
15692     \xdef\@firstcoltopmark{\the\toks@}%
15693     \toks@\expandafter{\splitfirstmark}%
15694     \xdef\@firstcolfirstmark{\the\toks@}%
15695     \ifx\@firstcolfirstmark\@empty
15696       \global\let\@setmarks\relax
15697     \else
15698       \gdef\@setmarks{%
15699         \let\firstmark\@firstcolfirstmark
15700         \let\topmark\@firstcoltopmark}%
15701     \fi
15702 \else \global\@firstcolumntrue
15703 \setbox\@outputbox \vbox {\hbox to\textwidth {%
15704 \hskip \columnwidth
15705 \hfil \vrule width\columnseprule \hfil
15706 \hbox to\columnwidth {%
15707 \bidi@firstcolumn@status@write%
15708 \box\@leftcolumn \hss}%
15709 \hskip -\textwidth
15710 \hbox to\columnwidth{%
15711 \bidi@lastcolumn@status@write%
15712 \box\@outputbox \hss}%
15713 \hskip \columnsep
15714 \hskip \columnwidth }}%
15715 \@combinedblfloats \@setmarks \@outputpage
15716 \begingroup \@dblfloatplacement \@startdblcolumn
15717 \@whiles\if@fcolmade \fi
```



```

15718 {\@outputpage \@startdblcolumn }\endgroup
15719 \fi}
15720 \def\LTR@outputdblcol{%
15721   \if@firstcolumn
15722     \global\@firstcolumnfalse
15723     \global\setbox\@leftcolumn\copy\@outputbox
15724     \splitmaxdepth\maxdimen
15725     \vbadness\maxdimen
15726     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
15727     \toks@\expandafter{\topmark}%
15728     \xdef\@firstcoltopmark{\the\toks@}%
15729     \toks@\expandafter{\splitfirstmark}%
15730     \xdef\@firstcolfirstmark{\the\toks@}%
15731     \ifx\@firstcolfirstmark\@empty
15732       \global\let\@setmarks\relax
15733     \else
15734       \gdef\@setmarks{%
15735         \let\firstmark\@firstcolfirstmark
15736         \let\topmark\@firstcoltopmark}%
15737     \fi
15738   \else
15739     \global\@firstcolumntrue
15740     \setbox\@outputbox\vbox{%
15741       \hb@xt@\textwidth{%
15742         \hb@xt@\columnwidth{%
15743           \bidi@firstcolumn@status@write%
15744           \box\@leftcolumn \hss}%
15745         \hfil
15746         \vrule \@width\columnseprule
15747         \hfil
15748         \hb@xt@\columnwidth{%
15749           \bidi@lastcolumn@status@write%
15750           \box\@outputbox \hss}}}%
15751   \@combinedblfloats
15752   \@setmarks
15753   \@outputpage
15754   \begingroup
15755   \@dblfloatplacement
15756   \@startdblcolumn
15757   \@whilesw\if@fcolmade \fi{\@outputpage\@startdblcolumn}%
15758   \endgroup
15759 \fi}

```

## 91 File fleqn-xetex-bidi.def

```

15760 \ProvidesFile{fleqn-xetex-bidi.def}[2024/12/07 v0.2 bidi adaptations for fleqn tag for XeTeX]
15761 \DeclareRobustCommand\[{ \relax
15762   \ifmmode\@badmath
15763   \else
15764     \begin{trivlist}%
15765       \@beginparpenalty\predisplaypenalty
15766       \@endparpenalty\postdisplaypenalty
15767       \item[]\leavevmode
15768       \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$

```



```

15769             \hskip\mathindent\bgroup
15770             \fi}
15771 \DeclareRobustCommand\{\relax
15772             \ifmmode
15773             \egroup $\hfil% $
15774             \endL\egroup
15775             \end{trivlist}%
15776             \else \@badmath
15777             \fi}
15778 \renewenvironment{equation}%
15779     {\@beginparpenalty\predisplaypenalty
15780     \@endparpenalty\postdisplaypenalty
15781     \refstepcounter{equation}%
15782     \trivlist \item[]\leavevmode
15783     \hb@xt@\linewidth\bgroup\beginL $\m@th% $
15784     \displaystyle
15785     \hskip\mathindent}%
15786     {$\hfil % $
15787     \displaywidth\linewidth\hbox{\@eqnnum}%
15788     \endL\egroup
15789     \endtrivlist}

```

## 92 File float-xetex-bidi.def

```

15790 \ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for X
15791 \renewcommand\floatc@plain[2]{\setbox\@tempboxa\hbox{\@fs@cfont #1:} #2}%
15792 \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
15793     \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi}
15794 \def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]}%
15795     \expandafter\edef\csname the#1\endcsname{%
15796     \expandafter\noexpand\csname
15797     the#2\endcsname\@SepMark\noexpand\arabic{#1}}}%
15798     {\PackageWarning{float}{Can't redefine counter variable for #1.}}

```

## 93 File floatrow-xetex-bidi.def

```

15799 \ProvidesFile{floatrow-xetex-bidi.def}[2025/01/03 v0.2 bidi adaptations for floatrow package
15800 \RequirePackage{color}
15801 \renewcommand\flnew@within[1]{\@addtoreset{FB@captype}{#1}%
15802     \expandafter\edef\csname the\FB@captype\endcsname{%
15803     \expandafter\noexpand\csname
15804     the#1\endcsname\@SepMark\noexpand\arabic{FB@captype}}}

```

## 94 File flowfram-xetex-bidi.def

```

15805 \ProvidesFile{flowfram-xetex-bidi.def}[2025/01/03 v0.6 bidi adaptations for flowfram package
15806 \def\@outputdblcol{%
15807 \@nxtcol=\c@thisframe
15808 \c@curpg=\c@page
15809 \@g@tnextcol{\@nxtcol}%
15810 \if@ff@nwp % next flow frame starts on new page
15811 \global\@firstcolumntrue
15812 \setcolbox\c@thisframe
15813 \if@specialpage

```



```

15814 \global\@specialpagefalse
15815 \@nameuse{ps@\@specialstyle}\relax
15816 \fi
15817 \if@twoside
15818 \ifodd\count\z@
15819 \let\@thehead\@oddhead
15820 \let\@thefoot\@oddfoot
15821 \else
15822 \let\@thehead\@evenhead
15823 \let\@thefoot\@evenfoot
15824 \fi
15825 \else
15826 \let\@thehead\@oddhead
15827 \let\@thefoot\@oddfoot
15828 \fi
15829 \@beginindvi
15830 \@dodynamicthehead\@dodynamicthefoot
15831 \vbadness=\@M
15832 \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
15833 \@combinedblfloats
15834 \@outputpage
15835 \advance\c@curpg by -\c@page\relax
15836 \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
15837 \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
15838 \@outputpage}
15839 \beginingroup
15840 \@dblfloatplacement
15841 \@startdblcolumn
15842 \@whilesw \if@fcolmade \fi
15843 {\@outputpage \@startdblcolumn }\endgroup
15844 \@resetst@tics
15845 \@resetdyn@mics
15846 \else % still on same page, save contents of box255
15847 \global\@firstcolumnfalse
15848 \@setcolbox\c@thisframe
15849 \fi
15850 \global\c@thisframe=\@nxtcol
15851 \@setcol{\c@thisframe}\relax
15852 \global\@colht\vsiz
15853 }
15854 \def\@outputpage{%
15855 \beginingroup
15856 \let\protect\noexpand
15857 \@resetactivechars
15858 \global\let\@if@newlist@if@newlist
15859 \global\@newlistfalse\@parboxrestore
15860 \global\let\@bidi@BeforeOutputPageShipOut\@firstofone
15861 \bidi@beforeoutputpageshipouthook
15862 \shipout\vbox{\set@typeset@protect
15863 \aftergroup
15864 \endgroup
15865 \aftergroup
15866 \set@typeset@protect
15867 \reset@font\normalsize

```





```

15868 \bidi@font@@outputpage
15869 \normalsfcodes
15870 \let\label\@gobble
15871 \let\index\@gobble
15872 \let\glossary\@gobble
15873 \baselineskip\z@skip
15874 \lineskip\z@skip
15875 \lineskiplimit\z@
15876 \vskip\topmargin\moveright\@themargin
15877 \vbox{%
15878 \global\let\bidi@BeforeHeader\@firstofone
15879 \bidi@beforeheaderhook
15880 \vskip\headheight
15881 \vskip\headsep
15882 \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
15883 \bidi@beforeoutputboxoutputpagehook
15884 \box\@outputbox
15885 \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
15886 \bidi@afteroutputboxoutputpagehook
15887 }%
15888 \global\let\bidi@AfterOutputPageShipOut\@firstofone
15889 \bidi@afteroutputpageshipouthook
15890 \global\let\if@newlist\@if@newlist
15891 \stepcounter{page}%
15892 \setcounter{displayedframe}{0}%
15893 \let\firstmark\botmark
15894 \global\let\bidi@AtEndOutputPage\@firstofone
15895 \bidi@atendoutputpagehook
15896 }
15897
15898
15899 \newcommand*\bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{}}{%
15900 \expandafter\bidicolor\ff@txtcol}}
15901
15902 \newcommand{\bidi@ff@box}[3]{\@ffbackground{\vbox to#2
15903 {\hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}}
15904
15905
15906 \renewcommand*\@docolbox}[1]{%
15907 \edef\ff@frametype{%
15908 \csname @ff@frametype@\romannumeral#1\endcsname}%
15909 \edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
15910 \edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
15911 \edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
15912 \@ff@setoffset{#1}%
15913 \rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
15914 \ifthenelse{\boolean{columnframe\romannumeral#1}}{}}{%
15915 \@ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
15916 {\csname colheight\romannumeral#1\endcsname}{%
15917 \expandafter\box\csname column\romannumeral#1\endcsname}{%
15918 \csname\ff@frametype\endcsname}%
15919 }{}%
15920 \bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
15921 {\csname colheight\romannumeral#1\endcsname}{%

```



```

15922 \expandafter\box\c@chapter\romannumeral#1\endcsname}%
15923 }}}}
15924 \IfClassLoadedT{book}{%
15925 \renewcommand\theequation
15926   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
15927 \renewcommand \thefigure
15928   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
15929 \renewcommand \thetable
15930   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
15931 \renewcommand \thechapter {\@arabic\c@chapter}
15932 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
15933 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
15934 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
15935 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
15936 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
15937 \IfClassLoadedT{report}{%
15938 \renewcommand\theequation
15939   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
15940 \renewcommand \thefigure
15941   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
15942 \renewcommand \thetable
15943   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
15944 \renewcommand \thechapter {\@arabic\c@chapter}
15945 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
15946 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
15947 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
15948 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
15949 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
15950 \renewcommand{\rotateframe}[2]{\if@ttb@rotate
15951 \rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}}%
15952 \else
15953 #2\relax
15954 \fi}

```

## 95 File footnote-xetex-bidi.def

```

15955 \ProvidesFile{footnote-xetex-bidi.def}[2024/12/14 v1.3 bidi footnote macros for XeTeX engine]
15956 \if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
15957 \newif\ifbidi@autofooterule
15958 \def\bidi@mpfootnoterule{\footnoterule}
15959 \newcounter{footdir@label}
15960 \renewcommand*{\thefootdir@label}{footdir@the\value{footdir@label}}
15961 \newcommand*{\footdir@write}{%
15962   \stepcounter{footdir@label}%
15963   \zref@labelbyprops{\thefootdir@label}{abspage}%
15964 }
15965 \newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
15966 \newtoks\footdir@toks
15967 \newcommand*{\footdir@debug}[1]{%
15968   \iffootdir@debug
15969     \typeout{[footdir] #1}%
15970   \fi
15971 }
15972 %\@ifpackagelater{zref-abspage}{2012/10/27}{%

```



```

15973 % \newcommand*\footdir@LeftRightElse}{%
15974 % \ltx@ifundefined{footdir@\the\value{zabspage}}{%
15975 % \footdir@debug{abspage \the\value{zabspage}: else}%
15976 % \ltx@thirdofthree
15977 % }{%
15978 % \if\csname footdir@\the\value{zabspage}\endcsname L%
15979 % \footdir@debug{abspage \the\value{zabspage}: left}%
15980 % \expandafter\ltx@firstofthree
15981 % \else
15982 % \footdir@debug{abspage \the\value{zabspage}: right}%
15983 % \expandafter\ltx@secondofthree
15984 % \fi
15985 % }%
15986 % }%
15987 %}{%
15988 \providecommand*\c@zabspage{\c@abspage}%
15989 \newcommand*\footdir@LeftRightElse}{%
15990 \footdir@write
15991 \zifrefundefined{\thefootdir@label}{%
15992 \footdir@debug{abspage ??: else}%
15993 \ltx@thirdofthree
15994 }{%
15995 \edef\footdir@abspage{%
15996 \zref@extractdefault{\thefootdir@label}{abspage}{0}%
15997 }%
15998 \ltx@ifundefined{footdir@\footdir@abspage}{%
15999 \footdir@debug{\footdir@abspage: else}%
16000 \ltx@thirdofthree
16001 }{%
16002 \if\csname footdir@\footdir@abspage\endcsname L%
16003 \footdir@debug{\footdir@abspage: left}%
16004 \expandafter\ltx@firstofthree
16005 \else
16006 \footdir@debug{\footdir@abspage: right}%
16007 \expandafter\ltx@secondofthree
16008 \fi
16009 }%
16010 }%
16011 }%
16012 %}
16013 \newcommand*\footdir@fntext}[1]{%
16014 \zifrefundefined{\thefootdir@label}{%
16015 }{%
16016 \edef\footdir@name{%
16017 \footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
16018 }%
16019 \@ifundefined{\footdir@name}{%
16020 \expandafter\gdef\csname\footdir@name\endcsname{#1}%
16021 }{}%
16022 }%
16023 }
16024
16025 \newcommand*\footdir@temp}[3]{%
16026 \ifdefinable{#1}{%

```



```

16027 \let#1#2%
16028 \renewcommand{#2}[1]{%
16029 \footdir@write
16030 \footdir@fntext{#3}%
16031 \stepcounter{footdir@label}%
16032 \footdir@fntext{#3}%
16033 \footdir@toks{##1}%
16034 \footdir@toks\expandafter{%
16035 \the\expandafter\footdir@toks
16036 \expandafter
16037 \zref@labelbyprops\expandafter{\thefootdir@label}{abspage}%
16038 }%
16039 \expandafter#1\expandafter{\the\footdir@toks}%
16040 }%
16041 }%
16042 }
16043
16044 \def\right@footnoterule{%
16045 \kern-3\p@
16046 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
16047 \kern2.6\p@}
16048 \def\left@footnoterule{\kern-3\p@
16049 \hrule \@width .4\columnwidth \kern 2.6\p@}
16050 \def\textwidth@footnoterule{\kern-3\p@
16051 \hrule \@width \columnwidth \kern 2.6\p@}
16052 \def\leftfootnoterule{%
16053 \bidi@autofootnoterulefalse%
16054 \def\footnoterule{\left@footnoterule}}
16055 \let\LRfootnoterule=\leftfootnoterule
16056 \def\rightfootnoterule{%
16057 \bidi@autofootnoterulefalse%
16058 \def\footnoterule{\right@footnoterule}}
16059 \def\textwidthfootnoterule{%
16060 \bidi@autofootnoterulefalse%
16061 \def\footnoterule{\textwidth@footnoterule}}
16062
16063
16064
16065 \def\auto@footnoterule{%
16066 \footdir@LeftRightElse%
16067 \left@footnoterule%
16068 \right@footnoterule%
16069 \left@footnoterule%
16070 }
16071
16072
16073
16074 \def\autofootnoterule{%
16075 \bidi@autofootnoteruletrue%
16076 \def\footnoterule{\auto@footnoterule}%
16077 }
16078
16079 \newcommand*{\SplitFootnoteRule}{-%
16080 \gdef\split@prev{0}

```



```

16081 \let\pagefootnoterule\footnoterule
16082 \let\mpfootnoterule\footnoterule
16083 \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
16084 \def\footnoterule{\relax
16085   \ifx \@listdepth\@mplistdepth
16086     \mpfootnoterule
16087   \else
16088     \ifnum\split@prev=\z@
16089       \pagefootnoterule
16090     \else
16091       \splitfootnoterule
16092     \fi
16093   \xdef\split@prev{\the\insertpenalties}%
16094 \fi
16095 }%
16096 }
16097
16098
16099
16100
16101 \def\RTLfootnote{\@ifnextchar [\@xRTLfootnote{\stepcounter\@mpfn
16102   \protected@xdef\@thefnmark{\thempfn}%
16103   \@footnotemark\@RTLfootnotetext}}
16104 \def\@xRTLfootnote[#1]{%
16105   \begingroup
16106     \csname c@\@mpfn\endcsname #1\relax
16107     \unrestored@protected@xdef\@thefnmark{\thempfn}%
16108   \endgroup
16109   \@footnotemark\@RTLfootnotetext}
16110 \def\LTRfootnote{\@ifnextchar [\@xLTRfootnote{\stepcounter\@mpfn
16111   \protected@xdef\@thefnmark{\thempfn}%
16112   \@footnotemark\@LTRfootnotetext}}
16113 \def\@xLTRfootnote[#1]{%
16114   \begingroup
16115     \csname c@\@mpfn\endcsname #1\relax
16116     \unrestored@protected@xdef\@thefnmark{\thempfn}%
16117   \endgroup
16118   \@footnotemark\@LTRfootnotetext}
16119
16120
16121 \def\setfootnoteRL{\@RTL@footnotetrue}
16122 \def\unsetfootnoteRL{\@RTL@footnotefalse}
16123 \def\setfootnoteLR{\unsetfootnoteRL}
16124
16125 \newcommand*\bidi@footnotetext@font{\footnotesize}
16126 \newcommand*\bidi@LTRfootnotetext@font{\footnotesize}
16127 \newcommand*\bidi@RTLfootnotetext@font{\footnotesize}
16128
16129 \long\def\@footnotetext#1{\insert\footins{%
16130   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
16131   \reset@font%
16132   \bidi@footnotetext@font% \reset@font\footnotesize
16133   \interlinepenalty\interfootnotelinepenalty
16134   \splittopskip\footnotesep

```



```

16135 \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
16136 \hsize\columnwidth \@parboxrestore
16137 \protected@edef\@currentlabel{%
16138   \csname p@footnote\endcsname\@thefnmark
16139 }%
16140 \color@begingroup
16141   \@makefntext{%
16142     \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
16143 \color@endgroup}}%
16144
16145
16146 \long\def\@RTLfootnotetext#1{\insert\footins{%
16147   \@RTLtrue%
16148   \reset@font%
16149   \bidi@RTLfootnotetext@font% \reset@font\footnotesize
16150   \interlinepenalty\interfootnotelinepenalty
16151   \splittopskip\footnotesep
16152   \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
16153   \hsize\columnwidth \@parboxrestore
16154   \protected@edef\@currentlabel{%
16155     \csname p@footnote\endcsname\@thefnmark
16156   }%
16157   \color@begingroup
16158     \@makefntext{%
16159       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
16160   \color@endgroup}}%
16161
16162 \long\def\@LTRfootnotetext#1{\insert\footins{%
16163   \@RTLfalse%
16164   \reset@font%
16165   \bidi@LTRfootnotetext@font% \reset@font\footnotesize
16166   \interlinepenalty\interfootnotelinepenalty
16167   \splittopskip\footnotesep
16168   \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
16169   \hsize\columnwidth \@parboxrestore
16170   \protected@edef\@currentlabel{%
16171     \csname p@footnote\endcsname\@thefnmark
16172   }%
16173   \color@begingroup
16174     \@makefntext{%
16175       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
16176   \color@endgroup}}%
16177
16178 \AtBeginDocument{%
16179 \if@RTL@footnote
16180   \newcommand*\@bidi@footdir@footnote}{R}
16181 \else
16182   \newcommand*\@bidi@footdir@footnote}{L}
16183 \fi%
16184 }
16185
16186 \footdir@temp\footdir@ORG@bidi@footnotetext\@footnotetext{\@bidi@footdir@footnote}%
16187 \footdir@temp\footdir@ORG@bidi@RTLfootnotetext\@RTLfootnotetext{R}%
16188 \footdir@temp\footdir@ORG@bidi@LTRfootnotetext\@LTRfootnotetext{L}%

```



```

16189
16190 \long\def\@mpRTLfootnotetext#1{%
16191   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\@bidi@mpfootnoterule\right@foot
16192   \global\setbox\@mpfootins\vbox{%
16193     \unvbox\@mpfootins
16194     \@RTLtrue
16195     \reset@font%
16196     \bidi@RTLfootnotetext@font% \reset@font\footnotesize
16197     \hsize\columnwidth
16198     \@parboxrestore
16199     \protected@edef\@currentlabel
16200       {\csname p@mpfootnote\endcsname\@thefnmark}%
16201     \color@begingroup
16202       \@makefntext{%
16203         \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
16204     \color@endgroup}}
16205 \long\def\@mpLTRfootnotetext#1{%
16206   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\@bidi@mpfootnoterule\left@footnot
16207   \global\setbox\@mpfootins\vbox{%
16208     \unvbox\@mpfootins
16209     \@RTLfalse
16210     \reset@font%
16211     \bidi@LTRfootnotetext@font% \reset@font\footnotesize
16212     \hsize\columnwidth
16213     \@parboxrestore
16214     \protected@edef\@currentlabel
16215       {\csname p@mpfootnote\endcsname\@thefnmark}%
16216     \color@begingroup
16217       \@makefntext{%
16218         \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
16219     \color@endgroup}}
16220 \long\def\@mpfootnotetext#1{%
16221   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\@bidi@mpfootnoterule\left@footnot
16222   \global\setbox\@mpfootins\vbox{%
16223     \unvbox\@mpfootins
16224     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
16225     \reset@font%
16226     \bidi@footnotetext@font% \reset@font\footnotesize
16227     \hsize\columnwidth
16228     \@parboxrestore
16229     \protected@edef\@currentlabel
16230       {\csname p@mpfootnote\endcsname\@thefnmark}%
16231     \color@begingroup
16232       \@makefntext{%
16233         \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
16234     \color@endgroup}}
16235 \def\@iiiminipage#1#2[#3]#4{%
16236   \leavevmode
16237   \@pboxswfalse
16238   \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
16239   \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi
16240   \setlength\@tempdima{#4}%
16241   \def\@mpargs{{#1}{#2}{#3}{#4}}%
16242   \setbox\@tempboxa\vbox\bgroup

```



```

16243 \color@begingroup
16244 \hsize\@tempdima
16245 \textwidth\hsize \columnwidth\hsize
16246 \@parboxrestore
16247 \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
16248 \let\@footnotetext\@mpfootnotetext
16249 \let\@LTRfootnotetext\@mpLTRfootnotetext
16250 \let\@RTLfootnotetext\@mpRTLfootnotetext
16251 \let\@listdepth\@mplistdepth \@mplistdepth\z@
16252 \@minipagerestore
16253 \@setminipage}
16254 \def\endminipage{%
16255 \par
16256 \unskip
16257 \ifvoid\@mpfootins\else
16258 \vskip\skip\@mpfootins
16259 \normalcolor
16260 \bidi@mpfootnoterule
16261 \unvbox\@mpfootins
16262 \fi
16263 \@minipagefalse %% added 24 May 89
16264 \color@endgroup
16265 \egroup
16266 \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
16267 \def\LTRthanks#1{\footnotemark
16268 \protected@xdef\@thanks{\@thanks
16269 \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
16270 }
16271 \def\LTRfootnotetext{%
16272 \@ifnextchar [\@xLTRfootnotenext
16273 {\protected@xdef\@thefnmark{\thempfn}%
16274 \@LTRfootnotetext}}
16275 \def\@xLTRfootnotenext[#1]{%
16276 \begingroup
16277 \csname c@\@mpfn\endcsname #1\relax
16278 \unrestored@protected@xdef\@thefnmark{\thempfn}%
16279 \endgroup
16280 \@LTRfootnotetext}
16281 \def\RTLthanks#1{\footnotemark
16282 \protected@xdef\@thanks{\@thanks
16283 \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
16284 }
16285 \let\@thanks\@empty
16286 \def\RTLfootnotetext{%
16287 \@ifnextchar [\@xRTLfootnotenext
16288 {\protected@xdef\@thefnmark{\thempfn}%
16289 \@RTLfootnotetext}}
16290 \def\@xRTLfootnotenext[#1]{%
16291 \begingroup
16292 \csname c@\@mpfn\endcsname #1\relax
16293 \unrestored@protected@xdef\@thefnmark{\thempfn}%
16294 \endgroup
16295 \@RTLfootnotetext}
16296 \leftfootnoterule

```





## 96 File footnotebackref-xetex-bidi.def

```
16297 \ProvidesFile{footnotebackref-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for footnoteb
16298 \LetLtxMacro{\BHFN@OldLTRFootnote}{\LTRfootnote}
16299 \LetLtxMacro{\BHFN@OldRTLFootnote}{\RTLfootnote}
16300
16301 \renewcommand*\LTRfootnote{%
16302   \refstepcounter{BackrefHyperFootnoteCounter}%
16303   \edef\BackrefFootnoteTag{bhfn:\theBackrefHyperFootnoteCounter}%
16304   \label{\BackrefFootnoteTag}%
16305   \@ifnextchar [\Backref@OptLTRHyperFootnote\Backref@HyperLTRFootnote}
16306
16307 \renewcommand*\RTLfootnote{%
16308   \refstepcounter{BackrefHyperFootnoteCounter}%
16309   \edef\BackrefFootnoteTag{bhfn:\theBackrefHyperFootnoteCounter}%
16310   \label{\BackrefFootnoteTag}%
16311   \@ifnextchar [\Backref@OptRTLHyperFootnote\Backref@HyperRTLFootnote}
16312 \newcommand\Backref@HyperLTRFootnote[1]{%
16313   \BHFN@OldLTRFootnote{\Backref@HyperSymbol#1}}
16314
16315 \newcommand\Backref@HyperRTLFootnote[1]{%
16316   \BHFN@OldRTLFootnote{\Backref@HyperSymbol#1}}
16317
16318 \newcommand\Backref@OptHyperLTRFootnote[2][\empty]{%
16319   \BHFN@OldLTRFootnote[#1]{\Backref@HyperSymbol#2}}
16320
16321 \newcommand\Backref@OptHyperRTLFootnote[2][\empty]{%
16322   \BHFN@OldRTLFootnote[#1]{\Backref@HyperSymbol#2}}
16323
16324 \bidi@AfterFile{extrafootnotefeatures-xetex-bidi.def}{%
16325 \ifFootnoteBackref@numberlinked
16326 \renewcommand{\footfootmark}{%
16327   \ifdim\footmarkwidth < \z@
16328     \llap{\hb@xt@ -\footmarkwidth{%
16329       \hss\normalfont\footscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%
16330       \hspace*{-\footmarkwidth}}%
16331   \else
16332     \ifdim\footmarkwidth = \z@
16333       {\normalfont\footscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%
16334     \else
16335       \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\hyperref [\BackrefFootnoteTag]{\@thef
16336     \fi
16337   \fi}
16338 \renewcommand{\LTRfootfootmark}{%
16339   \ifdim\footmarkwidth < \z@
16340     \llap{\hb@xt@ -\footmarkwidth{%
16341       \hss\normalfont\LTRfootscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%
16342       \hspace*{-\footmarkwidth}}%
16343   \else
16344     \ifdim\footmarkwidth = \z@
16345       {\normalfont\LTRfootscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%
16346     \else
16347       \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\hyperref [\BackrefFootnoteTag]{\@th
16348     \fi
```



```

16349 \fi}
16350 \renewcommand{\RTLfootfootmark}{%
16351 \ifdim\footmarkwidth < \z@
16352 \llap{\hb@xt@ -\footmarkwidth{%
16353 \hss\normalfont\RTLfootscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%
16354 \hspace*{-\footmarkwidth}}%
16355 \else
16356 \ifdim\footmarkwidth = \z@
16357 {\normalfont\RTLfootscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%
16358 \else
16359 \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%
16360 \fi
16361 \fi}
16362 \fi
16363 }

```

## 97 File framed-xetex-bidi.def

```

16364 \ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for
16365 \renewcommand\TitleBarFrame[3] []{\begingroup
16366 \ifx\delimiter#1\delimiter
16367 \let\TF@conlab\@empty
16368 \else
16369 \def\TF@conlab{% continuation label
16370 \nointerlineskip
16371 \smash{\rlap{\kern\wd\@tempboxa\kern\fboxrule\kern\fboxsep #1}}}%
16372 \fi
16373 %\let\TF@savecolor\current@color
16374 \textcolor{TFFrameColor}{%
16375 \CustomFBox
16376 {\TF@Title{#2}}{\TF@conlab}}%
16377 \fboxrule\fboxrule\fboxrule\fboxrule
16378 %{\let\current@color\TF@savecolor\set@color #3}%
16379 {\normalcolor #3}%
16380 }\endgroup
16381 }
16382 \renewenvironment{titled-frame}[1]{%
16383 \def\FrameCommand{\fboxsep8pt\fboxrule2pt
16384 \TitleBarFrame{\textbf{#1}}}%
16385 \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
16386 \TitleBarFrame[{\if@RTL\blacktriangleleft\else\blacktriangleright\fi}]{\textbf{#1}}}%
16387 \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
16388 \TitleBarFrame[{\if@RTL\blacktriangleleft\else\blacktriangleright\fi}]{\textbf{#1} (con
16389 \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
16390 \TitleBarFrame{\textbf{#1} (cont)}}}%
16391 \MakeFramed{\advance\hsize-20pt \FrameRestore}}%
16392 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
16393 % could interfere with the width measurement.
16394 {\endMakeFramed}
16395 \chardef\FrameRestore=\catcode`\| % for debug
16396 \catcode`\|=\catcode`\% % (debug: insert space after backslash)
16397 \def\fb@put@frame#1#2{\relax
16398 \ifdim\pagegoal=\maxdimen \pagegoal\vsize \fi
16399 | \message{===== Entering putframe =====^^J

```



```

16400 | \pagegoal=\the\pagegoal, \pagetotal=\the\pagetotal. }%
16401 \ifinner
16402 \fb@putboxa#1%
16403 \fb@afterframe
16404 \else
16405 \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
16406 \ifdim\dimen@<2\baselineskip % Too little room on page
16407 | \message{Page has only \the\dimen@\space room left; eject. }%
16408 \eject \fb@adjheight \fb@put@frame#1#2%
16409 \else % there's appreciable room left on the page
16410 \fb@sizeofframe#1%
16411 | \message{\string\pagetotal=\the\pagetotal,
16412 \string\pagegoal=\the\pagegoal,
16413 \string\pagestretch=\the\pagestretch,
16414 \string\pageshrink=\the\pageshrink,
16415 | \string\fb@frh=\the\fb@frh. \space}
16416 | \message{~JBox of size \the\ht@\tempboxa\space}%
16417 \begingroup % temporarily set \dimen@ to be...
16418 \advance\dimen@.8\pageshrink % maximum space available on page
16419 \advance\dimen@-\fb@frh\relax % max space available for frame's contents
16420 %%% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
16421 \expandafter\endgroup
16422 % expand \ifdim, then restore \dimen@ to real room left on page
16423 \ifdim\dimen@>\ht@\tempboxa % whole box does fit
16424 | \message{fits in \the\dimen@. }%
16425 % ToDo: Change this to use vsplit anyway to capture the marks
16426 % MERGE THIS WITH THE else CLAUSE!!!
16427 \fb@putboxa#1%
16428 \fb@afterframe
16429 \else % box must be split
16430 | \message{must be split to fit in \the\dimen@. }%
16431 % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
16432 \fb@sizeofframe#2%
16433 \setbox\@tempboxa\vbox{% simulate frame and flexibility of the page:
16434 \vskip \fb@frh \@plus\pagestretch \@minus.8\pageshrink
16435 \kern137sp\kern-137sp\penalty-30
16436 \unvbox\@tempboxa}%
16437 \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
16438 \splittopskip\the\splittopskip}%
16439 \boxmaxdepth\z@ \splittopskip\z@
16440 | \message{~JPadded box of size \the\ht@\tempboxa\space split to \the\dimen@}%
16441 % Split box here
16442 \setbox\tw@\vsplit\@tempboxa to\dimen@
16443 | \toks99\expandafter{\splitfirstmark}%
16444 | \toks98\expandafter{\splitbotmark}%
16445 | \message{Marks are: \the\toks99, \the\toks98. }%
16446 \setbox\tw@\vbox{\unvbox\tw@}% natural-sized
16447 | \message{Natural height of split box is \the\ht\tw@, leaving
16448 | \the\ht@\tempboxa\space remainder. }%
16449 % If the split-to size > (\vsize-\topskip), then set box to full size.
16450 \begingroup
16451 \advance\dimen@\topskip
16452 \expandafter\endgroup
16453 \ifdim\dimen@>\pagegoal

```



```

16454 |         \message{Frame is big -- Use up the full column. }%
16455 |         \dimen@ii\pagegoal
16456 |         \advance\dimen@ii -\topskip
16457 |         \advance\dimen@ii \FrameHeightAdjust\relax
16458 |     \else % suspect this is implemented incorrectly:
16459 |         % If the split-to size > feasible room_on_page, rebox it smaller.
16460 |         \advance\dimen@.8\pageshrink
16461 |         \ifdim\ht\tw@>\dimen@
16462 |             \message{Box too tall; rebox it to \the\dimen@. }%
16463 |             \dimen@ii\dimen@
16464 |         \else % use natural size
16465 |             \dimen@ii\ht\tw@
16466 |         \fi
16467 |     \fi
16468 |     % Re-box contents to desired size \dimen@ii
16469 |     \advance\dimen@ii -\fb@frh
16470 |     \setbox\tw@\vbox to\dimen@ii \bgroup
16471 |     % remove simulated frame and page flexibility:
16472 |     \vskip -\fb@frh \@plus-\pagestretch \@minus-.8\pageshrink
16473 |     \unvbox\tw@ \unpenalty\unpenalty
16474 |     \ifdim\lastkern=-137sp % whole box went to next page
16475 |         \message{box split at beginning! }%
16476 |         % need work here???
16477 |         \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
16478 |         \fb@adjheight
16479 |         \fb@put@frame#1#2% INSERTED ???
16480 |     \else % Got material split off at the head
16481 |         \egroup \fb@resto@set
16482 |         \ifvoid\@tempboxa % it all fit after all
16483 |             \message{box split at end! }%
16484 |             \setbox\@tempboxa\box\tw@
16485 |             \fb@putboxa#1%
16486 |             \fb@afterframe
16487 |         \else % it really did split
16488 |             \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
16489 |             \ifdim\wd\tw@>\z@
16490 |                 \wd\tw@\wd\@tempboxa
16491 |                 \centerline{#2{\hboxL{\box\tw@}}}% ??? \centerline bad idea
16492 |             \else
16493 |                 \message{Zero width means likely blank. Don't frame it (guess)}%
16494 |                 \box\tw@
16495 |             \fi
16496 |             \hrule \@height\z@ \@width\hsize
16497 |             \eject
16498 |             \fb@adjheight
16499 |             \fb@put@frame\LastFrameCommand\MidFrameCommand
16500 |         \fi\fi\fi\fi\fi
16501 |     }
16502 | \def\fb@putboxa#1{%
16503 |     \ifvoid\@tempboxa
16504 |         \PackageWarning{framed}{Boxa is void -- discard it. }%
16505 |     \else
16506 |         \message{Frame and place boxa. }%
16507 |         %{\showoutput\showbox\@tempboxa}%

```



```

16508 \centerline{#1{\hboxL{\box\@tempboxa}}}%
16509 \fi
16510 }
16511 \catcode\|= \FrameRestore
16512 \def\FrameRestore{%
16513 \let\if@nobreak\iffalse
16514 \let\if@noskipsec\iffalse
16515 \let\-\@dischph
16516 \let'\@acci\let'\@accii\let\=\@acciii
16517 % \message{FrameRestore:
16518 % \totalleftmargin=\the \totalleftmargin,
16519 % \rightmargin=\the\rightmargin,
16520 % \listdepth=\the\listdepth. }%
16521 % Test if we are in a list (or list-like paragraph)
16522 \ifnum \ifdim\totalleftmargin>\z@ 1\fi
16523 \ifdim\rightmargin>\z@ 1\fi
16524 \ifnum\listdepth>\z@ 1\fi 0>\z@
16525 % \message{In a list: \linewidth=\the\linewidth, \totalleftmargin=\the\totalleftmargin,
16526 % \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hspace=\the\hspace,
16527 % \labelwidth=\the\labelwidth. }%
16528 \@setminipage % snug fit around the item
16529 % Now try to propagate changes of width from \hspace to list parameters.
16530 % This is deficient, but a more advanced way to indicate modification to text
16531 % dimensions is not (yet) provided; in particular, no separate left/right
16532 % adjustment.
16533 \advance\linewidth-\columnwidth \advance\linewidth\hspace
16534 \parshape\@ne \totalleftmargin \linewidth
16535 \else % Not in list
16536 \linewidth=\hspace
16537 %\message{No list, set \string\linewidth=\the\hspace. }%
16538 \fi
16539 \sloppy
16540 }

```

## 98 File `ftnright-xetex-bidi.def`

```

16541 \ProvidesFile{ftnright-xetex-bidi.def}[2018/09/29 v0.6 bidi adaptations for ftnright package]
16542
16543 \def\prepare@bidi@copyins{%
16544 \global\bidi@rcol@copyinsskip\skip\@bidi@copyins@
16545 \global\skip\@bidi@copyins@\z@
16546 \global\count\@bidi@copyins@\z@
16547 \global\dimen\@bidi@copyins@\texttheight}
16548
16549 \newskip\bidi@rcol@copyinsskip
16550
16551 \def\LTR@outputdblcol{%
16552 \if@firstcolumn
16553 \global\@firstcolumnfalse
16554 \global\setbox\@leftcolumn\copy\@outputbox
16555 \global\count\footins\@m
16556 \global\skip\footins\rcol@footinsskip
16557 \global\count\@bidi@copyins@\@m
16558 \global\skip\@bidi@copyins@\bidi@rcol@copyinsskip

```



```

16559 \splitmaxdepth\maxdimen
16560 \vbadness\maxdimen
16561 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
16562 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
16563 \toks@\expandafter{\topmark}%
16564 \xdef\@firstcoltopmark{\the\toks@}%
16565 \toks@\expandafter{\splitfirstmark}%
16566 \xdef\@firstcolfirstmark{\the\toks@}%
16567 \ifx\@firstcolfirstmark\@empty
16568 \global\let\@setmarks\relax
16569 \else
16570 \gdef\@setmarks{%
16571 \let\firstmark\@firstcolfirstmark
16572 \let\topmark\@firstcoltopmark}%
16573 \fi
16574 \else
16575 \preparefootins
16576 \prepare@bidi@copyins
16577 \global\@firstcolumntrue
16578 \setbox\@outputbox\vbox{%
16579 \hb@xt@\textwidth{%
16580 \hb@xt@\columnwidth{%
16581 \bidi@firstcolumn@status@write%
16582 \box\@leftcolumn \hss}%
16583 \hfil
16584 {\normalcolor\vrule \@width\columnseprule}%
16585 \hfil
16586 \hb@xt@\columnwidth{%
16587 \bidi@lastcolumn@status@write%
16588 \box\@outputbox \hss}}}%
16589 \@combinedblfloats
16590 \@setmarks
16591 \@outputpage
16592 \begin@group
16593 \@dblfloatplacement
16594 \@startdblcolumn
16595 \@whilesw\if@colmade \fi{\@outputpage
16596 \@startdblcolumn}%
16597 \end@group
16598 \fi}%
16599
16600 \def\RTL@outputdblcol{%
16601 \if@firstcolumn
16602 \global\@firstcolumnfalse
16603 \global\setbox\@leftcolumn\copy\@outputbox
16604 \global\count\footins\@m
16605 \global\skip\footins\rcol@footinsskip
16606 \global\count\@bidi@copyins\@m
16607 \global\skip\@bidi@copyins\@bidi@rcol@copyinsskip
16608 \splitmaxdepth\maxdimen
16609 \vbadness\maxdimen
16610 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
16611 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
16612 \toks@\expandafter{\topmark}%

```



```

16613 \xdef\@firstcoltopmark{\the\toks@}%
16614 \toks@\expandafter{\splitfirstmark}%
16615 \xdef\@firstcolfirstmark{\the\toks@}%
16616 \ifx\@firstcolfirstmark\@empty
16617 \global\let\@setmarks\relax
16618 \else
16619 \gdef\@setmarks{%
16620 \let\firstmark\@firstcolfirstmark
16621 \let\topmark\@firstcoltopmark}%
16622 \fi
16623 \else
16624 \preparefootins
16625 \prepare@bidi@copyins
16626 \global\@firstcolumntrue
16627 \setbox\@outputbox\vbox{%
16628 \hb@xt@\textwidth{%
16629 \hskip \columnwidth
16630 \hfil
16631 {\normalcolor\vrule \@width\columnseprule}%
16632 \hfil
16633 \hb@xt@\columnwidth{%
16634 \bidi@firstcolumn@status@write%
16635 \box\leftcolumn \hss}%
16636 \hskip -\textwidth
16637 \hb@xt@\columnwidth{%
16638 \bidi@lastcolumn@status@write%
16639 \box\@outputbox \hss}%
16640 \hskip \columnsep
16641 \hskip \columnwidth }}%
16642 \@combinedblfloats
16643 \@setmarks
16644 \@outputpage
16645 \begingroup
16646 \@dblfloatplacement
16647 \@startdblcolumn
16648 \@whilesw@if@fcolmade \fi{\@outputpage
16649 \@startdblcolumn}%
16650 \endgroup
16651 \fi}%
16652
16653 \def\@startcolumn{%
16654 \ifx\@deferlist\@empty
16655 \global\@fcolmadefalse
16656 \global\@colroom\@colht
16657 \else
16658 \ifvoid\footins\else
16659 \ftn@amount\ht\footins
16660 \advance\ftn@amount\dp\footins
16661 \advance\ftn@amount\skip\footins
16662 \fi
16663 \ifvoid\@bidi@copyins\else
16664 \bidi@copyins@amount\ht\@bidi@copyins@
16665 \advance\bidi@copyins@amount\dp\@bidi@copyins@
16666 \advance\bidi@copyins@amount\skip\@bidi@copyins@

```



```

16667 \fi
16668 \global\advance\@colht-\ftn@amount
16669 \global\advance\@colht-\bidi@copyins@amount
16670 \global\@colroom\@colht
16671 \@xstartcol
16672 \global\advance\@colht\ftn@amount
16673 \global\advance\@colroom\ftn@amount
16674 \global\advance\@colht\bidi@copyins@amount
16675 \global\advance\@colroom\bidi@copyins@amount
16676 \fi
16677 \if@fcolmade
16678 \setbox\@cclv\box\@outputbox
16679 \@makecol
16680 \else
16681 \ifvoid\footins\else
16682 \insert\footins{\unvbox\footins}\fi
16683 \ifvoid\@bidi@copyins\else
16684 \insert\@bidi@copyins@{\unvbox\@bidi@copyins@}\fi
16685 \fi}
16686
16687 \newdimen\bidi@copyins@amount
16688
16689 \def\@makecol{\if@firstcolumn
16690 \setbox\@outputbox\box\@cclv
16691 \if@twocolumn \else
16692 \ifvoid\footins \else
16693 \latexerr{ftnright package
16694 used in one-column mode}%
16695 {The ftnright package was designed to
16696 work with LaTeX's standard^^Jtwocolumn
16697 option. It does *not* work with the
16698 multicol package.^^JSo please specify
16699 `twocolumn' in the
16700 \noexpand\documentclass command.}%
16701 \shipout\box\footins \fi
16702 \ifvoid\@bidi@copyins@ \else
16703 \latexerr{ftnright package
16704 used in one-column mode}%
16705 {The ftnright package was designed to
16706 work with LaTeX's standard^^Jtwocolumn
16707 option. It does *not* work with the
16708 multicol package.^^JSo please specify
16709 `twocolumn' in the
16710 \noexpand\documentclass command.}%
16711 \shipout\box\@bidi@copyins@ \fi}\fi
16712 \ifnum\insertpenalties>\z@
16713 \latexerr{ftnright package
16714 scrambled footnotes}%
16715 {There is too much footnote material in
16716 the first column and ftnright^^Jis
16717 unable to cope with this.^^JYou need
16718 to reduce the amount to get a properly
16719 formatted page.}%
16720 \fi

```





```

16721 \else
16722 \ifvoid\footins
16723   \ifvoid\@bidi@copyins@
16724     \setbox\@outputbox\box\@cclv
16725   \else
16726     \setbox\@outputbox\vbox
16727     {\ifvoid\@cclv \else
16728       \unvbox\@cclv
16729       \vskip \skip\@bidi@copyins@
16730     \fi
16731     \color@begingroup
16732     \normalcolor
16733     \unvbox \@bidi@copyins@
16734     \color@endgroup}%
16735   \fi
16736 \else
16737   \setbox\@outputbox\vbox
16738   {\ifvoid\@cclv \else
16739     \unvbox\@cclv
16740     \vskip\skip\footins\fi
16741     \color@begingroup
16742     \normalcolor
16743     \footnoterule\unvbox\footins
16744     \color@endgroup
16745     \ifvoid\@bidi@copyins@
16746     \else
16747       \vskip \skip\@bidi@copyins@
16748       \color@begingroup
16749       \normalcolor
16750       \unvbox \@bidi@copyins@
16751       \color@endgroup
16752     \fi
16753   }%
16754 \fi
16755 \fi
16756 \xdef\@freelist{\@freelist\@midlist}%
16757 \global \let \@midlist \@empty
16758 \@combinefloats
16759 \ifvbox\@kludgeins
16760   \@makespecialcolbox
16761 \else
16762   \setbox\@outputbox\vbox to\@colht
16763   {\boxmaxdepth\maxdepth
16764     \@texttop
16765     \@tempdima\dp\@outputbox
16766     \unvbox\@outputbox
16767     \vskip-\@tempdima
16768     \@textbottom}%
16769 \fi
16770 \global\maxdepth\@maxdepth}
16771
16772 \let\leftfootnoterule\@empty
16773 \let\rightfootnoterule\@empty
16774 \let\textwidthfootnoterule\@empty

```



```

16775 \let\autofooterule\@empty
16776 \let\footnoterule\@empty
16777 \long\def\@makefntext#1{\parindent 1em
16778   \noindent\hbox to 2em{}}%
16779   \llap{\@thefnmark\hbox{.}\,\,}#1}
16780
16781 \setlength{\skip\@bidi@copyins@}
16782   {10pt plus 5pt minus 3pt}
16783 \AtBeginDocument{\prepare@bidi@copyins}

```

## 99 File graphicx-xetex-bidi.def

```

16784 \ProvidesFile{graphicx-xetex-bidi.def}[2017/06/17 v0.5 bidi adaptations for graphicx package]
16785 \def\Grot@box@std#1#2{\ifmmode\else\if@RTL\beginL\fi\fi%
16786   \Grot@setangle{#1}%
16787   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi#2\if@RTL\endR\fi\else\if@RTL\beginR\fi#2\if@RTL
16788   \Grot@x\z@
16789   \Grot@y\z@
16790   \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}
16791 \long\def\Grot@box@kv[#1]#2#3{\ifmmode\else\if@RTL\beginL\fi\fi%
16792   \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL
16793   \Grot@x\width \divide\Grot@x\tw@
16794   \Grot@y\height \advance\Grot@y-\depth \divide\Grot@y\tw@
16795   \setkeys{Grot}{#1}%
16796   \setbox\z@\box\@tempboxa
16797   \Grot@setangle{#2}%
16798   \Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16799   \@end@tempboxa}
16800 \long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
16801   \leavevmode
16802   \def\Gscale@x{#1}\def\Gscale@y{#2}%
16803   \setbox\z@\hbox{#3}%
16804   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
16805   \ifdim#2\p@<\z@
16806     \ht\tw@-#2\dp\z@
16807     \dp\tw@-#2\ht\z@
16808   \else
16809     \ht\tw@#2\ht\z@
16810     \dp\tw@#2\dp\z@
16811   \fi
16812   \ifdim#1\p@<\z@
16813     \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
16814   \else
16815     \wd\tw@#1\wd\z@
16816     \box\tw@
16817   \fi\ifmmode\else\if@RTL\endL\fi\fi}
16818 \def\Gin@iii[#1,#2][#3,#4]#5{%
16819   \begingroup
16820   \ifmmode\else\if@RTL\beginL\fi\fi
16821   \Gin@bboxtrue
16822   \Gin@defaultbp\Gin@llx{#1}%
16823   \Gin@defaultbp\Gin@lly{#2}%
16824   \Gin@defaultbp\Gin@urx{#3}%
16825   \Gin@defaultbp\Gin@ury{#4}%

```



```

16826 \Ginclud@graphics{#5}%
16827 \ifmmode\else\if@RTL\endL\fi\fi
16828 \endgroup}
16829 \def\Gin@ii[#1]#2{%
16830   \def\@tempa{[]}\def\@tempb{#2}%
16831   \ifx\@tempa\@tempb
16832     \def\@tempa{\Gin@iii[#1] []}%
16833     \expandafter\@tempa
16834   \else
16835     \begingroup
16836       \ifmmode\else\if@RTL\beginL\fi\fi
16837       \@tempswafalse
16838       \toks@{\Ginclud@graphics{#2}}%
16839       \setkeys{Gin}{#1}%
16840       \Gin@esetsize
16841       \the\toks@
16842       \ifmmode\else\if@RTL\endL\fi\fi
16843     \endgroup
16844   \fi}
16845 \def\reflectbox{\bidiGscale@box-1[1]}
16846 \long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
16847   \leavevmode
16848   \def\Gscale@x{#1}\def\Gscale@y{#2}%
16849   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi}%
16850   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
16851   \ifdim#2\p@<\z@
16852     \ht\tw@-#2\dp\z@
16853     \dp\tw@-#2\ht\z@
16854   \else
16855     \ht\tw@#2\ht\z@
16856     \dp\tw@#2\dp\z@
16857   \fi
16858   \ifdim#1\p@<\z@
16859     \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
16860   \else
16861     \wd\tw@#1\wd\z@
16862     \box\tw@
16863   \fi\ifmmode\else\if@RTL\endL\fi\fi}
16864 \def\scalebox#1{%
16865   \@ifnextchar[{\bidiGscale@box{#1}}{\bidiGscale@box{#1}[#1]}%
16866 \def\resizebox{%
16867   \leavevmode
16868   \@ifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}}
16869 \def\bidiGscale@@box#1#2#3{%
16870   \let\@tempa\Gin@exclamation
16871   \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
16872   \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
16873   \ifx\@tempb\@tempa
16874     \ifx\@tempc\@tempa
16875       \toks@{\mbox}%
16876     \else
16877       \toks@{\bidiGscale@@box@dd{#3}#1}%
16878     \fi
16879   \else

```



```

16880 \ifx\@tempc\@tempa
16881 \toks@{\bidiGscale@box@dd#2}\width}%
16882 \else
16883 \toks@{\bidiGscale@box@ddd#2}\width{#3}#1}%
16884 \fi
16885 \fi
16886 \the\toks@}
16887 \long\def\bidiGscale@box@dd#1#2#3{%
16888 \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi}%
16889 \setlength\@tempdima{#1}%
16890 \setlength\@tempdimb{#2}%
16891 \Gscale@div\@tempa\@tempdima\@tempdimb
16892 \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
16893 \@end@tempboxa}
16894 \long\def\bidiGscale@box@ddd#1#2#3#4#5{%
16895 \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi#5\if@RTL\endR\fi}%
16896 \setlength\@tempdima{#1}%
16897 \setlength\@tempdimb{#2}%
16898 \Gscale@div\@tempa\@tempdima\@tempdimb
16899 \setlength\@tempdima{#3}%
16900 \setlength\@tempdimb{#4}%
16901 \Gscale@div\@tempb\@tempdima\@tempdimb
16902 \ifGin@iso
16903 \ifdim\@tempa\p@>\@tempb\p@
16904 \let\@tempa\@tempb
16905 \else
16906 \let\@tempb\@tempa
16907 \fi
16908 \fi
16909 \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
16910 \@end@tempboxa}

```

## 100 File geometry-xetex-bidi.def

```

16911 \ProvidesFile{geometry-xetex-bidi.def}[2017/01/14 v0.2 bidi adaptations for geometry package]
16912 \renewcommand*\Gm@vrules@mpi}{%
16913 \if@RTLmain%
16914 \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
16915 \llap{\Gm@vrule}\ignorespaces
16916 \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
16917 \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
16918 \else%
16919 \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
16920 \hskip \textwidth\Gm@vrule\hskip \marginparsep
16921 \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
16922 \renewcommand*\Gm@vrules@mpii}{%
16923 \if@RTLmain%
16924 \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
16925 \hskip \textwidth\Gm@vrule\hskip \marginparsep
16926 \llap{\Gm@vrule}\hfil\Gm@vrule}%
16927 \else%
16928 \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
16929 \llap{\Gm@vrule}\ignorespaces
16930 \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep

```



```

16931 \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%
16932 \bidi@patchcmd{\Gm@pageframes}{%
16933     \ifodd\count\z@
16934         \let\@themargin\oddsidemargin
16935     \else
16936         \let\@themargin\evensidemargin
16937     \fi
16938 }{%
16939     \ifodd\count\z@
16940         \if@RTLmain
16941             \let\@themargin\evensidemargin
16942         \else
16943             \let\@themargin\oddsidemargin
16944         \fi
16945     \else
16946         \if@RTLmain
16947             \let\@themargin\oddsidemargin
16948         \else
16949             \let\@themargin\evensidemargin
16950         \fi
16951     \fi
16952 }{}{}

```

## 101 File hvfloat-xetex-bidi.def

```

16953 \ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package f
16954 \def\do@hvFloat[#1]#2#3{%
16955     \def\hv@shortCap{#1}
16956     \def\hv@longCap{#2}
16957     \def\hv@label{#3}
16958     %\newcommand*{\hvFloat}[5] [] {%
16959     % [#1]: keyvalues
16960     % #2: type figure | table | ...
16961     % #3: float contents
16962     % [#4]: short caption
16963     % #5: caption
16964     % #6: label
16965     % \setDefault%
16966     % \def@tempa{#1}%
16967     % \ifx@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
16968     \def@tempa{90}%
16969     \ifx\hvSet@rotAngle@tempa \setlength{\hvMaxCapWidth}{\textheight}
16970     \else \setlength{\hvMaxCapWidth}{\linewidth}
16971     \fi
16972     %
16973     % First we save the object in \hvObjectBox
16974     %
16975     \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
16976         \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
16977     \else
16978         \savebox{\hvObjectBox}{%
16979             \rotatebox{\hvSet@objectAngle}{%
16980                 \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
16981     \fi

```



```

16982 \setlength{\hvObjectWidth}{\wd\hvObjectBox}
16983 %
16984 % Now we save the caption with its defined \hvCapWidth
16985 %
16986 \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
16987 \else
16988   \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
16989   \else
16990     \setlength{\hvCapWidth}{\hvObjectWidth}
16991     \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
16992     \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
16993     \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
16994 \setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
16995     \else
16996 \setlength{\hvCapWidth}{\hvMaxCapWidth}
16997     \fi
16998   \fi
16999 \fi
17000 %
17001 % now we have the object and the caption with the right
17002 % rotated angles saved in boxes
17003 %
17004 \def\fps@figure{\hvSet@floatPos}
17005 \ifhv@nonFloat\begin{group}% Start the nonfloat part
17006 \else \begin{\hv@floatType}% Start the floating environment
17007 \fi%
17008 \saveCaptionSkip% we put this space ourselve
17009 \ifx\hvSet@capAngle\hv@Width % need rotation?
17010   \sbox{\hvCaptionBox}{%
17011     \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
17012       \ifhv@nonFloat%
17013         \ifhv@onlyText#2%
17014         \else%
17015         \ifx\hv@floatType\hv@figure
17016           \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
17017         \else
17018           \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
17019         \fi
17020       \fi
17021 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
17022 \fi%
17023 \label{#3}%
17024   \end{minipage}%
17025   }%
17026 \else%
17027   \sbox{\hvCaptionBox}{%
17028     \rotatebox{\hvSet@capAngle}{%
17029       \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
17030 \ifhv@nonFloat%
17031       \ifhv@onlyText#2%
17032       \else%
17033       \ifx\hv@floatType\hv@figure
17034         \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
17035       \else

```



```

17036     \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
17037     \fi
17038   \fi
17039 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
17040     \fi%
17041     \label{#3}%
17042     \end{minipage}%
17043   }%
17044 }%
17045 \fi%
17046 %%
17047 \restoreCaptionSkip% save old values
17048 \ifx\hvSet@objectPos\hv@Right\bidiraggedleft%
17049 \else%
17050   \ifx\hvSet@objectPos\hv@Center
17051     \ifhv@nonFloat\hspace*{\fill}\else\centering\fi%
17052   \fi%
17053 \fi%
17054 %
17055 % to rotate object and caption together, we save all in another box
17056 % the caption comes first, if its on the left or the top
17057 %
17058 \savebox{\@tempboxa}{%
17059   \ifx\hvSet@capPos\hv@Left % caption on left side
17060 \if@RTL%
17061 \ifx\hvSet@capVPos\hv@Center%
17062   \ifhv@fbox
17063     \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
17064   \else
17065     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
17066   \fi%
17067   \hspace{\hvSet@floatCapSep pt}%
17068   \ifhv@fbox
17069     \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
17070   \else
17071     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
17072   \fi%
17073 \else%
17074   \ifx\hvSet@capVPos\hv@Top
17075     \ifhv@fbox
17076       \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
17077     \else
17078       \raisebox{-\height}{\usebox{\hvObjectBox}}%
17079     \fi%
17080     \hspace{\hvSet@floatCapSep pt}%
17081     \ifhv@fbox
17082       \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
17083     \else
17084       \raisebox{-\height}{\usebox{\hvCaptionBox}}%
17085     \fi
17086   \else
17087     \ifhv@fbox
17088       \fbox{\usebox{\hvObjectBox}}%
17089     \else

```



```

17090         \usebox{\hvObjectBox}%
17091     \fi
17092     \hspace{\hvSet@floatCapSep pt}%
17093     \ifhv@fbox
17094         \fbox{\usebox{\hvCaptionBox}}%
17095     \else
17096         \usebox{\hvCaptionBox}%
17097     \fi%
17098 \fi%
17099 \fi%
17100 \else% not RTL
17101     \ifx\hvSet@capVPos\hv@Center%
17102         \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
17103     \else         \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
17104     \fi%
17105     \hspace{\hvSet@floatCapSep pt}% capfloatsep
17106     \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
17107     \else         \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
17108     \fi%
17109 \else%
17110     \ifx\hvSet@capVPos\hv@Top % caption at top
17111         \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
17112     \else         \raisebox{-\height}{\usebox{\hvCaptionBox}}%
17113     \fi
17114     \hspace{\hvSet@floatCapSep pt}% capfloatsep
17115     \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
17116     \else         \raisebox{-\height}{\usebox{\hvObjectBox}}%
17117     \fi%
17118 \else% caption on bottom
17119     \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
17120     \else\usebox{\hvCaptionBox}
17121     \fi%
17122     \hspace{\hvSet@floatCapSep pt}%
17123     \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
17124     \else         \usebox{\hvObjectBox}
17125     \fi%
17126 \fi%
17127 \fi% end of RTL
17128 \fi%
17129 \else
17130     \ifx\hvSet@capPos\hv@Top
17131         \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
17132             \begin{minipage}{\wd\hvCaptionBox}
17133         \else
17134             \begin{minipage}{\wd\hvObjectBox}
17135         \fi
17136         \centering
17137         \ifhv@fbox
17138             \fbox{\usebox{\hvCaptionBox}}\[\hvBelowCaptionSkip]
17139             \fbox{\usebox{\hvObjectBox}}
17140         \else
17141             \usebox{\hvCaptionBox}\[\hvBelowCaptionSkip]
17142             \usebox{\hvObjectBox}
17143         \fi%

```





```

17144 \end{minipage}
17145 \else
17146 \ifx\hvSet@capPos\hv@Bottom
17147 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
17148 \begin{minipage}{\wd\hvCaptionBox}
17149 \else
17150 \begin{minipage}{\wd\hvObjectBox}
17151 \fi
17152 \centering
17153 \ifhv@fbox
17154 \fbox{\usebox{\hvObjectBox}}\[\hvAboveCaptionSkip]
17155 \fbox{\usebox{\hvCaptionBox}}
17156 \else
17157 \usebox{\hvObjectBox}\[\hvAboveCaptionSkip]
17158 \usebox{\hvCaptionBox}
17159 \fi%
17160 \end{minipage}
17161 \else% the last option: put the caption on the right
17162 \if@RTL%
17163 \ifx\hvSet@capVPos\hv@Center%
17164 \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
17165 \else \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
17166 \fi%
17167 \hspace{\hvSet@floatCapSep pt}% capfloatsep
17168 \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
17169 \else \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
17170 \fi%
17171 \else%
17172 \ifx\hvSet@capVPos\hv@Top % caption at top
17173 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
17174 \else \raisebox{-\height}{\usebox{\hvCaptionBox}}%
17175 \fi
17176 \hspace{\hvSet@floatCapSep pt}% capfloatsep
17177 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
17178 \else \raisebox{-\height}{\usebox{\hvObjectBox}}%
17179 \fi%
17180 \else% caption on bottom
17181 \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
17182 \else\usebox{\hvCaptionBox}
17183 \fi%
17184 \hspace{\hvSet@floatCapSep pt}%
17185 \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
17186 \else \usebox{\hvObjectBox}
17187 \fi%
17188 \fi%
17189 \fi%
17190 \else% not RTL
17191 \ifx\hvSet@capVPos\hv@Center%
17192 \ifhv@fbox
17193 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
17194 \else
17195 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
17196 \fi%
17197 \hspace{\hvSet@floatCapSep pt}%

```



```

17198     \ifhv@fbox
17199     \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
17200     \else
17201     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
17202     \fi%
17203 \else%
17204 \ifx\hvSet@capVPos\hv@Top
17205     \ifhv@fbox
17206     \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
17207     \else
17208     \raisebox{-\height}{\usebox{\hvObjectBox}}%
17209     \fi%
17210     \hspace{\hvSet@floatCapSep pt}%
17211     \ifhv@fbox
17212     \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
17213     \else
17214     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
17215     \fi
17216     \else
17217     \ifhv@fbox
17218     \fbox{\usebox{\hvObjectBox}}%
17219     \else
17220     \usebox{\hvObjectBox}%
17221     \fi
17222     \hspace{\hvSet@floatCapSep pt}%
17223     \ifhv@fbox
17224     \fbox{\usebox{\hvCaptionBox}}%
17225     \else
17226     \usebox{\hvCaptionBox}%
17227     \fi%
17228     \fi%
17229     \fi
17230 \fi% end of RTL
17231     \fi
17232     \fi
17233     \fi
17234 }% End savebox Object and caption
17235 %
17236 % now we rotate the object and caption, if needed
17237 %
17238 \ifx\hvSet@rotAngle\hv@Zero
17239     \usebox{\@tempboxa}
17240 \else
17241     \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
17242 \fi
17243 \ifhv@nonFloat
17244 \ifx\hvSet@objectPos\hv@Center
17245     \ifhv@nonFloat
17246     \hspace{\fill}
17247     \fi
17248 \fi
17249 \endgroup% End the nonfloat part
17250 \else
17251 \end{\hv@floatType}% End the floating environment

```



```

17252 \fi
17253 }

```

## 102 File hyperref-xetex-bidi.def

```

17254 \ProvidesFile{hyperref-xetex-bidi.def}[2025/01/05 v1.4 bidi adaptations for hyperref package]
17255 \AtBeginDocument{%
17256 \def\contentsline#1#2#3#4{%
17257 \ifx\#4\%
17258 \csname l@#1\endcsname{#2}{#3}%
17259 \else
17260 \ifcase\Hy@linktoc % none
17261 \csname l@#1\endcsname{#2}{#3}%
17262 \or % section
17263 \csname l@#1\endcsname{%
17264 \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
17265 }{#3}%
17266 \or % page
17267 \csname l@#1\endcsname{{#2}}{%
17268 \hyper@linkstart{link}{#4}{#3}\hyper@linkend
17269 }%
17270 \else % all
17271 \csname l@#1\endcsname{%
17272 \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
17273 }{%
17274 \hyper@linkstart{link}{#4}{#3}\hyper@linkend
17275 }%
17276 \fi
17277 \fi
17278 }
17279 \ifHy@hyperfootnotes
17280 \let\H@footnotetext\@footnotetext
17281 \let\HRTL@RTLfootnotetext\@RTLfootnotetext
17282 \let\HLTR@LTRfootnotetext\@LTRfootnotetext
17283 \def\xfootnotenext[#1]{%
17284 \begingroup
17285 \csname c@#1\endcsname #1\relax
17286 \unrestored@protected@xdef\@thefnmark{\thempfn}%
17287 \endgroup
17288 \ifx\@footnotetext\@mpfootnotetext
17289 \expandafter\H@mpfootnotetext
17290 \else
17291 \expandafter\H@footnotetext
17292 \fi
17293 }%
17294 \def\xRTLfootnotenext[#1]{%
17295 \begingroup
17296 \csname c@#1\endcsname #1\relax
17297 \unrestored@protected@xdef\@thefnmark{\thempfn}%
17298 \endgroup
17299 \ifx\@RTLfootnotetext\@mpRTLfootnotetext
17300 \expandafter\HRTL@mpRTLfootnotetext
17301 \else
17302 \expandafter\HRTL@RTLfootnotetext

```



```

17303   \fi
17304 }%
17305 \def\xLTRfootnotenext[#1]{%
17306   \begingroup
17307     \csname c@\mpfn\endcsname #1\relax
17308     \unrestored@protected@xdef\thefnmark{\thempfn}%
17309   \endgroup
17310   \ifx\@LTRfootnotetext\@mpLTRfootnotetext
17311     \expandafter\HLTR@mpLTRfootnotetext
17312   \else
17313     \expandafter\HLTR@LTRfootnotetext
17314   \fi
17315 }%
17316 \def\xfootnotemark[#1]{%
17317   \begingroup
17318     \c@footnote #1\relax
17319     \unrestored@protected@xdef\thefnmark{\thefootnote}%
17320   \endgroup
17321   \H@@footnotemark
17322 }%
17323 \let\H@mpfootnotetext\@mpfootnotetext
17324 \let\HRTL@mpRTLfootnotetext\@mpRTLfootnotetext
17325 \let\HLTR@mpLTRfootnotetext\@mpLTRfootnotetext
17326 \long\def\@mpfootnotetext#1{%
17327   \H@mpfootnotetext{%
17328     \ifHy@nesting
17329       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
17330     \else
17331       \Hy@raisedlink{%
17332         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
17333       }#1%
17334   \fi
17335 }%
17336 }%
17337 \long\def\@mpRTLfootnotetext#1{%
17338   \HRTL@mpRTLfootnotetext{%
17339     \ifHy@nesting
17340       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
17341     \else
17342       \Hy@raisedlink{%
17343         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
17344       }#1%
17345   \fi
17346 }%
17347 }%
17348 \long\def\@mpLTRfootnotetext#1{%
17349   \HLTR@mpLTRfootnotetext{%
17350     \ifHy@nesting
17351       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
17352     \else
17353       \Hy@raisedlink{%
17354         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
17355       }#1%
17356   \fi

```



```

17357 }%
17358 }%
17359 \long\def\@footnotetext#1{%
17360 \H@@footnotetext{%
17361 \ifHy@nesting
17362 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
17363 \else
17364 \Hy@raisedlink{%
17365 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
17366 }%
17367 \let\@currentHlabel\Hy@footnote@currentHlabel
17368 \let\@currentHref\Hy@footnote@currentHref
17369 \let\@currentlabelname\@empty
17370 #1%
17371 \fi
17372 }%
17373 }%
17374 \long\def\@RTLfootnotetext#1{%
17375 \HRTL@RTLfootnotetext{%
17376 \ifHy@nesting
17377 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
17378 \else
17379 \Hy@raisedlink{%
17380 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
17381 }%
17382 \let\@currentHlabel\Hy@footnote@currentHlabel
17383 \let\@currentHref\Hy@footnote@currentHref
17384 \let\@currentlabelname\@empty
17385 #1%
17386 \fi
17387 }%
17388 }%
17389 \long\def\@LTRfootnotetext#1{%
17390 \HLTR@LTRfootnotetext{%
17391 \ifHy@nesting
17392 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
17393 \else
17394 \Hy@raisedlink{%
17395 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
17396 }%
17397 \let\@currentHlabel\Hy@footnote@currentHlabel
17398 \let\@currentHref\Hy@footnote@currentHref
17399 \let\@currentlabelname\@empty
17400 #1%
17401 \fi
17402 }%
17403 }%
17404 \ApplyPatchCodeToPackage{tabularx}{%
17405 \let\HyOrg@TX@endtabularx\TX@endtabularx
17406 \def\Hy@tabularx@hook{%
17407 \let\@footnotetext\H@@footnotetext
17408 \let\@LTRfootnotetext\HLTR@LTRfootnotetext
17409 \let\@RTLfootnotetext\HRTL@RTLfootnotetext
17410 \let\@footnotemark\H@@footnotemark

```



```

17411     \let\@mpfootnotetext\H@mpfootnotetext
17412     \let\@mpLTRfootnotetext\HLTR@mpLTRfootnotetext
17413     \let\@mpRTLfootnotetext\HRTL@mpRTLfootnotetext
17414 }%
17415 \begingroup
17416   \toks@\expandafter{\TX@endtabularx}%
17417   \xdef\Hy@gtemp{%
17418     \noexpand\Hy@tabularx@hook
17419     \the\toks@
17420   }%
17421 \endgroup
17422 \let\TX@endtabularx\Hy@gtemp
17423 }%
17424 \ApplyPatchCodeToPackage{longtable}{%
17425 \CheckCommand{\LT@p@LTRftntext}[1]{%
17426   \edef\@tempa{%
17427     \the\LT@p@ftn
17428     \noexpand\LTRfootnotetext[\the\c@footnote]}%
17429   }%
17430   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
17431 }%
17432 \long\def\LT@p@LTRftntext#1{%
17433   \edef\@tempa{%
17434     \the\LT@p@ftn
17435     \begingroup
17436       \noexpand\c@footnote=\the\c@footnote\relax
17437       \noexpand\protected@xdef\noexpand\@thefnmark{%
17438         \noexpand\thempfn
17439       }%
17440       \noexpand\Hy@LT@LTRfootnotetext{%
17441         \Hy@footnote@currentHref
17442       }%
17443     }%
17444     \global\LT@p@ftn\expandafter{%
17445       \@tempa{#1}%
17446     }%
17447   }%
17448 }%
17449 \long\def\Hy@LT@LTRfootnotetext#1#2{%
17450 \HLTR@LTRfootnotetext{%
17451   \ifHy@nesting
17452     \hyper@@anchor{#1}{#2}%
17453   \else
17454     \Hy@raisedlink{%
17455       \hyper@@anchor{#1}{\relax}%
17456     }%
17457     \def\@currentHref{#1}%
17458     \let\@currentlabelname\@empty
17459     #2%
17460   \fi
17461 }%
17462 }%
17463 \CheckCommand{\LT@p@RTLftntext}[1]{%
17464   \edef\@tempa{%

```



```

17465     \the\LT@p@ftn
17466     \noexpand\RTLfootnotetext[\the\c@footnote]%
17467   }%
17468   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
17469 }%
17470 \long\def\LT@p@RTLftntext#1{%
17471   \edef\@tempa{%
17472     \the\LT@p@ftn
17473     \begingroup
17474     \noexpand\c@footnote=\the\c@footnote\relax
17475     \noexpand\protected@xdef\noexpand\@thefnmark{%
17476       \noexpand\thempfn
17477     }%
17478     \noexpand\Hy@LT@RTLfootnotetext{%
17479       \Hy@footnote@currentHref
17480     }%
17481   }%
17482   \global\LT@p@ftn\expandafter{%
17483     \@tempa{#1}%
17484   \endgroup
17485 }%
17486 }%
17487 \long\def\Hy@LT@RTLfootnotetext#1#2{%
17488   \HRTL@RTLfootnotetext{%
17489     \ifHy@nesting
17490       \hyper@@anchor{#1}{#2}%
17491     \else
17492       \Hy@raisedlink{%
17493         \hyper@@anchor{#1}{\relax}%
17494       }%
17495       \def\@currentHref{#1}%
17496       \let\@currentlabelname\@empty
17497       #2%
17498     \fi
17499   }%
17500 }%
17501 }%
17502 \ApplyPatchCodeToPackage{bidipoem}{%
17503 \long\def\bidipoem@p@ftntext#1{%
17504   \edef\@tempx{%
17505     \the\bidipoem@p@ftn
17506     \begingroup
17507     \noexpand\c@footnote=\the\c@footnote\relax
17508     \noexpand\protected@xdef\noexpand\@thefnmark{%
17509       \noexpand\thempfn
17510     }%
17511     \noexpand\Hy@bidipoem@footnotetext{%
17512       \Hy@footnote@currentHref
17513     }%
17514   }%
17515   \global\bidipoem@p@ftn\expandafter{%
17516     \@tempx{#1}%
17517   \endgroup
17518 }%

```



```

17519 }%
17520 \long\def\Hy@bidipoem@footnotetext#1#2{%
17521   \H@@footnotetext{%
17522     \ifHy@nesting
17523       \hyper@@anchor{#1}{#2}%
17524     \else
17525       \Hy@raisedlink{%
17526         \hyper@@anchor{#1}{\relax}%
17527       }%
17528       \def\@currentHref{#1}%
17529       \let\@currentlabelname\@empty
17530       #2%
17531     \fi
17532   }%
17533 }%
17534 \long\def\bidipoem@p@LTRftntext#1{%
17535 \edef\@tempxi{%
17536   \the\bidipoem@p@ftn
17537   \begingroup
17538     \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
17539     \noexpand\protected@xdef\noexpand\@thefnmark{%
17540       \noexpand\thempfn
17541     }%
17542     \noexpand\Hy@bidipoem@LTRfootnotetext{%
17543       \Hy@footnote@currentHref
17544     }%
17545   }%
17546   \global\bidipoem@p@ftn\expandafter{%
17547     \@tempxi{#1}%
17548   \endgroup
17549 }%
17550 }%
17551 \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
17552   \HLTR@@LTRfootnotetext{%
17553     \ifHy@nesting
17554       \hyper@@anchor{#1}{#2}%
17555     \else
17556       \Hy@raisedlink{%
17557         \hyper@@anchor{#1}{\relax}%
17558       }%
17559       \def\@currentHref{#1}%
17560       \let\@currentlabelname\@empty
17561       #2%
17562     \fi
17563   }%
17564 }%
17565 \long\def\bidipoem@p@RTLftntext#1{%
17566 \edef\@tempxii{%
17567   \the\bidipoem@p@ftn
17568   \begingroup
17569     \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
17570     \noexpand\protected@xdef\noexpand\@thefnmark{%
17571       \noexpand\thempfn
17572     }%

```





```

17573         \noexpand\Hy@bidipoem@RTLfootnotetext{%
17574             \Hy@footnote@currentHref
17575         }%
17576     }%
17577     \global\bidipoem@p@ftn\expandafter{%
17578         \@tempxi{#1}%
17579     \endgroup
17580     }%
17581 }%
17582 \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
17583     \HRTL@RTLfootnotetext{%
17584         \ifHy@nesting
17585             \hyper@@anchor{#1}{#2}%
17586         \else
17587             \Hy@raisedlink{%
17588                 \hyper@@anchor{#1}{\relax}%
17589             }%
17590             \def\@currentHref{#1}%
17591             \let\@currentlabelname\@empty
17592             #2%
17593         \fi
17594     }%
17595 }%
17596 }%
17597 \let\HyOrg@maketitle\maketitle
17598 \def\maketitle{%
17599     \let\Hy@saved@footnotemark\@footnotemark
17600     \let\Hy@saved@footnotetext\@footnotetext
17601     \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
17602     \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
17603     \let\@footnotemark\H@@footnotemark
17604     \let\@footnotetext\H@@footnotetext
17605     \let\@RTLfootnotetext\HRTL@RTLfootnotetext
17606     \let\@LTRfootnotetext\HLTR@LTRfootnotetext
17607     \@ifnextchar [\Hy@maketitle@optarg{ % ]
17608         \HyOrg@maketitle
17609         \Hy@maketitle@end
17610     }%
17611 }%
17612 \def\Hy@maketitle@optarg[#1]{%
17613     \HyOrg@maketitle[#{#1}]%
17614     \Hy@maketitle@end
17615 }%
17616 \def\Hy@maketitle@end{%
17617     \ifx\@footnotemark\H@@footnotemark
17618         \let\@footnotemark\Hy@saved@footnotemark
17619     \fi
17620     \ifx\@footnotetext\H@@footnotetext
17621         \let\@footnotetext\Hy@saved@footnotetext
17622     \fi
17623     \ifx\@RTLfootnotetext\HRTL@RTLfootnotetext
17624         \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
17625     \fi
17626     \ifx\@LTRfootnotetext\HLTR@LTRfootnotetext

```



```

17627     \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
17628     \fi
17629   }%
17630 \def\realfootnote{%
17631   \@ifnextchar[\@xfootnote{%
17632     \stepcounter{\@mpfn}%
17633     \protected@xdef\@thefnmark{\thempfn}%
17634     \H@@footnotemark\H@@footnotetext
17635   }%
17636 }%
17637 \fi
17638 \def\Hy@BeginAnnot#1{%
17639   \ifmode\else\beginL\fi%
17640   \global\advance\c@Hy@AnnotLevel\@ne
17641   \ifnum\c@Hy@AnnotLevel=\@ne
17642     #1%
17643   \fi
17644 }
17645 \def\Hy@endAnnot{%
17646   \ifnum\c@Hy@AnnotLevel=\@ne
17647     \Hy@endcolorlink
17648     \@pdfm@mark{eann}%
17649   \fi
17650   \global\advance\c@Hy@AnnotLevel\m@ne
17651   \ifmode\else\endL\fi%
17652 }
17653 \def\hyper@link#1#2#3{%
17654   \hyper@linkstart{#1}{#2}\ifmode\else\if@RTL\beginR\fi\fi#3\ifmode\else\if@RTL\endR\fi\fi%
17655 }
17656 \def\hyper@linkfile#1#2#3{%
17657   \leavevmode
17658   \Hy@BeginAnnot{%
17659     \def\Hy@pstringF{#2}%
17660     \Hy@CleanupFile\Hy@pstringF
17661     \Hy@pstringdef\Hy@pstringF\Hy@pstringF
17662     \Hy@pstringdef\Hy@pstringD{#3}%
17663     \Hy@MakeRemoteAction
17664     \@pdfm@mark{%
17665       bann<<%
17666         /Type/Annot%
17667         /Subtype/Link%
17668         \ifHy@pdfa /F 4\fi
17669         \Hy@setpdfborder
17670         \ifx\@filebordercolor\relax
17671         \else
17672           /C[\@filebordercolor]%
17673         \fi
17674         /A<<%
17675         /S/GoToR%
17676         /F(\Hy@pstringF)%
17677         /D%
17678         \ifx\#3\%
17679           [\Hy@href@page\@pdfremotestartview]%
17680         \else

```



```

17681         (\Hy@pstringD)%
17682         \fi
17683         \Hy@SetNewWindow
17684         \Hy@href@nextactionraw
17685         >>%
17686     >>%
17687 }%
17688 \Hy@colorlink\@filecolor
17689 }%
17690 \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
17691 \Hy@EndAnnot
17692 }
17693 \def\@hyper@launch run:#1\#2#3{% filename, anchor text linkname
17694 \leavevmode
17695 \Hy@BeginAnnot{%
17696 \Hy@pstringdef\Hy@pstringF{#1}%
17697 \Hy@pstringdef\Hy@pstringP{#3}%
17698 \@pdfm@mark{%
17699     bann<<%
17700         /Type/Annot%
17701         /Subtype/Link%
17702         \ifHy@pdfa /F 4\fi
17703         \Hy@setpdfborder
17704         \ifx\@runbordercolor\relax
17705         \else
17706             /C[\@runbordercolor]%
17707         \fi
17708         /A<<%
17709         /F(\Hy@pstringF)%
17710         /S/Launch%
17711         \Hy@SetNewWindow
17712         \ifx\#3\%
17713         \else
17714             /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
17715         \fi
17716         \Hy@href@nextactionraw
17717         >>%
17718     >>%
17719 }%
17720 \Hy@colorlink\@runcolor
17721 }%
17722 \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
17723 \Hy@EndAnnot
17724 }
17725 \def\hyper@linkurl#1#2{%
17726 \leavevmode
17727 \Hy@BeginAnnot{%
17728 \Hy@pstringdef\Hy@pstringURI{#2}%
17729 \@pdfm@mark{%
17730     bann<<%
17731         /Type/Annot%
17732         /Subtype/Link%
17733         \ifHy@pdfa /F 4\fi
17734         \Hy@setpdfborder

```



```

17735     \ifx\@urlbordercolor\relax
17736     \else
17737         /C[\@urlbordercolor]%
17738     \fi
17739     /A<<%
17740     /S/URI%
17741     /URI(\Hy@pstringURI)%
17742     \ifHy@href@ismap
17743         /IsMap true%
17744     \fi
17745     \Hy@href@nextactionraw
17746     >>%
17747     >>%
17748     }%
17749     \Hy@colorlink\@urlcolor
17750 }%
17751 \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
17752 \Hy@EndAnnot
17753 }
17754 \def\Acrobatmenu#1#2{%
17755     \Hy@Acrobatmenu{#1}{#2}{%
17756         \Hy@BeginAnnot{%
17757             \EdefEscapeName\Hy@temp@menu{#1}%
17758             \@pdfm@mark{%
17759                 bann<<%
17760                 /Type/Annot%
17761                 /Subtype/Link%
17762                 \ifHy@pdfa /F 4\fi
17763                 \Hy@setpdfborder
17764                 \ifx\@menubordercolor\relax
17765                 \else
17766                     /C[\@menubordercolor]%
17767                 \fi
17768                 /A<<%
17769                 /S/Named%
17770                 /N/\Hy@temp@menu
17771                 \Hy@href@nextactionraw
17772                 >>%
17773                 >>%
17774             }%
17775             \Hy@colorlink\@menucolor
17776         }%
17777         \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
17778     \Hy@EndAnnot
17779 }%
17780 }
17781 \def\hyper@natlinkstart#1{%
17782     \Hy@backout{#1}%
17783     \hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
17784     \def\hyper@nat@current{#1}%
17785 }
17786 \def\hyper@natlinkend{%
17787     \if@RTL\endR\fi\hyper@linkend
17788 }

```



```

17789 \def\hyper@natlinkbreak#1#2{%
17790   \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
17791 }%
17792 }
17793 \pdfstringdefDisableCommands{%
17794 \let\LRE\@firstofone
17795 \let\LR\@firstofone
17796 \let\RLE\@firstofone
17797 \let\RL\@firstofone
17798 \def\XeTeX{XeTeX}%
17799 \def\XeLaTeX{XeLaTeX}%
17800 }
17801 \bidi@patchcmd\@TextField{%
17802   \@pdfm@mark
17803 }{%
17804   \if@RTL
17805     \hskip\Fld@width
17806   \fi
17807   \@pdfm@mark
17808 }-{}-{}
17809 \bidi@patchcmd\@TextField{%
17810   \unhbox
17811 }{%
17812   \if@RTL
17813     \hskip-\Fld@width
17814   \fi
17815   \unhbox
17816 }-{}-{}
17817 \bidi@patchcmd\@@Radio{%
17818   \@pdfm@mark
17819 }{%
17820   \if@RTL
17821     \hskip\Fld@width
17822   \fi
17823   \@pdfm@mark
17824 }-{}-{}
17825 \bidi@patchcmd\@@Radio{%
17826   \unhcopy
17827 }{%
17828   \if@RTL
17829     \hskip-\Fld@width
17830   \fi
17831   \unhcopy
17832 }-{}-{}
17833 \bidi@patchcmd\@Submit{%
17834   \@pdfm@mark
17835 }{%
17836   \if@RTL
17837     \null
17838     \hskip\wd\pdfm@box
17839   \fi
17840   \@pdfm@mark
17841 }-{}-{}
17842 \bidi@patchcmd\@Submit{%

```



```

17843 \unhbox
17844 }{%
17845 \if@RTL
17846 \hskip-\wd\pdfm@box
17847 \fi
17848 \unhbox
17849 }{}{}
17850 \bidi@patchcmd\@Reset{%
17851 \@pdfm@mark
17852 }{%
17853 \if@RTL
17854 \null
17855 \hskip\wd\pdfm@box
17856 \fi
17857 \@pdfm@mark
17858 }{}{}
17859 \bidi@patchcmd\@Reset{%
17860 \unhbox
17861 }{%
17862 \if@RTL
17863 \hskip-\wd\pdfm@box
17864 \fi
17865 \unhbox
17866 }{}{}

```

### 103 File `imsproc-xetex-bidi.def`

```

17867 \ProvidesFile{imsproc-xetex-bidi.def}[2017/06/09 v0.1 bidi adaptations for imsproc class for
17868 \newenvironment{thebibliography}[1]{%
17869 \@bibtitlestyle
17870 \normalfont\bibliofont\labelsep .5em\relax
17871 \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
17872 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
17873 \bidi@thebibliography@font@hook
17874 \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
17875 \leftmargin\labelwidth \advance\leftmargin\labelsep
17876 \usecounter{enumiv}}%
17877 \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
17878 \sfcode`\.=\@m
17879 }{%
17880 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
17881 \endlist
17882 }
17883
17884 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
17885 \columnseprule\z@ \columnsep 35\p@
17886 \@indextitlestyle
17887 \thispagestyle{plain}%
17888 \let\item\@idxitem
17889 \parindent\z@ \parskip\z@\@plus.3\p@\relax
17890 \if@RTL\raggedleft\else\raggedright\fi
17891 \hyphenpenalty\@M
17892 \footnotesize}
17893 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}

```



```

17894 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
17895 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
17896
17897 \def\right@footnoterule{%
17898   \kern-.4\p@
17899   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
17900   \kern11\p@\kern-\footnotesep}
17901 \def\left@footnoterule{\kern-.4\p@
17902   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
17903 \def\@makefnmark{%
17904   \leavevmode
17905   \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}}
17906 }
17907
17908 \def\part{\@startsection{part}{0}%
17909   \z@\linespacing\@plus\linespacing}{.5\linespacing}%
17910   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
17911 \def\@tocline#1#2#3#4#5#6#7{\relax
17912   \ifnum #1>\c@tocdepth % then omit
17913   \else
17914     \par \addpenalty\@secpenalty\advvspace{#2}%
17915     \begingroup \hyphenpenalty\@M
17916     \ifempty{#4}{%
17917       \@tempdima\csname r@tocindent\number#1\endcsname\relax
17918     }{%
17919       \@tempdima#4\relax
17920     }%
17921     \parindent\z@ \if@RTL\righskip\else\leftskip\fi#3\relax \advance\if@RTL\righskip\else\leftskip\fi#4\relax
17922     \if@RTL\leftskip\else\righskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
17923     #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
17924     \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
17925     \nobreak
17926     \endgroup
17927   \fi}
17928 \renewcommand\thesubsection   {\thesection\@SepMark\arabic{subsection}}
17929 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
17930 \renewcommand\theparagraph   {\thesubsubsection\@SepMark\arabic{paragraph}}
17931 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
17932 \def\maketitle{\par
17933   \@topnum\z@ % this prevents figures from falling at the top of page 1
17934   \@setcopyright
17935   \thispagestyle{firstpage}% this sets first page specifications
17936   \uppercase\shorttitle
17937   \ifx\@empty\shortauthors \let\shortauthors\shorttitle
17938   \else \andify\shortauthors
17939   \fi
17940   \@maketitle@hook
17941   \begingroup
17942   \@maketitle
17943   \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
17944   \toks4{\def\\{\ignorespaces}}% defend against questionable usage
17945   \edef\@tempa{%
17946     \@nx\markboth{\the\toks4
17947       \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%

```



```

17948 \@tempa
17949 \endgroup
17950 \c@footnote\z@
17951 \@cleartopmattertags
17952 }

```

## 104 File leqno-xetex-bidi.def

```

17953 \ProvidesFile{leqno-xetex-bidi.def}[2018/01/07 v0.2 bidi adaptations for leqno tag for XeTeX
17954 \renewcommand\@eqnnum{\hb@xt@.01\p@{}}%
17955 \rlap{\hskip -\displaywidth
17956 \{\normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\if@RTL\endR

```

## 105 File letter-xetex-bidi.def

```

17957 \ProvidesFile{letter-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for standard letter cl
17958 \renewcommand*\opening}[1]{\ifx\@empty\fromaddress
17959 \thispagestyle{firstpage}%
17960 {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
17961 \else % home address
17962 \thispagestyle{empty}%
17963 {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{l@{}}
17964 \fromaddress \*[2\parskip]%
17965 \@date \end{tabular}\par}%
17966 \fi
17967 \vspace{2\parskip}%
17968 {\if@RTL\raggedleft\else\raggedright\fi \toname \\\ toaddress \par}%
17969 \vspace{2\parskip}%
17970 #1\par\nobreak}
17971 \renewcommand\left@footnoterule{%
17972 \kern-\p@
17973 \hrule \@width .4\columnwidth
17974 \kern .6\p@}
17975 \renewcommand\right@footnoterule{%
17976 \kern-\p@
17977 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
17978 \kern .6\p@}

```

## 106 File lettrine-xetex-bidi.def

```

17979 \ProvidesFile{lettrine-xetex-bidi.def}[2024/12/08 v0.9 bidi adaptations for lettrine package
17980 \RemoveFromHook{begindocument}[lettrine]
17981 \AtBeginDocument[lettrine]{%
17982 \if\DefaultOptionsFile\relax
17983 \else
17984 \InputIfFileExists{\DefaultOptionsFile}%
17985 {}%
17986 {\PackageWarning{lettrine.sty}%
17987 {File \DefaultOptionsFile\space not found}%
17988 }%
17989 \fi
17990 \let\ifL@RTL\if@RTL
17991 }

```





## 107 File `lineno-xetex-bidi.def`

```
17992 \ProvidesFile{lineno-xetex-bidi.def}[2024/12/07 v0.3 bidi adaptations for lineno package for
17993 \bidi@patchcmd{\MakeLineNo}{%
17994   \hb@xt@\z@\makeLineNumber}%
17995 }{%
17996   \hboxL to \z@\makeLineNumber}%
17997 }{}{}
17998
17999 \bidi@patchcmd{\makeLineNumberLeft}{\LineNumber}{%
18000   \ifRTL
18001     \hb@xt@\linenumberwidth{\LineNumber\hss}%
18002   \else
18003     \LineNumber
18004   \fi
18005 }{}{}
18006
18007 \bidi@patchcmd{\makeLineNumberRight}{%
18008   \hb@xt@\linenumberwidth{\hss\LineNumber}%
18009 }{%
18010   \ifRTL
18011     \LineNumber
18012   \else
18013     \hb@xt@\linenumberwidth{\hss\LineNumber}%
18014   \fi
18015 }{}{}
18016
18017 \bidi@AfterPreamble{%
18018   \ifRTLmain
18019     \rightlinenumbers*
18020   \else
18021     \leftlinenumbers*
18022   \fi
18023   \@ifpackagewith{lineno}{left}{%
18024     \leftlinenumbers*
18025   }{}
18026   \@ifpackagewith{lineno}{right}{%
18027     \rightlinenumbers*
18028   }{}
18029   \@ifpackagewith{lineno}{switch}{%
18030     \ifRTLmain
18031       \switchlinenumbers*%
18032     \else
18033       \switchlinenumbers
18034     \fi
18035   }{}
18036   \@ifpackagewith{lineno}{switch*}{%
18037     \ifRTLmain
18038       \switchlinenumbers
18039     \else
18040       \switchlinenumbers*%
18041     \fi
18042   }{}
18043 }
```



18044

## 108 File listings-xetex-bidi.def

```
18045 \ProvidesFile{listings-xetex-bidi.def}[2025/01/03 v1.6 bidi adaptations for listings package]
18046 \lst@Key{captiondirection}{textdirection}{%
18047   \lstKV@SwitchCases{#1}%
18048   {textdirection:\\%
18049     RTL:\chardef\bidi@lst@caption@direction@one\\%
18050     LTR:\chardef\bidi@lst@caption@direction@z@%
18051   }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
18052
18053 \lst@Key{captionscript}{textscript}{%
18054   \lstKV@SwitchCases{#1}%
18055   {textscript:\\%
18056     latin:\chardef\bidi@lst@caption@script@one\\%
18057     nonlatin:\chardef\bidi@lst@caption@script@z@%
18058   }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
18059
18060 \newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
18061   \@ifundefined{bidi@lst@caption@direction}{%
18062     \ifnum\bidi@lst@caption@direction=\z@%
18063       #1%
18064     \else%
18065       \ifnum\bidi@lst@caption@direction=\@ne%
18066         #2%
18067       \fi%
18068     \fi%
18069 }}
18070
18071 \newcommand*{\bidi@lst@ensure@caption@script}[2]{%
18072   \@ifundefined{bidi@lst@caption@script}{%
18073     \ifnum\bidi@lst@caption@script=\z@%
18074       #1%
18075     \else%
18076       \ifnum\bidi@lst@caption@script=\@ne%
18077         #2%
18078       \fi%
18079     \fi%
18080 }}
18081
18082 \long\def\@bidi@lst@makecaption#1#2{%
18083   \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
18084   \vskip\abovcaptionskip
18085   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
18086   \sbox\@tempboxa{%
18087     \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
18088     #1: #2%
18089     \bidi@lst@ensure@caption@direction{\endL}{\endR}%
18090   }%
18091   \ifdim \wd\@tempboxa >\hspace
18092     #1: #2\par
18093   \else
18094     \global \@minipagefalse
```



```

18095     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
18096     \fi
18097     \vskip\belowcaptionskip}%
18098 \def\lst@makecaption{\@bidi\lst@makecaption}
18099 \def\lst@maketitle{\@bidi\lst@makecaption\lst@title\dropdelim}
18100 \bidi@AtEndPreamble{%
18101 \bidi@patchcmd{\lst@MakeCaption}{%
18102     \ifx #1t%
18103         \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
18104             \expandafter\refstepcounter
18105         \fi {lstlisting}%
18106 }{%
18107     \ifx #1t%
18108         \bidi\lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
18109         \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
18110             \expandafter\refstepcounter
18111         \fi {lstlisting}%
18112         \bidi\lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
18113 }-}{-}%
18114 \bidi@patchcmd{\lst@MakeCaption}{%
18115     \addcontentsline{lol}{lstlisting}%
18116     {\protect\numberline{\thelstlisting}\lst@@caption}%
18117 }{%
18118 \begingroup%
18119     \bidi\lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
18120     \addcontentsline{lol}{lstlisting}%
18121     {\protect\numberline{\thelstlisting}\lst@@caption}%
18122 \endgroup%
18123 }-}{-}%
18124 }
18125 \ApplyPatchIfPackageLoaded{caption}{%
18126 \AtBeginCaption{%
18127 \bidi\lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
18128 \bidi\lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
18129 }
18130 \let\@bidi\lst@makecaption\caption@makecaption%
18131 \def\lst@makecaption{\caption@starfalse\@bidi\lst@makecaption}%
18132 \def\lst@maketitle{\caption@startrue\@bidi\lst@makecaption\@empty}%
18133 }{%
18134 \AtBeginDocument{%
18135 \@ifundefined{captionlabelfalse}{-}{-}%
18136 \def\lst@maketitle{\captionlabelfalse\@bidi\lst@makecaption\@empty}}%
18137 \@ifundefined{caption@startrue}{-}{-}%
18138 \def\lst@maketitle{\caption@startrue\@bidi\lst@makecaption\@empty}}%
18139 }%
18140 }
18141 \AtBeginDocument{
18142 \@ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{-}
18143 \lst@ifnumberbychapter
18144     \gdef\thelstlisting%
18145         {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@lstlisting}
18146 \else
18147     \gdef\thelstlisting{\@arabic\c@lstlisting}
18148 \fi}

```



## 109 File longtable-xetex-bidi.def

```
18149 \ProvidesFile{longtable-xetex-bidi.def}[2025/01/05 v0.8 bidi adaptations for longtable packa
18150 \ExplSyntaxOn
18151 \def\LT@array[#1]#2{%
18152   \UseTaggingSocket{tbl/init}
18153   \tl_if_empty:eTF { \LTcapytype }
18154   {
18155     \tl_gset:Ne \@currentHref {LT@tables.\theHLT@tables}
18156   }
18157   {
18158     \@kernel@refstepcounter{\LTcapytype}\stepcounter{LT@tables}
18159     \tl_gset:Ne \@currentHref {\LTcapytype.\cs_if_exist_use:c {theH\LTcapytype}}
18160   }
18161   \tbl_gzero_row_count:
18162   \UseTaggingSocket{tbl/longtable/init}
18163   \if l#1%
18164     \if@RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@ \LTright\fill\fi
18165   \else\if r#1%
18166     \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
18167   \else\if c#1%
18168     \LTleft\fill \LTright\fill
18169   \fi\fi\fi
18170   \let\LT@mcoll\multicolumn
18171   \let\LT@@tabarray\@tabarray
18172   \let\LT@@hl\hline
18173   \def\@tabarray{%
18174     \let\hline\LT@@hl
18175     \LT@@tabarray}%
18176   \let\@LT@tabularcr
18177   \let\@tabularnewline\@
18178   \def\newpage{\noalign{\break}}%
18179   \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
18180   \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt\LT@no@pgbk4}%
18181   \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
18182   \@tempdima\ht\strutbox
18183   \let\@endpbox\LT@endpbox
18184   \ifx\extrarowheight\@undefined
18185     \let\@acol\@tabacol
18186     \let\@classz\@tabclassz \let\@classiv\@tabclassiv
18187     \def\@startpbox{\vtop\LT@startpbox}%
18188     \let\@@startpbox\@startpbox
18189     \let\@@endpbox\@endpbox
18190     \let\LT@LL@FM@cr\@tabularcr
18191   \else
18192     \advance\@tempdima\extrarowheight
18193     \col@sep\@tabcolsep
18194     \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
18195   \fi
18196   \setbox\@arstrutbox\hbox{\vrule
18197     \@height \arraystretch \@tempdima
18198     \@depth \arraystretch \dp \strutbox
18199     \@width \z@}%
18200   \let\@sharp##\let\protect\relax
```



```

18201 \begingroup
18202 \mkpream{#2}%
18203 \tbl_count_table_cols:
18204 \xdef\LT@bchunk{%
18205 \tbl_inbetween_rows:
18206 \global\advance\c@LT@chunks\@ne
18207 \global\LT@rows\z@\setbox\z@\vbox\bgroup
18208 \LT@setprevdepth
18209 \tabskip\LTleft \noexpand\halign to\hsize\bgroup
18210 \tabskip\z@ \@arstrut
18211 \UseTaggingSocket{tbl/row/begin}%
18212 \tbl_init_cell_data_for_row:
18213 \@preamble \tabskip\LTright \cr}%
18214 \endgroup
18215 \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
18216 \LT@make@row
18217 \m@th\let\par\@empty
18218 \everycr{%
18219 \noalign{%
18220 \tbl_trace:n {--longtable-->~chunk-row:~ \the\LT@rows \space
18221 row:~ \the\g__tbl_row_int \space
18222 column:~ \the\g__tbl_col_int
18223 }
18224 \tbl_if_row_was_started:T
18225 {
18226 \UseTaggingSocket{tbl/row/end}
18227 \tbl_inbetween_rows:
18228 }
18229 \int_compare:nNnT \LT@rows < \LT@chunksize
18230 { \tbl_gincr_row_count: } % next is row about to start
18231 }%
18232 }%
18233 \lineskip\z@\baselineskip\z@
18234 \LT@bchunk}
18235 \ExplSyntaxOff
18236 \def\LT@makecaption#1#2#3{%
18237 \LT@mc@LT@cols c{\hbox to\z@{\hss\parbox[t]\LT@capwidth{%
18238 \reset@font
18239 \sbox\@tempboxa{\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
18240 \ifdim\wd\@tempboxa>\hsize
18241 #1{#2: }#3%
18242 \else
18243 \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
18244 \fi
18245 \endgraf\vskip\baselineskip}%
18246 \hss}}
18247 \ApplyPatchCodeToPackage{caption}{%
18248 \renewcommand\LT@makecaption[3]{%
18249 \caption\LT@make{%
18250 \caption@LT@settype\LT@captiontype
18251 \caption@LT@setup
18252 \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%
18253 \caption@startrue#1\caption@starfalse
18254 \caption@prepare@stepcounter\LT@captiontype

```



```

18255     \caption@begin\LTcaption
18256     \caption@normalsize
18257     \vskip-\ht\strutbox
18258     \caption@ifdefined\FBifcaptop{%
18259       \let\caption@belowskip\@empty}%
18260     \caption@make@above
18261     \caption@@make{#2}{#3}\endgraf
18262     \caption@make@below
18263     \caption@end}}%
18264 }
18265 \def\LT@startpbox#1{%
18266   \bgroup
18267   \color@begingroup
18268   \let\@footnotetext\LT@p@ftntext
18269   \let\@LTRfootnotetext\LT@p@LTRftntext
18270   \let\@RTLfootnotetext\LT@p@RTLftntext
18271   \setlength\hsize{#1}%
18272   \@arrayparboxrestore
18273   \everypar{%
18274     \vrule \@height \ht\@arstrutbox \@width \z@
18275     \everypar{}}%
18276   }
18277 \long\def\LT@p@LTRftntext#1{%
18278   \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]}%
18279   \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
18280 \long\def\LT@p@RTLftntext#1{%
18281   \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
18282   \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
18283 \def\LT@output{%
18284   \ifnum\outputpenalty <-\@Mi
18285     \ifnum\outputpenalty > -\LT@end@pen
18286       \LT@err{floats and marginpars not allowed in a longtable}\@ehc
18287     \else
18288       \setbox\z@\vbox{\unvbox\@cclv}%
18289       \ifdim \ht\LT@lastfoot>\ht\LT@foot
18290         \dimen@\pagegoal
18291         \advance\dimen@\ht\LT@foot
18292         \advance\dimen@-\ht\LT@lastfoot
18293         \ifdim\dimen@<\ht\z@
18294           \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
18295           \@makecol
18296           \@outputpage
18297           \global\vsizel\@colroom
18298           \setbox\z@\vbox{\box\LT@head}%
18299         \fi
18300       \fi
18301       \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi
18302       \unvbox\z@\box\ifvoid\LT@lastfoot\LT@foot\else\LT@lastfoot\fi
18303       \UseTaggingSocket{tbl/longtable/foot}
18304       \if@RTLtab\egroup\endR\egroup\fi
18305     \fi
18306   \else
18307     \setbox\@cclv\vbox{%
18308     \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi

```



```

18309         \unvbox\@cclv\copy\LT@foot\vss
18310         \if@RTLtab\egroup\endR\egroup\fi
18311     }%
18312     \UseTaggingSocket{tbl/longtable/foot}
18313     \@makecol
18314     \@outputpage
18315     \global\size\@colroom
18316     \copy\LT@head\nobreak
18317 \fi}

```

## 110 File `lscapexetex-bidi.def`

```

18318 \ProvidesFile{lscapexetex-bidi.def}[2025/01/03 v0.3 bidi adaptations for lscapex package for
18319 \RequirePackage{graphicx}
18320 \bidi@patchcmd{\LS@rot}{\rotatebox{90}{\box\@outputbox}}{%
18321   \if@RTL
18322     \rotatebox[origin=br]{-90}{\box\@outputbox}%
18323   \else
18324     \rotatebox{90}{\box\@outputbox}%
18325   \fi
18326 }{}{}
18327
18328 \g@addto@macro{\landscape}{%
18329   \if@bidi@csdef{bidi@columnwidth}{%
18330     \bidi@columnwidth\columnwidth
18331   }{}%
18332   \let\bidi@left@footnoterule\left@footnoterule
18333   \let\bidi@right@footnoterule\right@footnoterule
18334   \def\left@footnoterule{%
18335     \if@RTL
18336       \bidi@right@footnoterule
18337     \else
18338       \bidi@left@footnoterule
18339     \fi
18340   }%
18341   \def\right@footnoterule{%
18342     \if@RTL
18343       \bidi@left@footnoterule
18344     \else
18345       \bidi@right@footnoterule
18346     \fi
18347   }%
18348 }

```

## 111 File `mathtoolsexetex-bidi.def`

```

18349 \ProvidesFile{mathtoolsexetex-bidi.def}[2025/01/03 v0.2 bidi adaptations for mathtools packa
18350 \RequirePackage{graphicx}
18351 \MHInternalSyntaxOn
18352 \def\MT_define_tagform:nwnn #1[#2]#3#4{
18353   \@namedef{MT_tagform_#1:n}##1
18354   {\maketag@@@{\if@nonlatin\beginR\fi#3\kern\z@\ignorespaces#2{##1}\unskip\@italiccorr#4}
18355 }
18356 \renewtagform{default}{({})}

```



18357 \MHInternalSyntaxOff

## 112 File mdframed-xetex-bidi.def

```
18358 \ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package]
18359 \newif\if@bidi@mdf@RTL
18360 \def\mdf@lrbox#1{%
18361   \mdf@patchamsthm%patch amsthm
18362   \if@RTL\@bidi@mdf@RTLtrue\fi%
18363   \@RTLfalse%
18364   \setbox#1\ vbox\bgroup%
18365   \color@begingroup%
18366   \if@bidi@mdf@RTL\@RTLtrue\fi%
18367   \mdf@horizontalmargin@equation%
18368   \columnwidth=\hsize%
18369   \textwidth=\hsize%
18370   \let\if@nobreak\iffalse%
18371   \let\if@noskipsec\iffalse%
18372   \let\par\@par%
18373   \let\-\@dischyph%
18374   \let'\@acci\let`\@accii\let=\@acciii%
18375   \parindent\z@ \parskip\z@skip%
18376   \linewidth\hsize%
18377   \@totalleftmargin\z@%
18378   \leftskip\z@skip \rightskip\z@skip \@rightskip\z@skip%
18379   \parfillskip\@flushglue \lineskip\normallineskip%
18380   \baselineskip\normalbaselineskip%
18381 %% \sloppy%
18382 \let\\\@normalcr%
18383 \mdf@par@local%New feature to restore parskip/parindent local in save box
18384 \ifbool{mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
18385 \@afterindentfalse%
18386 %\@afterheading%
18387 }
18388 \renewrobustcmd\mdfframedtitleenv[1]{%
18389   \mdf@lrbox{\mdf@frametitlebox}%
18390   \mdf@frametitlealignment%
18391   \leavevmode{\color{\mdf@frametitlefontcolor}%
18392     \normalfont\mdf@frametitlefont{#1}
18393     \ifbool{mdf@ignorerelastdescenders}%
18394       {%
18395         \par\strut\par
18396         \unskip\unskip\setbox0=\lastbox
18397         \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
18398       }{}%
18399     \par\unskip\ifvmode\nointerlineskip\hrule \@height\z@ \@width\hsize\fi%
18400     \endmdf@lrbox\relax%
18401   \mdf@ignorevbadness%
18402   \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
18403   \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
18404   \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
18405   \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
18406   \mdfframetitleboxtotalheight=\dimexpr
18407     \ht\mdf@frametitlebox
```





```

18408             +\dp\mdf@frametitlebox%
18409             +\mdf@frametitleaboveskip@length
18410             +\mdf@frametitlebelowskip@length
18411             \relax%
18412 }
18413
18414 \renewrobustcmd*\mdf@footnoteoutput{%
18415     \ifvoid\@mpfootins\else%
18416         \nobreak%
18417         \vskip\mdf@footnotedistance@length%
18418         \normalcolor%
18419         \bidi@mpfootnoterule%
18420         \unvbox\@mpfootins%
18421     \fi%
18422 }
18423
18424
18425 \renewrobustcmd*\mdf@footnoteinput{%
18426     \def\@mpfn{mpfootnote}%
18427     \def\thempfn{\thempfootnote}%
18428     \c@mpfootnote\z@%
18429     \let\@footnotetext\@mpfootnotetext%
18430     \let\@LTRfootnotetext\@mpLTRfootnotetext%
18431     \let\@RTLfootnotetext\@mpRTLfootnotetext%
18432 }

```

### 113 File media9-xetex-bidi.def

```

18433 \ProvidesFile{media9-xetex-bidi.def}[2025/01/03 v0.1 bidi adaptations for media9 package for
18434 \RequirePackage{bidi-media9}

```

### 114 File bidi-media9.sty

```

18435 \ProvidesExplPackage{bidi-media9}{2022/02/18}{0.4}
18436 {bidi fixes for media9 package for the XeTeX engine}
18437
18438 \keys_define:nn{media9/mbtn}{
18439   draft .code:n = {},
18440   final .code:n = {},
18441
18442   tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
18443   tooltip .value_required:n = {true},
18444
18445   overface .code:n = {
18446     \sbox\l_mix_poster_box{
18447       \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
18448       \mix_pdfxform:n{\l_mix_poster_box}
18449       \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}
18450     },
18451   overface .value_required:n = {true},
18452
18453   downface .code:n = {
18454     \sbox\l_mix_poster_box{
18455       \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}

```



```

18456 \mix_pdfxform:n{\l_mix_poster_box}
18457 \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}
18458 },
18459 downface .value_required:n = {true},
18460
18461 3Dgotoview .code:n = {
18462 \tl_set:Nx\l_tmpa_tl{#1} %extract ref
18463 \regex_replace_once:nnN{([~:~]+)??.*}{\1}\l_tmpa_tl
18464 \tl_trim_spaces:N\l_tmpa_tl
18465 \tl_if_exist:cTF{ann@\l_tmpa_tl}{
18466 \str_if_eq:eeF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
18467 \tl_set:Nx\l_tmpb_tl{#1} %extract idx
18468 \regex_replace_once:nnN{[~:~]+?}{\1}\l_tmpb_tl
18469 \tl_trim_spaces:N\l_tmpb_tl
18470 \tl_if_blank:VF\l_tmpb_tl{
18471 \regex_match:nVTF{^ [DFLNP]$}\l_tmpb_tl{
18472 \tl_set:Nx\l_mix_vidx_tl{\l_tmpb_tl}
18473 }{
18474 \regex_match:nVTF{^ \d+$}\l_tmpb_tl{
18475 \tl_set:Nx\l_mix_vidx_tl{~\l_tmpb_tl}
18476 }{
18477 \regex_replace_once:nnN{^ (\s*)}{\1}\l_tmpb_tl
18478 \regex_replace_once:nnN{(\s*)$}{\1}\l_tmpb_tl
18479 \tl_set:Nx\l_mix_vidx_tl{~(\l_tmpb_tl)}
18480 }
18481 }
18482 }
18483 \mix_pdfobj:nnn{}{dict}{
18484 /S/JavaScript/JS~(
18485 if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
18486 if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
18487 annotRM['\l_tmpa_tl']=
18488 this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
18489 }
18490 annotRM['\l_tmpa_tl'].activated=true;
18491 )
18492 \tl_if_blank:VF\l_tmpb_tl{
18493 /Next~<<
18494 /S/GoTo3DView
18495 /TA~\tl_use:c{ann@\l_tmpa_tl}
18496 /V\l_mix_vidx_tl
18497 >>
18498 }
18499 }
18500 \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
18501 }
18502 }{
18503 \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
18504 \cs_if_exist:NF\g_mix_refundefwarned_tl{
18505 \tl_new:N\g_mix_refundefwarned_tl
18506 \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
18507 }
18508 }
18509 },

```



```

18510 3Dgotoview .value_required:n = {true},
18511
18512 mediacommand .code:n = {
18513   \tl_set:Nx\l_tmpa_tl{#1}
18514   \regex_replace_once:nnN{([~:]+)??.*}{\1}\l_tmpa_tl %extract ref
18515   \tl_trim_spaces:N\l_tmpa_tl
18516   \tl_if_exist:cTF{ann@\l_tmpa_tl}{
18517     \str_if_eq:eeF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
18518       \tl_set:Nx\l_tmpb_tl{#1}
18519       \regex_replace_once:nnN{[~:]+\?:?}{\1}\l_tmpb_tl
18520       \tl_trim_spaces:N\l_tmpb_tl
18521       \regex_replace_all:nnN{^{\|}$}{\1}\l_tmpb_tl
18522       \tl_set:Nx\l_mix_cmd_tl{
18523         \exp_after:wN\mix_separate_cmd_from_actn:w\l_tmpb_tl[]\q_stop}
18524       \tl_trim_spaces:N\l_mix_cmd_tl
18525       \tl_set:Nx\l_mix_arg_tl{
18526         \exp_after:wN\mix_separate_arg_from_actn:w\l_tmpb_tl[]\q_stop}
18527       \tl_trim_spaces:N\l_mix_arg_tl
18528       \mix_pdfobj:nnn{}{dict}{
18529         /S/JavaScript/JS~(
18530           if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
18531           if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
18532             annotRM['\l_tmpa_tl']=
18533               this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
18534           }
18535           annotRM['\l_tmpa_tl'].activated=true;
18536         )
18537       \tl_if_blank:VF\l_mix_cmd_tl{
18538         /Next~<<
18539         /S/RichMediaExecute
18540         /TA~\tl_use:c{ann@\l_tmpa_tl}
18541         /TI~\tl_use:c{main@\l_tmpa_tl}
18542         /CMD~<<
18543         /C~(\l_mix_cmd_tl)
18544         \tl_if_blank:VF\l_mix_arg_tl{
18545           /A~[\l_mix_arg_tl]
18546         }
18547         >>
18548         >>
18549       }
18550     }
18551     \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
18552   }
18553 }{
18554   \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
18555   \cs_if_exist:NF\g_mix_refundefwarned_tl{
18556     \tl_new:N\g_mix_refundefwarned_tl
18557     \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
18558   }
18559 }
18560 },
18561 mediacommand .value_required:n = {true},
18562
18563 jsaction .code:n = {

```



```

18564 \tl_set:Nx\l_tmpa_tl{#1}
18565 \regex_match:nVTF{^[^:]+:.*$}\l_tmpa_tl{
18566   \regex_replace_once:nnN{([~:]+):??.*}{\1}\l_tmpa_tl %extract ref
18567   \tl_trim_spaces:N\l_tmpa_tl
18568 }{\tl_clear:N\l_tmpa_tl}
18569 \tl_set:Nx\l_tmpb_tl{#1}
18570 \tl_if_blank:VF\l_tmpa_tl{
18571   \tl_if_exist:cF{ann@\l_tmpa_tl}{
18572     \msg_warning:nx{media9}{undefined-reference}{\l_tmpa_tl}
18573     \cs_if_exist:NF\g_mix_refundefwarned_tl{
18574       \tl_new:N\g_mix_refundefwarned_tl
18575       \AtEndDocument{\msg_warning:nn{media9}{undefined-references}}
18576     }
18577   }
18578   \regex_replace_once:nnN{[~:]+\:}{\1}\l_tmpb_tl
18579 }
18580 \tl_set:Nx\l_tmpb_tl{\exp_after:wN\use:n\l_tmpb_tl}
18581 \tl_trim_spaces:N\l_tmpb_tl
18582 \tl_if_blank:VF\l_tmpb_tl{
18583 \mix_pdfobj:nnn}{dict}{
18584   /S/JavaScript/JS~(
18585     try{\l_tmpb_tl}catch(e){console.show();console.println(e)}}}
18586 \bool_lazy_and:nnT{
18587   \tl_if_exist_p:c{ann@\l_tmpa_tl}
18588 }{
18589   !\str_if_eq_p:ee{\tl_use:c{ann@\l_tmpa_tl}}{draft}
18590 }{
18591   \mix_pdfobj:nnn}{dict}{
18592     /S/JavaScript/JS~(
18593       if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
18594       if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
18595         annotRM['\l_tmpa_tl']=
18596         this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
18597       }
18598       annotRM['\l_tmpa_tl'].activated=true;
18599     )
18600   \tl_if_blank:VF\l_tmpb_tl{/Next~\mix_pdflastobj:}
18601 }
18602 }
18603 \bool_if:nT{
18604   \bool_lazy_and_p:nn{
18605     \tl_if_exist_p:c{ann@\l_tmpa_tl}
18606   }{
18607     !\str_if_eq_p:ee{\tl_use:c{ann@\l_tmpa_tl}}{draft}
18608   }
18609   || !\tl_if_blank_p:V\l_tmpb_tl
18610 }{
18611   \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
18612 }
18613 },
18614 jsaction .value_required:n = {true},
18615 unknown .code:n = {
18616   \msg_error:nx{media9}{unknown~option}{\l_keys_key_tl}

```



```

18618 }
18619 }
18620
18621 \RenewDocumentCommand\includemedia{0{mm}}{%#1 options, #2 text/image #3 media file
18622 \mix_uriend:
18623 \group_begin:
18624 \mix_beginLTR:
18625 \mode_leave_vertical:
18626 %empty stream as appearance dummy
18627 \cs_if_exist:NF\g_mix_appearance_tl{
18628 \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}
18629 \mix_pdfxform:n{\l_mix_poster_box}
18630 \tl_gset:Nx\g_mix_appearance_tl{\mix_pdflastxform:}
18631 }
18632 \mix_reset:
18633 \mix_uribegin: %treat URI characters correctly
18634 \keys_set:nn{media9/user}{#1}
18635 \mix_uriend:
18636 \tl_greplac_all:Nnn\g_mix_flashvars_tl{~&}{&}
18637 \tl_greplac_all:Nnn\g_mix_flashvars_tl{&~}{&}
18638 \tl_greplac_all:Nnn\g_mix_flashvars_tl{~=}={=}
18639 \tl_greplac_all:Nnn\g_mix_flashvars_tl{=~}{=}
18640 \tl_gtrim_spaces:N\g_mix_flashvars_tl
18641
18642 \cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}
18643
18644 %\hbox_set:Nn\l_mix_poster_box{\group_begin:#2\group_end:}
18645 %\hbox_set:Nn\l_mix_poster_box{#2}
18646 \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
18647 \mix_scale:n{\l_mix_poster_box}
18648 \bool_if:nT{
18649 \dim_compare_p:n{\g_mix_tt_tl=\c_zero_dim}||
18650 \dim_compare_p:n{\g_mix_wd_tl=\c_zero_dim}
18651 }{
18652 \tl_gset:Nn\g_mix_usrpbtn_tl{none}
18653 }
18654 \bool_if:NTF\g_mix_usrdraft_bool{
18655 \tl_if_empty:NF\g_mix_usrlabel_tl{
18656 \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{draft}
18657 }
18658 \tl_if_blank:oTF{#2}{
18659 \mix_uribegin: %treat URI characters correctly
18660 \mix_draftbox:n{\tl_to_str:n{#3}}
18661 \mix_uriend:
18662 }{
18663 \hbox_to_wd:nn{\g_mix_wd_tl}{
18664 \vrule-width~\c_zero_dim-height~\g_mix_ht_tl-depth~\g_mix_dp_tl
18665 \box_use:N\l_mix_poster_box\hss
18666 }
18667 }
18668 }{
18669 \bool_if:nF{\str_if_eq_p:Vn\g_mix_usrpbtn_tl{none}}{
18670 %attach script that switches off play button overlay upon activation
18671 \mix_pdfobj:nnn{}{stream}{

```



```

18672     {}{
18673         var~ocgs=host.getOCGs(host.pageNum);
18674         for(var~i=0;i<ocgs.length;i++){
18675             if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
18676                 ocgs[i].state=false;
18677             }
18678         }
18679     }
18680 }
18681 \mix_pdfobj:nnn{}{dict}{
18682     /Type/Filespec/EF~<</F~\mix_pdflastobj:>>/F~(btnoff)%/UF~(btnoff)
18683 }
18684 \tl_gset:Nx\g_mix_assets_tl{(btnoff)~\mix_pdflastobj:}
18685 \tl_set:Nx\l_mix_scripts_tl{~\mix_pdflastobj:~}
18686 %enforce plain playbutton overlay for XeTeX
18687 \sys_if_engine_xetex:T{\tl_gset:Nn\g_mix_usrpbtn_tl{plain}}
18688 }
18689 %embed main asset
18690 \mix_uribegin:
18691 \mix_embedasset:n{#3}
18692 \bool_if:nTF{
18693     \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
18694 }{
18695     \bool_gset_true:N\g_mix_iiid_bool
18696     \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
18697 }{
18698     \str_case_e:nnF{\l_mix_base_tl}{
18699         {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
18700         {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
18701         {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
18702         {VideoPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
18703         {StrobeMediaPlayback}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
18704     }{\tl_gset:Nn\g_mix_mainassetsub_tl{Flash}}
18705 }
18706 \tl_gset:Nx\g_mix_mainasset_tl{~\g_mix_lastasset_tl}
18707 \mix_uriend:
18708 %secondary assets (added by addresource)
18709 \seq_map_function:NN\g_mix_res_seq\mix_embedasset:n
18710 \seq_map_inline:Nn\g_mix_script_seq{
18711     \mix_embedasset:n{##1}
18712     \tl_put_right:Nx\l_mix_scripts_tl{~\g_mix_lastasset_tl}
18713 }
18714 %attach 3D calculation script
18715 \bool_if:nT{\g_mix_iiid_bool && \g_mix_iiidcalc_bool}{
18716     \mix_embedasset:n{3Dmenu.js}
18717     \tl_put_left:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl~}
18718 }
18719 %create 3D views from file (option 3Dviews)
18720 \bool_if:nT{\g_mix_iiid_bool && !(\tl_if_blank_p:V\g_mix_vfile_tl)}{
18721     \tl_set:Nn\l_mix_level_tl{-1}
18722     \int_zero:N\l_mix_viewcnt_int
18723     \int_zero:N\l_mix_lineno_int
18724
18725     \ior_open:Nn\l_mix_vfile_stream{\g_mix_vfile_tl}

```



```

18726     \ior_map_inline:Nn\l_mix_vfile_stream{
18727         \int_incr:N\l_mix_lineno_int
18728         \keys_set:nn{media9/views}{##1} %process input line
18729     }
18730     \ior_close:N\l_mix_vfile_stream
18731 }
18732 \bool_if:nT{ %create default 3D view if required
18733     \g_mix_iiid_bool &&
18734     (\g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl)
18735 }{
18736     \tl_set_eq:NN\l_mix_bg_tl\g_mix_opt_bg_tl
18737     \tl_set_eq:NN\l_mix_ls_tl\g_mix_opt_ls_tl
18738     \tl_set_eq:NN\l_mix_rm_tl\g_mix_opt_rm_tl
18739     \tl_set_eq:NN\l_mix_psob_tl\g_mix_opt_psob_tl
18740     \tl_set_eq:NN\l_mix_coo_tl\g_mix_opt_coo_tl
18741     \tl_set_eq:NN\l_mix_ctoc_tl\g_mix_opt_ctoc_tl
18742     \tl_set_eq:NN\l_mix_ciiw_tl\g_mix_opt_ciiw_tl
18743
18744     \fp_set_eq:NN\l_mix_roo_fp\g_mix_opt_roo_fp
18745     \fp_set_eq:NN\l_mix_aac_fp\g_mix_opt_aac_fp
18746     \fp_set_eq:NN\l_mix_oscale_fp\g_mix_opt_oscale_fp
18747     \fp_set_eq:NN\l_mix_roll_fp\g_mix_opt_roll_fp
18748
18749     \bool_set_eq:NN\l_mix_ciiw_bool\g_mix_opt_ciiw_bool
18750     \bool_set_eq:NN\l_mix_iiidortho_bool\g_mix_opt_iiidortho_bool
18751     \tl_clear:N\l_mix_naarray_tl
18752
18753     \bool_if:NF\l_mix_ciiw_bool{
18754         \tl_set:Nx\l_mix_args_tl{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
18755         \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
18756     }
18757
18758     \tl_clear:N\l_mix_naarray_tl
18759     \tl_clear:N\l_mix_saarray_tl
18760     \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdflt_tl
18761
18762     \mix_view:n{Default}
18763     \tl_set:Nx\l_mix_dfltview_tl{\mix_pdflastobj:}
18764
18765 }
18766 \mix_pdfobj:nnn{}{dict}{
18767     /Type/RichMediaInstance
18768     /Subtype/\g_mix_mainassetsub_tl
18769     /Asset~\g_mix_mainasset_tl
18770     \bool_if:NF\g_mix_iiid_bool{
18771         /Params~<<
18772         /Binding\str_if_eq:VnTF\g_mix_transp_tl{true}{
18773             /Foreground
18774         }{
18775             /Background
18776         }
18777         \tl_if_blank:VF\g_mix_flashvars_tl{
18778             /FlashVars~(\g_mix_flashvars_tl)
18779         }

```



```

18780     >>
18781     }
18782   }
18783   \tl_if_empty:NF\g_mix_usrlabel_tl{
18784     \mix_keytoaux_now:nn{main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
18785   }
18786   \mix_pdfobj:nnn{}{dict}{
18787     /Type/RichMediaConfiguration
18788     /Subtype/\g_mix_mainassetsub_tl
18789     /Instances~[\mix_pdflastobj:]
18790   }
18791   \mix_pdfobj:nnn{}{dict}{
18792     /Type/RichMediaContent
18793     /Assets~<</Names~[\g_mix_assets_tl]>>
18794     /Configurations~[\mix_pdflastobj:]
18795     \bool_if:nT{
18796       \g_mix_iiid_bool && !(\tl_if_empty_p:V\l_mix_iiidviewarray_tl)
18797     }{
18798       /Views~[\l_mix_iiidviewarray_tl]
18799     }
18800   }
18801   \tl_set:Nx\l_mix_content_tl{\mix_pdflastobj:}
18802   \bool_if:nT{
18803     \g_mix_iiid_bool && \str_if_eq_p:Vn\g_mix_playtpe_tl{Oscillating}
18804   }{
18805     \tl_gset:Nx\g_mix_playcnt_tl{\int_eval:n{\g_mix_playcnt_tl*2}}
18806   }
18807   %determine floating window size
18808   \bool_if:NT\g_mix_opt_windowed_bool{
18809     \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_tl\q_stop
18810   }
18811   \mix_pdfobj:nnn{}{dict}{
18812     /Activation~<<
18813     /Condition\g_mix_act_tl
18814     \bool_if:nT{
18815       \g_mix_iiid_bool &&
18816       !(\str_if_eq_p:Vn\g_mix_playtpe_tl{None})
18817     }{%seems to work only with 3D content
18818     /Animation~<<
18819       /Subtype/\g_mix_playtpe_tl
18820       /PlayCount~\g_mix_playcnt_tl
18821       /Speed~\g_mix_playspd_tl
18822     >>
18823   }
18824   \bool_if:nT{
18825     \g_mix_iiid_bool && (
18826     \g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl
18827     )
18828   }{/View~\l_mix_dfltview_tl}
18829   /Presentation~<<
18830     /Transparent~\g_mix_transp_tl
18831     \bool_if:NTF\g_mix_opt_windowed_bool{
18832       /Style/Windowed
18833     /Window~<<

```





```

18834         /Width~<</Default~\tl_mix_fltd>>
18835         /Height~<</Default~\tl_mix_flht>>
18836         /Position~<<
18837             /HOffset~0/VOffset~0
18838             \str_case_e:nnF{\g_mix_winpos_tl}{
18839                 {tl}{VAlign/Near/HAlign/Near}
18840                 {cl}{VAlign/Center/HAlign/Near}
18841                 {bl}{VAlign/Far/HAlign/Near}
18842                 {bc}{VAlign/Far/HAlign/Center}
18843                 {br}{VAlign/Far/HAlign/Far}
18844                 {cr}{VAlign/Center/HAlign/Far}
18845                 {tr}{VAlign/Near/HAlign/Far}
18846                 {tc}{VAlign/Near/HAlign/Center}
18847             }{/HAlign/Center/VAlign/Center}
18848         >>
18849     >>
18850     }{
18851         /Style/Embedded
18852     }
18853     \bool_if:NTF\g_mix_iiid_bool{
18854         /Toolbar~\g_mix_tools_tl
18855         /NavigationPane~\g_mix_nav_tl
18856     }{
18857         /PassContextClick~\g_mix_contextclick_tl
18858     }
18859     >>
18860     \tl_if_blank:VF\l_mix_scripts_tl{/Scripts~[\l_mix_scripts_tl]}
18861     >>
18862     /Deactivation~<</Condition\g_mix_deact_tl>>
18863 }
18864 \tl_set:Nx\l_mix_settings_tl{mix_pdflastobj:}
18865 \tl_if_empty:NF\g_mix_usrlabel_tl{
18866     \tl_gset_eq:NN\g_mix_label_tl\g_mix_usrlabel_tl
18867 }
18868 % #1:width, #2:height, #3:depth, #4:content (key-value)
18869 \mix_pdfannot:nnnn{\g_mix_wd_tl}{\g_mix_ht_tl}{\g_mix_dp_tl}{
18870     /Subtype/RichMedia
18871     /F~4
18872     /BS~<</W~0/S/S>>
18873     /Contents~(media~embedded~by~media9~[\g_mix_version_tl~(\g_mix_date_tl)])
18874     /NM~(\g_mix_label_tl)
18875     /AP~<</N~\g_mix_appearance_tl>>
18876     /RichMediaSettings~\l_mix_settings_tl
18877     /RichMediaContent~\l_mix_content_tl
18878 }
18879 \tl_if_empty:NF\g_mix_usrlabel_tl{
18880     \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{\mix_pdflastann:}
18881     \mix_keytoaux_shipout:nn{page@\g_mix_usrlabel_tl}{
18882         \noexpand\the\g@mix@page@int}
18883 }
18884 \mix_pdfobj:nnn{}{dict}{
18885     /S/JavaScript/JS~(
18886     try{
18887         if(typeof(annotRM)=='undefined'){annotRM=new~Array();}

```



```

18888         if(typeof(annotRM['\g_mix_label_tl'])=='undefined'){
18889             annotRM['\g_mix_label_tl']=
18890                 this.getAnnotRichMedia(this.pageNum,'\g_mix_label_tl');
18891         }
18892         \str_if_eq:eeF{\g_mix_usrpbtn_tl}{none}{
18893             if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
18894                 var~ocgs=this.getOCGs(this.pageNum);
18895                 for(var~i=0;i<ocgs.length;i++){
18896                     if(ocgs[i].name=='MediaPlayerButton\int_use:N\g_mix_rmcnt_int'){
18897                         var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
18898                     }
18899                 }
18900             }
18901             if(
18902                 !annotRM['\g_mix_label_tl'].activated&&(
18903                     app.viewerType=='Reader' ||
18904                     app.viewerType=='Exchange' ||
18905                     app.viewerType=='Exchange-Pro'
18906                 )&&app.viewerVersion>=9
18907             ){
18908                 ocgBtn\int_use:N\g_mix_rmcnt_int.state=true;
18909             }
18910         }
18911     }catch(e){}
18912     this.dirty=false;
18913 )
18914 }
18915 \mix_pdfannot:nnnn{Opt}{Opt}{Opt}{
18916     /Subtype/Widget
18917     /FT/Btn/Ff-65537/F-2
18918     /BS~<</W-0>>
18919     /T~(fd@\g_mix_label_tl)
18920     /AA~<</PO~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
18921 }
18922 \mix_appendtofields:n{\mix_pdflastann:}
18923 \hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
18924 \str_if_eq:eeTF{\g_mix_usrpbtn_tl}{none}{
18925     \hbox_to_wd:nn{\g_mix_wd_tl}{
18926         \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl\hss
18927     }
18928 }{%insert play button overlay
18929     \mix_insert_btnocg: %create OCG
18930     \cs_gset_eq:Nc\mix_pbbtn:NN{g@mix@pbbtn@\g_mix_usrpbtn_tl @tl}
18931     \group_begin:
18932     \cs_if_exist:NT\textdir{\textdir TLT}
18933     \sbox\l_mix_pbbtn_box{\mix_pbbtn:NN\g_mix_wd_tl\g_mix_tt_tl}
18934     \box_move_down:nn{\g_mix_dp_tl}{
18935         \hbox_to_wd:nn{\g_mix_wd_tl}{
18936             \vbox_to_ht:nn{\g_mix_tt_tl}{
18937                 \vss
18938                 \ocgbase_oc_bdc:n{\g_mix_btnocg_tl}
18939                 \box_use:N\l_mix_pbbtn_box
18940                 \ocgbase_oc_emc:
18941             }

```



```

18942     }
18943   }
18944   \group_end:
18945 }
18946 \int_gincr:N\g_mix_rmcnt_int
18947 }
18948 \mix_endLTR:
18949 \group_end:
18950 }
18951 \tl_set_eq:NN\l_mix_includemedia_tl\includemedia
18952 \tl_set:Nn\includemedia{\mix_urbegin:\l_mix_includemedia_tl}
18953
18954 \RenewDocumentCommand\mediabutton{0{}m}{%#1 options, #2 normal button text
18955   \mix_uriend:
18956   \group_begin:
18957   \mix_beginLTR:
18958   \mode_leave_vertical:
18959   %reset various variables
18960   \tl_gclear:N\g_mix_overbtn_tl
18961   \tl_gclear:N\g_mix_downbtn_tl
18962   \tl_gclear:N\g_mix_btnactions_tl
18963   \tl_gclear:N\g_mix_tooltip_tl
18964   %process options
18965   \bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pkgdraft_bool
18966   \mix_urbegin: %treat URI characters correctly
18967   \keys_set:nn{media9/mbtndraft}{#1} %detect draft/final on first pass
18968   \bool_if:NF\g_mix_btndraft_bool{\keys_set:nn{media9/mbtn}{#1}}
18969   \mix_uriend:
18970   %normal button appearance
18971   %\hbox_set:Nn\l_mix_poster_box{#2}
18972   \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
18973   \tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
18974   \tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
18975   \tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
18976   \bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box}{
18977     \sbox\l_mix_poster_box{\bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{
18978       \box_use:N\l_mix_poster_box}}{\box_use:N\l_mix_poster_box}}
18979     \mix_pdfxform:n{\l_mix_poster_box}
18980     \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
18981     %insert widget annotation
18982     \mix_pdfannot:nnnn{\width}{\height}{\depth}{
18983       /Subtype/Widget
18984       /T~(mbtn@\int_use:N\g_mix_mbtncnt_int)
18985       \tl_if_empty:NF\g_mix_tooltip_tl{/TU~(\g_mix_tooltip_tl)}
18986       /FT/Btn/Ff~65536
18987       \tl_if_empty:NTF\g_mix_downbtn_tl{/H/I}{/H/P}
18988       /AP~<<
18989       /N~\g_mix_normalbtn_tl
18990       \tl_if_empty:NF\g_mix_overbtn_tl{/R~\g_mix_overbtn_tl}
18991       \tl_if_empty:NF\g_mix_downbtn_tl{/D~\g_mix_downbtn_tl}
18992     >>
18993     /MK~<<
18994     /TP~1~/IF~<</S/A/FB~true/A~[0.0~0.0]>>
18995     /I~\g_mix_normalbtn_tl

```



```

18996     \tl_if_empty:NF\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
18997     \tl_if_empty:NF\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
18998     >>
18999     /A~<<
19000     /S/JavaScript/JS~(app.focusRect=false;)
19001     %sequence of actions to perform
19002     \tl_if_empty:NF\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
19003     >>
19004     }
19005     \mix_appendtofields:n{\mix_pdflastann:}
19006     \hbox_to_wd:nn{\width}{
19007     \vrule~width~\c_zero_dim~height~\height~depth~\depth\hss
19008     }
19009     \int_gincr:N\g_mix_mbtncnt_int
19010     }
19011     \mix_endLTR:
19012     \group_end:
19013 }
19014 \tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
19015 \tl_set:Nn\mediabutton{\mix_uribegin:\l_mix_mediabutton_tl}
19016

```

## 115 File memoir-xetex-bidi.def

```

19017 \ProvidesFile{memoir-xetex-bidi.def}[2025/01/03 v0.7 bidi adaptations for memoir class for X
19018 \renewcommand{\keepthetitle}{%
19019   \@bsmtitleempty
19020   \global\let\thanks\relax
19021   \global\let\LTRthanks\relax
19022   \global\let\RTLthanks\relax
19023   \global\let\and\relax
19024   \global\let\andnext\relax
19025   \global\let\@thanks\@empty
19026   \global\let\@title\@empty
19027   \global\let\@author\@empty
19028   \global\let\@date\@empty}
19029 \renewcommand{\maketitle}{\par
19030   \beginingroup
19031     \@bsmarkseries
19032     \def\@makefnmark{\@textsuperscript{%
19033       \normalfont\@bsthanksheadpre \tamark \@bsthanksheadpost}}}%
19034     \long\def\@makefntext##1{\makethanksmark ##1}
19035     \if@twocolumn
19036       \ifnum \col@number=\@ne
19037         \@maketitle
19038       \else
19039         \twocolumn[\@maketitle]%
19040       \fi
19041     \else
19042       \ifdim\pagetotal>\z@
19043         \newpage
19044       \fi
19045       \global\@topnum\z@
19046       \@maketitle

```



```

19047   \fi
19048   \thispagestyle{title}\@thanks
19049 \endgroup
19050 \@bscontmark % \setcounter{footnote}{0}%
19051 }
19052 \renewcommand*{\memRTLleftskip}{\if@RTL\rightskip\else\leftskip\fi}
19053 \renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\rightskip\fi}
19054 \renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
19055 \renewcommand*{\memRTLvrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
19056 \renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
19057 \renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
19058 \renewcommand*{\thesection}{\thechapter\@SepMark\@arabic\c@section}
19059 \renewcommand*{\thesubsection}{%
19060     \thesection\@SepMark\@arabic\c@subsection}
19061 \renewcommand*{\thesubsubsection}{%
19062     \thesubsection\@SepMark\@arabic\c@subsubsection}
19063 \renewcommand*{\theparagraph}{%
19064     \thesubsubsection\@SepMark\@arabic\c@paragraph}
19065 \renewcommand*{\thesubparagraph}{%
19066     \theparagraph\@SepMark\@arabic\c@subparagraph}
19067 \renewcommand{\setthesection}{\thechapter\@SepMark\Alph{section}}
19068 \renewcommand{\theequation}{%
19069     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
19070 \renewcommand{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
19071 \renewcommand{\thetable}{\thechapter\@SepMark\@arabic\c@table}
19072 \ifartopt
19073   \chapterstyle{article}
19074   \counterwithout{figure}{chapter}
19075   \counterwithout{table}{chapter}
19076   \counterwithout{footnote}{chapter}
19077   \counterwithout{equation}{chapter}
19078   \renewcommand{\chaptername}{}
19079   \renewcommand{\maketitlehookb}{%
19080     \vskip -1.5\topsep\vskip -1.5\partopsep}
19081   \renewcommand{\maketitlehookc}{%
19082     \vskip -1.5\topsep\vskip -1.5\partopsep}
19083 \fi
19084 \long\def\@makecaption#1#2{\let\@memtempa\relax
19085   \ifdim\prevdepth>-99\p@ \vskip\abovecaptionskip
19086   \else \def\@memtempa{\vbox to\topskip{}}\fi
19087   \let\@contfnote\footnote \renewcommand{\footnote}[2] [] {}
19088   \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1] [] {}
19089   \sbox\@tempboxa{\@contnfont #1\@contdelim \@conttfont #2\@contfinal}
19090   \let\footnote\@contfnote
19091   \let\footnotemark\@contfmark
19092   \ifdim\wd\@tempboxa<\linewidth \centering \fi
19093   \if@contcw
19094     \centering
19095     \parbox{\@contcwidth}{%
19096       \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
19097     \fi
19098   \ifdim\wd\@tempboxa<\linewidth
19099     \@contpre
19100     {\@contnfont #1\@contdelim}\@memtempa

```



```

19101   {\@contcshortstyle \@conttfont #2\@contfinal\par}
19102 \else
19103   \if@conthang
19104     \sbox\@tempboxa{\@contnfont #1\@contdelim}
19105     \@contpre%
19106     {\@contcstyle\hangindent=\wd\@tempboxa
19107     \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
19108   \else
19109     \if@contindent
19110       \@contpre%
19111       {\@contnfont #1\@contdelim}\@memtempa
19112       {\@contcstyle\hangindent=\@contindw
19113       \hangafter=\@one\@conttfont #2\@contfinal\par}% <- v1.4
19114     \else
19115       \@contpre%
19116       {\@contnfont #1\@contdelim}\@memtempa
19117       {\@contcstyle \@conttfont #2\@contfinal\par}
19118     \fi
19119   \fi
19120 \fi
19121 \@contpost
19122 \if@contcw
19123   \par
19124 } % end of the \parbox
19125 \fi
19126 \vskip\belowcaptionskip}
19127 \ApplyPatchCodeToPackage{caption}{%
19128 \AtBeginPackage{caption}{
19129 \ClassWarningNoLine{memoir}{%
19130 You are using the caption package with the memoir \MessageBreak
19131 class. This may cause unexpected or inconsistent \MessageBreak
19132 results if you use any of memoir's captioning facilities}
19133
19134 \long\def\@makecaption##1##2{%
19135 \vskip\abovecaptionskip
19136 \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
19137 \ifdim \wd\@tempboxa >\hsize
19138   \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
19139 \else
19140   \global \@minipagefalse
19141   \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
19142 \fi
19143 \vskip\belowcaptionskip}
19144
19145 \def\caption{%
19146   \ifx\@capttype\@undefined
19147     \@latex@error{\noexpand\caption outside float}\@ehd
19148     \expandafter\@gobble
19149   \else
19150     \refstepcounter\@capttype
19151     \expandafter\@firstofone
19152   \fi
19153   {\@dblarg{\@caption\@capttype}}%
19154 }

```



```

19155
19156 \long\def\@caption##1[##2]##3{%
19157   \par
19158   \addcontentsline{\csname ext###1\endcsname}{##1}%
19159   {\protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}%
19160   \begingroup
19161     \@parboxrestore
19162     \if@minipage
19163       \setminipage
19164     \fi
19165     \normalsize
19166     \makecaption{\csname fnum###1\endcsname}{\ignorespaces ##3}\par
19167   \endgroup}
19168 }}
19169 \renewenvironment{thebibliography}[1]{%
19170   \bibsection
19171   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
19172   \bidi@thebibliography@font@hook%
19173   \begin{bibitemlist}{#1}}{\end{bibitemlist}\postbibhook}

```

## 116 File midfloat-xetex-bidi.def

```

19174 \ProvidesFile{midfloat-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for midfloat package]
19175 \def\RTL@outputdblcol{%
19176   \if@firstcolumn
19177     \global \@firstcolumnfalse
19178     \global\setbox\@leftcolumn\copy\@outputbox
19179     \splitmaxdepth\maxdimen
19180     \vbadness\maxdimen
19181     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
19182     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
19183     \toks@\expandafter{\topmark}%
19184     \xdef\@firstcoltopmark{\the\toks@}%
19185     \toks@\expandafter{\splitfirstmark}%
19186     \xdef\@firstcolfirstmark{\the\toks@}%
19187     \ifx\@firstcolfirstmark\empty
19188       \global\let\@setmarks\relax
19189     \else
19190       \gdef\@setmarks{%
19191         \let\firstmark\@firstcolfirstmark
19192         \let\topmark\@firstcoltopmark}%
19193     \fi
19194     \global\c@colht\@colht\global\c@advvipersep\z@
19195     \ifnum\j@sk>0
19196       \remove@strip\j@sk@sar
19197       \global\@colht\the\j@sk@pr
19198       \ifdim\right@cor>\z@
19199         \global\advance\@colht by\right@cor
19200       \fi
19201       \global\advance\@colht by\cor@height
19202       \global\cor@height=0pt
19203     \fi
19204     \global \setbox\@rightcolumn \vbox{%
19205   \else

```



```

19206 \ifdim\c@colht>\@colht
19207 \@tempdima\@colht
19208 \ifdim\@colht>\z@
19209 \global\setbox\@rightcolumn \vbox{%
19210 \unvbox\@rightcolumn
19211 \vbox to\@tempdima{%
19212 \vskip\c@addvipersep\unvbox\@outputbox}%
19213 \vskip\stripsep
19214 \vrule height\the\jua@ht width Opt depth Opt
19215 \vskip\stripsep
19216 }%
19217 \global\c@addvipersep\m@addvipersep
19218 \else
19219 \global\setbox\@rightcolumn \vbox{%
19220 \unvbox\@rightcolumn
19221 \vrule height\the\jua@ht width Opt depth Opt
19222 \vskip\stripsep
19223 }%
19224 \fi
19225 \ifnum\jua@sk>0
19226 \remove@strip\jua@sar
19227 \global\@colht\the\jua@pr
19228 \global\advance\@colht by -\ht\@rightcolumn
19229 \global\advance\@colht by\cor@height
19230 \global\cor@height=0pt
19231 \else
19232 \global\advance\c@colht by-\ht\@rightcolumn
19233 \global\@colht\c@colht
19234 \fi
19235 \else
19236 \global\@firstcolumntrue
19237 \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
19238 \unvbox\@rightcolumn
19239 \vskip\c@addvipersep
19240 \unvbox\@outputbox
19241 }%
19242 \setbox\@outputbox \vbox {%
19243 \hb@xt@\textwidth {%
19244 \hskip \columnwidth
19245 \hfil
19246 \vrule \@width\columnseprule
19247 \hfil
19248 \hb@xt@\columnwidth {%
19249 \bidi@firstcolumn@status@write%
19250 \box\@leftcolumn \hss}%
19251 \hskip-\textwidth
19252 \hb@xt@\columnwidth {%
19253 \bidi@lastcolumn@status@write%
19254 \box\@outputbox \hss}%
19255 \hskip\columnwidth
19256 \hskip\columnsep}%
19257 }%
19258 \@combinedblfloats
19259 \@setmarks

```





```

19260 \@outputpage
19261 \begingroup
19262 \@dblfloatplacement
19263 \@startdblcolumn
19264 \@whilesw\if@fcolmade \fi
19265 {\@outputpage
19266 \@startdblcolumn}%
19267 \endgroup
19268 \global\jua@sk=0\global\jua@sar={}%
19269 \global\cor@height\z@\global\c@advipersep\z@
19270 \fi
19271 \fi
19272 }
19273
19274
19275 \def\LTR@outputdblcol{%
19276 \if@firstcolumn
19277 \global \@firstcolumnfalse
19278 \global\setbox\@leftcolumn\copy\@outputbox
19279 \splitmaxdepth\maxdimen
19280 \vbadness\maxdimen
19281 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
19282 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
19283 \toks@\expandafter{\topmark}%
19284 \xdef\@firstcoltopmark{\the\toks@}%
19285 \toks@\expandafter{\splitfirstmark}%
19286 \xdef\@firstcolfirstmark{\the\toks@}%
19287 \ifx\@firstcolfirstmark\@empty
19288 \global\let\@setmarks\relax
19289 \else
19290 \gdef\@setmarks{%
19291 \let\firstmark\@firstcolfirstmark
19292 \let\topmark\@firstcoltopmark}%
19293 \fi
19294 \global\c@colht\@colht\global\c@advipersep\z@
19295 \ifnum\jua@sk>0
19296 \remove@strip\jua@sar
19297 \global\@colht\the\jua@pr
19298 \ifdim\right@cor>\z@
19299 \global\advance\@colht by\right@cor
19300 \fi
19301 \global\advance\@colht by\cor@height
19302 \global\cor@height=0pt
19303 \fi
19304 \global \setbox\@rightcolumn \vbox{%
19305 \else
19306 \ifdim\c@colht>\@colht
19307 \@tempdima\@colht
19308 \ifdim\@colht>\z@
19309 \global\setbox\@rightcolumn \vbox{%
19310 \unvbox\@rightcolumn
19311 \vbox to\@tempdima{%
19312 \vskip\c@advipersep\unvbox\@outputbox}%
19313 \vskip\stripsep

```



```

19314         \vrule height\the\juo@ht width Opt depth Opt
19315         \vskip\stripsep
19316         }%
19317     \global\c@addvipersep\m@addvipersep
19318     \else
19319     \global\setbox\@rightcolumn \vbox{%
19320         \unvbox\@rightcolumn
19321         \vrule height\the\juo@ht width Opt depth Opt
19322         \vskip\stripsep
19323         }%
19324     \fi
19325     \ifnum\juo@sk>0
19326         \remove@strip\juo@sar
19327         \global\@colht\the\juo@pr
19328         \global\advance\@colht by -\ht\@rightcolumn
19329         \global\advance\@colht by\cor@height
19330         \global\cor@height=Opt
19331     \else
19332         \global\advance\c@colht by-\ht\@rightcolumn
19333         \global\@colht\c@colht
19334     \fi
19335 \else
19336     \global\@firstcolumntrue
19337     \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
19338         \unvbox\@rightcolumn
19339         \vskip\c@addvipersep
19340         \unvbox\@outputbox
19341         }%
19342     \setbox\@outputbox \vbox {%
19343         \hb@xt@\textwidth {%
19344             \hb@xt@\columnwidth {%
19345                 \bidi@firstcolumn@status@write%
19346                 \box\@leftcolumn \hss}%
19347             \hfil
19348             \vrule \@width\columnseprule
19349             \hfil
19350             \hb@xt@\columnwidth {%
19351                 \bidi@lastcolumn@status@write%
19352                 \box\@outputbox \hss}%
19353             }%
19354         }%
19355     \@combinedblfloats
19356     \@setmarks
19357     \@outputpage
19358     \begingroup
19359         \@dblfloatplacement
19360         \@startdblcolumn
19361         \@whiles\if@fcolmade \fi
19362         {\@outputpage
19363         \@startdblcolumn}%
19364     \endgroup
19365     \global\juo@sk=0\global\juo@sar={}%
19366     \global\cor@height\z@\global\c@addvipersep\z@
19367     \fi

```



```

19368 \fi
19369 }
19370
19371
19372 \def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
19373 \global \setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi
19374 \hspace\textwidth
19375 \@parboxrestore
19376 \col@number \@ne
19377 \vrule height\topskip width0pt depth0pt
19378 }
19379
19380 \def\endstrip{%
19381 \egroup\egroup
19382 \if@firstcolumn
19383 \ifdim\pagetotal>\z@
19384 \vskip\stripsep
19385 \global\ht@strip\pagegoal
19386 \global\advance\ht@strip by-\pagetotal
19387 \global\advance\ht@strip by-\stripsep
19388 \global\advance\ht@strip by-\ht\@viper
19389 \global\advance\ht@strip by-\stripsep
19390 \global\jua@ht=\ht\@viper
19391 \else
19392 \global\ht@strip\z@
19393 \fi
19394 \ifdim\ht@strip>\z@
19395 \unvbox\@viper
19396 \vskip\stripsep
19397 \add@strip{\the\pagetotal}{\the\jua@ht}{\the\@tempdima}{\the\@tempdimb}%
19398 \global\advance\jua@sk by1
19399 \else
19400 \@latex@error{Strip needs more place!}\@ehc
19401 \if@vihproof
19402 \framebox[\columnwidth]{??? Strip ???}%
19403 \fi
19404 \fi
19405 \else
19406 \@latex@error{Strip is used only on left column!}\@ehc
19407 \if@vihproof
19408 \framebox[\columnwidth]{??? Strip ???}%
19409 \fi
19410 \fi
19411 }

```

## 117 File minitoc-xetex-bidi.def

```

19412 \ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package f
19413 \def\@undottedtocline#1#2#3#4#5{%
19414 \ifnum #1>\c@tocdepth\relax \else
19415 \vskip \z@ plus.2\p@
19416 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocmarg
19417 \parindent #2\relax\@afterindenttrue
19418 \interlinepenalty\@M

```



```

19419 \leavevmode
19420 \@tempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \hbox{}}%
19421 \hskip -\if@RTL\rightskip\else\leftskip\fi
19422 #4\nobreak\hfill \nobreak
19423 \null\par}%
19424 \fi}
19425 \def\@Undottedtocline#1#2#3#4#5{%
19426 \ifnum #1>\c@tocdepth\relax \else
19427 \vskip \z@ \@plus.2\p@
19428 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocma
19429 \parindent #2\relax\@afterindenttrue
19430 \interlinepenalty\@M
19431 \leavevmode
19432 \@tempdima #3\relax
19433 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
19434 {\coffeesfont #4}\nobreak \nobreak\null
19435 \par}%
19436 \fi}
19437 \def\@Undottedtoclinep#1#2#3#4#5{%
19438 \ifnum #1>\c@tocdepth\relax \else
19439 \vskip \z@ \@plus.2\p@
19440 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocma
19441 \parindent #2\relax\@afterindenttrue
19442 \interlinepenalty\@M
19443 \leavevmode
19444 \@tempdima #3\relax
19445 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
19446 {#4}\nobreak \hfill \nobreak\null
19447 \hb@xt@\@pnumwidth{\hfil\normalfont \normalcolor #5}}%
19448 \par}%
19449 \fi}

```

## 118 File multicol-xetex-bidi.def

```

19450 \ProvidesFile{multicol-xetex-bidi.def}[2022/07/10 v1.4 bidi adaptations for multicol package]
19451 \def\page@sofar{%
19452 \process@cols\mult@rightbox
19453 {\ifvoid\count@
19454 \setbox\count@\hbox to\hsize{}}%
19455 \else
19456 \wd\count@\hsize
19457 \fi}%
19458 \count@\col@number \advance\count@\m@ne
19459 \mult@info\z@
19460 {Column spec: \the\full@width\space = indent
19461 + columns + sep =\MessageBreak
19462 \the\multicol@leftmargin\space
19463 + \the\col@number\space
19464 x \the\hsize\space
19465 + \the\count@\space
19466 x \the\columnsep
19467 }%
19468 \ifvmode\else\errmessage{Multicol Error}\fi
19469 \nointerlineskip

```



```

19470 \setbox\z@\hbox{p}\global\dimen\tw@dp\z@
19471 \moveright\multicol@leftmargin
19472 \hbox to\full@width{%
19473     \bidi@multicol@align@columns
19474     \rlap{\phantom p}%
19475 }%
19476 \prevdepth\z@
19477 \kern-\dimen\tw@
19478 \ifdim\dimen\tw@ > \mc@gridwarn
19479     \PackageWarning{multicol}%
19480     {Very deep columns!\MessageBreak
19481     Grid alignment might be broken}%
19482 \fi
19483 }
19484 \def\LTR@column@boxes{%
19485     \process@cols\mult@firstbox{%
19486         \ifdimdp\count@>\dimen\tw@
19487             \global\dimen\tw@dp\count@ \fi
19488         \mc@col@status@write
19489         \box\count@
19490         \hss{\columnseprulecolor\vrule
19491             \@width\columnseprule}\hss}%
19492     \ifdimdp\mult@rightbox>\dimen\tw@
19493         \global\dimen\tw@dp\mult@rightbox \fi
19494     \mc@lastcol@status@write
19495     \box\mult@rightbox
19496 }
19497
19498 \def\RTL@column@boxes{%
19499     \process@cols\mult@firstbox{%
19500         \hskip\hsize
19501         \hss{\columnseprulecolor\vrule
19502             \@width\columnseprule}\hss
19503     }%
19504     \hskip\hsize
19505     \process@cols\mult@firstbox{%
19506         \ifdimdp\count@>\dimen\tw@
19507             \global\dimen\tw@dp\count@ \fi
19508         \hskip-\hsize
19509         \mc@col@status@write
19510         \box\count@
19511         \hskip-\hsize
19512         \hskip-\columnsep
19513     }%
19514     \ifdimdp\mult@rightbox>\dimen\tw@
19515         \global\dimen\tw@dp\mult@rightbox \fi
19516     \hskip-\hsize
19517     \mc@lastcol@status@write
19518     \box\mult@rightbox
19519     \hskip-\hsize
19520     \hskip\full@width
19521 }
19522
19523 \newcommand\RTLmulticolcolumns

```



```

19524     {\let\ bidi@multicol@align@columns
19525         \RTL@column@boxes}
19526 \newcommand\LTRmulticol@columns
19527     {\let\ bidi@multicol@align@columns
19528         \LTR@column@boxes}
19529 \newcommand\ bidi@multicol@align@columns
19530     {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
19531 \ bidi@AtEndPreamble{%
19532     \if@ bidi@csdef{footinsv@1}{%
19533         \def\footnoterule{\kern-3\p@
19534             \hrule \@width \textwidth \kern 2.6\p@}%
19535     }{%}
19536 }
19537 \def\multicols#1{\col@number#1\relax
19538     \ifnum\col@number<\tw@
19539         \PackageWarning{multicol}%
19540             {Using '\number\col@number'
19541             columns doesn't seem a good idea.^~J
19542             I therefore use two columns instead}%
19543         \col@number\tw@ \fi
19544     \ifnum\col@number>20
19545         \PackageError{multicol}%
19546             {Too many columns}%
19547         {Current implementation doesn't
19548             support more than 20 columns.%
19549             \MessageBreak
19550             I therefore use 20 columns instead}%
19551         \col@number20 \fi
19552     \ifx\@footnotetext\mult@footnotetext
19553     \else
19554         \let\orig@footnotetext\@footnotetext
19555         \let\@footnotetext\mult@footnotetext
19556     \fi
19557     \ifx\@LTRfootnotetext\mult@LTRfootnotetext
19558     \else
19559         \let\orig@LTRfootnotetext\@LTRfootnotetext
19560         \let\@LTRfootnotetext\mult@LTRfootnotetext
19561     \fi
19562     \ifx\@RTLfootnotetext\mult@RTLfootnotetext
19563     \else
19564         \let\orig@RTLfootnotetext\@RTLfootnotetext
19565         \let\@RTLfootnotetext\mult@RTLfootnotetext
19566     \fi
19567     \@ifnextchar[\mult@cols{\mult@cols[]}]
19568 \long\def\mult@footnotetext#1{\begingroup
19569     \hsize\textwidth
19570     \columnwidth\textwidth
19571     \orig@footnotetext{#1}\endgroup}
19572 \long\def\mult@LTRfootnotetext#1{\begingroup
19573     \hsize\textwidth
19574     \columnwidth\textwidth
19575     \orig@LTRfootnotetext{#1}\endgroup}
19576 \long\def\mult@RTLfootnotetext#1{\begingroup
19577     \hsize\textwidth

```



```

19578         \columnwidth\textwidth
19579         \orig@RTLfootnotetext{#1}\endgroup}
19580 \def\right@footnoterule{%
19581   \kern-3\p@
19582   \hbox to \textwidth{\hskip \dimexpr\textwidth-.4\columnwidth\relax \hrulefill }
19583   \kern2.6\p@}
19584 \def\textwidth@footnoterule{\kern-3\p@
19585   \hrule \@width \textwidth \kern 2.6\p@}
19586 \def\bidileave@mult@copyins{%
19587   \advance\dimen@-\skip\@bidi@copyins@
19588   \advance\dimen@-\ht\@bidi@copyins@
19589 }
19590
19591 \bidi@AtEndPreamble{%
19592   \if@bidi@csundef{footinsv@1}{%
19593     \bidi@patchcmd{\multi@column@out}{%
19594       \ifvbox \@kludgeins
19595     }{%
19596       \ifvoid\@bidi@copyins@ \else
19597         \bidileave@mult@copyins
19598       \fi
19599       \ifvbox \@kludgeins
19600     }{}{}%
19601   }{}%
19602 }
19603
19604

```

## 119 File multienum-xetex-bidi.def

```

19605 \ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum packa
19606 \renewcommand{\itemx}[1]{\parbox[t]{%
19607   {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
19608   \parbox[t]{\remainx}{\bidi@raggedright #1}\par}%\smallskip
19609 \renewcommand{\itemxx}[2]{\parbox[t]{%
19610   {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19611   \parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
19612   {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19613   \parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}
19614 \renewcommand{\itemxxx}[3]{\parbox[t]{%
19615   {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
19616   \parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
19617   {\labelwidth}{\hfill {\labelname}}\hskip\labelsep%
19618   \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]{%
19619   {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
19620   \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}%\smallskip
19621 \renewcommand{\itemxxxx}[4]{\parbox[t]{%
19622   {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19623   \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
19624   {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19625   \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
19626   \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19627   \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
19628   \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep

```



```

19629 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
19630 \renewcommand{\itemxxxxx}[5]{\parbox[t]{%
19631 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19632 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #1}\hfill%
19633 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19634 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #2}\hfill%
19635 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19636 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #3}\hfill%
19637 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19638 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #4}\hfill%
19639 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19640 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #5}\smallskip}
19641 \renewcommand{\itemxox}[2]{\parbox[t]{%
19642 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19643 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
19644 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19645 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
19646 \renewcommand{\itemxox}[2]{\parbox[t]{%
19647 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19648 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
19649 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19650 \parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
19651 \renewcommand{\itemxox}[3]{\parbox[t]{%
19652 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19653 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
19654 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19655 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
19656 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19657 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
19658 \renewcommand{\itemxox}[3]{\parbox[t]{%
19659 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19660 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
19661 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19662 \parbox[t]{\remainxox}{\bidi@raggedright #2}\hfill%
19663 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19664 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
19665 \renewcommand{\itemxxxo}[3]{\parbox[t]{%
19666 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19667 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
19668 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19669 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
19670 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
19671 \parbox[t]{\remainxox}{\bidi@raggedright #3}\smallskip}

```

## 120 File natbib-xetex-bidi.def

```

19672 \ProvidesFile{natbib-xetex-bidi.def}[2017/06/09 v0.2 bidi adaptations for natbib package for
19673 \renewenvironment{thebibliography}[1]{%
19674 \bibsection
19675 \parindent\z@
19676 \bibpreamble
19677 \bibfont
19678 \if@RTL\if@LTRbibitems@RTLfalse\else\fi\else\if@RTLbibitems@RTLtrue\else\fi\fi
19679 \bidi@@thebibliography@font@hook%

```





```

19680 \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{#1}\global\c@NAT@ctr\z@}%
19681 \ifNAT@openbib
19682   \renewcommand\newblock{\par}%
19683 \else
19684   \renewcommand\newblock{\hskip .11em \@plus.33em \@minus.07em}%
19685 \fi
19686 \sloppy\clubpenalty4000\widowpenalty4000
19687 \sfcode`\.\@m
19688 \let\NAT@bibitem@first@sw\@firstoftwo
19689   \let\citeN\cite \let\shortcite\cite
19690   \let\citeasnoun\cite
19691 }{%
19692 \bibitem@fin
19693 \bibpostamble
19694 \def\@noitemerr{%
19695   \PackageWarning{natbib}{Empty `thebibliography' environment}%
19696 }%
19697 \endlist
19698 \bibcleanup
19699 }%

```

## 121 File newfloat-xetex-bidi.def

```

19700 \ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package]
19701 \renewcommand*\newfloat@setwithin[2]{%
19702   \ifcsname c@chapter\endcsname
19703     \@removefromreset{#1}{chapter}%
19704   \fi
19705   \@removefromreset{#1}{section}%
19706   \edef\@tempa{#2}%
19707   \ifx\@tempa\@empty
19708     \def\@tempa{none}%
19709   \fi
19710   \def\@tempb{none}%
19711   \ifx\@tempa\@tempb
19712     \ifcsname c@chapter\endcsname
19713       \@chapterlistsgap@off{#1}%
19714     \fi
19715     \newfloat@@setwithin{#1}{\@tempa}%
19716   \else
19717     \def\@tempb{chapter}%
19718     \ifx\@tempa\@tempb
19719       \@addtoreset{#1}{chapter}%
19720       \@chapterlistsgap@on{#1}%
19721       \newfloat@@setwithin{#1}{\ifnum\c@chapter>\z@ \thechapter\@SepMark\fi}{\theHchapter\@SepMark}%
19722     \else
19723       \def\@tempb{section}%
19724       \ifx\@tempa\@tempb
19725         \@addtoreset{#1}{section}%
19726         \ifcsname c@chapter\endcsname
19727           \@addtoreset{#1}{chapter}%
19728           \@chapterlistsgap@on{#1}%
19729         \newfloat@@setwithin{#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
19730       \else

```



```

19731         \newfloat@@setwithin{#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsection}
19732         \fi
19733     \else
19734         \newfloat@Error{Invalid value `#2' for option `within'}%
19735     \fi
19736 \fi
19737 \fi}

```

## 122 File nicematrix-xetex-bidi.def

```

19738 \ProvidesFile{nicematrix-xetex-bidi.def}[2024/12/15 v0.3 bidi adaptations for nicematrix package]
19739 \ExplSyntaxOn
19740 \bidi@patchcmd{\__nicematrix_array:n}{\@tabarray}{%
19741   \bool_if:NF \l__nicematrix_tabular_bool \@RTLtabfalse
19742   \@tabarray
19743 }{}{}
19744 \ExplSyntaxOff
19745

```

## 123 File ntheorem-xetex-bidi.def

```

19746 \ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package]
19747 \gdef\@thm#1#2#3{%
19748   \if@thmmarks
19749     \stepcounter{end\InTheoType ctr}%
19750   \fi
19751   \renewcommand{\InTheoType}{#1}%
19752   \if@thmmarks
19753     \stepcounter{curr#1ctr}%
19754     \setcounter{end#1ctr}{0}%
19755   \fi
19756   \refstepcounter{#2}%
19757   \theorem@prework
19758   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
19759   \ifvmode \advance\thm@topsepadd\partopsep\fi
19760   \trivlist
19761   \@topsep \theorempreskipamount
19762   \@topsepadd \thm@topsepadd % used by \@endparenv
19763   \advance\linewidth -\theorem@indent
19764   \advance\@totalleftmargin \theorem@indent
19765   \if@RTL\parshape \@ne Opt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
19766   \@ifnextchar [{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}

```

## 124 File ntheorem-hyper-xetex-bidi.def

```

19767 \ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-hyper package]
19768 \gdef\@thm#1#2#3{%
19769   \if@thmmarks
19770     \stepcounter{end\InTheoType ctr}%
19771   \fi
19772   \renewcommand{\InTheoType}{#1}%
19773   \if@thmmarks
19774     \stepcounter{curr#1ctr}%
19775     \setcounter{end#1ctr}{0}%

```



```

19776 \fi
19777 \refstepcounter{#2}%
19778 \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
19779 \ifvmode \advance\thm@topsepadd\partopsep\fi
19780 \trivlist
19781 \@topsep \theorempreskipamount
19782 \@topsepadd \thm@topsepadd % used by \@endparenv
19783 \advance\linewidth -\theorem@indent
19784 \advance\totalleftmargin \theorem@indent
19785 \ifRTL\parshape \@ne 0pt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
19786 \@ifnextchar [\@ythem{#1}{#2}{#3}]{\xthm{#1}{#2}{#3}}

```

## 125 File `overpic-xetex-bidi.def`

```

19787 \ProvidesFile{overpic-xetex-bidi.def}[2015/12/07 v0.1 bidi adaptations for overpic package f
19788 \renewenvironment{overpic}[2] []{%
19789 \sbox{z@}{\includegraphics[#1]{#2}}%
19790 \settodepth{\@tempcnta}{\usebox{z@}}%
19791 \settoheight{\@tempcntb}{\usebox{z@}}%
19792 \advance\@tempcntb\@tempcnta%
19793 \settowidth{\@tempcnta}{\usebox{z@}}%
19794 \setlength{\@tempdima}{\unitlength}%
19795 \count@=z@\Gin@gridfalse\setkeys{Gin}{#1}%
19796 %
19797 \OVP@calc%
19798 %
19799 \begin{picture}(\@tempcnta,\@tempcntb)%
19800 \ifRTL\else\put(0,0){\makebox(0,0)[bl]{\usebox{z@}}}%
19801 \ifGin@grid%
19802 \put(0,0){\normalfont\fontsize\@viipt\@viipt\selectfont%
19803 \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
19804 \fi\fi%
19805 % reset the graphics parameter
19806 \let\Gin@outer@scalex\relax
19807 \let\Gin@outer@scaley\relax
19808 \let\Gin@angle\relax
19809 \let\Gin@ewidth\Gin@exclamation
19810 \let\Gin@eheight\Gin@ewidth
19811 \def\Gin@scalex{1}
19812 \let\Gin@scaley\Gin@exclamation
19813 }{%
19814 \ifRTL\ifGin@grid%
19815 \put(0,0){\normalfont\fontsize\@viipt\@viipt\selectfont%
19816 \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
19817 \fi%
19818 \put(0,0){\makebox(0,0)[bl]{\usebox{z@}}}\fi%
19819 \end{picture}%
19820 }%

```

## 126 File `pdfbase-xetex-bidi.def`

```

19821 \ProvidesFile{pdfbase-xetex-bidi.def}[2022/02/18 v0.4 bidi adaptations for pdfbase package f
19822 \ExplSyntaxOn
19823 \cs_set_eq:NN\pbs_outputpage_orig:\outputpage

```



```

19824 \cs_set_nopar:Npn\@outputpage{
19825   \int_gincr:N\g_pbs_page_int
19826   \box_if_vertical:cTF{\@outputbox}{
19827     \bool_set_true:N\l_pbs_is_vertical_bool
19828   }{
19829     \bool_set_false:N\l_pbs_is_vertical_bool
19830   }
19831   \hbox_set:Nn\@outputbox{
19832     %begin of page
19833     \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_bop_seq{##1}}
19834     \box_use_drop:N\@outputbox
19835     %end of page
19836     \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eop_seq{##1}}
19837   }
19838   \bool_if:NT\l_pbs_is_vertical_bool{
19839     \vbox_set:Nn\@outputbox{\box_use_drop:N\@outputbox}
19840   }
19841   \pbs_outputpage_orig:
19842 }
19843 \ExplSyntaxOff

```

## 127 File pdfscape-xetex-bidi.def

```

19844 \ProvidesFile{pdfscape-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for pdfscape package]
19845 \bidi@patchcmd{\landscape}{\PLS@Rotate{90}}{%
19846   \if@RTL
19847     \PLS@Rotate{-90}%
19848   \else
19849     \PLS@Rotate{90}%
19850   \fi
19851 }{}{}

```

## 128 File pdfpages-xetex-bidi.def

```

19852 \ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package]
19853 \renewcommand*{\includepdf}[2] [] {%
19854   \begingroup
19855   \@RTLfalse
19856   \let\AM@threadname\relax
19857   \AM@split@options{pdfpages}{#1}%
19858   \edef\AM@temp{{pdfpages}{\the\@temptokena}}%
19859   \expandafter\setkeys\AM@temp
19860   \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
19861     \let\AM@currentdocname\relax
19862     \renewcommand\includegraphics[2] [] {Survey in draft-mode}%
19863     \def\AM@pagecount{0}%
19864   }{%
19865     \AM@findfile{#2}%
19866     \if\AM@threadname\relax
19867       \def\AM@threadname{\AM@currentdocname}%
19868     \fi
19869   }%
19870   \ifAM@survey
19871     \def\AM@pagetemp{}%

```



```

19872 \@tempcnta=0
19873 \def\foo{%
19874   \ifundefined{r@\AM@xrprefix pdfpages@page\the\@tempcnta}%
19875     {\let\foo\relax}
19876     {\expandafter\ifx\expandafter\\AM@pagestemp\\
19877       \edef\AM@pagestemp{%
19878         \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}}%
19879     \else
19880       \edef\AM@pagestemp{\AM@pagestemp,%
19881         \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}}%
19882     \fi
19883     \advance\@tempcnta 1\relax
19884   }%
19885   \foo
19886 }%
19887 \foo
19888 \expandafter\ifx\expandafter\\AM@pagestemp\\
19889   \def\AM@pagestemp{1}%
19890 \fi
19891 \fi
19892 \ifAM@output
19893   \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
19894   \AM@output{#1}%
19895 \fi
19896 \AM@CheckAtEnd
19897 \endgroup
19898 \AM@ClearShipoutPicture
19899 }

```

## 129 File pgfcorescopes.code-xetex-bidi.def

```

19900 \ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf pa
19901 \def\pgfpicture{%
19902   \begingroup%
19903   \ifmode\else@RTLfalse\beginL\fi%
19904   \pgfpicturetrue%
19905   \global\advance\pgf@picture@serial@count by1\relax%
19906   \edef\pgfpictureid{pgfid\the\pgf@picture@serial@count}%
19907   \let\pgf@nodecallback=\pgfutil@gobble%
19908   \pgf@picmaxx=-16000pt\relax%
19909   \pgf@picminx=16000pt\relax%
19910   \pgf@picmaxy=-16000pt\relax%
19911   \pgf@picminy=16000pt\relax%
19912   \pgf@relevantforpicturesizetrue%
19913   \pgf@resetpathsizes%
19914   \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}
19915 \def\endpgfpicture{%
19916   \ifpgfrememberpicturepositiononpage%
19917     \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%
19918   \fi%
19919   % ok, now let's position the box
19920   \ifdim\pgf@picmaxx=-16000pt\relax%
19921     % empty picture. make size 0.
19922     \global\pgf@picmaxx=0pt\relax%

```



```

19923         \global\pgf@picminx=0pt\relax%
19924         \global\pgf@picmaxy=0pt\relax%
19925         \global\pgf@picminy=0pt\relax%
19926         \fi%
19927         % Shift baseline outside:
19928         \pgf@relevantforpicturesizefalse%
19929         \pgf@process{\pgf@baseline}%
19930         \xdef\pgf@shift@baseline{\the\pgf@y}%
19931         %
19932         \pgf@process{\pgf@trimleft}%
19933         \global\advance\pgf@x by-\pgf@picminx
19934         % prepare \hskip\pgf@trimleft@final.
19935         % note that \pgf@trimleft@final is also queried
19936         % by the pgf image externalization.
19937         \xdef\pgf@trimleft@final{-\the\pgf@x}%
19938         %
19939         \pgf@process{\pgf@trimright}%
19940         \global\advance\pgf@x by-\pgf@picmaxx
19941         % prepare \hskip\pgf@trimright@final.
19942         % note that \pgf@trimright@final is also queried
19943         % by the pgf image externalization.
19944         \xdef\pgf@trimright@final{\the\pgf@x}%
19945         %
19946         \pgf@remember@layerlist@globally
19947         \endgroup%
19948         \hss%
19949         \egroup%
19950         \pgf@restore@layerlist@from@global
19951         \pgf@insertlayers%
19952         \endgroup%
19953         \pgfsys@discardpath%
19954         \endgroup%
19955         \pgfsys@endscope%
19956         \pgfsys@endpicture%
19957         \endgroup%
19958         \hss
19959         \egroup%
19960         \pgfsys@typesetpicturebox\pgfpic%
19961         \ifmmode\else\endL\fi%
19962         \endgroup%
19963 }

```

## 130 File pgfsys-xetex-bidi.def

```

19964 \ProvidesFile{pgfsys-xetex-bidi.def}[2025/01/05 v0.1 bidi adaptations for pgfsys package for
19965 \def\pgfsys@shadingoutsidepgfpicture#1{%
19966   \beginL#1\endL%
19967 }
19968
19969

```

## 131 File picinpar-xetex-bidi.def

```

19970 \ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package

```



```

19971 \long\def\@makewincaption#1#2{%
19972   \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
19973   \ifdim\wd\@tempboxa>\picwd
19974     {\footnotesize{\bf #1:\enspace}{#2\par}}
19975   \else
19976     \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
19977   \fi}
19978 \def\endwindow{%
19979   \global\tcd=\tcdsav
19980   \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
19981   \vbadness=10000
19982   \splittopskip=0pt
19983 %
19984 % Typeset the lines above the window
19985 %
19986 \ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
19987 \tcn=\tcd
19988 \loop\advance\tcn -1
19989 \setbox\fslice=\vsplit\holder to\baselineskip
19990 \prune\fslice\linewidth
19991 \topheight=0pt
19992 \ifnum\dp\fslice>\dp\wstrutbox
19993   \advance\topheight-\dp\fslice
19994   \advance\topheight\dp\wstrutbox
19995   \advance\topheight\ilg\fi
19996 \hbox to\linewidth{\box\fslice}
19997 \vskip-\topheight
19998 \ifdim\ht\holder>0pt\repeat
19999 \fi
20000 %
20001 % Now we build the boxes beside the window
20002 %
20003 \global\topheight=\tcl\baselineskip
20004 \ifnum\cumpartcl>0\global\tcl=\cumtcl
20005   \global\topheight=\vpic
20006 \fi
20007 \ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
20008 \ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
20009 \else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
20010 \tcn=\tcl \na=0 \nb=0
20011 \ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
20012 \ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
20013 \ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
20014 \ifnum\na=0\ifnum\nb=0
20015   \setbox\waslice=\vbox to\vpic{\vss}
20016   \setbox\wbslice=\vbox to\vpic{\vss}
20017   \bl=1\br=1
20018   \vskip\ilg
20019 \fi\fi
20020 %
20021 % both sides
20022 %
20023 \ifnum\na>0 \ifnum\nb>0
20024 \loop\advance\nb -1

```



```

20025 \advance\na -1
20026 \if@RTL%
20027 \setbox\bslice=\vsplit\holder to\baselineskip
20028 \prune\bslice\rtside
20029 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
20030 to\rtside{\box\bslice\hfil}}
20031 \setbox\aslice=\vsplit\holder to\baselineskip
20032 \prune\aslice\lftside
20033 \setbox\waslice=\vbox{\unvbox\waslice\hbox
20034 to\lftside{\box\aslice\hfil}}
20035 \else%
20036 \setbox\aslice=\vsplit\holder to\baselineskip
20037 \prune\aslice\lftside
20038 \setbox\waslice=\vbox{\unvbox\waslice\hbox
20039 to\lftside{\box\aslice\hfil}}
20040 \setbox\bslice=\vsplit\holder to\baselineskip
20041 \prune\bslice\rtside
20042 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
20043 to\rtside{\box\bslice\hfil}}
20044 \fi%
20045 \ifnum\nb>0\repeat
20046 \fi\fi
20047 %
20048 % only text on the left side
20049 %
20050 \ifnum\na>0
20051   \loop\advance\na -1
20052   \setbox\aslice=\vsplit\holder to\baselineskip
20053   \prune\aslice\lftside
20054   \setbox\waslice=\vbox{\unvbox\waslice\hbox
20055   to\lftside{\box\aslice\hfil}}
20056   \ifdim\ht\holder>0pt\repeat
20057 \fi
20058 %
20059 % only text on the right side
20060 %
20061 \ifnum\nb>0
20062   \loop\advance\nb -1
20063   \setbox\bslice=\vsplit\holder to\baselineskip
20064   \prune\bslice\rtside
20065   \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
20066   to\rtside{\box\bslice\hfil}}
20067   \ifdim\ht\holder>0pt\repeat
20068 \fi
20069 %
20070 % fixing the dimensions of the window part
20071 %
20072 \ifnum\bl=0\topheight=\ht\wbslice
20073 \else\ifnum\br=0\topheight=\ht\waslice
20074   \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
20075     \else\topheight=\ht\wbslice\fi\fi\fi
20076 %
20077 % ship out the window material to the main vertical list
20078 %

```





```

20079 \ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
20080 \setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
20081 \fi\fi\fi
20082 \setbox>windowbox=\vbox{\hbox to\linewidth{%
20083 \ifnum\bl>0\box\waslice\hfill\fi%
20084 \vbox to\topheight{\hrule width\picwd heightOpt depthOpt\vskipOpt%
20085 \vfill\unvbox\picbox%
20086 \ifnum\picwd>0\vfill\fi%
20087 \vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
20088 \unvbox>windowbox%
20089 \loop
20090 \setbox\bslice=\vsplit\rawtext to\baselineskip
20091 \prune\bslice\linewidth
20092 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfill}}
20093 \unvbox\wbslice
20094 \ifdim\ht\rawtext>Opt
20095 \repeat
20096 }% FINITO

```

## 132 File plain-xetex-bidi.def

```

20097 \def\TeXXeTOn{\TeXXeTstate=1 }
20098 \def\TeXXeTOff{\TeXXeTstate=0 }
20099 \TeXXeTOn
20100 \def\usebox#1{\leavevmode\copy #1\relax}
20101 \def\bidi@RTL@everypar{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\z@}
20102 \let\bidi@o@everypar=\everypar
20103 \newtoks\bidi@n@everypar
20104 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
20105 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
20106 \let\everypar=\bidi@n@everypar
20107 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
20108 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
20109 \protected\def\hboxR{\hbox\bgroup
20110 \everyhbox{%
20111 \aftergroup\egroup
20112 \everyhbox{}}%
20113 \beginR
20114 \@hboxRconstructtrue
20115 \bgroup
20116 \aftergroup\endR
20117 \aftergroup\egroup
20118 }\hbox}
20119 \protected\def\hboxL{\hbox\bgroup
20120 \everyhbox{%
20121 \aftergroup\egroup
20122 \everyhbox{}}%
20123 \beginL
20124 \@hboxRconstructfalse
20125 \bgroup
20126 \aftergroup\endL
20127 \aftergroup\egroup
20128 }\hbox}
20129 \protected\def\vboxR{\vbox\bgroup

```



```

20130 \everyvbox{%
20131 \aftergroup\egroup
20132 \everyvbox{}}%
20133 \@RTLtrue
20134 \bgroup
20135 \aftergroup\egroup
20136 }\vbox}
20137 \protected\def\vboxL{\vbox\bgroup
20138 \everyvbox{%
20139 \aftergroup\egroup
20140 \everyvbox{}}%
20141 \@RTLfalse
20142 \bgroup
20143 \aftergroup\egroup
20144 }\vbox}
20145 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
20146 \def\endLTR{\par}
20147 \def\RTL{\par\@RTLtrue\@RTL@footnotettrue\hsize\linewidth\parshape\z@}
20148 \def\endRTL{\par}
20149 \def\setRTL{\@RTLtrue\@RTL@footnotettrue}
20150 \def\setLTR{\@RTLfalse\@RTL@footnotefalse}
20151 \let\unsetRTL=\setLTR
20152 \let\unsetLTR=\setRTL
20153 \let\LR=\LRE
20154 \let\RL=\RLE
20155 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
20156 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
20157 \let\@ensure@RL=\@ensure@RTL
20158 \let\@ensure@LR=\@ensure@LTR
20159 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
20160 \let\@ensure@maindir=\@ensure@dir
20161 \def\@RTL{RTL}
20162 \def\@LTR{LTR}
20163 \def\save@dir{\if@RTL\gdef\saved@dir{RTL}\else\gdef\saved@dir{LTR}\fi}
20164 \def\reset@dir{\ifx\saved@dir\@RTL\setRTL\else\ifx\saved@dir\@LTR\setLTR\else\relax\fi}
20165 \let\@TeX\TeX
20166 \def\TeX{\@ensure@LTR{\@TeX}}
20167 \def\pagecontents{\ifvoid\topins\else\unvbox\topins\fi
20168 \dimen@=\dp\cc1v \unvbox\cc1v % open up \box255
20169 \ifvoid\footins\else % footnote info is present
20170 \vskip\skip\footins
20171 \footnoterule
20172 \unvbox\footins\fi
20173 \ifrggedbottom \kern-\dimen@ \vfil \fi
20174 \ifvoid\@bidi@copyins@
20175 \else
20176 \vskip\skip\@bidi@copyins@
20177 \unvbox\@bidi@copyins@
20178 \fi
20179 }
20180 \long\def\bidi@reflect@box#1{%
20181 \leavevmode
20182 \setbox\z@\hbox{#1}}%
20183 \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:restore}

```



```

20184 \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
20185 }
20186 \def\XeTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
20187 \hbox{\kern-.125em\bidireflect@box{E}}\kern-.1667em \TeX}}$}}
20188 \let\setRL=\setRTL
20189 \let\setLR=\setLTR
20190 \let\unsetRL=\setLTR
20191 \let\bidisaved@eqno=\eqno
20192 \let\bidisaved@leqno=\leqno
20193 \def\eqno{\ifnum\predisplaydirection<\z@ \bidisaved@leqno \else \bidisaved@eqno \fi}
20194 \def\leqno{\ifnum\predisplaydirection<\z@ \bidisaved@eqno \else \bidisaved@leqno \fi}
20195 \def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
20196 \def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
20197 \def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}

```

### 133 File pstricks-xetex-bidi.def

```

20198 \ProvidesFile{pstricks-xetex-bidi.def}[2025/01/08 v0.7 bidi adaptations for pstricks package]
20199 \bidi@patchcmd\pspicture\beginRgroup{%
20200 \beginRgroup
20201 \ifmmode
20202 \else
20203 \@RTLfalse
20204 \beginL
20205 \fi
20206 }{\bidireflect@warning@no@line{0ops! patching '\string\pspicture' failed}}
20207
20208 \bidi@patchcmd\endRpicture{%
20209 \endRgroup
20210 \psset[pstricks]{shift=0}% reset value
20211 }{%
20212 \ifmmode
20213 \else
20214 \endL
20215 \fi
20216 \endRgroup
20217 \psset[pstricks]{shift=0}% reset value
20218 }{\bidireflect@warning@no@line{0ops! patching '\string\endRpicture' failed}}
20219
20220 \bidi@patchcmd\@scalebox{%
20221 \special{x: bscale \pst@tempc \pst@tempd}%
20222 \hbox to \z@\box\pst@hbox\hss}%
20223 \special{x: escale}%
20224 }{%
20225 \if@RTL
20226 \special{x: escale}%
20227 \else
20228 \special{x: bscale \pst@tempc \pst@tempd}%
20229 \fi
20230 \hbox to \z@\box\pst@hbox\hss}%
20231 \if@RTL
20232 \special{x: bscale \pst@tempc \pst@tempd}%
20233 \else
20234 \special{x: escale}%

```



```

20235 \fi
20236 }-}{\bidiwarningnoline{Oops! patching `string\@scalebox' failed}}
20237 \let\ps@scalebox\@scalebox
20238

```

## 134 File quotchap-xetex-bidi.def

```

20239 \ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package]
20240 \renewcommand{\qauthor}[1]{%
20241 \par\smallskip
20242 {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\quad\hbox{\par}\bigskip}
20243 \renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
20244 {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
20245 {\chapnumfont
20246 \ifnum \c@secnumdepth >\m@ne%
20247 \if@mainmatter\thechapter%
20248 \fi\fi
20249 \par\nobreak}%
20250 {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi
20251 \nobreak\chapterheadendvskip}}
20252 \renewcommand*\@iprintcites}{%
20253 \vbox to\z@{\leavevmode\copy\@quotebox\vss}
20254 \global\let\@printcites\relax}

```

## 135 File ragged2e-xetex-bidi.def

```

20255 \ProvidesFile{ragged2e-xetex-bidi.def}[2018/10/17 v0.3 bidi adaptations for ragged2e package]
20256 \renewcommand{\Centering}{%
20257 \ifx\\@raggedtwoe@savedcr
20258 \let\\@centercr
20259 \fi
20260 \let\@gnewline\@raggedtwoe@gnewline
20261 \if@RTL\rightright\else\leftskip\fi\CenteringLeftskip
20262 \@rightskip\CenteringRightskip
20263 \if@RTL\leftskip\else\rightright\fi\@rightskip
20264 \parfillskip\CenteringParfillskip
20265 \parindent\CenteringParindent
20266 \@raggedtwoe@spaceskiptrue
20267 \@raggedtwoe@everyselectfont
20268 }
20269 \renewcommand{\RaggedLeft}{%
20270 \ifx\\@raggedtwoe@savedcr
20271 \let\\@centercr
20272 \fi
20273 \let\@gnewline\@raggedtwoe@gnewline
20274 \if@RTL\rightright\else\leftskip\fi\RaggedLeftLeftskip
20275 \@rightskip\RaggedLeftRightskip
20276 \if@RTL\leftskip\else\rightright\fi\@rightskip
20277 \parfillskip\RaggedLeftParfillskip
20278 \parindent\RaggedLeftParindent
20279 \@raggedtwoe@spaceskiptrue
20280 \@raggedtwoe@everyselectfont
20281 }
20282 \renewcommand{\RaggedRight}{%

```



```

20283 \ifx\\@raggedtwo@savedcr
20284 \let\\@centercr
20285 \fi
20286 \let@gnewline@raggedtwo@gnewline
20287 \if@RTL\rightrightskip\else\leftskip\fi\RaggedRightLeftskip
20288 \@rightskip\RaggedRightRightskip
20289 \if@RTL\leftskip\else\rightskip\fi\@rightskip
20290 \parfillskip\RaggedRightParfillskip
20291 \parindent\RaggedRightParindent
20292 \@raggedtwo@spaceskiptrue
20293 \@raggedtwo@everyselectfont
20294 }
20295 \renewcommand{\justifying}{%
20296 \let\\@raggedtwo@savedcr
20297 \let@gnewline@raggedtwo@saved@gnewline
20298 \if@RTL\rightrightskip\else\leftskip\fi\z@
20299 \@rightskip\z@
20300 \if@RTL\leftskip\else\rightskip\fi\@rightskip
20301 \parfillskip\JustifyingParfillskip
20302 \parindent\JustifyingParindent
20303 \@raggedtwo@spaceskipfalse
20304 \@raggedtwo@everyselectfont
20305 }
20306 \def@raggedtwo@raggedrightboxes@opt{%
20307 \renewcommand{\@arrayparboxrestore}{%
20308 \let@if@nobreak@iffalse
20309 \let@if@noskipsec@iffalse
20310 \let\par\@par
20311 \let\-\@dischyph
20312 \let'\@acci\let'\@accii\let\=\@acciii
20313 \parskip\z@skip
20314 \everypar{}%
20315 \linewidth\hsize
20316 \@totalleftmargin\z@
20317 \if@RTL
20318 \RaggedLeft
20319 \else
20320 \RaggedRight
20321 \fi
20322 \lineskip\normallineskip
20323 \baselineskip\normalbaselineskip
20324 \sloppy}%
20325 \let@raggedtwo@raggedrightboxes@opt\relax
20326 }
20327 \def@raggedtwo@document@opt{%
20328 \AtBeginDocument{\@raggedtwo@abdhook}%
20329 \@raggedtwo@raggedrightboxes@opt
20330 \@raggedtwo@footmisctrue
20331 \let@raggedtwo@document@opt\relax
20332 }
20333 \def@raggedtwo@abdhook{%
20334 \PackageInfo{ragged2e}{ABD: executing '\string\RaggedLeft' for
20335 right to left documents and '\string\RaggedRight' for left
20336 to right documents}%

```



```

20337 \if@RTL
20338   \RaggedLeft
20339 \else
20340   \RaggedRight
20341 \fi
20342 \ifundefined{@tocrmarg}{\edef\tocrmarg{\tocrmarg plus 2em}}%
20343 \let\@raggedtwo@abdhook\relax
20344 }
20345 \@ifpackagewith{ragged2e}{raggedrightboxes}{%
20346   \@raggedtwo@raggedrightboxes@opt
20347 }{}
20348 \@ifpackagewith{ragged2e}{document}{%
20349   \@raggedtwo@document@opt
20350 }{}
20351 \let\origin@RaggedLeft=\RaggedLeft
20352 \let\origin@RaggedRight=\RaggedRight
20353 \def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
20354 \def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}

```

## 136 File rapport1-xetex-bidi.def

```

20355 \ProvidesFile{rapport1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for rapport1 class f
20356 \renewenvironment{theindex}{%
20357   \if@twocolumn
20358     \@restonecolfalse
20359   \else
20360     \@restonecoltrue
20361   \fi
20362   \columnseprule \z@
20363   \columnsep 35\p@
20364   \twocolumn[\@makeschapterhead{\indexname}]%
20365   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
20366   \thispagestyle{plain}\parindent\z@
20367   \parskip\z@ \@plus .3\p@\relax
20368   \let\item\@idxitem
20369 }{%
20370   \if@restonecol\onecolumn\else\clearpage\fi}
20371 \renewcommand*{head@style}{%
20372   \interlinepenalty \@M
20373   \hyphenpenalty=\@M \exhyphenpenalty=\@M
20374   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsizelax}
20375 \if@titlepage
20376   \renewenvironment{abstract}{%
20377     \titlepage
20378     \null\vfil
20379     \section*{\SectFont\abstractname}%
20380     \noindent\ignorespaces}
20381     {\par\vfil\null\endtitlepage}
20382 \else
20383   \renewenvironment{abstract}{%
20384     \if@twocolumn
20385       \section*{\abstractname}%
20386     \else
20387       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent

```



```

20388     \section*{\small\SectFont\abstractname}%
20389     \noindent\ignorespaces
20390     \fi}
20391     {\if@twocolumn\else\par\egroup\fi}
20392 \fi
20393 \renewcommand*\@regtocline[3]{%
20394   \ifnum #1>\c@tocdepth
20395   \else
20396     \vskip\z@\@plus.2\p@
20397     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
20398     \if@RTL\rightskip\else\leftskip\fi\unitindent
20399     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
20400     \parfillskip\z@
20401     \@tempdima\unitindent
20402     \parindent\z@
20403     \leavevmode
20404     \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
20405     \hskip 1em \nobreak{\slshape #3}\par
20406     }%
20407   \fi}
20408 \if@oldtoc
20409 \renewcommand*\l@part[2]{%
20410   \ifnum \c@tocdepth >-2\relax
20411     \addpenalty{-\@highpenalty}%
20412     \addvspace{2.25em \@plus\p@}%
20413     \begingroup
20414       \setlength\@tempdima{3em}%
20415       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
20416       \parfillskip -\@pnumwidth
20417       {\leavevmode
20418         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
20419         \nobreak
20420         \global\@nobreaktrue
20421         \everypar{\global\@nobreakfalse\everypar{}}%
20422       \endgroup
20423     \fi}
20424 \else
20425   \renewcommand*\l@part{%
20426     \ifnum \c@tocdepth >-2\relax
20427       \addpenalty{-\@highpenalty}%
20428       \addvspace{2.25em \@plus \p@}%
20429       \@regtocline{0}%
20430     \fi}
20431 \fi
20432 \if@oldtoc
20433 \renewcommand*\l@chapter[2]{%
20434   \addpenalty{-\@highpenalty}%
20435   \vskip 1.0em \@plus\p@
20436   \setlength\@tempdima{1.5em}%
20437   \begingroup
20438     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
20439     \parfillskip -\@pnumwidth
20440     \leavevmode \bfseries
20441     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima

```



```

20442 \hskip -\if@RTL\rightskip\else\leftskip\fi
20443 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
20444 \penalty\@highpenalty
20445 \endgroup}
20446 \else
20447 \renewcommand*\l@chapter{\@regtocline{0}}
20448 \fi
20449 \renewcommand*\left@footnoterule{%
20450 \kern-3\p@
20451 \kern.5\baselineskip
20452 \hrule\@width\unitindent
20453 \kern.4\baselineskip
20454 }
20455 \renewcommand*\right@footnoterule{%
20456 \kern-3\p@
20457 \kern.5\baselineskip
20458 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
20459 \kern.4\baselineskip}
20460 \renewenvironment{thebibliography}[1]
20461 {\chapter*{\bibname}%
20462 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
20463 \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
20464 \bidi@thebibliography@font@hook%
20465 \list{\@biblabel{\@arabic\c@enumiv}}%
20466 {\settowidth\labelwidth{\@biblabel{#1}}%
20467 \leftmargin\labelwidth
20468 \advance\leftmargin\labelsep
20469 \@openbib@code
20470 \usecounter{enumiv}%
20471 \let\p@enumiv\@empty
20472 \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
20473 \sloppy\clubpenalty4000\widowpenalty4000%
20474 \sfcode`. \@m}
20475 {\def\@noitemerr
20476 {\@latex@warning{Empty `thebibliography' environment}}}%
20477 \endlist}
20478 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
20479 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
20480 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
20481 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
20482 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
20483 \renewcommand*\theequation{%
20484 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
20485 \renewcommand*\thefigure{%
20486 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
20487 \renewcommand*\thetable{%
20488 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
20489 \if@titlepage
20490 \renewcommand*\TitleFont{\rmfamily}
20491 \renewcommand*\maketitle{%
20492 \begin{titlepage}%
20493 \let\footnotesize\small
20494 \let\right@footnoterule\relax
20495 \let\left@footnoterule\relax

```





```

20496 \let\textwidth@footnoterule\relax
20497 \let \footnote \thanks
20498 \long\def\@makefntext##1{\parindent\z@
20499 \def\labelitemi{\textendash}\@relabeltrue
20500 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
20501 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20502 \if@compatibility\setcounter{page}{0}\fi
20503 \null\vfil
20504 \vskip 60\p@
20505 \begin{center}%
20506 \TitleFont
20507 {\LARGE \def\{\penalty -\@M}
20508 \if@allcaps
20509 \expandafter\uc@nothanks\@title\thanks\relax
20510 \else
20511 \@title
20512 \fi\par}%
20513 \vskip 3em%
20514 {\large
20515 \lineskip .75em \parindent\z@
20516 \begin{tabular}[t]{c}%
20517 \if@allcaps
20518 \expandafter\uc@authornothanks\@author\and\relax
20519 \else
20520 \@author
20521 \fi
20522 \end{tabular}\par}%
20523 \vskip 1.5em%
20524 {\large
20525 \if@allcaps
20526 \uppercase\expandafter{\@date}%
20527 \else
20528 \@date
20529 \fi\par}%
20530 \end{center}\par
20531 \@thanks
20532 \vfil\null
20533 \end{titlepage}%
20534 \setcounter{footnote}{0}%
20535 \global\let\thanks\relax
20536 \global\let\maketitle\relax
20537 \global\let\@thanks\@empty
20538 \global\let\@author\@empty
20539 \global\let\@title\@empty
20540 \global\let\@date\@empty
20541 \global\let\title\relax
20542 \global\let\author\relax
20543 \global\let\date\relax
20544 \global\let\and\relax
20545 }
20546 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
20547 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
20548 \futurelet\@tempa\uc@ax}
20549 \def\uc@ax{%

```



```

20550 \ifx\@tempa\relax
20551 \else
20552   \ \andname \ \expandafter\uc@authornothanks
20553 \fi}
20554 \def\uc@tx{\ifx\@tempa\relax
20555   \else \expandafter\uc@ty \fi}
20556 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
20557 \else
20558 \renewcommand*\maketitle{\par
20559 \begin{group}
20560   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20561   \def\@makefnmark{\rlap{%
20562     \@textsuperscript{\normalfont\@thefnmark}}}%
20563   \long\def\@makefntext{\@xmakefntext{%
20564     \@textsuperscript{\normalfont\@thefnmark}}}%
20565   \if@twocolumn
20566     \ifnum \col@number=\@ne
20567       \maketitle
20568     \else
20569       \twocolumn[\maketitle]%
20570     \fi
20571   \else
20572     \newpage
20573     \global\@topnum\z@
20574     \maketitle
20575   \fi
20576   \thispagestyle{plain}\@thanks
20577 \end{group}
20578 \setcounter{footnote}{0}%
20579 \global\let\thanks\relax
20580 \global\let\maketitle\relax
20581 \global\let\@maketitle\relax
20582 \global\let\@thanks\@empty
20583 \global\let\@author\@empty
20584 \global\let\@title\@empty
20585 \global\let\@date\@empty
20586 \global\let\title\relax
20587 \global\let\author\relax
20588 \global\let\date\relax
20589 \global\let\and\relax
20590 }
20591 \def\@maketitle{%
20592 \newpage
20593 \null
20594 \vskip 2em%
20595 \begin{center}%
20596   \let \footnote \thanks
20597   {\LARGE \TitleFont \@title \par}%
20598   \vskip 1.5em%
20599   {\large \TitleFont
20600     \lineskip .5em%
20601     \begin{tabular}[t]{c}%
20602       \@author
20603     \end{tabular}\par}%

```



```

20604 \vskip 1em%
20605 {\large \TitleFont \@date}%
20606 \end{center}%
20607 \par
20608 \vskip 1.5em}
20609 \fi

```

## 137 File rapport3-xetex-bidi.def

```

20610 \ProvidesFile{rapport3-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for rapport3 class f
20611 \renewenvironment{theindex}{%
20612 \if@twocolumn
20613 \@restonecolfalse
20614 \else
20615 \@restonecoltrue
20616 \fi
20617 \columnseprule \z@
20618 \columnsep 35\p@
20619 \twocolumn[\@makeschapterhead{\indexname}]%
20620 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
20621 \thispagestyle{plain}\parindent\z@
20622 \parskip\z@ \@plus .3\p@\relax
20623 \let\item\@idxitem
20624 }{%
20625 \if@restonecol\onecolumn\else\clearpage\fi}
20626 \if@titlepage
20627 \renewcommand*\TitleFont{\rmfamily}
20628 \renewcommand*\maketitle{%
20629 \begin{titlepage}%
20630 \let\footnotesize\small
20631 \let\right@footnoterule\relax
20632 \let\left@footnoterule\relax
20633 \let\textwidth@footnoterule\relax
20634 \let \footnote \thanks
20635 \let \LTRfootnote \LTRthanks
20636 \let \RTLfootnote \RTLthanks
20637 \long\def\@makefntext##1{\parindent\z@
20638 \def\labelitemi{\textendash}\@revlabeltrue
20639 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
20640 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20641 \if@compatibility\setcounter{page}{0}\fi
20642 \null\vfil
20643 \vskip 60\p@
20644 \begin{center}%
20645 \TitleFont
20646 {\LARGE \def\{\penalty -\@M}
20647 \if@allcaps
20648 \expandafter\uc@nothanks\@title\thanks\relax
20649 \else
20650 \@title
20651 \fi\par}%
20652 \vskip 3em%
20653 {\large
20654 \lineskip .75em \parindent\z@

```



```

20655     \begin{tabular}[t]{c}%
20656         \ifallcaps
20657             \expandafter\uc@authornothanks \@author\and\relax
20658         \else
20659             \@author
20660         \fi
20661     \end{tabular}\par}%
20662 \vskip 1.5em%
20663 {\large
20664     \ifallcaps
20665         \uppercase\expandafter{\@date}%
20666     \else
20667         \@date
20668     \fi\par}%
20669 \end{center}\par
20670 \@thanks
20671 \vfil\null
20672 \end{titlepage}%
20673 \setcounter{footnote}{0}%
20674 \global\let\thanks\relax
20675 \global\let\LTRthanks\relax
20676 \global\let\RTLthanks\relax
20677 \global\let\maketitle\relax
20678 \global\let\@thanks\@empty
20679 \global\let\@author\@empty
20680 \global\let\@title\@empty
20681 \global\let\@date\@empty
20682 \global\let\title\relax
20683 \global\let\author\relax
20684 \global\let\date\relax
20685 \global\let\and\relax
20686 }
20687 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
20688 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
20689     \futurelet\@tempa\uc@ax}
20690 \def\uc@ax{%
20691     \ifx\@tempa\relax
20692     \else
20693         \ \andname \ \ \expandafter\uc@authornothanks
20694     \fi}
20695 \def\uc@tx{\ifx\@tempa\relax
20696     \else \expandafter\uc@ty \fi}
20697 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
20698 \else
20699 \renewcommand*\maketitle{\par
20700     \begingroup
20701     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20702     \def\@makefnmark{\rlap{%
20703         \textsuperscript{\normalfont\@thefnmark}}}%
20704     \long\def\@makefntext{\@xmakefntext{%
20705         \textsuperscript{\normalfont\@thefnmark}}}%
20706     \if@twocolumn
20707         \ifnum \col@number=\@ne
20708         \@maketitle

```



```

20709     \else
20710         \twocolumn[\@maketitle]%
20711     \fi
20712     \else
20713         \newpage
20714         \global\@topnum\z@
20715         \@maketitle
20716     \fi
20717     \thispagestyle{plain}\@thanks
20718 \endgroup
20719 \setcounter{footnote}{0}%
20720 \global\let\thanks\relax
20721 \global\let\LTRthanks\relax
20722 \global\let\RTLthanks\relax
20723 \global\let\maketitle\relax
20724 \global\let\@maketitle\relax
20725 \global\let\@thanks\@empty
20726 \global\let\@author\@empty
20727 \global\let\@title\@empty
20728 \global\let\@date\@empty
20729 \global\let\title\relax
20730 \global\let\author\relax
20731 \global\let\date\relax
20732 \global\let\and\relax
20733 }
20734 \def\@maketitle{%
20735     \newpage
20736     \null
20737     \vskip 2em%
20738 \if@titlecentered
20739     \begin{center}%
20740         \let \footnote \thanks
20741         \let \LTRfootnote \LTRthanks
20742         \let \RTLfootnote \RTLthanks
20743         {\LARGE \TitleFont \@title \par}%
20744         \vskip 1.5em%
20745         {\large \TitleFont
20746             \lineskip .5em%
20747             \begin{tabular}[t]{c}%
20748                 \@author
20749             \end{tabular}\par}%
20750         \vskip 1em%
20751         {\large \TitleFont \@date}%
20752     \end{center}%
20753 \else
20754     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
20755     {\large \TitleFont \lineskip .5em \tabcolsep\z@
20756         \def\and{%% \begin{tabular} has already started
20757             \end{tabular}\hskip 1em plus .17fil
20758             \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}% \end{tabular}
20759             \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}}
20760     \vskip 1em {\large \TitleFont \@date}
20761 \fi
20762 \par

```



```

20763 \vskip 1.5em}
20764 \fi
20765 \renewcommand*\@regtocoline[3]{%
20766 \ifnum #1>\c@tocdepth
20767 \else
20768 \vskip\z@\@plus.2\p@
20769 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
20770 \if@RTL\righskip\else\leftskip\fi\unitindent
20771 \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
20772 \parfillskip\z@
20773 \@tempdima\unitindent
20774 \parindent\z@
20775 \leavevmode
20776 \hbox{} \hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
20777 \hskip 1em \nobreak{\slshape #3}\par
20778 }%
20779 \fi}
20780 \if@oldtoc
20781 \renewcommand*\l@part[2]{%
20782 \ifnum \c@tocdepth >-2\relax
20783 \addpenalty{-\@highpenalty}%
20784 \addvspace{2.25em \@plus\p@}%
20785 \begingroup
20786 \setlength\@tempdima{3em}%
20787 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
20788 \parfillskip -\@pnumwidth
20789 {\leavevmode
20790 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
20791 \nobreak
20792 \global\@nobreaktrue
20793 \everypar{\global\@nobreakfalse\everypar{}}%
20794 \endgroup
20795 \fi}
20796 \else
20797 \renewcommand*\l@part{%
20798 \ifnum \c@tocdepth >-2\relax
20799 \addpenalty{-\@highpenalty}%
20800 \addvspace{2.25em \@plus \p@}%
20801 \@regtocoline{0}%
20802 \fi}
20803 \fi
20804 \if@oldtoc
20805 \renewcommand*\l@chapter[2]{%
20806 \addpenalty{-\@highpenalty}%
20807 \vskip 1.0em \@plus\p@
20808 \setlength\@tempdima{1.5em}%
20809 \begingroup
20810 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
20811 \parfillskip -\@pnumwidth
20812 \leavevmode \bfseries
20813 \advance\if@RTL\righskip\else\leftskip\fi\@tempdima
20814 \hskip -\if@RTL\righskip\else\leftskip\fi
20815 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
20816 \penalty\@highpenalty

```



```

20817 \endgroup}
20818 \else
20819 \renewcommand*\l@chapter{\@regtocline{0}}
20820 \fi
20821 \renewcommand*\head@style{%
20822 \interlinepenalty \@M
20823 \hyphenpenalty=\@M \exhyphenpenalty=\@M
20824 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
20825 \if@titlepage
20826 \renewenvironment{abstract}{%
20827 \titlepage
20828 \null\vfil
20829 \section*{\SectFont\abstractname}%
20830 \noindent\ignorespaces}
20831 {\par\vfil\null\endtitlepage}
20832 \else
20833 \renewenvironment{abstract}{%
20834 \if@twocolumn
20835 \section*{\abstractname}%
20836 \else
20837 \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
20838 \section*{\small\SectFont\abstractname}%
20839 \noindent\ignorespaces
20840 \fi}
20841 {\if@twocolumn\else\par\egroup\fi}
20842 \fi
20843 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
20844 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
20845 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
20846 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
20847 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
20848 \renewcommand*\thefigure{%
20849 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
20850 \renewcommand*\thetable{%
20851 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
20852 \renewcommand*\theequation{%
20853 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@equation}
20854 \renewenvironment{thebibliography}[1]
20855 {\chapter*{\bibname}%
20856 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
20857 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
20858 \bidi@thebibliography@font@hook%
20859 \list{\@biblabel{\@arabic\c@enumiv}}%
20860 {\settowidth\labelwidth{\@biblabel{#1}}%
20861 \leftmargin\labelwidth
20862 \advance\leftmargin\labelsep
20863 \@openbib@code
20864 \usecounter{enumiv}%
20865 \let\p@enumiv\@empty
20866 \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
20867 \sloppy\clubpenalty4000\widowpenalty4000}
20868 \sfcode`. \@m}
20869 {\def\@noitemerr
20870 {\@latex@warning{Empty `thebibliography' environment}}}%

```



```

20871     \endlist}
20872 \renewcommand*\left@footnoterule{%
20873     \kern-3\p@
20874     \kern.5\baselineskip
20875     \hrule\@width\unitindent
20876     \kern.4\baselineskip
20877 }
20878 \renewcommand*\right@footnoterule{%
20879     \kern-3\p@
20880     \kern.5\baselineskip
20881     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
20882     \kern.4\baselineskip}
20883 \renewcommand*\head@style{%
20884     \interlinepenalty \@M
20885     \hyphenpenalty=\@M \exhyphenpenalty=\@M
20886     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```

## 138 File refrep-xetex-bidi.def

```

20887 \ProvidesFile{refrep-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for refrep class for X
20888 \if@titlepage
20889 \renewcommand\maketitle{\begin{titlepage}%
20890 \let\footnotesize\small
20891 \let\right@footnoterule\relax
20892 \let\left@footnoterule\relax
20893 \let\textwidth@footnoterule\relax
20894 \let\footnote\thanks
20895 \let\LTRfootnote\LTRthanks
20896 \let\RTLfootnote\RTLthanks
20897 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
20898 \def\@makefnmark%
20899     {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
20900 \long\def\@makefnmark##1{%
20901     \setpar{\@par
20902         \@tempdima = \hsize
20903         \advance\@tempdima -1em
20904         \parshape \@ne 1em \@tempdima}%
20905     \par\parindent 1em \noindent
20906     \hb@xt@\z@\{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
20907 \null\vfil
20908 \vskip 60\p@
20909 \begin{center}%
20910     {\LARGE \@title \par}%
20911     \vskip 3em%
20912     {\large
20913         \lineskip .75em%
20914         \begin{tabular}[t]{c}%
20915             \@author
20916         \end{tabular}\par}%
20917     \vskip 1.5em%
20918     {\large \@date \par}%           % Set date in \large size.
20919 \end{center}\par
20920 \@thanks
20921 \vfil\null

```





```

20922 \end{titlepage}%
20923 \setcounter{footnote}{0}%
20924 \global\let\thanks\relax
20925 \global\let\LTRthanks\relax
20926 \global\let\RTLthanks\relax
20927 \global\let\maketitle\relax
20928 \global\let\@thanks\@empty
20929 \global\let\@author\@empty
20930 \global\let\@date\@empty
20931 \global\let\@title\@empty
20932 \global\let\title\relax
20933 \global\let\author\relax
20934 \global\let\date\relax
20935 \global\let\and\relax
20936 }
20937 \else
20938 \renewcommand\maketitle{\par
20939   \begingroup
20940     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
20941     \def\@makefnmark%
20942       {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
20943     \long\def\@makefntext##1{%
20944       \@setpar{\@par
20945         \@tempdima = \hsize
20946         \advance\@tempdima -1em
20947         \parshape \@ne 1em \@tempdima}%
20948       \par\parindent 1em \noindent
20949       \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
20950     \if@twocolumn
20951       \ifnum \col@number=\@ne
20952         \@maketitle
20953       \else
20954         \twocolumn[\@maketitle]%
20955       \fi
20956     \else
20957       \newpage
20958       \global\@topnum\z@   % Prevents figures from going at top of page.
20959       \@maketitle
20960     \fi
20961     \thispagestyle{empty}\@thanks
20962   \endgroup
20963   \setcounter{footnote}{0}%
20964   \global\let\thanks\relax
20965   \global\let\LTRthanks\relax
20966   \global\let\RTLthanks\relax
20967   \global\let\maketitle\relax
20968   \global\let\@maketitle\relax
20969   \global\let\@thanks\@empty
20970   \global\let\@author\@empty
20971   \global\let\@date\@empty
20972   \global\let\@title\@empty
20973   \global\let\title\relax
20974   \global\let\author\relax
20975   \global\let\date\relax

```



```

20976 \global\let\and\relax
20977 }
20978 \def\@maketitle{%
20979   \newpage
20980   \null
20981   \longthickrule\vskip1.5em%
20982   \let \footnote \thanks
20983   \let \LTRfootnote \LTRthanks
20984   \let \RTLfootnote \RTLthanks
20985   {\secshape \parskip\z@ \parindent\z@
20986   \Large\bfseries \@title \par}%
20987   \vskip1.5em\longthickrule\vskip1.5em%
20988   {\normalsize
20989     \lineskip .5em%
20990     \begin{flushright}%
20991       {\slshape\@author\par}
20992       \vskip 1em%
20993       {\@date}%
20994     \end{flushright}\par}%
20995   \vskip 1.5em}
20996 \fi
20997 \renewcommand*\l@part[2]{%
20998   \ifnum \c@tocdepth >-2\relax
20999     \addpenalty{-\@highpenalty}%
21000     \addvspace{2.25em \@plus\p}%
21001     \begingroup
21002       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
21003       \parfillskip -\@pnumwidth
21004       {\leavevmode
21005         \large \bfseries #1\hfil \hbox to\@pnumwidth{\hss #2}}\par
21006         \nobreak
21007         \global\@nobreaktrue
21008         \everypar{\global\@nobreakfalse\everypar{}}%
21009       \endgroup
21010   \fi}
21011 \renewcommand*\l@chapter[2]{%
21012   \ifnum \c@tocdepth >\m@ne
21013     \addpenalty{-\@highpenalty}%
21014     \vskip 1.0em \@plus\p@
21015     \setlength\@tempdima{1.5em}%
21016     \begingroup
21017       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
21018       \parfillskip -\@pnumwidth
21019       \leavevmode \bfseries
21020       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
21021       \hskip -\if@RTL\rightskip\else\leftskip\fi
21022       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
21023       \penalty\@highpenalty
21024     \endgroup
21025   \fi}
21026 \renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
21027   \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
21028   \hyphenpenalty=2000}
21029 \renewcommand\left@footnoterule{%

```



```

21030 \kern-3\p@
21031 \hrule\@width.4\columnwidth
21032 \kern 2.6\p@}
21033 \renewcommand\right@footnoterule{%
21034 \kern-3\p@
21035 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
21036 \kern2.6\p@}
21037 \renewcommand\theequation
21038 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
21039 \renewcommand\thefigure
21040 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
21041 \renewcommand\thetable%
21042 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
21043 \renewcommand\thesection {\thechapter\@SepMark\@arabic\c@section}
21044 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
21045 \renewcommand\thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
21046 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
21047 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
21048 \renewenvironment{thebibliography}[1]
21049 {\chapter*{\bibname
21050 \mkboth{\bibname}{\bibname}}%
21051 \ifRTL\ifLTRbibitems\RTLfalse\else\fi\else\ifRTLbibitems\RTLtrue\else\fi\fi
21052 \bidi@thebibliography@font@hook%
21053 \list{\@biblabel{\@arabic\c@enumiv}}%
21054 {\settowidth\labelwidth{\@biblabel{#1}}%
21055 \leftmargin\labelwidth
21056 \advance\leftmargin\labelsep
21057 \@openbib@code
21058 \usecounter{enumiv}}%
21059 \let\p@enumiv\@empty
21060 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
21061 \sloppy
21062 \clubpenalty4000
21063 \@clubpenalty \clubpenalty
21064 \widowpenalty4000%
21065 \sfcode\.\@m}
21066 {\def\@noitemerr
21067 {\@latex@warning{Empty `thebibliography' environment}}}%
21068 \endlist}

```

## 139 File report-xetex-bidi.def

```

21069 \ProvidesFile{report-xetex-bidi.def}[2017/06/09 v0.8 bidi adaptations for standard report class]
21070 \renewenvironment{theindex}
21071 {\if@twocolumn
21072 \@restonecolfalse
21073 \else
21074 \@restonecoltrue
21075 \fi
21076 \columnseprule \z@
21077 \columnsep 35\p@
21078 \twocolumn[\@makeschapterhead{\indexname}}%
21079 \mkboth{\MakeUppercase\indexname}%
21080 {\MakeUppercase\indexname}%

```



```

21081             \thispagestyle{plain}\parindent\z@
21082             \parskip\z@ \@plus .3\p@\relax
21083             \let\item\@idxitem}
21084             {\if@restonecol\onecolumn\else\clearpage\fi}
21085 \if@titlepage
21086 \renewcommand\maketitle{\begin{titlepage}%
21087 \let\footnotesize\small
21088 \let\right@footnoterule\relax
21089 \let\left@footnoterule\relax
21090 \let\textwidth@footnoterule\relax
21091 \let \footnote \thanks
21092 \let \LTRfootnote \LTRthanks
21093 \let \RTLfootnote \RTLthanks
21094 \null\vfil
21095 \vskip 60\p@
21096 \begin{center}%
21097   {\LARGE \@title \par}%
21098   \vskip 3em%
21099   {\large
21100     \lineskip .75em%
21101     \begin{tabular}[t]{c}%
21102       \@author
21103     \end{tabular}\par}%
21104     \vskip 1.5em%
21105     {\large \@date \par}%           % Set date in \large size.
21106 \end{center}\par
21107 \@thanks
21108 \vfil\null
21109 \end{titlepage}%
21110 \setcounter{footnote}{0}%
21111 \global\let\thanks\relax
21112 \global\let\LTRthanks\relax
21113 \global\let\RTLthanks\relax
21114 \global\let\maketitle\relax
21115 \global\let\@thanks\@empty
21116 \global\let\@author\@empty
21117 \global\let\@date\@empty
21118 \global\let\@title\@empty
21119 \global\let\title\relax
21120 \global\let\author\relax
21121 \global\let\date\relax
21122 \global\let\and\relax
21123 }
21124 \else
21125 \renewcommand\maketitle{\par
21126 \begingroup
21127   \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
21128   \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
21129   \long\def\@makefntext##1{\parindent 1em\noindent
21130     \hb@xt@1.8em{%
21131       \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
21132   \if@twocolumn
21133     \ifnum \col@number=\@ne
21134       \@maketitle

```



```

21135     \else
21136         \twocolumn[\@maketitle]%
21137     \fi
21138     \else
21139         \newpage
21140         \global\@topnum\z@ % Prevents figures from going at top of page.
21141         \@maketitle
21142     \fi
21143     \thispagestyle{plain}\@thanks
21144 \endgroup
21145 \setcounter{footnote}{0}%
21146 \global\let\thanks\relax
21147 \global\let\LTRthanks\relax
21148 \global\let\RTLthanks\relax
21149 \global\let\maketitle\relax
21150 \global\let\@maketitle\relax
21151 \global\let\@thanks\@empty
21152 \global\let\@author\@empty
21153 \global\let\@date\@empty
21154 \global\let\@title\@empty
21155 \global\let\title\relax
21156 \global\let\author\relax
21157 \global\let\date\relax
21158 \global\let\and\relax
21159 }
21160 \def\@maketitle{%
21161     \newpage
21162     \null
21163     \vskip 2em%
21164     \begin{center}%
21165         \let \footnote \thanks
21166         \let \LTRfootnote \LTRthanks
21167         \let \RTLfootnote \RTLthanks
21168         {\LARGE \@title \par}%
21169         \vskip 1.5em%
21170         {\large
21171             \lineskip .5em%
21172             \begin{tabular}[t]{c}%
21173                 \@author
21174             \end{tabular}\par}%
21175         \vskip 1em%
21176         {\large \@date}%
21177     \end{center}%
21178     \par
21179     \vskip 1.5em}
21180 \fi
21181 \renewcommand*\l@part[2]{%
21182     \ifnum \c@tocdepth >-2\relax
21183         \addpenalty{-\@highpenalty}%
21184         \addvspace{2.25em \@plus\p}%
21185         \setlength\@tempdima{3em}%
21186         \begingroup
21187             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
21188             \parfillskip -\@pnumwidth

```



```

21189     {\leavevmode
21190     \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
21191     \nobreak
21192     \global\@nobreaktrue
21193     \everypar{\global\@nobreakfalse\everypar{}}%
21194 \endgroup
21195 \fi}
21196 \renewcommand*\l@chapter[2]{%
21197 \ifnum \c@tocdepth >\m@ne
21198 \addpenalty{-\@highpenalty}%
21199 \vskip 1.0em \@plus\p@
21200 \setlength\@tempdima{1.5em}%
21201 \begingroup
21202 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
21203 \parfillskip -\@pnumwidth
21204 \leavevmode \bfseries
21205 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
21206 \hskip -\if@RTL\rightskip\else\leftskip\fi
21207 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
21208 \penalty\@highpenalty
21209 \endgroup
21210 \fi}
21211 \renewcommand\left@footnoterule{%
21212 \kern-3\p@
21213 \hrule\@width.4\columnwidth
21214 \kern2.6\p@}
21215 \renewcommand\right@footnoterule{%
21216 \kern-3\p@
21217 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
21218 \kern2.6\p@}
21219 \renewcommand\theequation
21220 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
21221 \renewcommand \thefigure
21222 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
21223 \renewcommand \thetable
21224 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
21225 \renewcommand \thechapter {\@arabic\c@chapter}
21226 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
21227 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
21228 \renewcommand \thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
21229 \renewcommand \theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
21230 \renewcommand \thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
21231 \def\@makechapterhead#1{%
21232 \vspace*{50\p@}%
21233 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
21234 \ifnum \c@secnumdepth >\m@ne
21235 \huge\bfseries \@chapapp\space \thechapter
21236 \par\nobreak
21237 \vskip 20\p@
21238 \fi
21239 \interlinepenalty\@M
21240 \Huge \bfseries #1\par\nobreak
21241 \vskip 40\p@
21242 }}

```



```

21243 \def\@makeschapterhead#1{%
21244   \vspace*{50\p@}%
21245   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
21246     \normalfont
21247     \interlinepenalty\@M
21248     \Huge \bfseries #1\par\nobreak
21249     \vskip 40\p@
21250   }}
21251 \renewenvironment{thebibliography}[1]
21252   {\chapter*{\bibname}%
21253     \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
21254     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
21255     \bidi@thebibliography@font@hook%
21256     \list{\@biblabel{\@arabic\c@enumiv}}%
21257       {\settowidth\labelwidth{\@biblabel{#1}}%
21258         \leftmargin\labelwidth
21259         \advance\leftmargin\labelsep
21260         \@openbib@code
21261         \usecounter{enumiv}%
21262         \let\p@enumiv\@empty
21263         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
21264     \sloppy
21265     \clubpenalty4000
21266     \@clubpenalty \clubpenalty
21267     \widowpenalty4000%
21268     \sfcode\.\@m}
21269 {\def\@noitemerr
21270   {\@latex@warning{Empty `thebibliography' environment}}}%
21271 \endlist}

```

## 140 File rotating-xetex-bidi.def

```

21272 \ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package]
21273 \def\end@rotfloat{%
21274   \end{minipage}\end{lrbox}%
21275   \stepcounter{r@tfl@t}%
21276   \rot@label{RF\ther@tfl@t}%
21277   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
21278   \edef\@tempa{Adding sideways \c@type\space on page \R@@page\space}
21279   \rot@mess@toks\expandafter{\@tempa}
21280   \wd\rot@float@box\z@
21281   \ht\rot@float@box\z@
21282   \dp\rot@float@box\z@
21283   \vboxL to \textheight{\%
21284     \setkeys{Grot}{units=360}}%
21285   \if@rot@twoside
21286     \else
21287       \let\R@@page\rot@LR
21288     \fi
21289   \ifthenelse{\isodd{\R@@page}}{\%
21290     \if@rot@twoside
21291       \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
21292     \fi
21293     \vfill}

```



```

21294     \@@line{%
21295         \hskip\rotFPtop
21296         \rotatebox{90}{\box\rot@float@box}%
21297         \hskip\rotFPbot
21298     }%
21299 }{%
21300     \if@rot@twoside
21301         \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
21302     \fi
21303     \@@line{%
21304         \hskip\rotFPbot
21305         \rotatebox{-90}{\box\rot@float@box}%
21306         \hskip\rotFPtop
21307     }%
21308     \vfill
21309 }%
21310     \rot@message{\the\rot@mess@toks}
21311 }%
21312 \end@float
21313 }
21314 \let\endsidewaysfigure\end@rotfloat
21315 \let\endsidewaysstable\end@rotfloat
21316 \def\end@rotdblfloat{%
21317     \end{minipage}\end{lrbox}%
21318     \stepcounter{r@tfl@t}%
21319     \rot@label{RF\ther@tfl@t}%
21320     \rot@pageref{RF\ther@tfl@t}{\R@@page}%
21321     \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}
21322     \rot@mess@toks\expandafter{\@tempa}
21323     \@tempdima\ht\rot@float@box
21324     \advance\@tempdima by \dp\rot@float@box
21325     \wd\rot@float@box\z@
21326     \ht\rot@float@box\z@
21327     \dp\rot@float@box\z@
21328     \vboxL to \textheight{%
21329         \setkeys{Grot}{units=360}%
21330         \if@rot@twoside
21331         \else
21332             \let\R@@page\rot@LR
21333         \fi
21334         \ifthenelse{\isodd{\R@@page}}{%
21335             \ifrot@messages
21336             \if@rot@twoside
21337             \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
21338         \fi
21339         \fi
21340         \vfill
21341         \@@line{%
21342             \hskip\rotFPtop
21343             \rotatebox{90}{\box\rot@float@box}%
21344             \hskip\rotFPbot
21345         }%
21346     }{%
21347         \ifrot@messages

```





```

21348         \if@rot@twoside
21349 \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
21350 \fi
21351     \fi%
21352     \@@line{%
21353         \hskip\rotFPbot
21354         \rotatebox{-90}{\box\rot@float@box}%
21355         \hskip\rotFPtop
21356     }%
21357     \vfill
21358 }%
21359 \rot@message{\the\rot@mess@toks}%
21360 }%
21361 \end@dblfloat
21362 }
21363 \def\turn#1{%
21364 \Grot@setangle{#1}%
21365 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
21366 \def\endturn{%
21367 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
21368 \unskip\color@endbox
21369 \Grot@x\z@
21370 \Grot@y\z@
21371 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
21372 }
21373 \def\rotate#1{%
21374 \Grot@setangle{#1}%
21375 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
21376 \def\endrotate{%
21377 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
21378 \unskip\color@endbox
21379 \Grot@x\z@
21380 \Grot@y\z@
21381 \wd0\z@\dp0\z@\ht0\z@
21382 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
21383 }
21384 \def\turnbox#1#2{%
21385 \Grot@setangle{#1}%
21386 \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi#2\ifmmode\if@RTL\endR\fi\fi}
21387 \Grot@x\z@\Grot@y\z@
21388 \wd0\z@\dp0\z@\ht0\z@
21389 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
21390 }
21391 \def\sideways{%
21392 \Grot@setangle{90}%
21393 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
21394 \def\endsideways{%
21395 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
21396 \unskip\color@endbox
21397 \Grot@x\z@
21398 \Grot@y\z@
21399 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
21400 }

```



## 141 File `scrartcl-xetex-bidi.def`

```
21401 \ProvidesFile{scrartcl-xetex-bidi.def}[2022/05/27 v1.3 bidi adaptations for scrartcl class f
21402 \newcommand{\scr@saved@LTRfootnotetext}{}
21403 \newcommand{\scr@saved@RTLfootnotetext}{}
21404 \let\scr@saved@footnotetext\@footnotetext
21405 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
21406 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
21407 \renewcommand{\@footnotetext}[1]{%
21408   \scr@saved@footnotetext{#1}%
21409   \csname FN@mfb@prepare\endcsname
21410 }
21411 \renewcommand{\@LTRfootnotetext}[1]{%
21412   \scr@saved@LTRfootnotetext{#1}%
21413   \csname FN@mfb@prepare\endcsname
21414 }
21415 \renewcommand{\@RTLfootnotetext}[1]{%
21416   \scr@saved@RTLfootnotetext{#1}%
21417   \csname FN@mfb@prepare\endcsname
21418 }
21419 \renewcommand\deffootnote[4][1]{%
21420   \expandafter\ifnum\scr@v@is@ge{3.22}\relax
21421     \long\def\@makefntext##1{%
21422       \ExecuteDoHook{footnote/text/begin}%
21423       \raggedfootnote
21424       \if@RTL
21425         \rightskip
21426       \else
21427         \leftskip
21428       \fi
21429       #2
21430       \l@addto@macro\@trivlist{%
21431         \ifnum\@listdepth=\@ne
21432           \if@RTL
21433             \advance\rightmargin #2\relax
21434           \else
21435             \advance\leftmargin #2\relax
21436           \fi
21437         \fi
21438       }%
21439       \parindent #3\noindent
21440       \IfArgIsEmpty{#1}{}{%
21441         \hskip \dimexpr #1-#2\relax
21442       }%
21443       \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
21444       \ExecuteDoHook{footnote/text/end}%
21445     }%
21446   \else
21447     \ClassInfo{\KOMAClassName}{%
21448       Using old \string\@makefntext\space due to compatibility
21449       level\MessageBreak
21450       less than 3.22}%
21451     \long\def\@makefntext##1{%
21452       \setlength{\@tempdimc}{#3}%
```



```

21453 \def\@tempa{#1}\ifx\@tempa\@empty
21454 \setpar{\@par
21455 \@tempdima = \hsize
21456 \addtolength{\@tempdima}{-#2}%
21457 \if@RTL
21458 \parshape \@ne \z@ \@tempdima
21459 \else
21460 \parshape \@ne #2 \@tempdima
21461 \fi}%
21462 \else
21463 \addtolength{\@tempdimc}{#2}%
21464 \addtolength{\@tempdimc}{-#1}%
21465 \setpar{\@par
21466 \@tempdima = \hsize
21467 \addtolength{\@tempdima}{-#1}%
21468 \@tempdimb = \hsize
21469 \addtolength{\@tempdimb}{-#2}%
21470 \if@RTL
21471 \parshape \tw@ \z@ \@tempdima \z@ \@tempdimb
21472 \else
21473 \parshape \tw@ #1 \@tempdima #2 \@tempdimb
21474 \fi
21475 }%
21476 \fi
21477 \par
21478 \parindent\@tempdimc\noindent
21479 \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
21480 }%
21481 \fi
21482 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
21483 }
21484 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
21485 \renewcommand*\left@footnoterule{%
21486 \normalsize\ftn@rule@test@values
21487 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
21488 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
21489 {\usekomafont{footnoterule}{%
21490 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
21491 \kern 2.6\p@}
21492 \renewcommand*\right@footnoterule{%
21493 \normalsize\ftn@rule@test@values
21494 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
21495 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
21496 {\usekomafont{footnoterule}{%
21497 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\l
21498 \kern 2.6\p@}
21499 \renewcommand*\maketitle[1][1]{%
21500 \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
21501 \else
21502 \def\and{%
21503 \end{tabular}%
21504 \hskip 1em \@plus.17fil%
21505 \begin{tabular}[t]{c}%
21506 }%

```



```

21507 \fi
21508 \if@titlepage
21509   \begin{titlepage}
21510     \setcounter{page}{%
21511       #1%
21512     }%
21513     \if@titlepageiscoverpage
21514       \edef\tITLEPAGE@restore{%
21515         \noexpand\endgroup
21516         \noexpand\global\noexpand\@colht\the\@colht
21517         \noexpand\global\noexpand\@colroom\the\@colroom
21518         \noexpand\global\vsizethe\vsizethe
21519         \noexpand\global\noexpand\@titlepageiscoverpagefalse
21520         \noexpand\let\noexpand\tITLEPAGE@restore\noexpand\relax
21521       }%
21522       \begin{group}
21523         \topmargin=\dimexpr \coverpagetopmargin-1in\relax
21524         \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
21525         \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
21526         \textwidth=\dimexpr
21527         \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
21528         \textheight=\dimexpr
21529         \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
21530         \headheight=0pt
21531         \headsep=0pt
21532         \footskip=\baselineskip
21533         \@colht=\textheight
21534         \@colroom=\textheight
21535         \vsizethe=\textheight
21536         \columnwidth=\textwidth
21537         \hsizethe=\columnwidth
21538         \linewidth=\hsizethe
21539       \else
21540         \let\tITLEPAGE@restore\relax
21541       \fi
21542       \let\footnotesize\small
21543       \let\right@footnoterule\relax
21544       \let\left@footnoterule\relax
21545       \let\textwidth@footnoterule\relax
21546       \let\footnote\thanks
21547       \let\LTRfootnote\LTRthanks
21548       \let\RTLfootnote\RTLthanks
21549       \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
21550       \let\@oldmakefnmark\@makefnmark
21551       \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}%
21552       \ifx\@extratitle\@empty
21553         \ifx\@frontispiece\@empty
21554           \else
21555             \if@twoside\mbox{}\next@tpage\fi
21556             \noindent\@frontispiece\next@tdpage
21557           \fi
21558         \else
21559           \noindent\@extratitle
21560           \ifx\@frontispiece\@empty

```



```

21561     \else
21562         \next@tpage
21563         \noindent\@frontispiece
21564     \fi
21565     \next@tdpage
21566 \fi
21567 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
21568 \ifx\@titlehead\@empty \else
21569     \begin{minipage}[t]{\textwidth}%
21570         \usekomafont{titlehead}{\@titlehead\par}%
21571     \end{minipage}\par
21572 \fi
21573 \null\vfill
21574 \begin{center}
21575     \ifx\@subject\@empty \else
21576         {\usekomafont{subject}{\@subject\par}}%
21577         \vskip 3em
21578     \fi
21579     {\usekomafont{title}{\huge \@title\par}}%
21580     \vskip 1em
21581     {\ifx\@subtitle\@empty\else\usekomafont{subtitle}{\@subtitle\par}\fi}%
21582     \vskip 2em
21583     {%
21584         \usekomafont{author}{%
21585             \lineskip 0.75em
21586             \begin{tabular}[t]{c}
21587                 \@author
21588             \end{tabular}\par
21589         }%
21590     }%
21591     \vskip 1.5em
21592     {\usekomafont{date}{\@date \par}}%
21593     \vskip \z@ \@plus3fill
21594     {\usekomafont{publishers}{\@publishers \par}}%
21595     \vskip 3em
21596 \end{center}\par
21597 \@thanks\global\let\@thanks\@empty
21598 \vfill\null
21599 \if@twoside
21600     \@tempswatrue
21601     \expandafter\ifnum \@nameuse{scr@v@3.12}>\scr@compatibility\relax
21602     \else
21603         \ifx\@uppertitleback\@empty\ifx\@lowertitleback\@empty
21604             \@tempswafalse
21605         \fi\fi
21606     \fi
21607     \if@tempswa
21608         \next@tpage
21609         \begin{minipage}[t]{\textwidth}
21610             \@uppertitleback
21611         \end{minipage}\par
21612         \vfill
21613         \begin{minipage}[b]{\textwidth}
21614             \@lowertitleback

```



```

21615         \end{minipage}\par
21616         \@thanks\global\let\@thanks\@empty
21617     \fi
21618 \else
21619     \ifx\@uppertitleback\@empty\else
21620         \ClassWarning{\KOMAClassName}{%
21621             non empty \string\uppertitleback\space ignored
21622             by \string\maketitle\MessageBreak
21623             in `twoside=false' mode%
21624         }%
21625     \fi
21626     \ifx\@lowertitleback\@empty\else
21627         \ClassWarning{\KOMAClassName}{%
21628             non empty \string\lowertitleback\space ignored
21629             by \string\maketitle\MessageBreak
21630             in `twoside=false' mode%
21631         }%
21632     \fi
21633 \fi
21634 \ifx\@dedication\@empty
21635 \else
21636     \next@tdpage\null\vfill
21637     {\centering\usekomafont{dedication}{\@dedication \par}}%
21638     \vskip \z@ \@plus3fill
21639     \@thanks\global\let\@thanks\@empty
21640     \cleardoubleemptypage
21641 \fi
21642 \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
21643 \end{titlepage}
21644 \else
21645     \par
21646     \@tempcnta=%
21647     #1%
21648     \relax\ifnum\@tempcnta=1\else
21649         \ClassWarning{\KOMAClassName}{%
21650             Optional argument of \string\maketitle\space ignored\MessageBreak
21651             in `titlepage=false' mode%
21652         }%
21653     \fi
21654     \ifx\@uppertitleback\@empty\else
21655         \ClassWarning{\KOMAClassName}{%
21656             non empty \string\uppertitleback\space ignored
21657             by \string\maketitle\MessageBreak
21658             in `titlepage=false' mode%
21659         }%
21660     \fi
21661     \ifx\@lowertitleback\@empty\else
21662         \ClassWarning{\KOMAClassName}{%
21663             non empty \string\lowertitleback\space ignored
21664             by \string\maketitle\MessageBreak
21665             in `titlepage=false' mode%
21666         }%
21667     \fi
21668 \begingroup

```



```

21669 \let\titlename@restore\relax
21670 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
21671 \let\oldmakefnmark\makefnmark
21672 \renewcommand*{\@makefnmark}{\rlap\oldmakefnmark}%
21673 \next@tdpage
21674 \if@twocolumn
21675   \ifnum \col@number=\@ne
21676     \ifx\@extratitle\@empty
21677       \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
21678     \else
21679       \@makeextratitle
21680     \fi
21681     \ifx\@frontispiece\@empty
21682       \ifx\@extratitle\@empty\else\next@tdpage\fi
21683     \else
21684       \next@tpage
21685       \@makefrontispiece
21686       \next@tdpage
21687     \fi
21688     \@maketitle
21689   \else
21690     \ifx\@extratitle\@empty
21691       \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
21692     \else
21693       \twocolumn[\@makeextratitle]%
21694     \fi
21695     \ifx\@frontispiece\@empty
21696       \ifx\@extratitle\@empty\else\next@tdpage\fi
21697     \else
21698       \next@tpage
21699       \twocolumn[\@makefrontispiece]%
21700       \next@tdpage
21701     \fi
21702     \twocolumn[\@maketitle]%
21703   \fi
21704 \else
21705   \ifx\@extratitle\@empty
21706     \ifx\@frontispiece\@empty\else \mbox{}\fi
21707   \else
21708     \@makeextratitle
21709   \fi
21710   \ifx\@frontispiece\@empty
21711     \ifx\@extratitle\@empty\else\next@tdpage\fi
21712   \else
21713     \next@tpage
21714     \@makefrontispiece
21715     \next@tdpage
21716   \fi
21717   \@maketitle
21718 \fi
21719 \ifx\titlename\@empty\else\thispagestyle{\titlename}\fi
21720 \@thanks\global\let\@thanks\@empty
21721 \endgroup
21722 \fi

```



```

21723 \setcounter{footnote}{0}%
21724 \expandafter\ifnum \cscname scr@v@3.12\endcscname>\scr@compatibility\relax
21725 \let\thanks\relax
21726 \let\LTRthanks\relax
21727 \let\RTLthanks\relax
21728 \let\maketitle\relax
21729 \let\@maketitle\relax
21730 \global\let\@thanks\@empty
21731 \global\let\@author\@empty
21732 \global\let\@date\@empty
21733 \global\let\@title\@empty
21734 \global\let\@subtitle\@empty
21735 \global\let\@extratitle\@empty
21736 \global\let\@frontispiece\@empty
21737 \global\let\@titlehead\@empty
21738 \global\let\@subject\@empty
21739 \global\let\@publishers\@empty
21740 \global\let\@uppertitleback\@empty
21741 \global\let\@lowertitleback\@empty
21742 \global\let\@dedication\@empty
21743 \global\let\author\relax
21744 \global\let\title\relax
21745 \global\let\extratitle\relax
21746 \global\let\titlehead\relax
21747 \global\let\subject\relax
21748 \global\let\publishers\relax
21749 \global\let\uppertitleback\relax
21750 \global\let\lowertitleback\relax
21751 \global\let\dedication\relax
21752 \global\let\date\relax
21753 \fi
21754 \global\let\and\relax
21755 }%
21756 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
21757 \def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
21758 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
21759 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
21760 \renewcommand*{\thesubsubsection}{%
21761 \thesubsection\@SepMark\@arabic\c@subsubsection
21762 }
21763 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
21764 \renewcommand*{\thesubparagraph}{%
21765 \theparagraph\@SepMark\@arabic\c@subparagraph
21766 }
21767 \renewenvironment{thebibliography}[1]{%
21768 \if@bib@break@
21769 \bib@beginhook
21770 \else
21771 \bib@heading
21772 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
21773 \noindent\bibpreamble\par\nobreak
21774 \fi\fi
21775 \bib@beginhook
21776 \bib@before@hook

```





```

21777 \fi
21778 \renewcommand{\BreakBibliography}[1]{%
21779   \@bib@break
21780   \end{thebibliography}%
21781   \begingroup ##1\endgroup
21782   \begin{thebibliography}{#1}
21783 }%
21784 \ifRTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
21785 \bidi@thebibliography@font@hook%
21786 \list{%
21787   \@biblabel{\@arabic\c@enumiv}%
21788 }{%
21789   \settowidth\labelwidth{\@biblabel{#1}}%
21790   \leftmargin\labelwidth
21791   \advance\leftmargin\labelsep
21792   \@openbib@code
21793   \if@bib@break@
21794     \edef\@tempa{%
21795       \noexpand\usecounter{enumiv}%
21796       \noexpand\setcounter{enumiv}{\the\c@enumiv}%
21797     }\@tempa
21798     \no@bib@break
21799   \else
21800     \usecounter{enumiv}%
21801   \fi
21802   \let\p@enumiv\@empty
21803   \renewcommand*\theenumiv{\@arabic\c@enumiv}%
21804 }%
21805 \sloppy\clubpenalty4000 \widowpenalty4000
21806 \sfcode`.\@m
21807 }{%
21808 \if@bib@break@
21809   \def\@noitemerr{%
21810     \@latex@warning{%
21811       \string\BreakBibliography\space at begin of `thebibliography'
21812       environment\MessageBreak
21813       or following \string\BreakBibliography}%
21814   }%
21815 \else
21816   \def\@noitemerr{%
21817     \@latex@warning{%
21818       Empty `thebibliography' environment or
21819       \string\BreakBibliography\MessageBreak
21820       before end of `thebibliography' environment}%
21821   }%
21822 \fi
21823 \endlist
21824 \if@bib@break@
21825 \else
21826   \bib@after@hook
21827   \let\bib@before@hook\@empty
21828   \let\bib@after@hook\@empty
21829 \fi
21830 \bib@endhook

```



```

21831 }
21832 \renewcommand*\raggeddictum{\if@RTL\raggedright\else\raggedleft\fi}
21833 \renewcommand*\raggeddictumtext{\if@RTL\raggedleft\else\raggedright\fi}
21834 \renewcommand*\raggeddictumauthor{\if@RTL\raggedright\else\raggedleft\fi}
21835 \renewcommand\marginline[1]{%
21836   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright
21837 }
21838 \renewcommand{\@makecaption}[3]{%
21839   \cap@margin
21840   \begingroup
21841     \ifonelinecaptions
21842       \def\stepcounter##1{\advance\value{##1}\@ne}%
21843       \let\refstepcounter\stepcounter
21844       \let\label\@gobble
21845       \let\@footnotetext=\@gobble
21846       \let\@LTRfootnotetext=\@gobble
21847       \let\@RTLfootnotetext=\@gobble
21848       \let\hypertarget\@gobbletwo
21849       \edef\xnewline{%
21850         \unexpanded{\ClassInfo{\KOMAClassName}}{%
21851           Workaround for not recommended usage of \string\\ or\MessageBreak
21852           \string\newline in caption text
21853         }%
21854         \hspace*{\linewidth}\hspace{1sp}%
21855       }%
21856       \unexpanded\expandafter{\xnewline}%
21857     }%
21858     \edef\@xcentercr{%
21859       \unexpanded{\ClassInfo{\KOMAClassName}}{%
21860         Workaround for not recommended usage of \string\\ or\MessageBreak
21861         \string\newline in caption text
21862       }%
21863       \hspace*{\linewidth}\hspace{1sp}%
21864     }%
21865     \unexpanded\expandafter{\@xcentercr}%
21866   }%
21867   \settowidth{\@tempdima}{\scr@makesinglelinecaption{#1}{#2}{#3}}%
21868   \ifdim\@tempdima>\cap@width
21869     \aftergroup\scr@makemultilinecaption
21870   \else
21871     \aftergroup\scr@makesinglelinecaption
21872   \fi
21873   \else
21874     \aftergroup\scr@makemultilinecaption
21875   \fi
21876   \endgroup
21877   {#1}{#2}{#3}%
21878 }
21879 \renewcommand{\scr@makesinglelinecaption}[3]{%
21880   {%
21881     \usefontofkomafont{caption}{%
21882       \hb@xt@\hsize{%
21883         \cap@left
21884         \if@RTL

```



```

21885         \beginR
21886         \fi
21887         \scr@makesinglelinecaption{#1}{#2}{#3}%
21888         \if@RTL
21889         \endR
21890         \fi
21891         \cap@right
21892     }\par\kern\dp\strutbox%
21893 }%
21894 }\kern-\dp\strutbox
21895 }
21896 \renewcommand{\@makecaption}[2]{%
21897 \if@captionabove
21898 \vskip\belowcaptionskip
21899 \else
21900 \vskip\abovecaptionskip
21901 \fi
21902 \@makecaption\@firstofone{#1}{#2}%
21903 \if@captionabove
21904 \vskip\abovecaptionskip
21905 \else
21906 \vskip\belowcaptionskip
21907 \fi
21908 }
21909
21910 \renewcommand{\scr@makesinglelinecaption}[3]{%
21911     {\usekomafont{caption}{\strut\ignorespaces
21912     #1{\usekomafont{captionlabel}{#2\captionformat}}}%
21913     \ignorespaces #3\unskip}}%
21914 }
21915
21916 \renewcommand{\scr@makemultilinecaption}[3]{%
21917     {%
21918     \usefontofkomafont{caption}{%
21919     \hb@xt@\hsize{%
21920     \cap@left
21921     \vbox{\hsize\cap@width\linewidth\hsize
21922     \scr@ifundefinedorrelax{@captive}{%
21923     \ClassWarning{KOMAClassName}{%
21924     `string\caption' outside float.\MessageBreak
21925     Seems you are using `string\caption' outside a
21926     float.\MessageBreak
21927     Maybe you are using a package that uses
21928     `string\@makecaption'\MessageBreak
21929     without setting `string\@captive' before.\MessageBreak
21930     Because I cannot detect the caption type, I'm using\MessageBreak
21931     the empty one.%
21932     }%
21933     \let@captive@empty
21934     }{}%
21935     \scr@ifundefinedorrelax{ragged@captive caption}{\raggedcaption}{%
21936     \@nameuse{ragged@captive caption}%
21937     }%
21938     \ifdofullc@p

```



```

21939     \@hangfrom{%
21940         \strut
21941         \scr@smashdp{%
21942             #1{%
21943                 \usekomafont{caption}{%
21944                     \usekomafont{captionlabel}{#2\captionformat}%
21945                 }%
21946             }%
21947         }%
21948     }%
21949     {\usekomafont{caption}{#3\scr@endstrut}}\par}%
21950 \else
21951 \ifdim\cap@indent<\z@
21952     \strut
21953     #1{%
21954         {\usekomafont{caption}{%
21955             \usekomafont{captionlabel}{#2\captionformat}%
21956         }%
21957     }\par}%
21958     \noindent{\usekomafont{caption}{%
21959         \hspace*{-\cap@indent}#3\scr@endstrut
21960     }}\par}%
21961 \else
21962     \if@capbreak
21963         \strut
21964         #1{%
21965             {\usekomafont{caption}{%
21966                 \usekomafont{captionlabel}{#2\captionformat}%
21967             }%
21968         }\par}%
21969         \noindent\@hangfrom{\hspace*{\cap@indent}}%
21970         {\usekomafont{caption}{#3\scr@endstrut}}\par}%
21971     \else
21972         \@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
21973         {%
21974             \hspace{-\cap@indent}%
21975             \scr@smashdp{%
21976                 #1{\usekomafont{caption}{%
21977                     \usekomafont{captionlabel}{#2\captionformat}%
21978                 }%
21979             }%
21980         }%
21981         {\usekomafont{caption}{#3\scr@endstrut}}\par}%
21982     }%
21983     \fi
21984     \fi
21985     \fi
21986 }%
21987 \cap@right
21988 }\par\kern\dp\strutbox
21989 }%
21990 }\kern-\dp\strutbox
21991 }
21992

```



```

21993 \bidi@AfterFile{longtable-xetex-bidi.def}{%
21994   \if@komalongtable
21995     \renewcommand{\LT@makecaption}[3]{%
21996       \noalign{%
21997         \if@captionabove
21998           \vskip\belowcaptionskip
21999         \else
22000           \vskip\abovecaptionskip
22001         \fi
22002       }%
22003     \LT@mc\LT@cols c{%
22004       \hbox to\z@{\hss\parbox[t]{\linewidth{%
22005         \def\@captive{table}%
22006         \@makecaption{#1}{#2}{#3}%
22007         \endgraf
22008         \if@captionabove
22009           \vskip\abovecaptionskip
22010         \else
22011           \vskip\belowcaptionskip
22012         \fi
22013       }%
22014       \hss
22015     }%
22016   }%
22017 }%
22018 \renewcommand*\scr@LT@array}{%
22019 \let\scr@LT@array=\LT@array
22020 \renewcommand*\LT@array{%
22021   \let\scr@caption=\LT@caption
22022   \def\captionabove{\noalign{\global\@captionabovetrue}%
22023     \scr@caption}%
22024   \def\captionbelow{\noalign{\global\@captionabovetrue}%
22025     \scr@caption}%
22026   \if@tablecaptionabove
22027     \let\LT@caption=\captionabove
22028   \else
22029     \let\LT@caption=\captionbelow
22030   \fi
22031   \scr@LT@array
22032 }%
22033 \ClassInfo{\KOMAClassName}{%
22034   longtable captions redefined%
22035 }%
22036 \fi
22037 }
22038
22039 \CloneTOCEntryStyle{tocline}{part}
22040 \TOCEntryStyleStartInitCode{part}{%
22041   \expandafter\renewcommand%
22042   \csname scr@tso@#1@linefill\endcsname{\hfill}%
22043   \expandafter\renewcommand%
22044   \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
22045   \expandafter\renewcommand%
22046   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%

```



```

22047   {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
22048 \expandafter\renewcommand\expandafter*%
22049 \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
22050 }
22051
22052 \CloneTOCEntryStyle{tocline}{section}
22053 \TOCEntryStyleStartInitCode{section}{%
22054 \expandafter\renewcommand%
22055 \csname scr@tso@#1@linefill\endcsname{%
22056 \if@sectionentrywithdots
22057   {\usekomafont{sectionentrydots}{\TOCLineLeaderFill}}\relax
22058 \else
22059   \hfill
22060 \fi
22061 }%
22062 \expandafter\renewcommand%
22063 \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
22064 \expandafter\renewcommand%
22065 \csname scr@tso@#1@pagenumberformat\endcsname[1]{\usekomafont{sectionentry}{\usekomafont{
22066 \expandafter\renewcommand\expandafter*%
22067 \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
22068 }
22069
22070 \CloneTOCEntryStyle{tocline}{subsection}
22071 \TOCEntryStyleStartInitCode{subsection}{%
22072 \expandafter\renewcommand%
22073 \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
22074 \expandafter\renewcommand%
22075 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22076   {\normalfont\normalcolor ##1}}%
22077 }
22078
22079 \CloneTOCEntryStyle{subsection}{default}
22080
22081 \DeclareSectionCommand[%
22082 style=section,%
22083 level=1,%
22084 indent=\z@,%
22085 beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
22086 afterskip=2.3ex \@plus.2ex,%
22087 tocstyle=section,%
22088 tocindent=0pt,%
22089 tocnumwidth=1.5em%
22090 ]{section}
22091 \DeclareSectionCommand[%
22092 style=part,%
22093 level=\z@,%
22094 tocstyle=part,%
22095 toclevel=\m@ne,%
22096 tocindent=\z@,%
22097 tocnumwidth=2em%
22098 ]{part}
22099 \DeclareSectionCommand[%
22100 style=section,%

```



```

22101 level=2,%
22102 indent=\z@,%
22103 beforekip=-3.25ex\@plus -1ex \@minus -.2ex,%
22104 afterskip=1.5ex \@plus .2ex,%
22105 tocstyle=subsection,%
22106 tocindent=1.5em,%
22107 tocnumwidth=2.3em%
22108 ]{subsection}
22109 \DeclareSectionCommand[%
22110 style=section,%
22111 level=3,%
22112 indent=\z@,%
22113 beforekip=-3.25ex\@plus -1ex \@minus -.2ex,%
22114 afterskip=1.5ex \@plus .2ex,%
22115 tocstyle=subsection,%
22116 tocindent=3.8em,%
22117 tocnumwidth=3.2em%
22118 ]{subsubsection}
22119 \DeclareSectionCommand[%
22120 style=section,%
22121 level=4,%
22122 indent=\z@,%
22123 beforekip=3.25ex \@plus1ex \@minus .2ex,%
22124 afterskip=-1em,%
22125 tocstyle=subsection,%
22126 tocindentfollows=subsubsection,%
22127 tocindent=7.0em,%
22128 tocnumwidth=4.1em%
22129 ]{paragraph}
22130 \DeclareSectionCommand[%
22131 style=section,%
22132 level=5,%
22133 indent=\scr@parindent,%
22134 beforekip=3.25ex \@plus1ex \@minus .2ex,%
22135 afterskip=-1em,%
22136 tocstyle=subsection,%
22137 tocindent=10em,%
22138 tocnumwidth=5em%
22139 ]{subparagraph}

```

## 142 File scrbook-xetex-bidi.def

```

22140 \ProvidesFile{scrbook-xetex-bidi.def}[2022/05/27 v1.3 bidi adaptations for scrbook class for
22141 \newcommand{\scr@saved@LTRfootnotetext}{}
22142 \newcommand{\scr@saved@RTLfootnotetext}{}
22143 \let\scr@saved@footnotetext\@footnotetext
22144 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
22145 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
22146 \renewcommand{\@footnotetext}[1]{%
22147 \scr@saved@footnotetext{#1}%
22148 \curname FN@mfb@prepare\endcurname
22149 }
22150 \renewcommand{\@LTRfootnotetext}[1]{%
22151 \scr@saved@LTRfootnotetext{#1}%

```



```

22152 \csname FN@mf@prepare\endcsname
22153 }
22154 \renewcommand{\@RTLfootnotetext}[1]{%
22155   \scr@saved@RTLfootnotetext{#1}%
22156   \csname FN@mf@prepare\endcsname
22157 }
22158 \renewcommand\deffootnote[4] [] {%
22159   \expandafter\ifnum\scr@v@is@ge{3.22}\relax
22160   \long\def\@makefntext##1{%
22161     \ExecuteDoHook{footnote/text/begin}%
22162     \raggedfootnote
22163     \if@RTL
22164       \rightskip
22165     \else
22166       \leftskip
22167     \fi
22168     #2
22169     \l@addto@macro\@trivlist{%
22170       \ifnum\@listdepth=\@ne\advance
22171         \if@RTL
22172           \rightmargin #2\relax
22173         \else
22174           \leftmargin #2\relax
22175         \fi
22176       \fi
22177     }%
22178     \parindent #3\noindent
22179     \IfArgIsEmpty{#1}{-}{%
22180       \hskip \dimexpr #1-#2\relax
22181     }%
22182     \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
22183     \ExecuteDoHook{footnote/text/end}%
22184   }%
22185 \else
22186   \ClassInfo{\KOMAClassName}{%
22187     Using old \string\@makefntext\space due to compatibility
22188     level\MessageBreak
22189     less than 3.22}%
22190   \long\def\@makefntext##1{%
22191     \setlength{\@tempdimc}{#3}%
22192     \def\@tempa{#1}\ifx\@tempa\@empty
22193       \@setpar{\@@par
22194         \@tempdima = \hspace
22195         \addtolength{\@tempdima}{-#2}%
22196         \if@RTL
22197           \parshape \@ne \z@ \@tempdima
22198         \else
22199           \parshape \@ne #2 \@tempdima
22200         \fi
22201       }%
22202     \else
22203       \addtolength{\@tempdimc}{#2}%
22204       \addtolength{\@tempdimc}{-#1}%
22205       \@setpar{\@@par

```





```

22206         \@tempdima = \hspace
22207         \addtolength{\@tempdima}{-#1}%
22208         \@tempdimb = \hspace
22209         \addtolength{\@tempdimb}{-#2}%
22210         \ifRTL
22211             \parshape \tw@ \z@ \@tempdima \z@ \@tempdimb
22212         \else
22213             \parshape \tw@ #1 \@tempdima #2 \@tempdimb
22214         \fi
22215     }%
22216     \fi
22217     \par
22218     \parindent\@tempdimc\noindent
22219     \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
22220 }%
22221 \fi
22222 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
22223 }
22224 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
22225 \renewcommand*\left@footnoterule{%
22226     \normalsize\ftn@rule@test@values
22227     \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
22228     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
22229     {\usekomafont{footnoterule}{%
22230         \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
22231     \kern 2.6\p@}
22232 \renewcommand*\right@footnoterule{%
22233     \normalsize\ftn@rule@test@values
22234     \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
22235     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
22236     {\usekomafont{footnoterule}{%
22237         \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\
22238     \kern 2.6\p@}
22239 \renewcommand*\maketitle[1][1]{%
22240     \expandafter\ifnum \c@name scr@v@3.12\endcsname>\scr@compatibility\relax
22241     \else
22242         \def\and{%
22243             \end{tabular}%
22244             \hskip 1em \@plus.17fil%
22245             \begin{tabular}[t]{c}%
22246         }%
22247     \fi
22248     \if@titlepage
22249         \begin{titlepage}
22250             \setcounter{page}{%
22251                 #1%
22252             }%
22253             \if@titlepageiscoverpage
22254                 \edef\titlepage@restore{%
22255                     \noexpand\endgroup
22256                     \noexpand\global\noexpand\@colht\the\@colht
22257                     \noexpand\global\noexpand\@colroom\the\@colroom
22258                     \noexpand\global\vsizethe\vsizethe
22259                     \noexpand\global\noexpand\@titlepageiscoverpagefalse

```



```

22260         \noexpand\let\noexpand\titlepage@restore\noexpand\relax
22261     }%
22262     \begingroup
22263     \topmargin=\dimexpr \coverpagetopmargin-1in\relax
22264     \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
22265     \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
22266     \textwidth=\dimexpr
22267     \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
22268     \textheight=\dimexpr
22269     \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
22270     \headheight=0pt
22271     \headsep=0pt
22272     \footskip=\baselineskip
22273     \@colht=\textheight
22274     \@colroom=\textheight
22275     \vsize=\textheight
22276     \columnwidth=\textwidth
22277     \hsize=\columnwidth
22278     \linewidth=\hsize
22279     \else
22280         \let\titlepage@restore\relax
22281     \fi
22282     \let\footnotesize\small
22283     \let\right@footnoterule\relax
22284     \let\left@footnoterule\relax
22285     \let\textwidth@footnoterule\relax
22286     \let\footnote\thanks
22287     \let\LTRfootnote\LTRthanks
22288     \let\RTLfootnote\RTLthanks
22289     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
22290     \let\@oldmakefnmark\@makefnmark
22291     \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}%
22292     \ifx\@extratitle\@empty
22293         \ifx\@frontispiece\@empty
22294             \else
22295                 \if@twoside\mbox{}\next@tpage\fi
22296                 \noindent\@frontispiece\next@tdpage
22297             \fi
22298         \else
22299             \noindent\@extratitle
22300             \ifx\@frontispiece\@empty
22301                 \else
22302                     \next@tpage
22303                     \noindent\@frontispiece
22304                 \fi
22305                 \next@tdpage
22306             \fi
22307     \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
22308     \ifx\@titlehead\@empty \else
22309         \begin{minipage}[t]{\textwidth}%
22310             \usekomafont{titlehead}{\@titlehead\par}%
22311         \end{minipage}\par
22312     \fi
22313     \null\vfill

```



```

22314 \begin{center}
22315 \ifx\@subject\@empty \else
22316   {\usekomafont{subject}{\@subject\par}}%
22317   \vskip 3em
22318 \fi
22319 {\usekomafont{title}{\huge \@title\par}}%
22320 \vskip 1em
22321 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}{\@subtitle\par}\fi}%
22322 \vskip 2em
22323 {%
22324   \usekomafont{author}{%
22325     \lineskip 0.75em
22326     \begin{tabular}[t]{c}
22327       \@author
22328     \end{tabular}\par
22329   }%
22330 }%
22331 \vskip 1.5em
22332 {\usekomafont{date}{\@date \par}}%
22333 \vskip \z@ \@plus3fill
22334 {\usekomafont{publishers}{\@publishers \par}}%
22335 \vskip 3em
22336 \end{center}\par
22337 \@thanks\global\let\@thanks\@empty
22338 \vfill\null
22339 \if@twoside
22340   \@tempwatrue
22341   \expandafter\ifnum \@nameuse{scr@v@3.12}>\scr@compatibility\relax
22342   \else
22343     \ifx\@uppertitleback\@empty\ifx\@lowertitleback\@empty
22344       \@tempwafalse
22345     \fi\fi
22346   \fi
22347   \if@tempswa
22348     \next@tpage
22349     \begin{minipage}[t]{\textwidth}
22350       \@uppertitleback
22351     \end{minipage}\par
22352   \vfill
22353   \begin{minipage}[b]{\textwidth}
22354     \@lowertitleback
22355   \end{minipage}\par
22356   \@thanks\global\let\@thanks\@empty
22357   \fi
22358 \else
22359   \ifx\@uppertitleback\@empty\else
22360     \ClassWarning{\KOMAClassName}{%
22361       non empty \string\uppertitleback\space ignored
22362       by \string\maketitle\MessageBreak
22363       in `twoside=false' mode%
22364     }%
22365   \fi
22366   \ifx\@lowertitleback\@empty\else
22367     \ClassWarning{\KOMAClassName}{%

```



```

22368         non empty \string\lowertitleback\space ignored
22369         by \string\maketitle\MessageBreak
22370         in `twoside=false' mode%
22371     }%
22372     \fi
22373 \fi
22374 \ifx\@dedication\@empty
22375 \else
22376     \next@tdpage\null\vfill
22377     {\centering\usekomafont{dedication}{\@dedication \par}}%
22378     \vskip \z@ \@plus3fill
22379     \@thanks\global\let\@thanks\@empty
22380     \cleardoubleemptypage
22381 \fi
22382 \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
22383 \end{titlepage}
22384 \else
22385     \par
22386     \@tempcnta=%
22387     #1%
22388     \relax\ifnum\@tempcnta=1\else
22389         \ClassWarning{\KOMAClassName}{%
22390             Optional argument of \string\maketitle\space ignored\MessageBreak
22391             in `titlepage=false' mode%
22392         }%
22393     \fi
22394 \ifx\@uppertitleback\@empty\else
22395     \ClassWarning{\KOMAClassName}{%
22396         non empty \string\uppertitleback\space ignored
22397         by \string\maketitle\MessageBreak
22398         in `titlepage=false' mode%
22399     }%
22400 \fi
22401 \ifx\@lowertitleback\@empty\else
22402     \ClassWarning{\KOMAClassName}{%
22403         non empty \string\lowertitleback\space ignored
22404         by \string\maketitle\MessageBreak
22405         in `titlepage=false' mode%
22406     }%
22407 \fi
22408 \begingroup
22409     \let\titlepage@restore\relax
22410     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
22411     \let\@oldmakefnmark\@makefnmark
22412     \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
22413     \next@tdpage
22414     \if@twocolumn
22415         \ifnum \col@number=\@one
22416             \ifx\@extratitle\@empty
22417                 \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
22418             \else
22419                 \@makeextratitle
22420             \fi
22421             \ifx\@frontispiece\@empty

```



```

22422         \ifx@extratitle\@empty\else\next@tdpage\fi
22423     \else
22424         \next@tpage
22425         \@makefrontispiece
22426         \next@tdpage
22427     \fi
22428     \@maketitle
22429 \else
22430     \ifx\@extratitle\@empty
22431         \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
22432     \else
22433         \twocolumn[\@makeextratitle]%
22434     \fi
22435     \ifx\@frontispiece\@empty
22436         \ifx\@extratitle\@empty\else\next@tdpage\fi
22437     \else
22438         \next@tpage
22439         \twocolumn[\@makefrontispiece]%
22440         \next@tdpage
22441     \fi
22442     \twocolumn[\@maketitle]%
22443 \fi
22444 \else
22445     \ifx\@extratitle\@empty
22446         \ifx\@frontispiece\@empty\else \mbox{}\fi
22447     \else
22448         \@makeextratitle
22449     \fi
22450     \ifx\@frontispiece\@empty
22451         \ifx\@extratitle\@empty\else\next@tdpage\fi
22452     \else
22453         \next@tpage
22454         \@makefrontispiece
22455         \next@tdpage
22456     \fi
22457     \@maketitle
22458 \fi
22459     \ifx\titlepagestyle\@empty\else\thispagestyle{\titlepagestyle}\fi
22460     \@thanks\global\let\@thanks\@empty
22461 \endgroup
22462 \fi
22463 \setcounter{footnote}{0}%
22464 \expandafter\ifnum \cscname scr@v@3.12\endcscname>\scr@compatibility\relax
22465     \let\thanks\relax
22466     \let\LTRthanks\relax
22467     \let\RTLthanks\relax
22468     \let\maketitle\relax
22469     \let\@maketitle\relax
22470     \global\let\@thanks\@empty
22471     \global\let\@author\@empty
22472     \global\let\@date\@empty
22473     \global\let\@title\@empty
22474     \global\let\@subtitle\@empty
22475     \global\let\@extratitle\@empty

```



```

22476 \global\let\@frontispiece\@empty
22477 \global\let\@titlehead\@empty
22478 \global\let\@subject\@empty
22479 \global\let\@publishers\@empty
22480 \global\let\@uppertitleback\@empty
22481 \global\let\@lowertitleback\@empty
22482 \global\let\@dedication\@empty
22483 \global\let\author\relax
22484 \global\let\title\relax
22485 \global\let\extratitle\relax
22486 \global\let\titlehead\relax
22487 \global\let\subject\relax
22488 \global\let\publishers\relax
22489 \global\let\uppertitleback\relax
22490 \global\let\lowertitleback\relax
22491 \global\let\dedication\relax
22492 \global\let\date\relax
22493 \fi
22494 \global\let\and\relax
22495 }%
22496 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
22497 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
22498 \renewcommand*\thesection{%
22499 \expandafter\ifnum\scr@v@is>{2.97d}%
22500 \if@mainmatter\thechapter\@SepMark\fi
22501 \else
22502 \thechapter\@SepMark%
22503 \fi
22504 \@arabic\c@section
22505 }
22506 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
22507 \renewcommand*{\thesubsubsection}{%
22508 \thesubsection\@SepMark\@arabic\c@subsubsection
22509 }
22510 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
22511 \renewcommand*{\thesubparagraph}{%
22512 \theparagraph\@SepMark\@arabic\c@subparagraph
22513 }
22514 \expandafter\ifnum\scr@v@is<{2.97d}%
22515 \renewcommand*\thefigure{\thechapter\@SepMark\@arabic\c@figure}
22516 \fi
22517 \expandafter\ifnum\scr@v@is<{2.97d}%
22518 \renewcommand*\thetable{\thechapter\@SepMark\@arabic\c@table}
22519 \fi
22520 \renewcommand*{\theequation}{%
22521 \expandafter\ifnum\scr@v@is>{2.97d}%
22522 \if@mainmatter\thechapter\@SepMark\fi
22523 \else
22524 \thechapter\@SepMark%
22525 \fi
22526 \@arabic\c@equation
22527 }
22528 \renewenvironment{thebibliography}[1]{%
22529 \if@bib@break@

```



```

22530 \bib@beginhook
22531 \else
22532 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
22533 \setchapterpreamble{\bibpreamble}%
22534 \fi\fi
22535 \bib@heading
22536 \bib@beginhook
22537 \bib@before@hook
22538 \fi
22539 \renewcommand{\BreakBibliography}[1]{%
22540 \@bib@break
22541 \end{thebibliography}%
22542 \begingroup ##1\endgroup
22543 \begin{thebibliography}{#1}
22544 }%
22545 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
22546 \bidi@thebibliography@font@hook%
22547 \list{%
22548 \@biblabel{\@arabic\c@enumiv}%
22549 }{%
22550 \settowidth\labelwidth{\@biblabel{#1}}%
22551 \leftmargin\labelwidth
22552 \advance\leftmargin\labelsep
22553 \@openbib@code
22554 \if@bib@break@
22555 \edef\@tempa{%
22556 \noexpand\usecounter{enumiv}%
22557 \noexpand\setcounter{enumiv}{\the\c@enumiv}%
22558 }\@tempa
22559 \no@bib@break
22560 \else
22561 \usecounter{enumiv}%
22562 \fi
22563 \let\p@enumiv\@empty
22564 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
22565 }%
22566 \sloppy\clubpenalty4000 \widowpenalty4000
22567 \sfcode`\.=\@m
22568 }{%
22569 \if@bib@break@
22570 \def\@noitemerr{%
22571 \@latex@warning{%
22572 \string\BreakBibliography\space at begin of `thebibliography'
22573 environment\MessageBreak
22574 or following \string\BreakBibliography}%
22575 }%
22576 \else
22577 \def\@noitemerr{%
22578 \@latex@warning{%
22579 Empty `thebibliography' environment or
22580 \string\BreakBibliography\MessageBreak
22581 before end of `thebibliography' environment}%
22582 }%
22583 \fi

```



```

22584 \endlist
22585 \if@bib@break@
22586 \else
22587   \bib@after@hook
22588   \let\bib@before@hook\@empty
22589   \let\bib@after@hook\@empty
22590 \fi
22591 \bib@endhook
22592 }
22593 \renewcommand*\raggeddictum{\if@RTL\raggedright\else\raggedleft\fi}
22594 \renewcommand*\raggeddictumtext{\if@RTL\raggedleft\else\raggedright\fi}
22595 \renewcommand*\raggeddictumauthor{\if@RTL\raggedright\else\raggedleft\fi}
22596 \renewcommand\marginline[1]{%
22597   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright
22598 }
22599 \renewcommand{\@makecaption}[3]{%
22600   \cap@margin
22601   \begingroup
22602     \ifonelinecaptions
22603       \def\stepcounter##1{\advance\value{##1}\@ne}%
22604       \let\refstepcounter\stepcounter
22605       \let\label\@gobble
22606       \let\@footnotetext=\@gobble
22607       \let\@LTRfootnotetext=\@gobble
22608       \let\@RTLfootnotetext=\@gobble
22609       \let\hypertarget\@gobbletwo
22610       \edef\xnewline{%
22611         \unexpanded{\ClassInfo{\KOMACClassName}}{%
22612           Workaround for not recommended usage of \string\ or\MessageBreak
22613           \string\newline in caption text
22614         }%
22615         \hspace*{\linewidth}\hspace{1sp}%
22616       }%
22617       \unexpanded\expandafter{\xnewline}%
22618     }%
22619     \edef\@xcentercr{%
22620       \unexpanded{\ClassInfo{\KOMACClassName}}{%
22621         Workaround for not recommended usage of \string\ or\MessageBreak
22622         \string\newline in caption text
22623       }%
22624       \hspace*{\linewidth}\hspace{1sp}%
22625     }%
22626     \unexpanded\expandafter{\@xcentercr}%
22627   }%
22628   \settowidth{\@tempdima}{\scr@makesinglelinecaption{#1}{#2}{#3}}%
22629   \ifdim\@tempdima>\cap@width
22630     \aftergroup\scr@makemultilinecaption
22631   \else
22632     \aftergroup\scr@makesinglelinecaption
22633   \fi
22634 \else
22635   \aftergroup\scr@makemultilinecaption
22636 \fi
22637 \endgroup

```





```

22638   {#1}{#2}{#3}%
22639 }
22640 \renewcommand{\scr@makesinglelinecaption}[3]{%
22641   {%
22642     \usefontofkomafont{caption}{%
22643       \hb@xt@\hsize{%
22644         \cap@left
22645         \if@RTL
22646         \beginR
22647         \fi
22648         \scr@@makesinglelinecaption{#1}{#2}{#3}%
22649         \if@RTL
22650         \endR
22651         \fi
22652         \cap@right
22653       }\par\kern\dp\strutbox%
22654     }%
22655   }\kern-\dp\strutbox
22656 }
22657 \renewcommand{\@makecaption}[2]{%
22658   \if@captionabove
22659     \vskip\belowcaptionskip
22660   \else
22661     \vskip\abovecaptionskip
22662   \fi
22663   \@makecaption\@firstofone{#1}{#2}%
22664   \if@captionabove
22665     \vskip\abovecaptionskip
22666   \else
22667     \vskip\belowcaptionskip
22668   \fi
22669 }
22670
22671 \renewcommand{\scr@makesinglelinecaption}[3]{%
22672   {\usekomafont{caption}{\strut\ignorespaces
22673     #1{\usekomafont{captionlabel}{#2\captionformat}}}%
22674     \ignorespaces #3\unskip}}%
22675 }
22676
22677 \renewcommand{\scr@makemultilinecaption}[3]{%
22678   {%
22679     \usefontofkomafont{caption}{%
22680       \hb@xt@\hsize{%
22681         \cap@left
22682         \vbox{\hsize\cap@width\linewidth\hsize
22683           \scr@ifundefinedorrelax{@capttype}{%
22684             \ClassWarning{\KOMAClassName}{%
22685               `string\caption' outside float.\MessageBreak
22686               Seems you are using `string\caption' outside a
22687               float.\MessageBreak
22688               Maybe you are using a package that uses
22689               `string\@makecaption'\MessageBreak
22690               without setting `string\@capttype' before.\MessageBreak
22691               Because I cannot detect the caption type, I'm using\MessageBreak

```



```

22692         the empty one.%
22693     }%
22694     \let\@captype\@empty
22695 }{}%
22696 \scr@ifundefinedorrelax{ragged\@captype caption}{\raggedcaption}{%
22697     \@nameuse{ragged\@captype caption}%
22698 }%
22699 \ifdofullc@p
22700     \@hangfrom{%
22701         \strut
22702         \scr@smashdp{%
22703             #1{%
22704                 \usekomafont{caption}{%
22705                     \usekomafont{captionlabel}{#2\captionformat}%
22706                 }%
22707             }%
22708         }%
22709     }%
22710     {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
22711 \else
22712     \ifdim\cap@indent<\z@
22713         \strut
22714         #1{%
22715             {\usekomafont{caption}{%
22716                 \usekomafont{captionlabel}{#2\captionformat}%
22717             }%
22718         }\par}%
22719         \noindent{{\usekomafont{caption}{%
22720             \hspace*{-\cap@indent}#3\scr@endstrut
22721         }}\par}%
22722     \else
22723         \if@capbreak
22724             \strut
22725             #1{%
22726                 {\usekomafont{caption}{%
22727                     \usekomafont{captionlabel}{#2\captionformat}%
22728                 }%
22729             }\par}%
22730         \noindent\@hangfrom{\hspace*{\cap@indent}}%
22731         {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
22732     \else
22733         \@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
22734         {%
22735             \hspace{-\cap@indent}%
22736             \scr@smashdp{%
22737                 #1{\usekomafont{caption}{%
22738                     \usekomafont{captionlabel}{#2\captionformat}%
22739                 }%
22740             }%
22741         }%
22742         {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
22743     }%
22744     \fi
22745 \fi

```



```

22746         \fi
22747     }%
22748         \cap@right
22749     }\par\kern\dp\strutbox
22750 }%
22751 }\kern-\dp\strutbox
22752 }
22753
22754
22755 \bidi@AfterFile{longtable-xetex-bidi.def}{%
22756 \if@komalongtable
22757     \renewcommand{\LT@makecaption}[3]{%
22758         \noalign{%
22759             \if@captionabove
22760                 \vskip\belowcaptionskip
22761             \else
22762                 \vskip\abovecaptionskip
22763             \fi
22764         }%
22765         \LT@mcol\LT@cols c{%
22766             \hbox to\z@{\hss\parbox[t]{\linewidth{%
22767                 \def\@capttype{table}%
22768                 \@makecaption{#1}{#2}{#3}%
22769                 \endgraf
22770                 \if@captionabove
22771                     \vskip\abovecaptionskip
22772                 \else
22773                     \vskip\belowcaptionskip
22774                 \fi
22775                 }%
22776                 \hss
22777             }%
22778         }%
22779     }%
22780     \renewcommand*\{\scr@LT@array}{}%
22781     \let\scr@LT@array=\LT@array
22782     \renewcommand*\{\LT@array}{%
22783         \let\scr@caption=\LT@caption
22784         \def\captionabove{\noalign{\global\@captionabovetrue}%
22785             \scr@caption}%
22786         \def\captionbelow{\noalign{\global\@captionabovefalse}%
22787             \scr@caption}%
22788         \if@tablecaptionabove
22789             \let\LT@caption=\captionabove
22790         \else
22791             \let\LT@caption=\captionbelow
22792         \fi
22793         \scr@LT@array
22794     }%
22795     \ClassInfo{\KOMAClassName}{%
22796         longtable captions redefined%
22797     }%
22798 \fi
22799 }

```



```

22800
22801 \CloneTOCEntryStyle{tocline}{part}
22802 \TOCEntryStyleStartInitCode{part}{%
22803   \expandafter\renewcommand%
22804   \csname scr@tso@#1@linefill\endcsname{\hfill}%
22805   \expandafter\renewcommand%
22806   \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
22807   \expandafter\renewcommand%
22808   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22809     {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
22810   \expandafter\renewcommand\expandafter*%
22811   \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
22812 }
22813
22814 \CloneTOCEntryStyle{tocline}{chapter}
22815 \TOCEntryStyleStartInitCode{chapter}{%
22816   \expandafter\renewcommand%
22817   \csname scr@tso@#1@linefill\endcsname{%
22818     \if@chapterentrywithdots
22819       {\usekomafont{chapterentrydots}{\TOCLineLeaderFill}}\relax
22820     \else
22821       \hfill
22822     \fi
22823   }%
22824   \expandafter\renewcommand%
22825   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
22826   \expandafter\renewcommand%
22827   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22828     {\usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
22829   \expandafter\renewcommand\expandafter*%
22830   \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
22831 }
22832
22833 \CloneTOCEntryStyle{tocline}{section}
22834 \TOCEntryStyleStartInitCode{section}{%
22835   \expandafter\renewcommand%
22836   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
22837   \expandafter\renewcommand%
22838   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22839     {\normalfont\normalcolor ##1}}%
22840 }
22841
22842 \CloneTOCEntryStyle{section}{default}
22843
22844 \DeclareSectionCommand[%
22845   style=chapter,%
22846   level=\z@,%
22847   pagestyle=plain,%
22848   tocstyle=chapter,%
22849   tocindent=\z@,%
22850   tocnumwidth=1.5em%
22851 ]{chapter}
22852 \DeclareSectionCommand[%
22853   style=section,%

```



```

22854 level=1,%
22855 indent=\z@,%
22856 beforekip=-3.5ex \@plus -1ex \@minus -.2ex,%
22857 afterskip=2.3ex \@plus .2ex,%
22858 tocstyle=section,%
22859 tocindentfollows=chapter,%
22860 tocindent=1.5em,%
22861 tocnumwidth=2.3em%
22862 ]{section}
22863 \DeclareSectionCommand[%
22864 style=part,%
22865 level=\m@ne,%
22866 pagestyle=plain,%
22867 tocstyle=part,%
22868 toplevel=\m@ne,%
22869 tocindent=\z@,%
22870 tocnumwidth=2em%
22871 ]{part}
22872 \DeclareSectionCommand[%
22873 style=section,%
22874 level=2,%
22875 indent=\z@,%
22876 beforekip=-3.25ex \@plus -1ex \@minus -.2ex,%
22877 afterskip=1.5ex \@plus .2ex,%
22878 tocstyle=section,%
22879 tocindent=3.8em,%
22880 tocnumwidth=3.2em%
22881 ]{subsection}
22882 \DeclareSectionCommand[%
22883 style=section,%
22884 level=3,%
22885 indent=\z@,%
22886 beforekip=-3.25ex \@plus -1ex \@minus -.2ex,%
22887 afterskip=1.5ex \@plus .2ex,%
22888 tocstyle=section,%
22889 tocindent=7.0em,%
22890 tocnumwidth=4.1em%
22891 ]{subsubsection}
22892 \DeclareSectionCommand[%
22893 style=section,%
22894 level=4,%
22895 indent=\z@,%
22896 beforekip=3.25ex \@plus 1ex \@minus .2ex,%
22897 afterskip=-1em,%
22898 tocindentfollows=subsubsection,%
22899 tocstyle=section,%
22900 tocindent=10em,%
22901 tocnumwidth=5em%
22902 ]{paragraph}
22903 \DeclareSectionCommand[%
22904 style=section,%
22905 level=5,%
22906 indent=\scr@parindent,%
22907 beforekip=3.25ex \@plus 1ex \@minus .2ex,%

```



```

22908 afterskip=-1em,%
22909 tocstyle=section,%
22910 tocindent=12em,%
22911 tocnwidth=6em%
22912 ]{subparagraph}

```

## 143 File scrreprt-xetex-bidi.def

```

22913 \ProvidesFile{scrreprt-xetex-bidi.def}[2022/05/27 v1.3 bidi adaptations for scrreprt class f
22914 \newcommand{\scr@saved@LTRfootnotetext}{}
22915 \newcommand{\scr@saved@RTLfootnotetext}{}
22916 \let\scr@saved@footnotetext\@footnotetext
22917 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
22918 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
22919 \renewcommand{\@footnotetext}[1]{%
22920   \scr@saved@footnotetext{#1}%
22921   \csname FN@mf@prepare\endcsname
22922 }
22923 \renewcommand{\@LTRfootnotetext}[1]{%
22924   \scr@saved@LTRfootnotetext{#1}%
22925   \csname FN@mf@prepare\endcsname
22926 }
22927 \renewcommand{\@RTLfootnotetext}[1]{%
22928   \scr@saved@RTLfootnotetext{#1}%
22929   \csname FN@mf@prepare\endcsname
22930 }
22931 \renewcommand\deffootnote[4] []{%
22932   \expandafter\ifnum\scr@v@is@ge{3.22}\relax
22933     \long\def\@makefntext##1{%
22934       \ExecuteDoHook{footnote/text/begin}%
22935       \raggedfootnote
22936       \if@RTL
22937         \rightskip
22938       \else
22939         \leftskip
22940       \fi
22941       #2
22942       \l@addto@macro\@trivlist{%
22943         \ifnum\@listdepth=\@ne
22944           \if@RTL
22945             \advance\rightmargin #2\relax
22946           \else
22947             \advance\leftmargin #2\relax
22948           \fi
22949         \fi
22950       }%
22951       \parindent #3\noindent
22952       \IfArgIsEmpty{#1}{-}{%
22953         \hskip \dimexpr #1-#2\relax
22954       }%
22955       \ftn@font\hbox to \z@{\hss\@makefntext}##1%
22956       \ExecuteDoHook{footnote/text/end}%
22957     }%
22958   \else

```



```

22959 \ClassInfo{\KOMAClassName}{%
22960 Using old \string\@makefnmark\space due to compatibility
22961 level\MessageBreak
22962 less than 3.22}%
22963 \long\def\@makefnmark##1{%
22964 \setlength{\@tempdimc}{#3}%
22965 \def\@tempa{#1}\ifx\@tempa\@empty
22966 \setpar{\@par
22967 \@tempdima = \hspace
22968 \addtolength{\@tempdima}{-#2}%
22969 \if@RTL
22970 \parshape \@ne \z@ \@tempdima
22971 \else
22972 \parshape \@ne #2 \@tempdima
22973 \fi
22974 }%
22975 \else
22976 \addtolength{\@tempdimc}{#2}%
22977 \addtolength{\@tempdimc}{-#1}%
22978 \setpar{\@par
22979 \@tempdima = \hspace
22980 \addtolength{\@tempdima}{-#1}%
22981 \@tempdimb = \hspace
22982 \addtolength{\@tempdimb}{-#2}%
22983 \if@RTL
22984 \parshape \tw@ \z@ \@tempdima \z@ \@tempdimb
22985 \else
22986 \parshape \tw@ #1 \@tempdima #2 \@tempdimb
22987 \fi
22988 }%
22989 \fi
22990 \par
22991 \parindent\@tempdimc\noindent
22992 \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
22993 }%
22994 \fi
22995 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
22996 }
22997 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
22998 \renewcommand*\left@footnoterule{%
22999 \normalsize\ftn@rule@test@values
23000 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
23001 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
23002 {\usekomafont{footnoterule}{%
23003 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
23004 \kern 2.6\p@}
23005 \renewcommand*\right@footnoterule{%
23006 \normalsize\ftn@rule@test@values
23007 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
23008 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
23009 {\usekomafont{footnoterule}{%
23010 \hbox to \columnwidth{\hspace \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\l
23011 \kern 2.6\p@}
23012 \renewcommand*\maketitle[1][1]{%

```



```

23013 \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
23014 \else
23015   \def\and{%
23016     \end{tabular}%
23017     \hskip 1em \@plus.17fil%
23018     \begin{tabular}[t]{c}%
23019   }%
23020 \fi
23021 \if@titlepage
23022   \begin{titlepage}
23023     \setcounter{page}{%
23024       #1%
23025     }%
23026     \if@titlepageiscoverpage
23027       \edef\tITLEPAGE@restore{%
23028         \noexpand\endgroup
23029         \noexpand\global\noexpand\@colht\the\@colht
23030         \noexpand\global\noexpand\@colroom\the\@colroom
23031         \noexpand\global\vsizethe\vsizethe
23032         \noexpand\global\noexpand\@titlepageiscoverpagefalse
23033         \noexpand\let\noexpand\tITLEPAGE@restore\noexpand\relax
23034       }%
23035       \begingroup
23036         \topmargin=\dimexpr \coverpagetopmargin-1in\relax
23037         \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
23038         \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
23039         \textwidth=\dimexpr
23040         \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
23041         \textheight=\dimexpr
23042         \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
23043         \headheight=0pt
23044         \headsep=0pt
23045         \footskip=\baselineskip
23046         \@colht=\textheight
23047         \@colroom=\textheight
23048         \vsizethe=\textheight
23049         \columnwidth=\textwidth
23050         \hsizethe=\columnwidth
23051         \linewidth=\hsizethe
23052       \else
23053         \let\tITLEPAGE@restore\relax
23054       \fi
23055       \let\footnotesize\small
23056       \let\right@footnoterule\relax
23057       \let\left@footnoterule\relax
23058       \let\textwidth@footnoterule\relax
23059       \let\footnote\thanks
23060       \let\LTRfootnote\LTRthanks
23061       \let\RTLfootnote\RTLthanks
23062       \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
23063       \let\@oldmakefnmark\@makefnmark
23064       \renewcommand*\@makefnmark{\@rlap\@oldmakefnmark}%
23065       \ifx\@extratitle\empty
23066         \ifx\@frontispiece\empty

```





```

23067         \else
23068             \if@twoside\mbox{}\next@tpage\fi
23069             \noindent\@frontispiece\next@tdpage
23070         \fi
23071     \else
23072         \noindent\@extratitle
23073         \ifx\@frontispiece\@empty
23074             \else
23075                 \next@tpage
23076                 \noindent\@frontispiece
23077             \fi
23078             \next@tdpage
23079         \fi
23080     \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
23081     \ifx\@titlehead\@empty \else
23082         \begin{minipage}[t]{\textwidth}%
23083             \usekomafont{titlehead}{\@titlehead\par}%
23084         \end{minipage}\par
23085     \fi
23086     \null\vfill
23087     \begin{center}
23088         \ifx\@subject\@empty \else
23089             {\usekomafont{subject}{\@subject\par}}%
23090             \vskip 3em
23091         \fi
23092         {\usekomafont{title}{\huge \@title\par}}%
23093         \vskip 1em
23094         {\ifx\@subtitle\@empty\else\usekomafont{subtitle}{\@subtitle\par}\fi}%
23095         \vskip 2em
23096         {%
23097             \usekomafont{author}{%
23098                 \lineskip 0.75em
23099                 \begin{tabular}[t]{c}
23100                     \@author
23101                 \end{tabular}\par
23102             }%
23103         }%
23104         \vskip 1.5em
23105         {\usekomafont{date}{\@date \par}}%
23106         \vskip \z@ \@plus3fill
23107         {\usekomafont{publishers}{\@publishers \par}}%
23108         \vskip 3em
23109     \end{center}\par
23110     \@thanks\global\let\@thanks\@empty
23111     \vfill\null
23112     \if@twoside
23113         \@tempswatrue
23114         \expandafter\ifnum \@nameuse{scr@v@3.12}>\scr@compatibility\relax
23115     \else
23116         \ifx\@uppertitleback\@empty\ifx\@lowertitleback\@empty
23117             \@tempswafalse
23118         \fi\fi
23119     \fi
23120     \if@tempswa

```



```

23121         \next@tpage
23122         \begin{minipage}[t]{\textwidth}
23123             \@uppertitleback
23124         \end{minipage}\par
23125         \vfill
23126         \begin{minipage}[b]{\textwidth}
23127             \@lowertitleback
23128         \end{minipage}\par
23129         \@thanks\global\let\@thanks\@empty
23130     \fi
23131 \else
23132     \ifx\@uppertitleback\@empty\else
23133         \ClassWarning{\KOMAClassName}{%
23134             non empty \string\uppertitleback\space ignored
23135             by \string\maketitle\MessageBreak
23136             in `twoside=false' mode%
23137         }%
23138     \fi
23139     \ifx\@lowertitleback\@empty\else
23140         \ClassWarning{\KOMAClassName}{%
23141             non empty \string\lowertitleback\space ignored
23142             by \string\maketitle\MessageBreak
23143             in `twoside=false' mode%
23144         }%
23145     \fi
23146 \fi
23147 \ifx\@dedication\@empty
23148 \else
23149     \next@tdpage\null\vfill
23150     {\centering\usekomafont{dedication}{\@dedication \par}}%
23151     \vskip \z@ \@plus3fill
23152     \@thanks\global\let\@thanks\@empty
23153     \cleardoubleemptypage
23154 \fi
23155 \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
23156 \end{titlepage}
23157 \else
23158     \par
23159     \@tempcnta=%
23160     #1%
23161     \relax\ifnum\@tempcnta=1\else
23162         \ClassWarning{\KOMAClassName}{%
23163             Optional argument of \string\maketitle\space ignored\MessageBreak
23164             in `titlepage=false' mode%
23165         }%
23166     \fi
23167     \ifx\@uppertitleback\@empty\else
23168         \ClassWarning{\KOMAClassName}{%
23169             non empty \string\uppertitleback\space ignored
23170             by \string\maketitle\MessageBreak
23171             in `titlepage=false' mode%
23172         }%
23173     \fi
23174     \ifx\@lowertitleback\@empty\else

```



```

23175 \ClassWarning{\KOMAClassName}{%
23176 non empty \string\lowertitleback\space ignored
23177 by \string\maketitle\MessageBreak
23178 in `titlepage=false' mode%
23179 }%
23180 \fi
23181 \begingroup
23182 \let\titlepage@restore\relax
23183 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
23184 \let\@oldmakefnmark\@makefnmark
23185 \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
23186 \next@tdpage
23187 \if@twocolumn
23188 \ifnum \col@number=\@one
23189 \ifx\@extratitle\@empty
23190 \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
23191 \else
23192 \@makeextratitle
23193 \fi
23194 \ifx\@frontispiece\@empty
23195 \ifx\@extratitle\@empty\else\next@tdpage\fi
23196 \else
23197 \next@tpage
23198 \@makefrontispiece
23199 \next@tdpage
23200 \fi
23201 \@maketitle
23202 \else
23203 \ifx\@extratitle\@empty
23204 \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
23205 \else
23206 \twocolumn[\@makeextratitle]%
23207 \fi
23208 \ifx\@frontispiece\@empty
23209 \ifx\@extratitle\@empty\else\next@tdpage\fi
23210 \else
23211 \next@tpage
23212 \twocolumn[\@makefrontispiece]%
23213 \next@tdpage
23214 \fi
23215 \twocolumn[\@maketitle]%
23216 \fi
23217 \else
23218 \ifx\@extratitle\@empty
23219 \ifx\@frontispiece\@empty\else \mbox{}\fi
23220 \else
23221 \@makeextratitle
23222 \fi
23223 \ifx\@frontispiece\@empty
23224 \ifx\@extratitle\@empty\else\next@tdpage\fi
23225 \else
23226 \next@tpage
23227 \@makefrontispiece
23228 \next@tdpage

```



```

23229     \fi
23230     \@maketitle
23231     \fi
23232     \ifx\titlepagestyle\@empty\else\thispagestyle{\titlepagestyle}\fi
23233     \@thanks\global\let\@thanks\@empty
23234 \endgroup
23235 \fi
23236 \setcounter{footnote}{0}%
23237 \expandafter\ifnum \cscname scr@v@3.12\endcscname>\scr@compatibility\relax
23238 \let\thanks\relax
23239 \let\LTRthanks\relax
23240 \let\RTLthanks\relax
23241 \let\maketitle\relax
23242 \let\@maketitle\relax
23243 \global\let\@thanks\@empty
23244 \global\let\@author\@empty
23245 \global\let\@date\@empty
23246 \global\let\@title\@empty
23247 \global\let\@subtitle\@empty
23248 \global\let\@extratitle\@empty
23249 \global\let\@frontispiece\@empty
23250 \global\let\@titlehead\@empty
23251 \global\let\@subject\@empty
23252 \global\let\@publishers\@empty
23253 \global\let\@uppertitleback\@empty
23254 \global\let\@lowertitleback\@empty
23255 \global\let\@dedication\@empty
23256 \global\let\author\relax
23257 \global\let\title\relax
23258 \global\let\extratitle\relax
23259 \global\let\titlehead\relax
23260 \global\let\subject\relax
23261 \global\let\publishers\relax
23262 \global\let\uppertitleback\relax
23263 \global\let\lowertitleback\relax
23264 \global\let\dedication\relax
23265 \global\let\date\relax
23266 \fi
23267 \global\let\and\relax
23268 }%
23269 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
23270 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
23271 \renewcommand*\thesection{%
23272   \thechapter\@SepMark%
23273   \@arabic\c@section
23274 }
23275 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
23276 \renewcommand*{\thesubsubsection}{%
23277   \thesubsection\@SepMark\@arabic\c@subsubsection
23278 }
23279 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
23280 \renewcommand*{\thesubparagraph}{%
23281   \theparagraph\@SepMark\@arabic\c@subparagraph
23282 }

```



```

23283 \expandafter\ifnum\scr@v@is@le{2.97d}%
23284 \renewcommand*\thefigure{\thechapter\@SepMark\@arabic\c@figure}
23285 \fi
23286 \expandafter\ifnum\scr@v@is@le{2.97d}%
23287 \renewcommand*\thetable{\thechapter\@SepMark\@arabic\c@table}
23288 \fi
23289 \renewcommand*\theequation{%
23290 \thechapter\@SepMark%
23291 \@arabic\c@equation
23292 }
23293 \renewenvironment{thebibliography}[1]{%
23294 \if@bib@break@
23295 \bib@beginhook
23296 \else
23297 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
23298 \setchapterpreamble{\bibpreamble}%
23299 \fi\fi
23300 \bib@heading
23301 \bib@beginhook
23302 \bib@before@hook
23303 \fi
23304 \renewcommand{\BreakBibliography}[1]{%
23305 \@bib@break
23306 \end{thebibliography}%
23307 \begingroup ##1\endgroup
23308 \begin{thebibliography}#{1}
23309 }%
23310 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
23311 \bidi@thebibliography@font@hook%
23312 \list{%
23313 \@biblabel{\@arabic\c@enumiv}%
23314 }{%
23315 \settowidth\labelwidth{\@biblabel{#1}}%
23316 \leftmargin\labelwidth
23317 \advance\leftmargin\labelsep
23318 \@openbib@code
23319 \if@bib@break@
23320 \edef\@tempa{%
23321 \noexpand\usecounter{enumiv}%
23322 \noexpand\setcounter{enumiv}{\the\c@enumiv}%
23323 }\@tempa
23324 \no@bib@break
23325 \else
23326 \usecounter{enumiv}%
23327 \fi
23328 \let\p@enumiv\@empty
23329 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
23330 }%
23331 \sloppy\clubpenalty4000 \widowpenalty4000
23332 \sfcode`.=\@m
23333 }{%
23334 \if@bib@break@
23335 \def\@noitemerr{%
23336 \@latex@warning{%

```



```

23337     \string\BreakBibliography\space at begin of `thebibliography'
23338     environment\MessageBreak
23339     or following \string\BreakBibliography}%
23340 }%
23341 \else
23342   \def\@noitemerr{%
23343     \@latex@warning{%
23344       Empty `thebibliography' environment or
23345       \string\BreakBibliography\MessageBreak
23346       before end of `thebibliography' environment}%
23347   }%
23348 \fi
23349 \endlist
23350 \if@bib@break@
23351 \else
23352   \bib@after@hook
23353   \let\bib@before@hook\@empty
23354   \let\bib@after@hook\@empty
23355 \fi
23356 \bib@endhook
23357 }
23358 \renewcommand*\raggeddictum{\if@RTL\raggedright\else\raggedleft\fi}
23359 \renewcommand*\raggeddictumtext{\if@RTL\raggedleft\else\raggedright\fi}
23360 \renewcommand*\raggeddictumauthor{\if@RTL\raggedright\else\raggedleft\fi}
23361 \renewcommand\marginline[1]{%
23362   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright
23363 }
23364 \renewcommand{\@makecaption}[3]{%
23365   \cap@margin
23366   \begingroup
23367     \ifonelinecaptions
23368     \def\stepcounter##1{\advance\value{##1}\@one}%
23369     \let\refstepcounter\stepcounter
23370     \let\label@gobble
23371     \let\@footnotetext=@gobble
23372     \let\@LTRfootnotetext=@gobble
23373     \let\@RTLfootnotetext=@gobble
23374     \let\hypertarget@gobbletwo
23375     \edef\xnewline{%
23376       \unexpanded{\ClassInfo{\KOMAClassName}}{%
23377         Workaround for not recommended usage of \string\\ or\MessageBreak
23378         \string\newline in caption text
23379       }%
23380       \hspace*{\linewidth}\hspace{1sp}%
23381     }%
23382     \unexpanded\expandafter{\xnewline}%
23383   }%
23384   \edef\xcentercr{%
23385     \unexpanded{\ClassInfo{\KOMAClassName}}{%
23386       Workaround for not recommended usage of \string\\ or\MessageBreak
23387       \string\newline in caption text
23388     }%
23389     \hspace*{\linewidth}\hspace{1sp}%
23390   }%

```



```

23391         \unexpanded\expandafter{\@xcentercr}%
23392     }%
23393     \settowidth{\@tempdima}{\scr@makesinglelinecaption{#1}{#2}{#3}}%
23394     \ifdim\@tempdima>\cap@width
23395         \aftergroup\scr@makemultilinecaption
23396     \else
23397         \aftergroup\scr@makesinglelinecaption
23398     \fi
23399     \else
23400         \aftergroup\scr@makemultilinecaption
23401     \fi
23402 \endgroup
23403 {#1}{#2}{#3}%
23404 }
23405 \renewcommand{\scr@makesinglelinecaption}[3]{%
23406     {%
23407         \usefontofkomafont{caption}{%
23408             \hb@xt@\hsize{%
23409                 \cap@left
23410                 \if@RTL
23411                     \beginR
23412                 \fi
23413                 \scr@makesinglelinecaption{#1}{#2}{#3}%
23414                 \if@RTL
23415                     \endR
23416                 \fi
23417                 \cap@right
23418             }\par\kern\dp\strutbox%
23419         }%
23420     }\kern-\dp\strutbox
23421 }
23422 \renewcommand{\@makecaption}[2]{%
23423     \if@captionabove
23424         \vskip\belowcaptionskip
23425     \else
23426         \vskip\abovecaptionskip
23427     \fi
23428     \@makecaption\@firstofone{#1}{#2}%
23429     \if@captionabove
23430         \vskip\abovecaptionskip
23431     \else
23432         \vskip\belowcaptionskip
23433     \fi
23434 }
23435
23436 \renewcommand{\scr@makesinglelinecaption}[3]{%
23437     {\usekomafont{caption}{\strut\ignorespaces
23438         #1{\usekomafont{captionlabel}{#2\captionformat}}}%
23439         \ignorespaces #3\unskip}}%
23440 }
23441
23442 \renewcommand{\scr@makemultilinecaption}[3]{%
23443     {%
23444         \usefontofkomafont{caption}{%

```



```

23445 \hb@xt@\hsize{%
23446 \cap@left
23447 \vbox{\hsize\cap@width\linewidth\hsize
23448 \scr@ifundefinedorrelax{@captype}{%
23449 \ClassWarning{\KOMAClassName}{%
23450 `string\caption' outside float.\MessageBreak
23451 Seems you are using `string\caption' outside a
23452 float.\MessageBreak
23453 Maybe you are using a package that uses
23454 `string\@makecaption'\MessageBreak
23455 without setting `string\@captype' before.\MessageBreak
23456 Because I cannot detect the caption type, I'm using\MessageBreak
23457 the empty one.%
23458 }%
23459 \let\@captype\@empty
23460 }{}%
23461 \scr@ifundefinedorrelax[ragged\@captype caption]{\raggedcaption}{%
23462 \@nameuse{ragged\@captype caption}%
23463 }%
23464 \ifdofullc@p
23465 \hangfrom{%
23466 \strut
23467 \scr@smashdp{%
23468 #1{%
23469 \usekomafont{caption}{%
23470 \usekomafont{captionlabel}{#2\captionformat}%
23471 }%
23472 }%
23473 }%
23474 }%
23475 {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
23476 \else
23477 \ifdim\cap@indent<\z@
23478 \strut
23479 #1{%
23480 {\usekomafont{caption}{%
23481 \usekomafont{captionlabel}{#2\captionformat}%
23482 }%
23483 }\par}%
23484 \noindent{{\usekomafont{caption}{%
23485 \hspace*{-\cap@indent}\scr@endstrut
23486 }}\par}%
23487 \else
23488 \if@capbreak
23489 \strut
23490 #1{%
23491 {\usekomafont{caption}{%
23492 \usekomafont{captionlabel}{#2\captionformat}%
23493 }%
23494 }\par}%
23495 \noindent\hangfrom{\hspace*{\cap@indent}}%
23496 {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
23497 \else
23498 \hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%

```





```

23499         {%
23500             \hspace{-\cap@indent}%
23501             \scr@smashdp{%
23502                 #1{\usekomafont{caption}{%
23503                     \usekomafont{captionlabel}{#2\captionformat}%
23504                 }}%
23505             }%
23506         }%
23507         {\usekomafont{caption}{#3\scr@endstrut}}\par}%
23508     }%
23509     \fi
23510     \fi
23511     \fi
23512 }%
23513     \cap@right
23514 } \par \kern \dp \strutbox
23515 }%
23516 } \kern - \dp \strutbox
23517 }
23518
23519
23520 \bidi@AfterFile{longtable-xetex-bidi.def}{%
23521     \if@komalongtable
23522         \renewcommand{\LT@makecaption}[3]{%
23523             \noalign{%
23524                 \if@captionabove
23525                     \vskip\belowcaptionskip
23526                 \else
23527                     \vskip\abovecaptionskip
23528                 \fi
23529             }%
23530             \LT@mcol\LT@cols c{%
23531                 \hbox to\z@{\hss\parbox[t]{linewidth{%
23532                     \def\@capttype{table}%
23533                     \@makecaption{#1}{#2}{#3}%
23534                     \endgraf
23535                     \if@captionabove
23536                         \vskip\abovecaptionskip
23537                     \else
23538                         \vskip\belowcaptionskip
23539                     \fi
23540                 }}%
23541                 \hss
23542             }%
23543         }%
23544     }%
23545     \renewcommand*{\scr@LT@array}{}%
23546     \let\scr@LT@array=\LT@array
23547     \renewcommand*{\LT@array}{%
23548         \let\scr@caption=\LT@caption
23549         \def\captionabove{\noalign{\global\@captionabovetrue}%
23550             \scr@caption}%
23551         \def\captionbelow{\noalign{\global\@captionabovefalse}%
23552             \scr@caption}%

```



```

23553     \if@tablecaptionabove
23554         \let\LT@caption=\captionabove
23555     \else
23556         \let\LT@caption=\captionbelow
23557     \fi
23558     \scr@LT@array
23559 }%
23560 \ClassInfo{\KOMAClassName}{%
23561     longtable captions redefined%
23562 }%
23563 \fi
23564 }
23565
23566 \CloneTOCEntryStyle{tocline}{part}
23567 \TOCEntryStyleStartInitCode{part}{%
23568     \expandafter\renewcommand%
23569     \csname scr@tso@#1@linefill\endcsname{\hfill}%
23570     \expandafter\renewcommand%
23571     \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
23572     \expandafter\renewcommand%
23573     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
23574         {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}}%
23575     \expandafter\renewcommand\expandafter*%
23576     \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
23577 }
23578
23579 \CloneTOCEntryStyle{tocline}{chapter}
23580 \TOCEntryStyleStartInitCode{chapter}{%
23581     \expandafter\renewcommand%
23582     \csname scr@tso@#1@linefill\endcsname{%
23583         \if@chapterentrywithdots
23584             {\usekomafont{chapterentrydots}{\TOCLineLeaderFill}}\relax
23585         \else
23586             \hfill
23587         \fi
23588     }%
23589     \expandafter\renewcommand%
23590     \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
23591     \expandafter\renewcommand%
23592     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
23593         {\usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}}%
23594     \expandafter\renewcommand\expandafter*%
23595     \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
23596 }
23597
23598 \CloneTOCEntryStyle{tocline}{section}
23599 \TOCEntryStyleStartInitCode{section}{%
23600     \expandafter\renewcommand%
23601     \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
23602     \expandafter\renewcommand%
23603     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
23604         {\normalfont\normalcolor ##1}}%
23605 }
23606

```



```

23607 \CloneTOCEntryStyle{section}{default}
23608
23609 \DeclareSectionCommand[%
23610   style=chapter,%
23611   level=\z@,%
23612   pagestyle=plain,%
23613   tocstyle=chapter,%
23614   tocindent=\z@,%
23615   tocnumwidth=1.5em%
23616 ]{chapter}
23617 \DeclareSectionCommand[%
23618   style=section,%
23619   level=1,%
23620   indent=\z@,%
23621   beforekip=-3.5ex \@plus -1ex \@minus -.2ex,%
23622   afterskip=2.3ex \@plus .2ex,%
23623   tocstyle=section,%
23624   tocindentfollows=chapter,%
23625   tocindent=1.5em,%
23626   tocnumwidth=2.3em%
23627 ]{section}
23628 \DeclareSectionCommand[%
23629   style=part,%
23630   level=\m@ne,%
23631   pagestyle=plain,%
23632   tocstyle=part,%
23633   toplevel=\m@ne,%
23634   tocindent=\z@,%
23635   tocnumwidth=2em%
23636 ]{part}
23637 \DeclareSectionCommand[%
23638   style=section,%
23639   level=2,%
23640   indent=\z@,%
23641   beforekip=-3.25ex \@plus -1ex \@minus -.2ex,%
23642   afterskip=1.5ex \@plus .2ex,%
23643   tocstyle=section,%
23644   tocindent=3.8em,%
23645   tocnumwidth=3.2em%
23646 ]{subsection}
23647 \DeclareSectionCommand[%
23648   style=section,%
23649   level=3,%
23650   indent=\z@,%
23651   beforekip=-3.25ex \@plus -1ex \@minus -.2ex,%
23652   afterskip=1.5ex \@plus .2ex,%
23653   tocstyle=section,%
23654   tocindent=7.0em,%
23655   tocnumwidth=4.1em%
23656 ]{subsubsection}
23657 \DeclareSectionCommand[%
23658   style=section,%
23659   level=4,%
23660   indent=\z@,%

```



```

23661 beforekip=3.25ex \@plus1ex \@minus.2ex,%
23662 afterskip=-1em,%
23663 tocindentfollows=subsubsection,%
23664 tocstyle=section,%
23665 tocindent=10em,%
23666 tocnwidth=5em%
23667 ]{paragraph}
23668 \DeclareSectionCommand[%
23669 style=section,%
23670 level=5,%
23671 indent=\scr@parindent,%
23672 beforekip=3.25ex \@plus1ex \@minus.2ex,%
23673 afterskip=-1em,%
23674 tocstyle=section,%
23675 tocindent=12em,%
23676 tocnwidth=6em%
23677 ]{subparagraph}

```

## 144 File sidecap-xetex-bidi.def

```

23678 \ProvidesFile{sidecap-xetex-bidi.def}[2025/01/03 v0.2 bidi adaptations for sidecap package f
23679 \RequirePackage{ragged2e}
23680 \renewcommand*{\SC@FLOAT}[2]{\if@RTL%
23681 \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}\else%
23682 \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}\fi}
23683 \renewcommand*{\SC@justify@caption}{\if@RTL%
23684 \isSC@ODD{\RaggedLeft}{\RaggedRight}}\else%
23685 \isSC@ODD{\RaggedRight}{\RaggedLeft}}\fi}
23686
23687 \@ifpackagewith{sidecap}{innercaption}{%
23688 \if@RTL \renewcommand*{\SC@FLOAT}[2]{%
23689 \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}}}
23690 \renewcommand*{\SC@justify@caption}{%
23691 \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else
23692 \renewcommand*{\SC@FLOAT}[2]{%
23693 \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}}}
23694 \renewcommand*{\SC@justify@caption}{%
23695 \isSC@ODD{\RaggedLeft}{\RaggedRight}}\fi}
23696 }{}
23697
23698 \@ifpackagewith{sidecap}{rightcaption}{%
23699 \if@RTL \renewcommand*{\SC@FLOAT}[2]{#1}\hspace{\sidecaptionsep}{#2}}
23700 \def\SC@justify@caption{\RaggedLeft}\else%
23701 \renewcommand*{\SC@FLOAT}[2]{#2}\hspace{\sidecaptionsep}{#1}}
23702 \def\SC@justify@caption{\RaggedRight}}\fi}
23703 }{}
23704
23705 \@ifpackagewith{sidecap}{leftcaption}{%
23706 \if@RTL \renewcommand*{\SC@FLOAT}[2]{#2}\hspace{\sidecaptionsep}{#1}}
23707 \def\SC@justify@caption{\RaggedRight}\else%
23708 \renewcommand*{\SC@FLOAT}[2]{#1}\hspace{\sidecaptionsep}{#2}}
23709 \def\SC@justify@caption{\RaggedLeft}}\fi}
23710 }{}

```



## 145 File soul-xetex-bidi.def

```
23711 \ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeTeX]
23712 \long\def\SOUL@start#1{%
23713   \let\bidi@RTL@everypar\@empty
23714   \let\<\SOUL@lowerthan
23715   \let\>\empty
23716   \def\soulomit{\noexpand\soulomit}%
23717   \gdef\SOUL@eventuallyexhyphen##1{%
23718     \let\SOUL@soeventuallyskip\relax
23719     \SOUL@spaceskip=\fontdimen\tw@\font\@plus\fontdimen\thr@\font
23720       \@minus\fontdimen4\font
23721     \SOUL@ignorespacesfalse
23722     \leavevmode
23723     \SOUL@preamble
23724     \SOUL@lasttoken={}%
23725     \SOUL@word={}%
23726     \SOUL@minus\z@
23727     \SOUL@comma\z@
23728     \SOUL@apo\z@
23729     \SOUL@grave\z@
23730     \SOUL@do{#1}%
23731     \SOUL@postamble
23732 }}
23733 \def\SOUL@ulunderline#1{%
23734   \setbox\z@\hbox{#1}%
23735   \dimen@=\wd\z@
23736   \dimen@i=\SOUL@uloverlap
23737   \advance\dimen@2\dimen@i
23738   \if@RTL
23739     \unhcopy\z@
23740     \llap{%
23741       \null
23742       \kern-\dimen@i
23743       \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
23744     }%
23745   \else
23746     \rlap{%
23747       \null
23748       \kern-\dimen@i
23749       \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
23750     }%
23751     \unhcopy\z@
23752     \fi
23753 }}
23754 \def\bidi@SOUL@ulleaders{%
23755   \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule\@depth\SOUL@uldp\@height\SOUL@ulht}\hss}\n
23756 }
23757 \def\SOUL@uleveryspace#1{%
23758   \if@RTL
23759     #1%
23760     \bidi@SOUL@ulleaders
23761     \hskip\spaceskip
23762   \else
```



```

23763 \SOUL@ulcolor{%
23764 #1%
23765 \SOUL@ulleaders
23766 \hskip\spaceskip
23767 }%
23768 \fi
23769 \null
23770 }

```

## 146 File stabular-xetex-bidi.def

```

23771 \ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package]
23772 \def\@stabular{%
23773 \leavevmode \bgroup \if@RTLtab\beginR \fi
23774 \let\@acol\@tabacol
23775 \let\@classz\@tabclassz
23776 \let\@classiv\@tabclassiv \let\\\@tabularcr\@stabarray}
23777 \def\endstabular{\crrcr\egroup\if@RTLtab\egroup\endR\egroup\fi
23778 \egroup \if@RTLtab\endR\fi\egroup}
23779 \expandafter \let \csname endstabular*\endcsname = \endstabular
23780 \def\@sarray[#1]#2{%
23781 \bgroup
23782 \setbox\@arstrutbox\hbox{%
23783 \vrule \@height\arraystretch\ht\strutbox
23784 \@depth\arraystretch \dp\strutbox
23785 \@width\z@}%
23786 \@mkpream{#2}%
23787 \edef\@preamble{%
23788 \ialign \noexpand\@halignto
23789 \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
23790 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
23791 \let\@tabularnewline\%
23792 \let\@sharp##%
23793 \set@typeset@protect
23794 \lineskip\z@skip\baselineskip\z@skip
23795 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
23796 \@preamble}

```

## 147 File subfigure-xetex-bidi.def

```

23797 \ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package]
23798 \AtBeginDocument{%
23799 \let\p@subfigure=\thefigure
23800 \let\p@subtable=\thetable%
23801 }

```

## 148 File tabs-xetex-bidi.def

```

23802 \ProvidesFile{tabs-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabs package for XeTeX]
23803 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
23804
23805 \expandafter\let\csname endtabular*\endcsname=\endtabular
23806
23807 \def\endarray{\ifvmode\csname crrcr\endcsname % just do \crrcr if \ given

```



```

23808 \else \[\z@ \global\advance\@arstdepth-\@otarlinesep]%
23809 \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecurse\egroup}
23810
23811 \def\@array[#1]#2{% remember global variables to allow recursion:
23812 \edef\@unrecurse{\global\@skip@bove\the\@skip@bove
23813   \global\@arstheight\the\@arstheight\global\@arstdepth\the\@arstdepth}%
23814 \let\@otarlinesep\@tarlinesep \global\@skip@bove-\@otarlinesep
23815 \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
23816 \else \let\@tarlinesep\tablinesep \fi
23817 \divide\@tarlinesep\tw@ % half sep is applied to height & depth
23818 \let\@seesize\relax \let\@rememsize\relax \@mkpream{#2}%
23819 \@tempdima\arraystretch\ht\strutbox \@tempdimb\arraystretch\dp\strutbox
23820 \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
23821 \def\@rememsize{\protect\@r@m@msize}\let\@seesize\@s@size
23822 \advance\@tempdima-\@tarlinesep \advance\@tempdimb-\@tarlinesep
23823 \fi \setbox\@arstrutbox\hbox{% set up smaller strut
23824   \vrule \@height\@tempdima \@depth\@tempdimb \@width\z@}%
23825 \let\protect\noexpand
23826 \edef\@preamble{\ialign \noexpand\@halignto \bgroup
23827 \unhcopy\@arstrutbox \@preamble \tabskip\z@skip &\@sharp \cr}%
23828 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
23829 \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
23830 \bgroup \let\par\empty
23831 \global\@arstheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
23832 \advance\extrarulesep.5\arrayrulewidth
23833 \let\@sharp#\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
23834 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if#1t\vtop \else \vbox \fi\bgroup\fi
23835 \@preamble}

```

## 149 File tabularx-xetex-bidi.def

```

23836 \ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package]
23837 \def\TX@endtabularx{%
23838   \expandafter\expandafter\expandafter
23839     \TX@find@endtabularxa\csname end\TX@\endcsname
23840     \endtabularx\TX@\endtabularx\TX@find@endtabularxa
23841   \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
23842   \let\verb\TX@verb
23843   \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
23844   \edef\TX@ckpt{\cl@ckpt}%
23845   \let\@elt\relax
23846   \TX@old@table\maxdimen
23847   \TX@col@width\TX@target
23848   \global\TX@cols\@ne
23849   \TX@typeout@
23850     {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
23851   \TX@trial{\def\NC@rewrite@X{%
23852     \global\advance\TX@cols\@ne\NC@find p{\TX@col@width}}}%
23853   \loop
23854     \TX@arith
23855     \ifTX@
23856     \TX@trial{%
23857   \repeat
23858   {\let\@footnotetext\TX@fnttext\let\@xfootnotenext\TX@xftntext

```



```

23859 \let\@LTRfootnotetext\TX@LTRftntext\let\@xLTRfootnotenext\TX@xLTRftntext
23860 \let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
23861 \csname tabular*\expandafter\endcsname\expandafter\TX@target
23862 \the\toks@
23863 \csname endtabular*\endcsname}%
23864 \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
23865 \ifnum0=\fi}%
23866 \expandafter\expandafter\expandafter
23867 \TX@find@endtabularxbb
23868 \expandafter\end\expandafter{\TX@}%
23869 \endtabularx\TX@\endtabularx\TX@find@endtabularxb
23870 }
23871
23872 \def\TX@trial#1{%
23873 \setbox\@tempboxa\hbox{%
23874 #1\relax
23875 \let\@footnotetext\TX@trial@ftn
23876 \let\@LTRfootnotetext\TX@trial@ftn
23877 \let\@RTLfootnotetext\TX@trial@ftn
23878 \let\TX@vwarn\@empty
23879 \expandafter\let\expandafter\tabularx\csname tabular*\endcsname
23880 \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
23881 \def\write{\begingroup
23882 \def\let{\afterassignment\endgroup\toks@}%
23883 \afterassignment\let\count@}%
23884 \hbadness\@M
23885 \hfuzz\maxdimen
23886 \let\hbadness\@tempcnta
23887 \let\hfuzz\@tempdima
23888 \expandafter\tabular\the\toks@
23889 \endtabular}%
23890 \TX@ckpt
23891 \TX@typeout@{\@spaces
23892 \expandafter\TX@align
23893 \the\wd\@tempboxa\space\space\space\space\space\@@
23894 \expandafter\TX@align
23895 \the\TX@col@width\space\space\space\space\space\@@
23896 \@spaces\the\TX@cols}}
23897
23898 \long\def\TX@LTRftntext#1{%
23899 \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
23900 [\the\csname c@\@mpfn\endcsname]}%
23901 \global\TX@ftn\expandafter{\@tempa{#1}}}%
23902 \long\def\TX@xLTRftntext[#1]#2{%
23903 \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}
23904
23905 \long\def\TX@RTLftntext#1{%
23906 \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
23907 [\the\csname c@\@mpfn\endcsname]}%
23908 \global\TX@ftn\expandafter{\@tempa{#1}}}%
23909 \long\def\TX@xRTLftntext[#1]#2{%
23910 \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}

```







## 152 File tcolorbox-xetex-bidi.def

```
23960 \ProvidesFile{tcolorbox-xetex-bidi.def}[2018/11/11 v0.2 bidi adaptations for tcolorbox packa
23961 \let\endtcblrbox=\endminipage
23962 \let\endtcbsavebox=\endtcblrbox
23963
23964 \bidi@patchcmd{\tcb@vbox}{%
23965   \let\@footnotetext\@mpfootnotetext%
23966 }{%
23967   \let\@footnotetext\@mpfootnotetext%
23968   \let\@LTRfootnotetext\@mpLTRfootnotetext%
23969   \let\@RTLfootnotetext\@mpRTLfootnotetext%
23970 }{}{}
23971
23972 \bidi@patchcmd{\endtcbsavebox}{%
23973   \footnoterule%
23974 }{%
23975   \bidi@mpfootnoterule%
23976 }{}{}
23977 \bidi@apptocmd\tcb@icolorbox{%
23978   \@bidi@list@minipage@parboxfalse
23979 }{}{}

```

## 153 File titlesec-xetex-bidi.def

```
23980 \ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package
23981 \renewcommand\filright{%
23982   \gdef\ttl@filleft##1{\hskip##1}%
23983   \gdef\ttl@filright##1{\hfill}%
23984   \let\\\@centercr
23985   \advance\rightskip\z@ \@plus 1fil
23986   \parfillskip\z@}
23987 \def\ttlhang#1#2#3#4#5#6#7#8{%
23988   \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
23989   \setlength\leftskip{#6}%
23990   \setlength\rightskip{#7}%
23991   \interlinepenalty\@M
23992   \ttl@changecentercr
23993   \ttl@beginlongest
23994   #1{\ifhmode\ttl@hmode@error\fi
23995     \ttl@glcmds
23996     \parindent\z@
23997     \leavevmode
23998     \begingroup
23999     \ifttl@label
24000       \sbox\z@{#2\strut\ttl@calc\hspace{#3}}%
24001       \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
24002       \llap{\box\z@}%
24003     \fi
24004     #4{#8}%
24005     \kern\z@\strut\@par
24006   \endgroup
24007   \nobreak\ttl@midlongest#5\@par}%
24008 \ttl@endlongest}

```



## 154 File `titletoc-xetex-bidi.def`

```
24009 \ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package]
24010 \renewcommand\filright{%
24011   \gdef\ttl@filleft##1{\hskip##1}%
24012   \gdef\ttl@filright##1{\hfill}%
24013   \let\\\@centercr
24014   \advance\rightskip\z@ \@plus 1fil
24015   \parfillskip\z@}
24016 \renewcommand\contentspush[1]{%
24017   \sbox\z@{#1}%
24018   \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
24019   \aftergroup\ttl@b
24020   \leavevmode\llap{\box\z@}}
24021 \def\ttl@outnoblock#1#2#3{%
24022   \begingroup
24023   \ifnum\ttl@b>\ttl@a
24024     \nobreak
24025   \else\ifnum\ttl@b<\ttl@a
24026     \addpenalty{\@secpenalty}%
24027   \else
24028     \addpenalty{\z@}%
24029   \fi\fi
24030   \ttl@contentsstretch
24031   \nobreak
24032   \ifcase#1\relax\else\interlinepenalty\@M\fi
24033   \parindent\z@
24034   \ifx\@nil#2%
24035     \PackageError{titletoc}{Unimplemented}%
24036     {The optional argument is currently mandatory}%
24037   \else
24038     \if@RTL\setlength\rightskip{#2}\else
24039     \setlength\leftskip{#2}\fi%
24040   \fi
24041   \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
24042   \let\contentsmargin\ttl@margin
24043   \def\ttl@makeline##1{##1}%
24044   #3%
24045   \addtolength{\parfillskip}{-\ttl@corr}%
24046   \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
24047   \let\ttl@leaders\leaders}
24048 \renewcommand\ttl@margin[2][\z@]{%
24049   \def\ttl@corr{#1}%
24050   \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
24051   \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
24052   \def\@pnumwidth{#2}}
24053 \let\ttl@savel@part\l@part
24054 \def\l@part{\ttl@lselect{part}}
24055
24056 \let\ttl@savel@chapter\l@chapter
24057 \def\l@chapter{\ttl@lselect{chapter}}
```

## 155 File `tocbibind-xetex-bidi.def`



```

24058 \ProvidesFile{tocbibind-xetex-bidi.def}[2025/01/03 v0.5 bidi adaptations for tocbibind packa
24059 \IfClassLoadedT{memoir}{\endinput}
24060 \if@dotocbib
24061   \ApplyPatchIfPackageLoadedF{natbib}{% natbib not loaded
24062     \renewcommand{\bibsection}{\t@cb@bchapsec}
24063     \renewenvironment{thebibliography}[1]{%
24064       \bibsection
24065       \begin{thebibitemlist}{#1}}{\end{thebibitemlist}}
24066   \renewenvironment{thebibitemlist}[1]{
24067     \ifRTL\ifLTRbibitems@RTLfalse\else\fi\else\ifRTLbibitems@RTLtrue\else\fi\fi
24068     \bidi@thebibliography@font@hook%
24069     \list{\@biblabel{\@arabic\c@enumiv}}%
24070       {\settowidth\labelwidth{\@biblabel{#1}}%
24071        \leftmargin\labelwidth
24072        \advance\leftmargin\labelsep
24073        \@openbib@code
24074        \usecounter{enumiv}%
24075        \let\p@enumiv\@empty
24076        \renewcommand\theenumiv{\@arabic\c@enumiv}}%
24077     \sloppy
24078     \clubpenalty4000
24079     \@clubpenalty \clubpenalty
24080     \widowpenalty4000%
24081     \sfcode\.\@m}
24082   {\def\@noitemerr
24083     {\@latex@warning{Empty `thebibliography' environment}}%
24084     \endlist}
24085
24086 \ApplyPatchCodeToPackage{chapterbib}{%
24087   \ifpackagewith{chapterbib}{sectionbib}%
24088     {\renewcommand{\sectionbib}[2]{}%
24089     }%
24090 }
24091
24092 \fi
24093 \if@inltxdoc\else
24094   \renewenvironment{theindex}%
24095     {\if@twocolumn
24096       \@restonecolfalse
24097     \else
24098       \@restonecoltrue
24099     \fi
24100     \if@bibchapter
24101       \if@donumindex
24102         \refstepcounter{chapter}
24103         \twocolumn[\vspace*{2\topskip}%
24104           \@makechapterhead{\indexname}}%
24105         \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
24106         \chaptermark{\indexname}
24107       \else
24108         \if@dotocind
24109           \twocolumn[\vspace*{2\topskip}%
24110             \@makeschapterhead{\indexname}}%
24111           \prw@mkboth{\indexname}

```



```

24112         \addcontentsline{toc}{chapter}{\indexname}
24113     \else
24114         \twocolumn[\vspace*{2\topskip}%
24115                 \@makeschapterhead{\indexname}]%
24116         \prw@mkboth{\indexname}
24117     \fi
24118 \fi
24119 \else
24120     \if@donumindex
24121         \twocolumn[\vspace*{-1.5\topskip}%
24122                 \@nameuse{\@tocextra}{\indexname}]%
24123         \csname \@tocextra mark\endcsname{\indexname}
24124     \else
24125         \if@dotocind
24126             \twocolumn[\vspace*{-1.5\topskip}%
24127                     \toc@headstar{\@tocextra}{\indexname}]%
24128             \prw@mkboth{\indexname}
24129             \addcontentsline{toc}{\@tocextra}{\indexname}
24130         \else
24131             \twocolumn[\vspace*{-1.5\topskip}%
24132                     \toc@headstar{\@tocextra}{\indexname}]%
24133             \prw@mkboth{\indexname}
24134         \fi
24135     \fi
24136 \fi
24137 \thispagestyle{plain}\parindent\z@
24138 \parskip\z@ \@plus .3\p@\relax
24139 \let\item\@idxitem}
24140 {\if@restonecol\onecolumn\else\clearpage\fi}
24141 \fi

```

## 156 File `tocloft-xetex-bidi.def`

```

24142 \ProvidesFile{tocloft-xetex-bidi.def}[2025/01/03 v0.4 bidi adaptations for tocloft package f
24143 \IfClassLoadedT{memoir}{\endinput}
24144 \renewcommand{\cftpnualign}{\if@RTL l\else r\fi}
24145 \let\cftdot\@SepMark
24146 \if@cfthaspart
24147 \renewcommand*{\l@part}[2]{
24148     \@cftdopartfalse
24149     \ifnum \c@tocdepth >-2\relax
24150         \if@cfthaschapter
24151             \@cftdoparttrue
24152         \fi
24153         \ifnum \c@tocdepth >\m@ne
24154             \if@cfthaschapter\else
24155                 \@cftdoparttrue
24156             \fi
24157         \fi
24158     \fi
24159 \if@cftdopart
24160     \if@cfthaschapter
24161         \addpenalty{-\@highpenalty}
24162     \else

```



```

24163     \addpenalty\@secpenalty
24164     \fi
24165     \addvspace{\cftbeforepartskip}
24166     \begingroup
24167     {\if@RTL\rightskip\else\leftskip\fi \cftpartindent\relax
24168     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
24169     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24170     \parindent \cftpartindent\relax\@afterindenttrue
24171     \interlinepenalty\@M
24172     \leavevmode
24173     \@tempdima \cftpartnumwidth\relax
24174     \let\@cftbsnum \cftpartpresnum
24175     \let\@cftasnum \cftpartaftersnum
24176     \let\@cftasnumb \cftpartaftersnumb
24177     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\ri
24178     {\cftpartfont \cftpartpresnum #1}
24179     \cftpartfillnum{#2}}
24180     \nobreak
24181     \if@cfthaschapter
24182         \global\@nobreaktrue
24183         \everypar{\global\@nobreakfalse\everypar{}}
24184     \else
24185         \if@compatibility
24186             \global\@nobreaktrue
24187             \everypar{\global\@nobreakfalse\everypar{}}
24188         \fi
24189     \fi
24190     \endgroup
24191 \fi}
24192 \fi
24193 \if@cfthaschapter
24194 \renewcommand*{\l@chapter}[2]{
24195     \ifnum \c@tocdepth >\m@ne
24196         \addpenalty{-\@highpenalty}
24197         \vskip \cftbeforechapskip
24198         {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
24199         \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
24200         \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24201         \parindent \cftchapindent\relax\@afterindenttrue
24202         \interlinepenalty\@M
24203         \leavevmode
24204         \@tempdima \cftchapnumwidth\relax
24205         \let\@cftbsnum \cftchappresnum
24206         \let\@cftasnum \cftchapaftersnum
24207         \let\@cftasnumb \cftchapaftersnumb
24208         \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\ri
24209         {\cftchapfont #1}\nobreak
24210         \cftchapfillnum{#2}}
24211     \fi}
24212 \fi
24213 \renewcommand*{\l@section}[2]{%
24214     \ifnum \c@tocdepth >\z@
24215         \if@cfthaschapter
24216             \vskip \cftbeforeseckskip

```



```

24217 \else
24218 \addpenalty\@secpenalty
24219 \advspace{\cftbeforesecskip}
24220 \fi
24221 {\if@RTL\righskip\else\leftskip\fi \cftsecindent\relax
24222 \if@RTL\leftskip\else\righskip\fi \@tocrmarg
24223 \parfillskip -\if@RTL\leftskip\else\righskip\fi
24224 \parindent \cftsecindent\relax\@afterindenttrue
24225 \interlinepenalty\@M
24226 \leavevmode
24227 \@tempdima \cftsecnumwidth\relax
24228 \let\@cftbsnum \cftsecpresnum
24229 \let\@cftasnum \cftsecaftersnum
24230 \let\@cftasnumb \cftsecaftersnumb
24231 \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
24232 {\cftsecfont #1}\nobreak
24233 \cftsecfillnum{#2}}
24234 \fi}
24235 \renewcommand*\l@section}[2]{%
24236 \ifnum \c@tocdepth >\@ne
24237 \vskip \cftbeforesubsecskip
24238 {\if@RTL\righskip\else\leftskip\fi \cftsubsecindent\relax
24239 \if@RTL\leftskip\else\righskip\fi \@tocrmarg
24240 \parfillskip -\if@RTL\leftskip\else\righskip\fi
24241 \parindent \cftsubsecindent\relax\@afterindenttrue
24242 \interlinepenalty\@M
24243 \leavevmode
24244 \@tempdima \cftsubsecnumwidth\relax
24245 \let\@cftbsnum \cftsubsecpresnum
24246 \let\@cftasnum \cftsubsecaftersnum
24247 \let\@cftasnumb \cftsubsecaftersnumb
24248 \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
24249 {\cftsubsecfont #1}\nobreak
24250 \cftsubsecfillnum{#2}}
24251 \fi}
24252 \renewcommand*\l@subsection}[2]{%
24253 \ifnum \c@tocdepth >\tw@
24254 \vskip \cftbeforesubsubsecskip
24255 {\if@RTL\righskip\else\leftskip\fi \cftsubsubsecindent\relax
24256 \if@RTL\leftskip\else\righskip\fi \@tocrmarg
24257 \parfillskip -\if@RTL\leftskip\else\righskip\fi
24258 \parindent \cftsubsubsecindent\relax\@afterindenttrue
24259 \interlinepenalty\@M
24260 \leavevmode
24261 \@tempdima \cftsubsubsecnumwidth\relax
24262 \let\@cftbsnum \cftsubsubsecpresnum
24263 \let\@cftasnum \cftsubsubsecaftersnum
24264 \let\@cftasnumb \cftsubsubsecaftersnumb
24265 \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
24266 {\cftsubsubsecfont #1}\nobreak
24267 \cftsubsubsecfillnum{#2}}
24268 \fi}
24269 \renewcommand*\l@paragraph}[2]{%
24270 \ifnum \c@tocdepth >3\relax

```



```

24271 \vskip \cftbeforeparaskip
24272 {\if@RTL\righskip\else\leftskip\fi \cftparaindent\relax
24273 \if@RTL\leftskip\else\righskip\fi @tocrmarg
24274 \parfillskip -\if@RTL\leftskip\else\righskip\fi
24275 \parindent \cftparaindent\relax\@afterindenttrue
24276 \interlinepenalty\@M
24277 \leavevmode
24278 \@tempdima \cftparanumwidth\relax
24279 \let\@cftbsnum \cftparapresnum
24280 \let\@cftasnum \cftparaaftersnum
24281 \let\@cftasnumb \cftparaaftersnumb
24282 \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
24283 {\cftparafont #1}\nobreak
24284 \cftparafillnum{#2}}
24285 \fi}
24286 \renewcommand*\l@subparagraph}[2]{%
24287 \ifnum \c@tocdepth >4\relax
24288 \vskip \cftbeforesubparaskip
24289 {\if@RTL\righskip\else\leftskip\fi \cftsubparaindent\relax
24290 \if@RTL\leftskip\else\righskip\fi @tocrmarg
24291 \parfillskip -\if@RTL\leftskip\else\righskip\fi
24292 \parindent \cftsubparaindent\relax\@afterindenttrue
24293 \interlinepenalty\@M
24294 \leavevmode
24295 \@tempdima \cftsubparanumwidth\relax
24296 \let\@cftbsnum \cftsubparapresnum
24297 \let\@cftasnum \cftsubparaaftersnum
24298 \let\@cftasnumb \cftsubparaaftersnumb
24299 \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
24300 {\cftsubparafont #1}\nobreak
24301 \cftsubparafillnum{#2}}
24302 \fi}
24303 \renewcommand*\l@figure}[2]{%
24304 \ifnum \c@lofdepth >\z@
24305 \vskip \cftbeforefigskip
24306 {\if@RTL\righskip\else\leftskip\fi \cftfigindent\relax
24307 \if@RTL\leftskip\else\righskip\fi @tocrmarg
24308 \parfillskip -\if@RTL\leftskip\else\righskip\fi
24309 \parindent \cftfigindent\relax\@afterindenttrue
24310 \interlinepenalty\@M
24311 \leavevmode
24312 \@tempdima \cftfignumwidth\relax
24313 \let\@cftbsnum \cftfigpresnum
24314 \let\@cftasnum \cftfigaftersnum
24315 \let\@cftasnumb \cftfigaftersnumb
24316 \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
24317 {\cftfigfont #1}\nobreak
24318 \cftfigfillnum{#2}}
24319 \fi
24320 }
24321 \renewcommand*\l@table}[2]{%
24322 \ifnum\c@lotdepth >\z@
24323 \vskip \cftbeforetabskip
24324 {\if@RTL\righskip\else\leftskip\fi \cfttabindent\relax

```





```

24325 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
24326 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24327 \parindent \cfttabindent\relax\@afterindenttrue
24328 \interlinepenalty\@M
24329 \leavevmode
24330 \@tempdima \cfttabnumwidth\relax
24331 \let\@cftbsnum \cfttabpresnum
24332 \let\@cftasnum \cfttabaftersnum
24333 \let\@cftasnumb \cfttabaftersnumb
24334 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
24335 {\cfttabfont #1}\nobreak
24336 \cfttabfillnum{#2}}
24337 \fi
24338 }
24339 \renewcommand{\@cftl@subfig}{
24340 \renewcommand*{\l@subfigure}[2]{%
24341 \ifnum \c@lofdepth > \toclevel@subfigure
24342 \vskip \cftbeforesubfigskip
24343 {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
24344 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
24345 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24346 \parindent \cftsubfigindent\relax\@afterindenttrue
24347 \interlinepenalty\@M
24348 \leavevmode
24349 \@tempdima \cftsubfignumwidth\relax
24350 \let\@cftbsnum \cftsubfigpresnum
24351 \let\@cftasnum \cftsubfigaftersnum
24352 \let\@cftasnumb \cftsubfigaftersnumb
24353 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
24354 {\cftsubfigfont ##1}\nobreak
24355 \cftsubfigfillnum{##2}}
24356 \fi
24357 }
24358 }
24359 \renewcommand{\@cftl@subtab}{
24360 \renewcommand*{\l@subtable}[2]{%
24361 \ifnum \c@lotdepth > \toclevel@subtable
24362 \vskip \cftbeforesubtabskip
24363 {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
24364 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
24365 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24366 \parindent \cftsubtabindent\relax\@afterindenttrue
24367 \interlinepenalty\@M
24368 \leavevmode
24369 \@tempdima \cftsubtabnumwidth\relax
24370 \let\@cftbsnum \cftsubtabpresnum
24371 \let\@cftasnum \cftsubtabaftersnum
24372 \let\@cftasnumb \cftsubtabaftersnumb
24373 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
24374 {\cftsubtabfont ##1}\nobreak
24375 \cftsubtabfillnum{##2}}
24376 \fi
24377 }
24378 }

```



```

24379 \renewcommand{\newlistentry}[4][\@empty]{%
24380 \@ifundefined{c@#2}{% check & set the counter
24381 \ifx \@empty#1\relax
24382 \newcounter{#2}
24383 \else
24384 \@ifundefined{c@#1}{\PackageWarning{tocloft}%
24385 {#1 has no counter for use as a `within'}
24386 \newcounter{#2}}%
24387 {\newcounter{#2}[#1]%
24388 \expandafter\edef\csname the#2\endcsname{%
24389 \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}}
24390 \fi
24391 \setcounter{#2}{0}
24392 }
24393 {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}
24394
24395 \@namedef{l@#2}##1##2{%
24396 \ifnum \@nameuse{c@#3depth} > #4\relax
24397 \vskip \@nameuse{cftbefore#2skip}
24398 {\ifRTL\rightskip\else\leftskip\fi \@nameuse{cft#2indent}\relax
24399 \ifRTL\leftskip\else\rightskip\fi \@tocmarg
24400 \parfillskip -\ifRTL\leftskip\else\rightskip\fi
24401 \parindent \@nameuse{cft#2indent}\relax\@afterindenttrue
24402 \interlinepenalty\M
24403 \leavevmode
24404 \tempdima \@nameuse{cft#2numwidth}\relax
24405 \expandafter\let\expandafter\cftbsnum\csname cft#2presnum\endcsname
24406 \expandafter\let\expandafter\cftasnum\csname cft#2aftersnum\endcsname
24407 \expandafter\let\expandafter\cftasnumb\csname cft#2aftersnumb\endcsname
24408 \advance\ifRTL\rightskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\ifRTL\ri
24409 {\@nameuse{cft#2font}##1}\nobreak
24410 \@nameuse{cft#2fillnum}{##2}}
24411 \fi
24412 } % end of l@#2
24413
24414 \expandafter\newlength\csname cftbefore#2skip\endcsname
24415 \setlength{\@nameuse{cftbefore#2skip}}{\z@ \@plus .2\p@}
24416 \expandafter\newlength\csname cft#2indent\endcsname
24417 \expandafter\newlength\csname cft#2numwidth\endcsname
24418 \ifcase #4\relax % 0
24419 \setlength{\@nameuse{cft#2indent}}{0em}
24420 \setlength{\@nameuse{cft#2numwidth}}{1.5em}
24421 \or % 1
24422 \setlength{\@nameuse{cft#2indent}}{1.5em}
24423 \setlength{\@nameuse{cft#2numwidth}}{2.3em}
24424 \or % 2
24425 \setlength{\@nameuse{cft#2indent}}{3.8em}
24426 \setlength{\@nameuse{cft#2numwidth}}{3.2em}
24427 \or % 3
24428 \setlength{\@nameuse{cft#2indent}}{7.0em}
24429 \setlength{\@nameuse{cft#2numwidth}}{4.1em}
24430 \else % anything else
24431 \setlength{\@nameuse{cft#2indent}}{10.0em}
24432 \setlength{\@nameuse{cft#2numwidth}}{5.0em}

```



```

24433 \fi
24434 \@namedef{cft#2font}{\normalfont}
24435 \@namedef{cft#2presnum}{}
24436 \@namedef{cft#2aftersnum}{}
24437 \@namedef{cft#2aftersnumb}{}
24438 \@namedef{cft#2dotsep}{\cftdotsep}
24439 \@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
24440 \@namedef{cft#2pagefont}{\normalfont}
24441 \@namedef{cft#2afterpnum}{}
24442 \@namedef{toclevel@#2}{#4}
24443 \@namedef{cft#2fillnum}##1{%
24444   {\@nameuse{cft#2leader}}\nobreak
24445   \hb@xt@{\@pnumwidth}{\hfil\@nameuse{cft#2pagefont}##1}\@nameuse{cft#2afterpnum}\par}
24446 } % end \newlistentry
24447 \renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
24448   {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
24449   \advance\if@RTL\rightskip\else\leftskip\fi \cftchapnumwidth\relax
24450   \if@RTL\leftskip\else\rightskip\fi \@tocrmarg\relax
24451   \textit{#1}\protect\par}}}}

```

## 157 File tocbasic-xetex-bidi.def

```

24452 \ProvidesFile{tocbasic-xetex-bidi.def}[2022/06/15 v0.5 bidi adaptations for tocbasic package]
24453 \bidi@undef\scr@dte@def@l@undottedtocline
24454 \bidi@undef\scr@dte@undottedtocline@init
24455 \DeclareTOCEntryStyle{undottedtocline}[{%
24456   \DefineTOCEntryLengthOption[indent]{%
24457     {scr@tso@}{@indent}{entry indent}}%
24458   \DefineTOCEntryLengthOption[numwidth]{%
24459     {scr@tso@}{@numwidth}{entry number width}}%
24460   \@ifundefined{#1tocdepth}{-%
24461     \Ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}-%
24462     \Ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}-%
24463     \Ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}-%
24464     \Ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}-%
24465     \Ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}-%
24466     \Ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}-%
24467     \Ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}-%
24468     \Ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}-%
24469     \Ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}-%
24470     \expandafter\let\csname #1tocdepth\expandafter\endcsname
24471     \csname #1numdepth\endcsname
24472   }%
24473   }%
24474   }%
24475   }%
24476   }%
24477   }%
24478   }%
24479   }%
24480   }%
24481 }{-%
24482 \@ifundefined{scr@tso@#1@indent}{-%
24483   \@ifundefined{scr@#1@tocindent}{-%

```



```

24484 \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24485 \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24486 \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
24487 \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
24488 \scr@ifundefinedorrelax{l@chapter}{%
24489 \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{Opt}}{%
24490 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24491 \Ifstr{#1}{subsubsection}{%
24492 \@namedef{scr@tso@#1@indent}{3.8em}%
24493 }{%
24494 \Ifstr{#1}{paragraph}{%
24495 \@namedef{scr@tso@#1@indent}{7em}%
24496 }{%
24497 \Ifstr{#1}{subparagraph}{%
24498 \@namedef{scr@tso@#1@indent}{10em}%
24499 }{%
24500 }%
24501 }%
24502 }%
24503 }%
24504 }%
24505 }{%
24506 \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24507 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
24508 \Ifstr{#1}{subsubsection}{%
24509 \@namedef{scr@tso@#1@indent}{7.0em}%
24510 }{%
24511 \Ifstr{#1}{paragraph}{%
24512 \@namedef{scr@tso@#1@indent}{10em}%
24513 }{%
24514 \Ifstr{#1}{subparagraph}{%
24515 \@namedef{scr@tso@#1@indent}{12em}%
24516 }{%
24517 }%
24518 }%
24519 }%
24520 }%
24521 }%
24522 }%
24523 }%
24524 }%
24525 }%
24526 }%
24527 }{%
24528 \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
24529 }%
24530 }{%
24531 \@ifundefined{scr@tso@#1@numwidth}{%
24532 \@ifundefined{scr@#1@tocnumwidth}{%
24533 \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
24534 \Ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
24535 \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
24536 \scr@ifundefinedorrelax{chapter}{%
24537 \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%

```



```

24538         \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
24539             \Ifstr{#1}{subsubsection}{%
24540                 \@namedef{scr@tso@#1@numwidth}{3.2em}%
24541             }{%
24542                 \Ifstr{#1}{paragraph}{%
24543                     \@namedef{scr@tso@#1@numwidth}{4.1em}%
24544                 }{%
24545                     \Ifstr{#1}{subparagraph}{%
24546                         \@namedef{scr@tso@#1@numwidth}{5m}%
24547                     }{%
24548                         }%
24549                     }%
24550                 }%
24551             }%
24552         }%
24553     }{%
24554         \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
24555             \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
24556                 \Ifstr{#1}{subsubsection}{%
24557                     \@namedef{scr@tso@#1@numwidth}{3.1em}%
24558                 }{%
24559                     \Ifstr{#1}{paragraph}{%
24560                         \@namedef{scr@tso@#1@numwidth}{5em}%
24561                     }{%
24562                         \Ifstr{#1}{subparagraph}{%
24563                             \@namedef{scr@tso@#1@numwidth}{6em}%
24564                         }{%
24565                             }%
24566                         }%
24567                     }%
24568                 }%
24569             }%
24570         }%
24571     }%
24572 }%
24573 }{%
24574     \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
24575 }%
24576 }{}%
24577 }{}%
24578 }]}{%
24579 \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
24580     \ifnum \@nameuse{#1tocdepth}<\@ne
24581         \scr@ifundefinedorrelax{chapter}{%
24582             \addpenalty\@secpenalty
24583             \addvspace{1.0em \@plus\p@}%
24584         }{%
24585             \addpenalty{-\@highpenalty}%
24586             \vskip 1.0em \@plus\p@
24587         }%
24588     \else
24589         \addpenalty\@secpenalty
24590         \addvspace{1.0em \@plus\p@}%
24591     \fi

```



```

24592 \setlength\@tempdima{\@nameuse{scr@tso@#1@numwidth}}%
24593 \begingroup
24594 \parindent \z@ \bidi@rightskip \@pnumwidth
24595 \parfillskip -\@pnumwidth
24596 \leavevmode
24597 \bfseries
24598 \advance\bidi@leftskip\@tempdima
24599 \Iftocfeature{\@currentx}{noindent}{%
24600 \hskip -\bidi@leftskip
24601 }{%
24602 \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
24603 \hskip -\dimexpr \bidi@leftskip-\@nameuse{scr@tso@#1@indent}\relax
24604 }%
24605 ##1%
24606 \nobreak
24607 \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
24608 \par
24609 \penalty\@highpenalty
24610 \endgroup
24611 \fi
24612 }
24613
24614 \bidi@undef\scr@dte@def@l@targetocline
24615 \bidi@undef\scr@dte@largetocline@init
24616 \DeclareTOCEntryStyle{largetocline}[{%
24617 \DefineTOCEntryLengthOption{indent}%
24618 {scr@tso@}{@indent}{entry indent}%
24619 \@ifundefined{#1tocdepth}{%
24620 \Ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
24621 \Ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
24622 \Ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
24623 \Ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
24624 \Ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
24625 \Ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
24626 \Ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
24627 \Ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
24628 \Ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
24629 \expandafter\let\csname #1tocdepth\expandafter\endcsname
24630 \csname #1numdepth\endcsname
24631 }%
24632 }%
24633 }%
24634 }%
24635 }%
24636 }%
24637 }%
24638 }%
24639 }%
24640 }-}%
24641 \@ifundefined{scr@tso@#1@indent}{%
24642 \@ifundefined{scr@#1@tocindent}{%
24643 \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24644 \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24645 \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%

```



```

24646 \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
24647 \scr@ifundefinedorrelax{1@chapter}{%
24648 \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
24649 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24650 \Ifstr{#1}{subsubsection}{%
24651 \@namedef{scr@tso@#1@indent}{3.8em}%
24652 }{%
24653 \Ifstr{#1}{paragraph}{%
24654 \@namedef{scr@tso@#1@indent}{7em}%
24655 }{%
24656 \Ifstr{#1}{subparagraph}{%
24657 \@namedef{scr@tso@#1@indent}{10em}%
24658 }{%
24659 }%
24660 }%
24661 }%
24662 }%
24663 }%
24664 }{%
24665 \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24666 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
24667 \Ifstr{#1}{subsubsection}{%
24668 \@namedef{scr@tso@#1@indent}{7.0em}%
24669 }{%
24670 \Ifstr{#1}{paragraph}{%
24671 \@namedef{scr@tso@#1@indent}{10em}%
24672 }{%
24673 \Ifstr{#1}{subparagraph}{%
24674 \@namedef{scr@tso@#1@indent}{12em}%
24675 }{%
24676 }%
24677 }%
24678 }%
24679 }%
24680 }%
24681 }%
24682 }%
24683 }%
24684 }%
24685 }%
24686 }{%
24687 \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
24688 }%
24689 }{%
24690 }]{%
24691 \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
24692 \ifnum \@nameuse{#1tocdepth}<\@ne
24693 \scr@ifundefinedorrelax{chapter}{%
24694 \addpenalty\@secpenalty
24695 \addvspace{2.25em \@plus\p@}%
24696 }{%
24697 \addpenalty{-\@highpenalty}%
24698 \addvspace{2.25em \@plus\p@}%
24699 }%

```



```

24700 \else
24701 \addpenalty\@secpenalty
24702 \advvspace{2.25em \@plus\p@}%
24703 \fi
24704 \setlength\@tempdima{3em}%
24705 \beginngroup
24706 \parindent \z@ \bidi@rightskip \@pnumwidth
24707 \parfillskip -\@pnumwidth
24708 \leavevmode
24709 \large
24710 \bfseries
24711 \IfTocfeature{\@currentt}{noindent}{%
24712 }{%
24713 \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
24714 }%
24715 ##1%
24716 \hfil \nobreak\hb@ext@\@pnumwidth{\hss ##2}%
24717 \par
24718 \nobreak
24719 \ifnum 0=
24720 \scr@ifundefinedorrelax{chapter}{\ifcompatibility 1\else 0\fi}{1}\relax
24721 \global\@nobreaktrue
24722 \everypar{\global\@nobreakfalse\everypar{}}%
24723 \fi
24724 \endgroup
24725 \fi
24726 }
24727
24728 \renewcommand*\scr@dte@tocline}[3]{%
24729 \ifnum \@nameuse{#1tocdepth}>\c@tocdepth
24730 \else
24731 \tocbasic@DependOnPenaltyAndTOCLevel{#1}%
24732 \advvspace{\@nameuse{scr@tso@#1@beforeskip}}\relax
24733 \@nameuse{Ifscr@tso@#1@dynindent}{%
24734 \expandafter\ifx\c@name scr@tso@#1@indentfollows\endcsname\@empty
24735 \PackageWarning{tocbasic}{`dynindent' for `#1' not available}%
24736 \else
24737 \edef\reserved@a{\@nameuse{scr@tso@#1@indentfollows}}%
24738 \@for \reserved@a:=\reserved@a\do {%
24739 \scr@trim@spaces\reserved@a
24740 \ifx\reserved@a\@empty\else
24741 \scr@ifundefinedorrelax{\reserved@a tocdepth}{%
24742 }{%
24743 \ifnum \@nameuse{\reserved@a tocdepth}<\@nameuse{#1tocdepth}%
24744 \@tempdima\@nameuse{scr@tso@\reserved@a @indent}\relax
24745 \@nameuse{Ifscr@tso@\reserved@a @dynnumwidth}{%
24746 \scr@ifundefinedorrelax
24747 {scr@dte@\reserved@a @lastmaxnumwidth}{%
24748 \advance\@tempdima
24749 \@nameuse{scr@tso@\reserved@a @numwidth}\relax
24750 }{%
24751 \advance\@tempdima
24752 \@nameuse{scr@dte@\reserved@a @lastmaxnumwidth}\relax
24753 }%

```





```

24754         }{%
24755             \advance\@tempdima
24756             \@nameuse{scr@tso@\reserved@a @numwidth}\relax
24757         }%
24758         \ifdim \@tempdima>\@nameuse{scr@tso#@#1@indent}\relax
24759             \expandafter\edef\csname scr@tso#@#1@indent\endcsname
24760             {\the\@tempdima}%
24761         \fi
24762     \fi
24763 }%
24764 \fi
24765 }%
24766 \fi
24767 }{%
24768 {%
24769     \Iftocfeature{\@currentx}{noindent}{%
24770         \bidi@leftskip \z@
24771     }{%
24772         \bidi@leftskip \@nameuse{scr@tso#@#1@indent}\relax
24773     }%
24774     \bidi@rightskip \@nameuse{scr@tso#@#1@rightindent}\relax
24775     \parfillskip -\bidi@rightskip
24776     \@nameuse{Ifscr@tso#@#1@raggedpage}{%
24777         \addtolength{\parfillskip}{\z@ \@plus 1fil}%
24778     }{%
24779     \Iftocfeature{\@currentx}{noindent}{%
24780         \parindent \z@
24781     }{%
24782         \parindent \@nameuse{scr@tso#@#1@indent}\relax
24783     }%
24784     \@afterindenttrue
24785     \interlinepenalty\@M
24786     \expandafter\ifx\csname ragged#1entry\endcsname\raggedright
24787         \addtolength\bidi@rightskip\@flushglue
24788     \else
24789         \def\reserved@a{\raggedright}%
24790         \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
24791             \addtolength\bidi@rightskip\@flushglue
24792         \else
24793             \renewcommand\reserved@a{\raggedright}%
24794             \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
24795                 \addtolength\bidi@rightskip\@flushglue
24796             \fi
24797         \fi
24798     \fi
24799     \leavevmode
24800     \@tempdima \@nameuse{scr@tso#@#1@numwidth}\relax
24801     \@nameuse{Ifscr@tso#@#1@dynnumwidth}{%
24802         \scr@ifundefinedorrelax{scr@dte#@#1@lastmaxnumwidth}{%
24803             \ifdim \@nameuse{scr@dte#@#1@lastmaxnumwidth}>\@tempdima
24804                 \@tempdima\@nameuse{scr@dte#@#1@lastmaxnumwidth}\relax
24805             \fi
24806         }%
24807     }{%

```



```

24808 \advance\bidil@leftskip \@tempdima
24809 \null\nobreak\hskip -\bidil@leftskip
24810 {%
24811 \usetocbasicnumberline
24812 \let\scr@dte@numberline@box\numberline@box
24813 \def\numberline@box##1{%
24814 \sbox\scr@dte@tocline@numbox{\@nameuse{scr@tso@#1@numberformat}{##1}}%
24815 \global\scr@dte@tocline@numberwidth
24816 \dimexpr\wd\scr@dte@tocline@numbox+\@nameuse{scr@tso@#1@numsep}\relax
24817 \relax
24818 \ifdim \scr@dte@tocline@numberwidth
24819 >\@nameuse{scr@dte@#1@maxnumwidth}\relax
24820 \global\@nameuse{scr@dte@#1@maxnumwidth}\scr@dte@tocline@numberwidth
24821 \fi
24822 \@nameuse{Ifscr@tso@#1@dynnumwidth}{-}{%
24823 \ifdim \scr@dte@tocline@numberwidth
24824 >\dimexpr \@nameuse{scr@tso@#1@numwidth}%
24825 +\@nameuse{scr@tso@#1@numsep}\relax\relax
24826 \PackageWarning{tocbasic}{%
24827 number width of #1 toc entries should be
24828 increased!\MessageBreak
24829 Currently used number width =
24830 \the\wd\scr@dte@tocline@numbox,\MessageBreak
24831 Wanted number separation
24832 \space\space\space =
24833 \the\dimexpr\@nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
24834 Reserved number width \space\space\space\space\space =
24835 \the\dimexpr\@nameuse{scr@tso@#1@numwidth}\relax%
24836 }%
24837 \fi
24838 }%
24839 \scr@dte@numberline@box{\@nameuse{scr@tso@#1@numberformat}{##1}}%
24840 \@nameuse{Ifscr@tso@#1@breakafternumber}{-}{%
24841 {\parfillskip\@flushglue\par}\nobreak\hskip-\bidil@leftskip
24842 }{}}%
24843 }%
24844 {\@nameuse{scr@tso@#1@entryformat}{-}{%
24845 #2%
24846 \nobreak
24847 {%
24848 \normalfont\normalsize\@nameuse{scr@tso@#1@linefill}}%
24849 \nobreak
24850 \expandafter\let\expandafter\scr@dte@pagenumberwidth
24851 \csname scr@tso@#1@pagenumberwidth\endcsname
24852 \@nameuse{scr@tso@#1@pagenumberbox}{-}{%
24853 \@nameuse{scr@tso@#1@pagenumberformat}{#3}}%
24854 }%
24855 }%
24856 }}\@par
24857 }%
24858 }%
24859 \tocbasic@SetPenaltyByTOCLevel{#1}%
24860 \fi
24861 }

```



```

24862
24863
24864 \bidi@undef\scr@dte@def@1@tocline
24865 \bidi@undef\scr@dte@tocline@init
24866 \DeclareTOCEntryStyle{tocline}[{%
24867   \DefineTOCEntryLengthOption{beforeskip}%
24868     {scr@tso@}{@beforeskip}{vertical skip before the entry}%
24869   \DefineTOCEntryIfOption{breakafternumber}%
24870     {scr@tso@}{@breakafternumber}{line break after number flag}%
24871   \DefineTOCEntryIfOption{dynnumwidth}%
24872     {scr@tso@}{@dynnumwidth}{dynamic number width flag}%
24873   \DefineTOCEntryListOption{indentfollows}%
24874     {scr@tso@}{@indentfollows}{list of levels that define the indent}%
24875   \DefineTOCEntryIfOption{dynindent}%
24876     {scr@tso@}{@dynindent}{dynamic indent width flag}%
24877   \DefineTOCEntryCommandOption{entryformat}%
24878     {scr@tso@}{@entryformat}[1]{entry format}%
24879   \DefineTOCEntryCommandOption{entrynumberformat}%
24880     {scr@tso@}{@numberformat}[1]{entry number format}%
24881   \DefineTOCEntryCommandOption{linefill}[{\TOCLineLeaderFill}]%
24882     {scr@tso@}{@linefill}{filling between text and page number}%
24883   \DefineTOCEntryLengthOption{numsep}%
24884     {scr@tso@}{@numsep}{entry number separation}%
24885   \DefineTOCEntryCommandOption{onstarthigherlevel}%
24886     {scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%
24887   \DefineTOCEntryCommandOption{onstartlowerlevel}%
24888     {scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
24889   \DefineTOCEntryCommandOption{onstartsamelevel}%
24890     {scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%
24891   \DefineTOCEntryCommandOption{pagenumberbox}%
24892     {scr@tso@}{@pagenumberbox}[1]{page number box}%
24893   \DefineTOCEntryCommandOption{pagenumberformat}%
24894     {scr@tso@}{@pagenumberformat}[1]{page number format}%
24895   \DefineTOCEntryLengthOption{pagenumberwidth}%
24896     {scr@tso@}{@pagenumberwidth}{width of page number box}%
24897   \DefineTOCEntryLengthOption{rightindent}%
24898     {scr@tso@}{@rightindent}{entry's text right indent}%
24899   \DefineTOCEntryOption{raggedentrytext}[true]{%
24900     \FamilySetBool{KOMAAarg}{raggedentrytext}{@tempswa}{##1}%
24901     \ifx\FamilyKeyState\FamilyKeyStateProcessed
24902       \if@tempswa
24903         \expandafter\let\csname ragged\scr@dte@current entry\endcsname
24904           \raggedright
24905       \else
24906         \expandafter\let\csname ragged\scr@dte@current entry\endcsname
24907           \relax
24908       \fi
24909     \fi
24910   }%
24911   \DefineTOCEntryIfOption{raggedpagenumber}%
24912     {scr@tso@}{@raggedpage}{page number ragged flag}%
24913   \DefineTOCEntryLengthOption{indent}%
24914     {scr@tso@}{@indent}{entry indent}%
24915   \DefineTOCEntryLengthOption{numwidth}%

```



```

24916 {scr@tso@}{@numwidth}{entry number width}%
24917 \scr@ifundefinedorrelax{#1tocdepth}{%
24918   \Ifstrstart{#1}{sub}{%
24919     \scr@ifundefinedorrelax{\scr@dte@nosub{#1}tocdepth}{}%
24920     \expandafter\edef\csname #1tocdepth\endcsname{%
24921       \the\numexpr \noexpand\@nameuse{\scr@dte@nosub{#1}tocdepth}+\@ne\relax
24922     }%
24923   }%
24924 }{}%
24925 }{}%
24926 \@ifundefined{#1tocdepth}{%
24927   \Ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
24928     \Ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
24929       \Ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
24930         \Ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
24931           \Ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
24932             \Ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
24933               \Ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
24934                 \Ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
24935                   \Ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
24936                     \expandafter\let\csname #1tocdepth\expandafter\endcsname
24937                     \csname #1numdepth\endcsname
24938                   }%
24939                 }%
24940               }%
24941             }%
24942           }%
24943         }%
24944       }%
24945     }%
24946   }%
24947 }{}%
24948 \scr@ifundefinedorrelax{scr@tso@#1@indent}{%
24949   \@ifundefined{scr@#1@tocindent}{%
24950     \Ifstrstart{#1}{sub}{%
24951       \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@indent}{%
24952         \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}%
24953         \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
24954           \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}}%
24955         \relax
24956       }%
24957     }%
24958   }{}%
24959   \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{%
24960     \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
24961       \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}}%
24962     \relax
24963   }%
24964 }{}%
24965 \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
24966   \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}}%
24967   +\noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}}%
24968 \relax
24969 }%

```



```

24970         }%
24971     }%
24972 }-%
24973 }{%
24974     \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
24975 }%
24976 }-%
24977 \scr@ifundefinedorrelax{scr@tso@#1@pagenumberwidth}{%
24978     \Ifstrstart{#1}{sub}{%
24979         \scr@ifundefinedorrelax{scr@tso@#1@pagenumberwidth}{%
24980             \@namedef{scr@tso@#1@pagenumberwidth}{\@pnumwidth}}%
24981         }{%
24982             \expandafter\let
24983             \csname scr@tso@#1@pagenumberwidth\expandafter\endcsname
24984             \csname scr@tso@#1@pagenumberwidth\endcsname
24985         }%
24986     }{%
24987         \@namedef{scr@tso@#1@pagenumberwidth}{\@pnumwidth}}%
24988     }%
24989 }-%
24990 \scr@ifundefinedorrelax{scr@tso@#1@rightindent}{%
24991     \Ifstrstart{#1}{sub}{%
24992         \scr@ifundefinedorrelax{scr@tso@#1@rightindent}{%
24993             \@namedef{scr@tso@#1@rightindent}{\@tocrmarg}}%
24994         }{%
24995             \expandafter\let
24996             \csname scr@tso@#1@rightindent\expandafter\endcsname
24997             \csname scr@tso@#1@rightindent\endcsname
24998         }%
24999     }{%
25000         \@namedef{scr@tso@#1@rightindent}{\@tocrmarg}}%
25001     }%
25002 }-%
25003 \@ifundefined{scr@tso@#1@indent}{%
25004     \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}-%
25005     \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}-%
25006     \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}-%
25007     \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}-%
25008     \scr@ifundefinedorrelax{l@chapter}{%
25009         \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}-%
25010         \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}-%
25011         \Ifstr{#1}{subsubsection}{%
25012             \@namedef{scr@tso@#1@indent}{3.8em}}%
25013         }-%
25014         \Ifstr{#1}{paragraph}{%
25015             \@namedef{scr@tso@#1@indent}{7em}}%
25016         }-%
25017         \Ifstr{#1}{subparagraph}{%
25018             \@namedef{scr@tso@#1@indent}{10em}}%
25019         }{%
25020             }%
25021         }%
25022     }%
25023 }%

```



```

25024         }%
25025     }{%
25026         \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
25027             \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
25028                 \Ifstr{#1}{subsubsection}{%
25029                     \@namedef{scr@tso@#1@indent}{7.0em}%
25030                 }{%
25031                     \Ifstr{#1}{paragraph}{%
25032                         \@namedef{scr@tso@#1@indent}{10em}%
25033                     }{%
25034                         \Ifstr{#1}{subparagraph}{%
25035                             \@namedef{scr@tso@#1@indent}{12em}%
25036                         }{%
25037                             }%
25038                         }%
25039                     }%
25040                 }%
25041             }%
25042         }%
25043     }%
25044 }{%
25045 }%
25046 }%
25047 }{}%
25048 \scr@ifundefinedorrelax{scr@tso@#1@numwidth}{%
25049     \scr@ifundefinedorrelax{scr@#1@tocnumwidth}{%
25050         \Ifstrstart{#1}{sub}{%
25051             \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{%
25052                 \expandafter\edef\csname scr@tso@#1@numwidth\endcsname{%
25053                     \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
25054                         +.9em%
25055                 }%
25056             }%
25057         }%
25058     }{}%
25059 }{%
25060     \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
25061 }%
25062 }{}%
25063 \@ifundefined{scr@tso@#1@numwidth}{%
25064     \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
25065     \Ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
25066     \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
25067         \scr@ifundefinedorrelax{chapter}{%
25068             \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
25069                 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
25070                     \Ifstr{#1}{subsubsection}{%
25071                         \@namedef{scr@tso@#1@numwidth}{3.2em}%
25072                     }{%
25073                         \Ifstr{#1}{paragraph}{%
25074                             \@namedef{scr@tso@#1@numwidth}{4.1em}%
25075                         }{%
25076                             \Ifstr{#1}{subparagraph}{%
25077                                 \@namedef{scr@tso@#1@numwidth}{5m}%

```



```

25078         }{%
25079       }%
25080     }%
25081   }%
25082 }%
25083 }%
25084 }{%
25085   \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
25086     \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
25087       \Ifstr{#1}{subsubsection}{%
25088         \@namedef{scr@tso@#1@numwidth}{3.1em}%
25089       }{%
25090         \Ifstr{#1}{paragraph}{%
25091           \@namedef{scr@tso@#1@numwidth}{5em}%
25092         }{%
25093           \Ifstr{#1}{subparagraph}{%
25094             \@namedef{scr@tso@#1@numwidth}{6em}%
25095           }{%
25096             }%
25097           }%
25098         }%
25099       }%
25100     }%
25101   }%
25102 }%
25103 }%
25104 }%
25105 }{%
25106 \expandafter\renewcommand%
25107 \csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
25108 \expandafter\renewcommand%
25109 \csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
25110 \expandafter\renewcommand%
25111 \csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
25112 \@ifundefined{scr@tso@#1@beforeskip}{%
25113   \Ifstr{#1}{part}{%
25114     \@namedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \@plus\p@\relax}%
25115   }{%
25116     \Ifstr{#1}{chapter}{%
25117       \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
25118     }{%
25119       \Ifstr{#1}{section}{%
25120         \scr@ifundefinedorrelax{1@chapter}{%
25121           \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
25122         }{}%
25123       }{}%
25124     }%
25125   }%
25126 \expandafter\renewcommand\expandafter*%
25127 \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2\p@\relax}%
25128 }{%
25129 \@ifundefined{scr@dte@#1@maxnumwidth}{%
25130   \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname
25131   \setlength{\@nameuse{scr@dte@#1@maxnumwidth}}{\z@}%

```



```

25132 }{}%
25133 \renewcommand*{\scr@dte@donumwidth}{}%
25134 \g@addto@macro{\scr@dte@donumwidth}{\do{#1}}%
25135 \expandafter\renewcommand\expandafter*%
25136 \csname scr@tso@#1@numsep\endcsname{.4em}%
25137 \expandafter\renewcommand%
25138 \csname scr@tso@#1@numberformat\endcsname[1]{##1}%
25139 \Ifstr{#1}{part}{%
25140   \expandafter\providecommand%
25141   \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
25142 }{}%
25143 \Ifstr{#1}{chapter}{%
25144   \expandafter\providecommand%
25145   \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
25146 }{}%
25147 \scr@ifundefinedorrelax{1@chapter}{%
25148   \Ifstr{#1}{section}{%
25149     \expandafter\providecommand%
25150     \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
25151   }{}%
25152 }{}%
25153 \expandafter\providecommand%
25154 \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
25155 }%
25156 }%
25157 \expandafter\renewcommand
25158 \csname Ifscr@tso@#1@breakafternumber\endcsname[2]{##2}%
25159 \@ifundefined{scr@tso@#1@linefill}{%
25160   \Ifstr{#1}{part}{%
25161     \@namedef{scr@tso@#1@linefill}{\hfill}%
25162   }{}%
25163   \Ifstr{#1}{chapter}{%
25164     \@namedef{scr@tso@#1@linefill}{\hfill}%
25165   }{}%
25166   \scr@ifundefinedorrelax{1@chapter}{%
25167     \Ifstr{#1}{section}{%
25168       \@namedef{scr@tso@#1@linefill}{\hfill}%
25169     }{}%
25170   }{}%
25171   \expandafter\renewcommand%
25172   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
25173 }%
25174 }%
25175 }{}%
25176 \expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname[2]{##2}%
25177 \Ifstr{#1}{part}{%
25178   \expandafter\providecommand%
25179   \csname scr@tso@#1@pagenumberformat\endcsname[1]{\large\bfseries ##1}%
25180 }{}%
25181 \Ifstr{#1}{chapter}{%
25182   \expandafter\providecommand%
25183   \csname scr@tso@#1@pagenumberformat\endcsname[1]{\bfseries ##1}%
25184 }{}%
25185 \scr@ifundefinedorrelax{1@chapter}{%

```





```

25186     \Ifstr{#1}{section}{%
25187         \expandafter\providecommand%
25188         \csname scr@tso@#1@pagenumberformat\endcsname[1]{\bfseries ##1}%
25189     }{}%
25190 }{}%
25191 \expandafter\providecommand%
25192 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
25193     {\normalfont\normalcolor ##1}}%
25194 }%
25195 }%
25196 \expandafter\renewcommand%
25197 \csname scr@tso@#1@pagenumberbox\endcsname[1]{%
25198     \hb@xt@{\@nameuse{scr@dte@pagenumberwidth}}{\hfil ##1}}%
25199 \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname[2]{##2}%
25200 \expandafter\renewcommand\csname Ifscr@tso@#1@dynindent\endcsname[2]{##2}%
25201 \scr@ifundefinedorrelax{scr@tso@#1@indentfollows}{%
25202     \Ifstrstart{#1}{sub}{%
25203         \expandafter\edef\csname scr@tso@#1@indentfollows\endcsname{%
25204             \scr@dte@nosub{#1}}%
25205     }%
25206 }{}%
25207 \expandafter\let\csname scr@tso@#1@indentfollows\endcsname\@empty
25208 }%
25209 }{}%
25210 }{}%
25211 \scr@dte@tocline{#1}{##1}{##2}%
25212 }
25213
25214 \if@bidi@csdef{scr@tso@figure@pagenumberformat}{%
25215     \renewcommand*{\scr@tso@figure@pagenumberformat}[1]{%
25216         {\normalfont\normalcolor #1}}%
25217     }%
25218 }{}
25219
25220 \if@bidi@csdef{scr@tso@table@pagenumberformat}{%
25221     \renewcommand*{\scr@tso@table@pagenumberformat}[1]{%
25222         {\normalfont\normalcolor #1}}%
25223     }%
25224 }{}
25225

```

## 158 File tocstyle-xetex-bidi.def

```

25226 \ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package]
25227 \renewcommand*{\tocstyle@dottedtocline}[5]{%
25228     \let\numberline\tocstyle@numberline
25229     \ifnum #1>\c@tocdepth \else
25230         \if@tocstyle@penalties
25231             \begingroup
25232                 \@tempcnta 20010
25233                 \advance \@tempcnta by -#1
25234                 \ifnum \@tempcnta>\lastpenalty
25235                     \aftergroup\penalty\aftergroup\@lowpenalty
25236             \fi

```



```

25237     \endgroup
25238     \fi
25239     \edef\tocstyledepth{#1}%
25240     \tocstyle@activate@features
25241     \ifx\tocstyle@feature@entryvskip\relax
25242         \vskip \z@ \@plus.2\p@
25243     \else
25244         \addvspace{\tocstyle@feature@entryvskip}%
25245     \fi
25246     {%
25247         \parskip \z@ \parindent \z@ \if@RTL\rightskip\else\leftskip\fi \z@ \if@RTL\leftskip\el
25248         \tocstyle@feature@raggedhook
25249         \@tempdima #3\relax
25250         \@tempdimb #2\relax
25251         \typeout{m (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
25252         \ifnum #1>\z@\relax
25253             \@tempcnta #1\relax \advance\@tempcnta \m@ne
25254             \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
25255                 \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
25256                     \@tempdimb
25257                     \csname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
25258                     \advance\@tempdimb
25259                     \csname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
25260                 \fi
25261             \fi
25262         \fi
25263         \typeout{C (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
25264         \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
25265             \ifdim \@tempdimb>
25266                 \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
25267                 \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
25268                     @#1\endcsname{\the\@tempdimb}%
25269             \fi
25270         \else
25271             \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
25272                 @#1\endcsname{\the\@tempdimb}%
25273         \fi
25274         \iftocstyle@autolength
25275             \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
25276                 \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
25277                 \relax
25278             \fi
25279             \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
25280                 \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
25281                 \relax
25282             \fi
25283             \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
25284             \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
25285         \else
25286             \@tempdimb #2\relax
25287             \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
25288         \fi
25289         \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
25290             \ifdim \@tempdima>

```



```

25291     \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
25292     \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
25293     @\endcsname{\the\@tempdima}%
25294     \fi
25295   \else
25296     \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
25297     @\endcsname{\the\@tempdima}%
25298     \fi
25299   \ifcase\tocstyle@indentstyle\relax\else
25300     \@tempdimb \z@
25301     \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
25302     \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
25303     \relax
25304     \fi
25305     \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
25306     \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
25307     \fi
25308     \advance\parindent \@tempdimb\@afterindenttrue
25309     \advance\if@RTL\rightskip\else\leftskip\fi \parindent
25310     \advance\if@RTL\leftskip\else\rightskip\fi \@tocrmarg
25311     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
25312     \ifx\tocstyle@feature@parfillskip\relax\else
25313       \advance\parfillskip \tocstyle@feature@parfillskip\relax
25314     \fi
25315     \interlinepenalty\@M
25316     \leavevmode
25317     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
25318     \null\nobreak
25319     \iftocstyle@indentnotnumbered\else
25320       \hskip -\if@RTL\rightskip\else\leftskip\fi
25321     \fi
25322     \tocstyle@feature@entryhook
25323     {#4}\nobreak
25324     \ifx\tocstyle@feature@leaders\relax
25325       \leaders\hbox{\$ \m@th
25326         \mkern \@dotsep mu\hbox{\tocstyle@feature@dothook .}%
25327         \mkern \@dotsep mu$}\hfill
25328     \else
25329       \tocstyle@feature@leaders
25330     \fi
25331     \nobreak
25332     \ifx\tocstyle@feature@pagenumberbox\relax
25333       \hb@xt@\@pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
25334     \else
25335       \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
25336     \fi
25337     \par
25338   }%
25339   \iftocstyle@penalties
25340     \bgroup
25341     \@tempcnta 20009
25342     \advance\@tempcnta by -#1
25343     \edef\reserved@a{\egroup\penalty\the\@tempcnta\relax}%
25344     \reserved@a

```



```

25345 \fi
25346 \fi}
25347 \renewcommand*{\tocstyle@numberline}[1]{%
25348 \begingroup
25349 \ifx\tocstyle@feature@spaceafternumber\relax
25350 \settowidth\@tempdima{\tocstyle@numberline{#1}\enskip}%
25351 \else
25352 \settowidth\@tempdima{\tocstyle@numberline{#1}}%
25353 \advance \@tempdima \tocstyle@feature@spaceafternumber\relax
25354 \fi
25355 \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
25356 \ifdim \@tempdima >
25357 \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
25358 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
25359 @\tocstyledepth\endcsname{\the\@tempdima}%
25360 \fi
25361 \else
25362 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
25363 @\tocstyledepth\endcsname{\the\@tempdima}%
25364 \fi
25365 \endgroup
25366 \iftocstyle@indentnotnumbered
25367 \hskip -\if@RTL\rightskip\else\leftskip\fi
25368 \fi
25369 \ifcase \tocstyle@indentstyle
25370 \hb@xt@\@tempdima{\tocstyle@numberline{#1}\hfil}%
25371 \or
25372 \hb@xt@\@tempdima{\tocstyle@numberline{#1}\hfil}%
25373 \else
25374 \ifx\tocstyle@feature@spaceafternumber\relax
25375 \hbox{\tocstyle@numberline{#1}\enskip}%
25376 \else
25377 \hbox{\tocstyle@numberline{#1}\hskip
25378 \tocstyle@feature@spaceafternumber\relax}%
25379 \fi
25380 \fi
25381 }
25382 \AtBeginDocument{%
25383 \ifcsname l@part\endcsname
25384 \ifcsname l@chapter\endcsname
25385 \setbox\@tempboxa\vbox{\hsize\maxdimen
25386 \l@part{\tocstyle@l@define{part}{-1}}{}}%
25387 \else
25388 \setbox\@tempboxa\vbox{\hsize\maxdimen
25389 \l@part{\tocstyle@l@define{part}{0}}{}}%
25390 \fi
25391 \fi
25392 \ifcsname l@chapter\endcsname
25393 \setbox\@tempboxa\vbox{\hsize\maxdimen
25394 \l@chapter{\tocstyle@l@define{chapter}{0}}{}}%
25395 \fi
25396 \ifcsname l@section\endcsname
25397 \setbox\@tempboxa\vbox{\hsize\maxdimen
25398 \l@section{\tocstyle@l@define{section}{1}}{}}%

```



```

25399 \fi
25400 \ifcsname l@subsection\endcsname
25401   \setbox\@tempboxa\vbox{\hsize\maxdimen
25402     \l@subsection{\tocstyle@l@define{subsection}{2}}{}}%
25403 \fi
25404 \ifcsname l@subsubsection\endcsname
25405   \setbox\@tempboxa\vbox{\hsize\maxdimen
25406     \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}%
25407 \fi
25408 \ifcsname l@paragraph\endcsname
25409   \setbox\@tempboxa\vbox{\hsize\maxdimen
25410     \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}%
25411 \fi
25412 \ifcsname l@subparagraph\endcsname
25413   \setbox\@tempboxa\vbox{\hsize\maxdimen
25414     \l@subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}%
25415 \fi
25416 \ifcsname l@table\endcsname
25417   \setbox\@tempboxa\vbox{\hsize\maxdimen
25418     \l@table{\tocstyle@l@define{table}{1}}{}}%
25419 \fi
25420 \ifcsname l@figure\endcsname
25421   \setbox\@tempboxa\vbox{\hsize\maxdimen
25422     \l@figure{\tocstyle@l@define{figure}{1}}{}}%
25423 \fi
25424 \def\@tempa#1#2#3#4#5{%
25425   \ifnum #1>\c@tocdepth \else
25426     \vskip \z@ \@plus.2\p@
25427     {\ifRTL\rightskip\else\leftskip\fi #2\relax \ifRTL\leftskip\else\rightskip\fi \@toc
25428     \parindent #2\relax\@afterindenttrue
25429     \interlinepenalty\@M
25430     \leavevmode
25431     \@tempdima #3\relax
25432     \advance\ifRTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\ifRTL\ri
25433     #4}\nobreak
25434     \leaders\hbox{$\m@th
25435       \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
25436       mu$}\hfill
25437     \nobreak
25438     \hb@xt@\@pnumwidth{\hfil \normalfont \normalcolor #5}}%
25439     \par}%
25440 \fi}%
25441 \ifx\@dottedtocline\@tempa\else
25442   \tocstyle@macrochangewarning\@dottedtocline
25443 \fi
25444 \let\tocstyle@saved@dottedtocline\@dottedtocline
25445 \def\@tempa#1{\hb@xt@\@tempdima{#1\autodot\hfil}}%
25446 \ifx\numberline\@tempa\else
25447   \def\@tempa#1{\hb@xt@\@tempdima{#1\hfil}}%
25448   \ifx\numberline\@tempa\else
25449     \tocstyle@macrochangewarning\numberline
25450   \fi
25451 \fi
25452 \let\tocstyle@saved\@numberline\numberline

```



```

25453 }
25454 \renewcommand*{\tocstyle@l@define}[2]{%
25455   \advance\if@RTL\rightskip\else\leftskip\fi-\@tempdima
25456   \edef\@tempa{%
25457     \noexpand\global\noexpand\let
25458     \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
25459     \expandafter\noexpand\csname l@#1\endcsname
25460     \noexpand\gdef
25461     \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
25462       \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\@tempdima}}%
25463     \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
25464       \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
25465       \expandafter\noexpand\csname tocstyle@l@#1\endcsname
25466     }%
25467   }%
25468   \PackageInfo{tocstyle}{prepare \expandafter\string
25469     \csname l@#1\endcsname\space for redefinition}%
25470   \@tempa
25471 }

```

## 159 File todonotes-xetex-bidi.def

```

25472 \ProvidesFile{todonotes-xetex-bidi.def}[2016/11/08 v0.4 bidi adaptations for todonotes packa
25473 \newif\if@bidi@todonotes@textdirection@RTL
25474 \newif\if@bidi@todonotes@figposition@right
25475 \newcommand{\@bidi@todonotes@align}{}%
25476 \define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
25477 \newcommand{\@bidi@todonotes@textdirection}{}%
25478 \define@choicekey{todonotes}{textdirection}[\@bidi@todonotes@tempa\@bidi@todonotes@tempb]{right,
25479   \ifcase\@bidi@todonotes@tempb\relax
25480     \@bidi@todonotes@textdirection@RTLtrue
25481     \let\@bidi@todonotes@textdirection\RLE
25482   \or
25483     \@bidi@todonotes@textdirection@RTLfalse
25484     \let\@bidi@todonotes@textdirection\LRE
25485   \fi}
25486 \define@choicekey{todonotes}{figposition}[\@bidi@todonotes@tempa\@bidi@todonotes@tempb]{right,
25487   \ifcase\@bidi@todonotes@tempb\relax
25488     \@bidi@todonotes@figposition@righttrue
25489   \or
25490     \@bidi@todonotes@figposition@rightfalse
25491   \fi}
25492 \if@todonotes@disabled%
25493 \else % \if@todonotes@disabled
25494 \renewcommand{\@todonotes@drawInlineNote}{%
25495   \if@todonotes@dviStyle%
25496     {\par\noindent\begin{tikzpicture}[remember picture]%
25497       \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
25498     \if@todonotes@authorgiven%
25499       {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
25500     \else%
25501       {\noindent \@todonotes@sizecommand \@todonotes@text}%
25502     \fi
25503   {\par\noindent\begin{tikzpicture}[remember picture]%

```



```

25504         \draw node[inlinenotestyle] {}; \end{tikzpicture} \par}%
25505     \else%
25506         {\par\noindent\begin{tikzpicture}[remember picture]%
25507             \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
25508             \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@
25509                 \if@todonotes@authorgiven%
25510                 {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text
25511                 \else%
25512                 {\noindent \@todonotes@sizecommand \@todonotes@text}%
25513                 \fi};%
25514             \end{tikzpicture} \par}%
25515     \fi}%
25516 \renewcommand{\@todonotes@drawMarginNoteWithLine}{%
25517 \begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
25518     \node [coordinate] (inText) {};%
25519 \end{tikzpicture}%
25520 \marginpar[{\% Draw note in left margin
25521     \@todonotes@drawMarginNote%
25522     \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
25523 }]{\% Draw note in right margin
25524     \@todonotes@drawMarginNote%
25525     \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
25526 }%
25527 }%
25528 \renewcommand{\@todonotes@drawMarginNote}{%
25529 \if@todonotes@dviStyle%
25530     \begin{tikzpicture}[remember picture]%
25531         \draw node[notestyle] {};%
25532     \end{tikzpicture} \\\%
25533     \begin{minipage}{\@todonotes@textwidth}%
25534         \if@todonotes@authorgiven%
25535             \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
25536         \else%
25537             \@todonotes@sizecommand \@todonotes@text%
25538         \fi%
25539     \end{minipage} \\\%
25540     \begin{tikzpicture}[remember picture]%
25541         \draw node[notestyle] (inNote) {};%
25542     \end{tikzpicture}%
25543 \else%
25544     \let\originalHbadness\hbadness%
25545     \hbadness 100000%
25546     \begin{tikzpicture}[remember picture,baseline=(X.base)]%
25547         \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
25548         \node(X){\vphantom{X}};%
25549         \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
25550             {\@todonotes@text};%
25551         \if@todonotes@authorgiven%
25552             \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
25553                 {\@todonotes@sizecommand \@todonotes@author};%
25554             \node(Y)[below=of X]{};%
25555             \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
25556                 {\@todonotes@text};%
25557         \else%

```



```

25558         \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todo
25559             {\@todonotes@text};%
25560         \fi%
25561     \end{tikzpicture}%
25562     \hbadness \originalHbadness%
25563 \fi}%
25564 \renewcommand{\missingfigure}[2] [] {%
25565 \setkeys{todonotes}{#1}%
25566 \addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
25567 \par
25568 \noindent
25569 \begin{tikzpicture}
25570 \draw[fill=\@todonotes@currentfigcolor, draw = black!40, line width=2pt]
25571     (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
25572 \if@bidi@todonotes@figposition@right%
25573 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
25574 \fi%
25575 \draw[red, fill=white, rounded corners = 5pt, line width=10pt]
25576     (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
25577 \if@bidi@todonotes@figposition@right%
25578 \end{scope}
25579 \begin{scope}[xshift=-3.8cm]
25580 \fi%
25581 \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
25582 \draw (2, -0.3) node[right, text
25583     width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {#2};
25584 \if@bidi@todonotes@figposition@right%
25585 \end{scope}
25586 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
25587 \fi%
25588 \draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@
25589 \draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@
25590 \if@bidi@todonotes@figposition@right%
25591 \end{scope}
25592 \fi%
25593 \end{tikzpicture}}\hfill
25594 }% Ending \missingfigure command
25595 \fi % Ending \@todonotes@ifdisabled
25596 \presetkeys%
25597     {todonotes}%
25598     {align=left,%
25599     textdirection=lefttoright,%
26000     figposition=left}{}%

```

## 160 File wrapfig-xetex-bidi.def

```

25601 \ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package f
25602 \let\WF@everypar\@everypar\@bidi@n@everypar
25603 \def\WF@putfigmaybe{%
25604 \ifinner
25605     \vskip-\parskip \global\WF@floatfalse
25606     \let\pagetotal\maxdimen % kludge flag for "not top of page"
25607 \else % outer page
25608     \tempdima\pagedepth % save page depth

```





```

25609 {\advance\parskip\@tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back
25610 \penalty\interlinepenalty % update pg. parameters
25611 \@tempdimb\pagegoal \advance\@tempdimb-\pagetotal % room left on page
25612 \ifdim\@tempdimb<\z@ % \WF@info{Page overfull already;}%
25613   \global\WF@floatfalse
25614   \ifdim-\@tempdimb>\pageshrink \else \pagebreak \fi
25615 \else
25616   \ifdim\WF@size>\@tempdimb
25617     \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
25618     \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
25619     \ifdim\pagefilstretch>\z@ \dimen@\@tempdimb \fi
25620     \ifdim\pagefillstretch>\z@ \dimen@\@tempdimb \fi
25621     \advance\dimen@.5\baselineskip
25622     \ifdim\dimen@>\@tempdimb % \WF@info{Page nearly full; can stretch}%
25623       \global\WF@floatfalse \pagebreak
25624     \fi
25625     \else % \WF@info{Fits in \the\@tempdimb;}%
25626       \global\WF@floatfalse
25627     \fi\fi
25628     \vskip\@tempdima\relax % (return erased page depth)
25629 \fi
25630 \noindent
25631 \ifWF@float
25632   \WF@fltmes
25633 \else % putting here;
25634   \WF@info{Put \WF@wfname here:}%
25635   {\ifodd\if@twoside\c@page\else\@ne\fi % assign l/r to i/o placement
25636     \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
25637     \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
25638   \hbox to\z@{% llap or rlap depending on {l} or {r}; calc effective width
25639     \@tempdima\wd\WF@box \@tempdimb\WF@ovh
25640     \advance\@tempdima-\@tempdimb \advance\@tempdima\columnsep
25641     \@tempdimb\hsize \advance\@tempdimb-\@tempdima
25642     \xdef\WF@adjlw{\the\@tempdima}%
25643     \ifnum `l=\WF@place % fig on left
25644       \if@RTL%
25645         \kern\@tempdimb \kern\columnsep
25646         \def\@tempa{\hss}% position to left of the gap
25647         \else%
25648         \hss % figure overlaps space to the left
25649         \def\@tempa{\kern\columnsep}% position to left of the gap
25650         \fi%
25651     \else % fig on right
25652       \if@RTL%
25653         \hss
25654         \@tempdima\z@
25655         \def\@tempa{\kern\columnsep}
25656         \else%
25657         \@tempdima\z@ % no left indentation
25658         \kern\@tempdimb \kern\columnsep
25659         \def\@tempa{\hss}% figure overlaps space to the right
25660         \fi%
25661     \fi
25662     \ifdim\@tempdimb<\hsize

```



```

25663 \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}% indentation and length
25664 \xdef\WF@adjtlm{\the\@tempdima}%
25665 \else
25666 \xdef\WF@wrapil{\z@ \the\hsize}%
25667 \xdef\WF@adjlw{\z@}\xdef\WF@adjtlm{\z@}%
25668 \fi
25669 \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
25670 \global\advance\WF@size-\intextsep
25671 \else % \WF@info{Putting \WF@wfname in middle of page}%
25672 \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
25673 \fi \dp\WF@box\z@ \box\WF@box \@tempa
25674 }% end \hbox to Opt
25675 \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
25676 \fi}

```

## 161 File xcolor-xetex-bidi.def

```

25677 \ProvidesFile{xcolor-xetex-bidi.def}[2022/06/13 v0.3 bidi adaptations for xcolor package for
25678 \long\def\color@b@x#1#2#3%
25679 {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
25680 \setbox\z@\hbox{\kern\fbboxsep{\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fbboxsep}%
25681 \dimen@ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
25682 \dimen@dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
25683 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
25684 \protected\def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup
25685 \DeclareRobustCommand\color
25686 {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor]}
25687 \def\@undeclaredcolor[#1]#2%
25688 {\begingroup
25689 \let\@@cls\@empty
25690 \XC@getmodclr12{#1}{#2}{}%
25691 {\ifblendcolors
25692 \ifx\colorblend\@empty\else
25693 \edef\@@mix{\expandafter\@gobble\colorblend}\@tempswafalse
25694 \XC@coremodel\@mod\@@clr\xcolor@{ }\@mod\@@clr
25695 \fi
25696 \fi
25697 \ifconvertcolorsU
25698 \edef\@@tmp{\XC@tgt@mod{\@mod}}%
25699 \convertcolorspec\@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
25700 \fi
25701 \ifmaskcolors
25702 \convertcolorspec\@mod\@@clr\XC@mmod\@@clr
25703 \let\@@mod\XC@mmod
25704 \XC@inflate\@mod\XC@mclr\@@clr\@@tmp
25705 \expandafter\XC@mul\@@tmp,\@@clr
25706 \fi
25707 \edef\@@tmp{\noexpand\XC@undeclaredcolor{\@mod}{\@@clr}}%
25708 \expandafter\endgroup\@@tmp}}
25709 \def\@declaredcolor#1%
25710 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
25711 \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
25712 \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
25713 \ifconvertcolorsU\XC@@tsttrue\fi

```



```

25714 \fi
25715 \ifXC@@tst
25716 \expandafter\XC@declaredcolor\else
25717 \expandafter\XC@declaredcolor\fi}
25718 \def\XC@undeclaredcolor#1#2%
25719 {\@ifundefinedmodel{#1}%
25720 {\color@error{model `#1'}}%
25721 {\@nameuse{color@#1}\current@color{#2}}%
25722 \edef\XC@current@color{\noexpand\xcolor@{}{current@color}{#1}{#2}}%
25723 \XC@display}\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
25724 \def\XC@declaredcolor
25725 {\XC@let\NC\XC@current@color{\string\color@\XC@@tmp}}%
25726 \edef\current@color{\XC@current@color}%
25727 \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
25728 \DeclareRobustCommand\bidicolor
25729 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor]}
25730 \def\@bidiundeclaredcolor[#1]#2%
25731 {\begingroup
25732 \let\@@cls\@empty
25733 \XC@getmodclr12{#1}{#2}{}}%
25734 {\ifblendcolors
25735 \ifx\colorblend\@empty\else
25736 \edef\@@mix{\expandafter@gobble\colorblend}\@tempwafalse
25737 \XC@coremodel\@mod\@clr\xcolor@{}{\@mod\@clr}
25738 \fi
25739 \fi
25740 \ifconvertcolorsU
25741 \edef\@@tmp{\XC@tgt@mod{\@mod}}%
25742 \convertcolorspec\@mod\@clr\@@tmp\@clr \let\@@mod\@@tmp
25743 \fi
25744 \ifmaskcolors
25745 \convertcolorspec\@mod\@clr\XC@mmod\@clr
25746 \let\@@mod\XC@mmod
25747 \XC@inflate\@mod\XC@mclr\@clr\@@tmp
25748 \expandafter\XC@mul\@@tmp,\@clr}
25749 \fi
25750 \edef\@@tmp{\noexpand\XC@bidiundeclaredcolor{\@mod}{\@clr}}%
25751 \expandafter\endgroup\@@tmp}}
25752 \def\XC@bidiundeclaredcolor#1#2%
25753 {\@ifundefinedmodel{#1}%
25754 {\color@error{model `#1'}}%
25755 {\@nameuse{color@#1}\current@color{#2}}%
25756 \edef\XC@current@color{\noexpand\xcolor@{}{current@color}{#1}{#2}}%
25757 \XC@display}}
25758 \def\@bidideclaredcolor#1%
25759 {\XC@edef\XC@@tmp{#1}\XC@tstfalse
25760 \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
25761 \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
25762 \ifconvertcolorsU\XC@@tsttrue\fi
25763 \fi
25764 \ifXC@@tst
25765 \expandafter\XC@bidideclaredcolor\else
25766 \expandafter\XC@bidideclaredcolor\fi}
25767 \def\XC@bidideclaredcolor

```



```

25768 {\XC@split\XC@@tmp
25769 \edef\@tmp{\noexpand\@bidiundeclaredcolor[\@mod]{\@clr}}%
25770 \expandafter\endgroup\@tmp}
25771 \def\XC@bidideclaredcolor
25772 {\XC@let\Nc\XC@current@color{\string\color@\XC@@tmp}%
25773 \edef\current@color{\XC@current@color}%
25774 \XC@display}
25775 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
25776 \def\color@fbox#1#2#3{\protect\color@fb@x{#1}{#2}{#3}}
25777 \def\color@fb@x#1#2#3#4%
25778 {\color@b@x{\fboxsep\z@\bidicolor#1{#2}\XC@fbox}%
25779 {\@ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
25780 \def\color@setgroup{\begingroup\ifhmode\ifRTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```

## 162 File latex-xetex-bidi.def

```

25781 \ProvidesFile{latex-xetex-bidi.def}[2025/01/03 v1.5.2 bidi adaptations for `latex.ltx' for
25782 \newcommand{\TeXXeTOn}{\TeXeTstate\@ne}
25783 \newcommand{\TeXXeTOff}{\TeXeTstate\z@}
25784 \TeXXeTOn
25785 \def\bidi@RTL@everypar{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebo
25786 \let\bidi@o@everypar=\everypar
25787 \newtoks\bidi@n@everypar
25788 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
25789 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
25790 \let\everypar=\bidi@n@everypar
25791 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
25792 \def\moreRE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
25793 \protected\def\hboxR{\hbox\bgroup
25794 \everyhbox{%
25795 \aftergroup\egroup
25796 \everyhbox{}}%
25797 \beginR
25798 \@hboxRconstructtrue
25799 \bgroup
25800 \aftergroup\endR
25801 \aftergroup\egroup
25802 }\hbox}
25803 \protected\def\hboxL{\hbox\bgroup
25804 \everyhbox{%
25805 \aftergroup\egroup
25806 \everyhbox{}}%
25807 \beginL
25808 \@hboxRconstructfalse
25809 \bgroup
25810 \aftergroup\endL
25811 \aftergroup\egroup
25812 }\hbox}
25813 \protected\def\vboxR{\vbox\bgroup
25814 \everyvbox{%
25815 \aftergroup\egroup
25816 \everyvbox{}}%
25817 \@RTLtrue
25818 \@RTLtabtrue

```



```

25819 \bgroup
25820 \aftergroup\egroup
25821 }\vbox}
25822 \protected\def\vboxL{\vbox\bgroup
25823 \everyvbox{%
25824 \aftergroup\egroup
25825 \everyvbox{}}%
25826 \@RTLfalse
25827 \@RTLtabfalse
25828 \bgroup
25829 \aftergroup\egroup
25830 }\vbox}
25831 \newcommand*{\bidi@leftskip}{\if@RTL\rightskip\else\leftskip\fi}
25832 \newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\rightskip\fi}
25833 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\hsize\linewidth\parshape\z@\bidi@beamer}
25834 \def\endLTR{\par}
25835 \newenvironment{LTR*}{\LTR
25836 \everypar{%
25837   {\setbox\z@\lastbox
25838     \ifvoid\z@
25839       \kern-\parindent
25840     \fi}%
25841   }%
25842 }\endLTR\@endpetrue}
25843 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\hsize\linewidth\parshape\z@\bidi@beamer}
25844 \def\endRTL{\par}
25845 \newenvironment{RTL*}{\RTL
25846 \everypar{%
25847   {\setbox\z@\lastbox
25848     \ifvoid\z@
25849       \kern-\parindent
25850     \fi}%
25851   }%
25852 }\endRTL\@endpetrue}
25853 \def\setRTL{\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\bidi@beamer@ragged}
25854 \def\setLTR{\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\bidi@beamer@ragged}
25855 \let\unsetRTL=\setRTL
25856 \let\unsetLTR=\setLTR
25857 \let\LR=\LRE
25858 \let\RL=\RLE
25859 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
25860 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
25861 \let\@ensure@RL=\@ensure@RTL
25862 \let\@ensure@LR=\@ensure@LTR
25863 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
25864 \let\@ensure@maindir=\@ensure@dir
25865 \def\@@RTL{RTL}
25866 \def\@@LTR{LTR}
25867 \def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
25868 \def\reset@dir{\ifx\saved@@dir\@@RTL\setRTL\else\ifx\saved@@dir\@@LTR\setLTR\else\relax\fi}
25869 \let\@@TeX\TeX
25870 \def\TeX{\@ensure@LTR{\@@TeX}}
25871 \let\@@LaTeX\LaTeX
25872 \def\LaTeX{\@ensure@LTR{\@@LaTeX}}

```



```

25873 \let\@LaTeXe\LaTeXe
25874 \def\LaTeXe{\@ensure@LTR{\@LaTeXe}}
25875 \long\def\bidireflect@box#1{%
25876   \leavevmode
25877   \setbox\z@\hbox{#1}%
25878   \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
25879   \hb@xt@\wd\z@{\kern\wd\z@\box\tw@\hss}%
25880 }
25881 \if@bidi@csundef{XeTeX}{%
25882 \bidi@newrobustcmd*{\XeTeX}{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
25883   \hbox{\kern-.125em\bidireflect@box{E}}\kern-.1667em \TeX}}$}}%
25884 }{%
25885 \let\@bidi@orig@XeTeX\XeTeX
25886 \bidi@renewrobustcmd*{\XeTeX}{\LR{\@bidi@orig@XeTeX}}%
25887 }
25888 \if@bidi@csundef{XeLaTeX}{%
25889 \bidi@newrobustcmd*{\XeLaTeX}{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
25890   \hbox{\kern-.125em\bidireflect@box{E}}\kern-.1667em \LaTeX}}$}}%
25891 }{%
25892 \let\@bidi@orig@XeLaTeX\XeLaTeX
25893 \bidi@renewrobustcmd*{\XeLaTeX}{\LR{\@bidi@orig@XeLaTeX}}%
25894 }
25895 \let\setRL=\setRTL
25896 \let\setLR=\setLTR
25897 \let\unsetRL=\setLTR
25898 \def\biditabular@RTLcases{\let\@halignto\@empty\@bidi@tabular@RTLcases}
25899 \ApplyPatchIfPackageLoaded{array}{%
25900 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
25901   \leavevmode
25902   \hbox \bgroup $\left.\col@sep\tabcolsep \let\dollarbegin\begin\group
25903     \let\dollarend\end\group
25904   \@tabarray}
25905 \def\endbidi@tabular@RTLcases{\endarray \right\rbrace$\egroup}
25906 }{%
25907 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
25908   \leavevmode \hbox \bgroup
25909   $\left.\let\@acol\@tabacol
25910   \let\@classz\@tabclassz
25911   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
25912 }
25913 \def\endbidi@tabular@RTLcases{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
25914   \egroup\right\rbrace $\egroup}}
25915 \def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
25916   \ialign{##\hfil$&\quad{##}\hfil\crr#1\crr}}\,\right\}}
25917 \renewenvironment{RTLcases}{%
25918 \bidi@matrix@check\RTLcases\env@RTLcases
25919 }{%
25920 \endbidi@tabular@RTLcases%
25921 }
25922 \def\env@RTLcases{%
25923 \let\@ifnextchar\bidi@new@ifnextchar
25924 \def\arraystretch{1.2}%
25925 \bidi@tabular@RTLcases{@{}r@{\quad}r@{}}%
25926 }

```



```

25927 \def\SepMark#1{\gdef\@SepMark{#1}}
25928 \SepMark{.}
25929 \def\@thmcountersep{\@SepMark}
25930 \def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
25931 \def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
25932 \def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
25933 \newcommand*\bidi@thebibliography@font@hook{-}
25934 \def\list#1#2{%
25935   \ifnum \@listdepth >5\relax
25936     \@toodeep
25937   \else
25938     \global\advance\@listdepth\@ne
25939   \fi
25940   \rightmargin\z@
25941   \listparindent\z@
25942   \itemindent\z@
25943   \csname @list\romannumeral\the\@listdepth\endcsname
25944   \def\@itemlabel{#1}%
25945   \let\makelabel\@mklab
25946   \@nbrlistfalse
25947   #2\relax
25948   \@trivlist
25949   \parskip\parsep
25950   \parindent\listparindent
25951   \advance\linewidth -\rightmargin
25952   \advance\linewidth -\leftmargin
25953   \if@bidi@list@minipage@parbox
25954     \ifRTL
25955       \advance\@totalleftmargin \leftmargin
25956     \else
25957       \advance\@totalleftmargin \rightmargin
25958     \fi
25959   \else
25960     \if@hboxRconstruct
25961     \if@bidi@list@minipage@parbox@not@nob
25962     \ifRTL
25963       \advance\@totalleftmargin \rightmargin
25964     \else
25965       \advance\@totalleftmargin \leftmargin
25966     \fi
25967   \else
25968     \ifRTL
25969       \advance\@totalleftmargin \leftmargin
25970     \else
25971       \advance\@totalleftmargin \rightmargin
25972     \fi\fi
25973   \else
25974     \ifRTL
25975       \advance\@totalleftmargin \rightmargin
25976     \else
25977       \advance\@totalleftmargin \leftmargin
25978     \fi\fi\fi
25979   \parshape \@ne \@totalleftmargin \linewidth
25980   \ignorespaces}

```



```

25981 \long\def\@iiiparbox#1#2[#3]#4#5{%
25982 \leavevmode
25983 \@pboxswfalse
25984 \if@hboxRconstruct
25985 \@bidi@list@minipage@parbox@not@nobtrue
25986 \fi
25987 \if@RTL
25988 \ifx#1t%
25989 \@bidi@list@minipage@parboxtrue
25990 \else
25991 \ifx#1b%
25992 \@bidi@list@minipage@parboxtrue
25993 \fi
25994 \fi
25995 \fi
25996 \setlength\@tempdima{#4}%
25997 \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@par}%
25998 \ifx\relax#2\else
25999 \setlength\@tempdimb{#2}%
26000 \edef\@parboxto{to\the\@tempdimb}%
26001 \fi
26002 \if#1b\vbox
26003 \else\if #1t\vtop
26004 \else\ifmode\vcenter
26005 \else\@pboxswtrue $\vcenter
26006 \fi\fi\fi
26007 \@parboxto{\let\hss\vss\let\unhbox\unvbox
26008 \csname bm#3\endcsname}%
26009 \if@pboxsw \m@th$\fi
26010 \@end@tempboxa}
26011 \newenvironment{LTRitems}
26012 {\par\@RTLfalse\@RTLtabfalse\@bidi@beamer@ragged
26013 \if@bidi@list@minipage@parbox
26014 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
26015 \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
26016 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
26017 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
26018 \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
26019 \ignorespaces}{\vskip\z@}
26020 \newenvironment{RTLitems}
26021 {\par\@RTLtrue\@RTLtabtrue\@bidi@beamer@ragged
26022 \if@bidi@list@minipage@parbox
26023 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
26024 \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
26025 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
26026 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
26027 \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
26028 \ignorespaces}{\vskip\z@}
26029 \newenvironment{LTRbibitems}
26030 {\par\@RTLfalse\@RTLtabfalse\@bidi@beamer@ragged
26031 \if@bidi@list@minipage@parbox
26032 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
26033 \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
26034 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else

```





```

26035         \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
26036         \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
26037         \ignorespaces}{\vskip\z@}
26038 \newenvironment{RTLbibitems}
26039         {\par\@RTLtrue\@RTLtabtrue\@bidi@beamer@ragged
26040         \if@bidi@list@minipage@parbox
26041         \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
26042         \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
26043         \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
26044         \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
26045         \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
26046         \ignorespaces}{\vskip\z@}
26047 \def\raggedright{%
26048   \let\\\@centercr\@rightskip\@flushglue \rightskip\@rightskip
26049   \leftskip\z@skip
26050   \parindent\z@\parfillskip\z@skip}
26051 \let\@bidi@orig@raggedleft\raggedleft
26052 \let\@bidi@orig@raggedright\raggedright
26053 \renewcommand\raggedleft{\if@bidi@list@minipage@parbox\@bidi@orig@raggedright\else\if@hboxRco
26054 \renewcommand\raggedright{\if@bidi@list@minipage@parbox\@bidi@orig@raggedleft\else\if@hboxRco
26055 \newcommand{\@bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
26056 \newcommand{\@bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
26057 \DeclareRobustCommand\centerline[1]{%
26058 \if@RTL\@@line{\hss\beginR#1\endR\hss}
26059 \else\@@line{\hss#1\hss}\fi}
26060 \def\@bidi@orig@leftline#1{%
26061 \if@RTL\@@line{\beginR#1\endR\hss}
26062 \else\@@line{#1\hss}\fi}
26063 \def\@bidi@orig@rightline#1{%
26064 \if@RTL\@@line{\hss\beginR#1\endR}
26065 \else\@@line{\hss#1}\fi}
26066 \DeclareRobustCommand\leftline[1]{\ifhmode\if@RTL\@bidi@orig@rightline{#1}\else\@bidi@orig@lef
26067 \DeclareRobustCommand\rightline[1]{\ifhmode\if@RTL\@bidi@orig@leftline{#1}\else\@bidi@orig@rig
26068 \DeclareRobustCommand\bidirlap[1]{\hbext@z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
26069 \DeclareRobustCommand\bidillap[1]{\hbext@z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
26070 \def\@hangfrom#1{\setbox\@tempboxa\hbox{#{#1}}}%
26071   \hangindent \if@RTL-\else\fi\wd\@tempboxa\noindent\box\@tempboxa}
26072 \def\narrower{%
26073   \advance\if@RTL\rightskip\else\leftskip\fi\parindent
26074   \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
26075 \DeclareRobustCommand\underline[1]{%
26076   \relax
26077   \ifmmode\@@underline{#1}%
26078   \else
26079 \if@RTL $\@@underline{\hbox{\beginR#1\endR}}\m@th$\relax
26080 \else
26081 $\@@underline{\hbox{#1}}\m@th$\relax\fi\fi}
26082 \if@compatibility
26083   \let\undertext=\underline
26084 \fi
26085 \def\@tabular{%
26086   \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi
26087   $\let\@acol\@tabacol
26088   \let\@classz\@tabclassz

```



```

26089 \let@classiv@tabclassiv \let\\\@tabularcr@tabarray}
26090 \def\endtabular{\crrc\egroup\if@RTLtab\egroup\endR\egroup\fi
26091 \egroup $\if@RTLtab\endR\fi\egroup}
26092 \expandafter \let \csname endtabular*\endcsname = \endtabular
26093 \def\@array[#1]#2{%
26094 \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
26095 \bgroup
26096 \setbox\@arstrutbox\hbox{%
26097 \vrule \@height\arraystretch\ht\strutbox
26098 \depth\arraystretch \dp\strutbox
26099 \@width\z@}%
26100 \@mkpream{#2}%
26101 \edef\@preamble{%
26102 \ialign \noexpand\@halignto
26103 \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
26104 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
26105 \let\@tabularnewline\@
26106 \let\par\@empty
26107 \let\@sharp##%
26108 \set@typeset@protect
26109 \lineskip\z@skip\baselineskip\z@skip
26110 \ifhmode \@preamerr\z@ \@@par\fi
26111 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
26112 \@preamble}
26113 \def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
26114 \let\@classiv\@arrayclassiv
26115 \let\\\@arraycr\let\@halignto\@empty\@RTLtabfalse\@tabarray}
26116 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
26117 \ifnum \@lastchclass=3 5 \else
26118 \z@ \if #1c\@chnum \z@ \else
26119 \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
26120 \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
26121 \@chclass \if #1|\@ne \else
26122 \if #1@\tw@ \else
26123 \if #1p3 \else \z@ \@preamerr 0\fi
26124 \fi \fi \fi \fi \fi \fi
26125 \fi}
26126 \def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
26127 \def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
26128 \def\bm@t{\unhbox\@tempboxa\hss}
26129 \def\bm@b{\hss\unhbox\@tempboxa}
26130 \def\@dottedtocline#1#2#3#4#5{%
26131 \ifnum #1>\c@tocdepth \else
26132 \vskip \z@ \@plus.2\p@
26133 {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \@ocrma
26134 \parindent #2\relax\@afterindenttrue
26135 \interlinepenalty\@M
26136 \leavevmode
26137 \@tempdima #3\relax
26138 \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
26139 {#4}\nobreak
26140 \leaders\hbox{\$m@th
26141 \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
26142 mu$}\hfill

```



```

26143     \nobreak
26144     \hb@xt@{\pnumwidth{\hfил\normalfont \normalcolor #5}}%
26145     \par}%
26146 \fi}
26147
26148 \newcount\ bidi@column@check@number
26149
26150 \def\ bidi@column@status#1{\gdef\ bidi@current@column@status{#1}}
26151
26152 \def\ bidi@set@column@status#1#2{%
26153     \global\expandafter\let\csname #1\endcsname\ bidi@current@column@status}
26154
26155 \if@twocolumn
26156 \newcommand\DetectColumn[3][1]{%
26157     \ifx\ bidi@firstcolumn@status@write\relax
26158         \PackageError{bidi}%
26159             {Option 'DetectColumn' not selected}%
26160             {\string\DetectColumn\space
26161              requires the use of the 'DetectColumn'
26162              option on the package}%
26163 \fi
26164 \global\advance\ bidi@column@check@number\@ne
26165 \edef\ bidi@column@type{\expandafter\ifx
26166     \csname bidi@column-\the\ bidi@column@check@number\endcsname\relax
26167     0\else
26168     \csname bidi@column-\the\ bidi@column@check@number\endcsname
26169     \fi}%
26170 \ifcase \ bidi@column@type\relax
26171     \ifcase #1\or #2\or#3\fi % 0 not known use first column as default
26172 \or
26173     #2% % 1 First column
26174 \or
26175     #3% % 2 Second (Last column)
26176 \else
26177     \ERROR
26178 \fi
26179 \edef\next{\write\@auxout
26180     {\string\ bidi@set@column@status{\ bidi@column-\the\ bidi@column@check@number}%
26181     {\ bidi@column@type}}}%
26182 \next
26183 }
26184
26185 \AtEndDocument{\def\ bidi@set@column@status#1#2{%
26186     \ifnum #2=\ bidi@current@column@status\else
26187     \@tempwattrue
26188     \fi}%
26189 }
26190 \fi
26191
26192 \def\RTL@outputdblcol{%
26193     \if@firstcolumn
26194     \global\@firstcolumnfalse
26195     \global\setbox\@leftcolumn\copy\@outputbox
26196     \splitmaxdepth\maxdimen

```



```

26197 \vbadness\maxdimen
26198 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
26199 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
26200 \toks@\expandafter{\topmark}%
26201 \xdef\@firstcoltopmark{\the\toks@}%
26202 \toks@\expandafter{\splitfirstmark}%
26203 \xdef\@firstcolfirstmark{\the\toks@}%
26204 \ifx\@firstcolfirstmark\@empty
26205 \global\let\@setmarks\relax
26206 \else
26207 \gdef\@setmarks{%
26208 \let\firstmark\@firstcolfirstmark
26209 \let\topmark\@firstcoltopmark}%
26210 \fi
26211 \else
26212 \global\@firstcolumntrue
26213 \setbox\@outputbox\vbox{%
26214 \hb@xt@\textwidth{%
26215 \hskip \columnwidth
26216 \hfil
26217 {\normalcolor\vrule \@width\columnseprule}%
26218 \hfil
26219 \hb@xt@\columnwidth{%
26220 \bidi@firstcolumn@status@write%
26221 \box\@leftcolumn \hss}%
26222 \hskip -\textwidth
26223 \hb@xt@\columnwidth{%
26224 \bidi@lastcolumn@status@write%
26225 \box\@outputbox \hss}%
26226 \hskip \columnsep
26227 \hskip \columnwidth }}%
26228 \@combinedblfloats
26229 \@setmarks
26230 \@outputpage
26231 \begingroup
26232 \@dblfloatplacement
26233 \@startdblcolumn
26234 \@whilesw@if@colmade \fi{\@outputpage
26235 \@startdblcolumn}%
26236 \endgroup
26237 \fi}%
26238
26239 \def\LTR@outputdblcol{%
26240 \if@firstcolumn
26241 \global\@firstcolumnfalse
26242 \global\setbox\@leftcolumn\copy\@outputbox
26243 \splitmaxdepth\maxdimen
26244 \vbadness\maxdimen
26245 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
26246 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
26247 \toks@\expandafter{\topmark}%
26248 \xdef\@firstcoltopmark{\the\toks@}%
26249 \toks@\expandafter{\splitfirstmark}%
26250 \xdef\@firstcolfirstmark{\the\toks@}%

```



```

26251 \ifx\@firstcolfirstmark\@empty
26252 \global\let\@setmarks\relax
26253 \else
26254 \gdef\@setmarks{%
26255 \let\firstmark\@firstcolfirstmark
26256 \let\topmark\@firstcoltopmark}%
26257 \fi
26258 \else
26259 \global\@firstcolumntrue
26260 \setbox\@outputbox\vbox{%
26261 \hb@xt@\textwidth{%
26262 \hb@xt@\columnwidth{%
26263 \bidi@firstcolumn@status@write%
26264 \box\@leftcolumn \hss}%
26265 \hfil
26266 {\normalcolor\vrule \@width\columnseprule}%
26267 \hfil
26268 \hb@xt@\columnwidth{%
26269 \bidi@lastcolumn@status@write%
26270 \box\@outputbox \hss}}}%
26271 \@combinedblfloats
26272 \@setmarks
26273 \@outputpage
26274 \begingroup
26275 \@dblfloatplacement
26276 \@startdblcolumn
26277 \@whilesw\if@colmade \fi{\@outputpage
26278 \@startdblcolumn}%
26279 \endgroup
26280 \fi}%
26281
26282
26283 \renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
26284 \newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
26285 \newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
26286
26287 \bidi@patchcmd\@makecol{%
26288 \ifvoid\footins
26289 \setbox\@outputbox \box\@cclv
26290 \else
26291 \setbox\@outputbox \vbox {%
26292 \boxmaxdepth \@maxdepth
26293 \unvbox \@cclv
26294 \vskip \skip\footins
26295 \color@begingroup
26296 \normalcolor
26297 \footnoterule
26298 \unvbox \footins
26299 \color@endgroup
26300 }%
26301 \fi
26302 }{%
26303 \ifvoid\footins
26304 \ifvoid\@bidi@copyins@

```



```

26305     \setbox\@outputbox \box\@cclv
26306   \else
26307     \setbox\@outputbox \vbox {%
26308       \boxmaxdepth \@maxdepth
26309       \unvbox \@cclv
26310       \vskip \skip\@bidi@copyins@
26311       \color@begingroup
26312         \normalcolor
26313         \unvbox \@bidi@copyins@
26314       \color@endgroup
26315     }%
26316   \fi
26317 \else
26318   \setbox\@outputbox \vbox {%
26319     \boxmaxdepth \@maxdepth
26320     \unvbox \@cclv
26321     \vskip \skip\footins
26322     \color@begingroup
26323       \normalcolor
26324       \footnoterule
26325     \unvbox \footins
26326   \color@endgroup
26327   \ifvoid\@bidi@copyins@
26328   \else
26329     \vskip \skip\@bidi@copyins@
26330     \color@begingroup
26331       \normalcolor
26332       \unvbox \@bidi@copyins@
26333     \color@endgroup
26334   \fi
26335 }%
26336 \fi
26337 }{}{}
26338
26339 \def\LTRmarginpar{%
26340   \ifhmode
26341     \@bsphack
26342     \@floatpenalty -\@Mii
26343   \else
26344     \@floatpenalty-\@Miii
26345   \fi
26346   \ifinner
26347     \@parmoderr
26348     \@floatpenalty\z@
26349   \else
26350     \@next\@currbox\@freelist{}{}%
26351     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
26352     {\@floatpenalty\z@
26353       \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
26354   \fi
26355   \@ifnextchar [\@LTRxmpar\@LTRympar}
26356 \long\def\@LTRxmpar[#1]#2{%
26357   \@LTRsavemarbox\@marbox{#1}%
26358   \@LTRsavemarbox\@currbox{#2}%

```



```

26359 \@xympar}
26360 \long\def\@LTRympar#1{%
26361   \@LTRsavemarbox\@marbox{#1}%
26362   \global\setbox\@currbox\copy\@marbox
26363   \@xympar}
26364 \long\def \@LTRsavemarbox #1#2{%
26365   \global\setbox #1%
26366     \color@vbox
26367     \vtop{%
26368       \hsize\marginparwidth
26369       \@parboxrestore
26370       \@LTRmarginparreset
26371       #2%
26372       \@minipagefalse
26373       \outer@nobreak
26374     }%
26375   \color@endbox
26376 }
26377 \def \@LTRmarginparreset {%
26378   \reset@font
26379   \normalsize
26380   \@minipagetrue
26381   \everypar{\@minipagefalse\everypar{}\beginL}%
26382 }
26383 \def\RTLmarginpar{%
26384   \ifhmode
26385     \@bsphack
26386     \@floatpenalty -\@Mii
26387   \else
26388     \@floatpenalty-\@Miii
26389   \fi
26390   \ifinner
26391     \@parmoderr
26392     \@floatpenalty\z@
26393   \else
26394     \@next\@currbox\@freelist{}{}%
26395     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
26396     {\@floatpenalty\z@
26397       \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
26398   \fi
26399   \@ifnextchar [\@RTLxmpar\@RTLympar}
26400 \long\def\@RTLxmpar[#1]#2{%
26401   \@RTLSavemarbox\@marbox{#1}%
26402   \@RTLSavemarbox\@currbox{#2}%
26403   \@xympar}
26404 \long\def\@RTLympar#1{%
26405   \@RTLSavemarbox\@marbox{#1}%
26406   \global\setbox\@currbox\copy\@marbox
26407   \@xympar}
26408 \long\def \@RTLSavemarbox #1#2{%
26409   \global\setbox #1%
26410     \color@vbox
26411     \vtop{%
26412       \hsize\marginparwidth

```



```

26413     \@parboxrestore
26414     \@RTLmarginparreset
26415     #2%
26416     \@minipagefalse
26417     \outer@nobreak
26418     }%
26419     \color@endbox
26420 }
26421 \def \@RTLmarginparreset {%
26422     \reset@font
26423     \normalsize
26424     \@minipagetrue
26425     \everypar{\@minipagefalse\everypar{}}\beginR}%
26426 }
26427 \def \@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
26428     \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@ne
26429     \if@twocolumn
26430         \if@firstcolumn \@tempcnta\m@ne \fi
26431     \else
26432         \if@parswitch
26433             \ifodd\c@page \else\@tempcnta\m@ne \fi
26434         \fi
26435         \if@reversemargin \@tempcnta -\@tempcnta \fi
26436     \fi
26437     \ifnum\@tempcnta <\z@ \global\setbox\@marbox\box\@currbox \fi
26438     \@tempdima\mparbottom
26439     \advance\@tempdima -\@pageht
26440     \advance\@tempdima\ht\@marbox
26441     \ifdim\@tempdima >\z@
26442         \@latex@warning@no@line {Marginpar on page \thepage\space moved}%
26443     \else
26444         \@tempdima\z@
26445     \fi
26446     \global\@mparbottom\@pageht
26447     \global\advance\@mparbottom\@tempdima
26448     \global\advance\@mparbottom\dp\@marbox
26449     \global\advance\@mparbottom\marginparpush
26450     \advance\@tempdima -\ht\@marbox
26451     \global\setbox \@marbox
26452         \vbox {\vskip \@tempdima
26453             \box \@marbox}%
26454     \global \ht\@marbox \z@
26455     \global \dp\@marbox \z@
26456     \kern -\@pagedp
26457     \nointerlineskip
26458     \hb@xt@\columnwidth
26459         {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL
26460             \hskip\columnwidth \hskip\marginparsep
26461         \else
26462             \hskip -\marginparsep \hskip -\marginparwidth
26463         \fi
26464         \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR
26465     \nointerlineskip
26466     \hbox{\vrule \@height\z@ \@width\z@ \@depth\@pagedp}}

```





```

26467 \long\def\@ympar#1{%
26468   \@savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpar
26469   \global\setbox\@currbox\copy\@marbox
26470   \@xympar}
26471 \def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
26472 \def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
26473 \def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
26474 \def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
26475   \@tempdima\@totalleftmargin \advance\@tempdima\linewidth
26476 \hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
26477   \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
26478   \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
26479   \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}%
26480 \fi}
26481
26482 \newcommand*\@bidi@font@{outputpage}{%}
26483
26484 \def\@outputpage{%
26485 \begingroup           % the \endgroup is put in by \aftergroup
26486 \let \protect \noexpand
26487 \@resetactivechars
26488 \global\let\@if@newlist\if@newlist
26489 \global\@newlistfalse
26490 \@parboxrestore
26491 \global\let\@bidi@BeforeOutputPageShipOut\@firstofone
26492 \bidi@beforeoutputpageshipouthook
26493 \shipout \vbox{%
26494   \set@typeset@protect
26495   \aftergroup \endgroup
26496   \aftergroup \set@typeset@protect
26497                   % correct? or just restore by ending
26498                   % the group?
26499 \if@specialpage
26500   \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
26501 \fi
26502 \if@twoside
26503   \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfont
26504   \if@RTLmain
26505     \let\@themargin\evensidemargin
26506   \else
26507     \let\@themargin\oddsidemargin
26508   \fi
26509 \else \let\@thehead\@evenhead \let\@thefoot\@evenfoot
26510   \if@RTLmain
26511     \let\@themargin\oddsidemargin
26512   \else
26513     \let\@themargin\evensidemargin
26514   \fi
26515 \fi
26516 \ifx\@thehead\@empty \let\@thehead\hfil \fi
26517 \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
26518 \else %% not @twoside
26519 \ifx\@oddhead\@empty \let\@thehead\hfil \fi
26520 \ifx\@oddfont\@empty \let\@thefoot\hfil \fi

```



```

26521 \fi
26522 \reset@font
26523 \normalsize
26524 \bidi@font@@outputpage
26525 \normalsfcodes
26526 \let\label\@gobble
26527 \let\index\@gobble
26528 \let\glossary\@gobble
26529 \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
26530 \@begindvi
26531 \vskip \topmargin
26532 \moveright\@themargin \vbox {%
26533 \global\let\bidi@BeforeHeader\@firstofone
26534 \bidi@beforeheaderhook
26535 \setbox\@tempboxa \vbox to\headheight{%
26536 \vfil
26537 \color@hbox
26538 \normalcolor
26539 \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@
26540 \color@endbox
26541 }% %% 22 Feb 87
26542 \dp\@tempboxa \z@
26543 \box\@tempboxa
26544 \vskip \headsep
26545 \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
26546 \bidi@beforeoutputboxoutputpagehook
26547 \box\@outputbox
26548 \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
26549 \bidi@afteroutputboxoutputpagehook
26550 \global\let\bidi@BeforeFooter\@firstofone
26551 \bidi@beforefooterhook
26552 \baselineskip \footskip
26553 \color@hbox
26554 \normalcolor
26555 \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@
26556 \color@endbox
26557 \global\let\bidi@AfterFooter\@firstofone
26558 \bidi@afterfooterhook
26559 }%
26560 }%
26561 \global\let\bidi@AfterOutputPageShipOut\@firstofone
26562 \bidi@afteroutputpageshipouthook
26563 \global\let\if@newlist\@if@newlist
26564 \global \colht \textheight
26565 \stepcounter{page}%
26566 \let\firstmark\botmark
26567 \global\let\bidi@AtEndOutputPage\@firstofone
26568 \bidi@atendoutputpagehook
26569 }
26570 \long\def\@makecaption#1#2{%
26571 \vskip\abovecaptionskip
26572 \sbox\@tempboxa{#1: #2}%
26573 \ifdim \wd\@tempboxa >\hsize
26574 \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par

```



```

26575 \else
26576   \global \@minipagefalse
26577   \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box@tempboxa\hfil\if@RTL\endR\fi}%
26578 \fi
26579 \vskip\belowcaptionskip}
26580 \let\bidi@saved@eqno=\eqno
26581 \let\bidi@saved@leqno=\leqno
26582 \def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
26583 \def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
26584 \ApplyPatchIfPackageLoadedF{amsmath}{
26585 \def\@eqnnum{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
26586 }
26587 \input{footnote-xetex-bidi.def}
26588 \if@twocolumn
26589   \let\autofooterule\relax
26590   \let\leftfootnoterule\relax
26591   \let\rightfootnoterule\relax
26592   \textwidthfootnoterule
26593 \fi
26594 \if@bidi@csundef{@idxitem}{}{%
26595 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi40\p@}%
26596 }
26597
26598 \ApplyPatchToClassesIfPackageLoadedF{%
26599   book, %
26600   report %
26601 }{flowfram}
26602
26603 \ApplyPatchToPackageIfPackageLoadedF{float}{floatrow}
26604
26605 \ApplyPatchToFilesIfPackageLoadedF{amsmath}{%
26606   fleqn, %
26607   leqno%
26608 }[clo]
26609
26610 \ApplyPatchToClasses{%
26611   amsart, %
26612   amsbook, %
26613   article, %
26614   artikel1, %
26615   artikel2, %
26616   artikel3, %
26617   beamer, %
26618   boek, %
26619   boek3, %
26620   bookest, %
26621   combine, %
26622   extbook, %
26623   extletter, %
26624   extarticle, %
26625   extreport, %
26626   imsproc, %
26627   letter, %
26628   memoir, %

```



```

26629 rapport1, %
26630 rapport3, %
26631 refrep, %
26632 scrartcl, %
26633 scrbook, %
26634 screprt %
26635 }
26636
26637 \ApplyPatchToPackages{%
26638 adjmulticol, %
26639 algorithm2e, %
26640 amsmath, %
26641 amstext, %
26642 amsthm, %
26643 arydshln, %
26644 array, %
26645 beamerbaseauxtemplates, %
26646 beamerbaseboxes, %
26647 beamerbasecolor, %
26648 beamerbasecompatibility, %
26649 beamerbaseframecomponents, %
26650 beamerbaseframesize, %
26651 beamerbaselocalstructure, %
26652 beamerbasemisc, %
26653 beamerbasenavigation, %
26654 beamerbaseoverlay, %
26655 beamerinnerthemecircles, %
26656 beamerinnerthemedefault, %
26657 beamerinnerthemefocus, %
26658 beamerinnerthemeinmargin, %
26659 beamerinnerthememetropolis, %
26660 beamerinnerthemerectangles, %
26661 beamerinnerthemerounded, %
26662 beamerouterthemedefault, %
26663 beamerouterthemefocus, %
26664 beamerouterthemeinfolines, %
26665 beamerouterthememetropolis, %
26666 beamerouterthememiniframes, %
26667 beamerouterthemesidebar, %
26668 beamerouterthemesplit, %
26669 beamerouterthemeshadow, %
26670 beamerouterthesmoothbars, %
26671 beamerouterthesmoothtree, %
26672 beamerouterthemetree, %
26673 beamerthemeHannover, %
26674 beamerthemeSingapore, %
26675 breqn, %
26676 cals, %
26677 caption, %
26678 caption3, %
26679 color, %
26680 colortbl, %
26681 crop, %
26682 cuted, %

```



26683 cutwin, %  
 26684 dblfnote, %  
 26685 diagbox, %  
 26686 draftwatermark, %  
 26687 eso-pic, %  
 26688 empheq, %  
 26689 fancybox, %  
 26690 fancyhdr, %  
 26691 fix2col, %  
 26692 float, %  
 26693 floatrow, %  
 26694 flowfram, %  
 26695 footnotebackref, %  
 26696 framed, %  
 26697 ftnright, %  
 26698 geometry, %  
 26699 graphicx, %  
 26700 hvfloat, %  
 26701 hyperref, %  
 26702 letrine, %  
 26703 lineno, %  
 26704 listings, %  
 26705 longtable, %  
 26706 lscape, %  
 26707 mathtools, %  
 26708 mdframed, %  
 26709 media9, %  
 26710 midfloat, %  
 26711 minitoc, %  
 26712 multicol, %  
 26713 multienum, %  
 26714 natbib, %  
 26715 newfloat, %  
 26716 nicematrix, %  
 26717 ntheorem, %  
 26718 ntheorem-hyper, %  
 26719 overpic, %  
 26720 pdfbase, %  
 26721 pdfscape, %  
 26722 pdfpages, %  
 26723 pgfsys, %  
 26724 picinpar, %  
 26725 quotchap, %  
 26726 ragged2e, %  
 26727 rotating, %  
 26728 sidecap, %  
 26729 soul, %  
 26730 stabular, %  
 26731 subfigure, %  
 26732 tabs, %  
 26733 tabularx, %  
 26734 tabulary, %  
 26735 tcolorbox, %  
 26736 titlesec, %



```

26737 titletoc, %
26738 tocbasic, %
26739 tocbibind, %
26740 tocloft, %
26741 tocstyle, %
26742 todonotes, %
26743 wrapfig, %
26744 xcolor, %
26745 xltextra %
26746 }
26747
26748 \ApplyPatchToFiles{%
26749   pgfcorescopes.code, %
26750   pstricks %
26751 }[tex]
26752
26753 \ApplyPatchToFile{tc-xetex}

```

## 163 File xltextra-xetex-bidi.def

```

26754 \ProvidesFile{xltextra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltextra package f
26755 \let\@XeTeX\XeTeX
26756 \def\XeTeX{\@ensure@LTR{\@XeTeX}}
26757 \let\@XeLaTeX\XeLaTeX
26758 \def\XeLaTeX{\@ensure@LTR{\@XeLaTeX}}

```

## 164 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols		
<code>\#</code> .. 5990, 6036, 6140, 6148	<code>\&lt;</code> ..... 23714	<code>\@@LTR</code> ..... 20162,
<code>\%</code> ..... 16396	<code>\=</code> ... 16516, 18374, 20312	20164, 25866, 25868
<code>\'</code> ... 16516, 18374, 20312	<code>\&gt;</code> ..... 23715	<code>\@@LaTeX</code> ... 25871, 25872
<code>\(</code> ..... 18477	<code>\@</code> ... 6060, 7115, 7118,	<code>\@@LaTeXe</code> .. 25873, 25874
<code>\)</code> ..... 18478	7121, 7144, 7149,	<code>\@@RTL</code> ..... 20161,
<code>\,</code> ..... 8113, 16779,	7154, 7165, 7168,	20164, 25865, 25868
20906, 20949,	7171, 7181, 7184, 7187	<code>\@@Radio</code> ... 17817, 17825
25499, 25510, 25916	<code>\@@</code> ..... 23893, 23895	<code>\@TeX</code> ..... 20165,
<code>\-</code> 4384, 16515, 18373, 20311	<code>\@H@@footnotetext</code>	20166, 25869, 25870
<code>\.</code> 93, 306, 633, 765, 1028,	..... 11682, 11697	<code>\@XeLaTeX</code> . 26757, 26758
1278, 2680, 4383,	<code>\@H@@mpfootnotetext</code>	<code>\@XeTeX</code> ... 26755, 26756
9300, 9488, 9800,	..... 11685, 11703	<code>\@array</code> ..... 433
11362, 11636,	<code>\@HLTR@@LTRfootnotetext</code>	<code>\@author</code> 8729, 8732, 8735
15537, 17878,	..... 11683, 11699	<code>\@bidi@pop</code> ... 6632,
19687, 20474,	<code>\@HLTR@@mpLTRfootnotetext</code>	6635, 6636, 6639, 6641
20868, 21065,	..... 11686, 11705	<code>\@bidi@popinto</code> ...
21268, 21806,	<code>\@HRTL@@RTLfootnotetext</code>	... 6632, 6635, 6636
22567, 23332, 24081	..... 11684, 11701	<code>\@clr</code> .. 25694, 25699,
<code>\/</code> ..... 4737	<code>\@HRTL@@mpRTLfootnotetext</code>	25702, 25704,
<code>\:</code> ..... 18519, 18578	..... 11687, 11707	25705, 25707,
		25737, 25742,



25745, 25747,	25742, 25747,	13359, 13389,
25748, 25750, 25769	25748, 25750,	13419, 13447,
\@@cls . . . . . 25689, 25732	25751, 25769, 25770	13461, 13633,
\@@date . . . 8730, 8733, 8736	\@@underline . . . . .	13658, 13688,
\@@description . . . . 2646	. 26077, 26079, 26081	13718, 13746,
\@@end . . . . . 6286, 6287	\@DEBUGfalse . . . . . 5017	13760, 13932,
\@@endpbox . . . 18189,	\@EightColLTRfootnotetext	13957, 13987,
23790, 23828, 26104	. . . . . 13948, 14030	14017, 14045,
\@@if@newlist . 15858,	\@EightColRTLfootnotetext	14059, 14231,
15890, 26488, 26563	. . . . . 13949, 14057	14256, 14286,
\@@italiccorr . . . . .	\@EightColfootnotetext	14316, 14344,
. . . 346, 9844, 18354	. . . . . 13947, 13984	14358, 14530,
\@@line . . . . . 12125,	\@False . . . . . 9823, 9825	14555, 14585,
12128, 21294,	\@FiveColLTRfootnotetext	14615, 14643,
21303, 21341,	. . . . . 13051, 13133	14657, 14871,
21352, 26058,	\@FiveColRTLfootnotetext	14924, 14974,
26059, 26061,	. . . . . 13052, 13160	15025, 15082,
26062, 26064, 26065	\@FiveColfootnotetext	15113, 15144, 15160
\@@makecaption . . . .	. . . . . 13050, 13087	\@LTRfootnotetext 64,
. . 21838, 21902,	\@FourColLTRfootnotetext	81, 155, 156, 157,
22006, 22599,	. . . . . 12752, 12834	276, 294, 2392,
22663, 22768,	\@FourColRTLfootnotetext	2396, 2451, 4873,
23364, 23428, 23533	. . . . . 12753, 12861	4995, 8158, 8241,
\@@makefnmark . . . . .	\@FourColfootnotetext	8248, 8964, 8975,
. . 21443, 21479,	. . . . . 12751, 12788	9181, 9195, 10811,
21482, 22182,	\@LTRbibitemfalse	10812, 11683,
22219, 22222,	. . . . . 25930, 25932	11698, 11699,
22955, 22992, 22995	\@LTRbibitemstrue 25931	11803, 11880,
\@@math . . . . . 9835	\@LTRbiditufsesidenote@sidenote	11888, 12141,
\@@mix . . . . . 25693, 25736	. . . 8229, 8288, 8292	12166, 12440,
\@@mod . . 25694, 25698,	\@LTRbiditufsesidenotemarginpar	12727, 12727,
25699, 25702,	. . . . . 7864, 7871	12752, 13026,
25703, 25704,	\@LTRbiditufsesidenotesavemarbox	13051, 13325,
25707, 25737,	. . . . . 7851,	13350, 13624,
25741, 25742,	7852, 7855, 7858	13649, 13923,
25745, 25746,	\@LTRbiditufsesidenotexmpar	13948, 14222,
25747, 25750, 25769	. . . . . 7849, 7850	14247, 14521,
\@@par . . . . . 18372,	\@LTRbiditufsesidenoteympar	14546, 14858,
20310, 20901,	. . . . . 7849, 7854	14911, 14967,
20944, 21454,	\@LTRfootgroupv@l .	15018, 16112,
21465, 22193,	. . 11757, 11788,	16118, 16162,
22205, 22966,	11960, 12150,	16188, 16249,
22978, 24005,	12175, 12205,	16274, 16280,
24007, 25997, 26110	12235, 12263,	17282, 17310,
\@@protect . . . . . 5921	12277, 12449,	17389, 17408,
\@@scalebox . . . . .	12474, 12503,	17602, 17606,
. 20220, 20236, 20237	12532, 12558,	17626, 17627,
\@@startpbox . . 18188,	12571, 12736,	18269, 18430,
23790, 23828, 26104	12761, 12791,	19557, 19559,
\@@title . 8728, 8731, 8734	12821, 12849,	19560, 21405,
\@@tmp . . . . . 25698,	12863, 13035,	21411, 21846,
25699, 25704,	13060, 13090,	22144, 22150,
25705, 25707,	13120, 13148,	22607, 22917,
25708, 25741,	13162, 13334,	22923, 23372,



23859, 23876, 23968	\@Miii	4950, 7794, 7838,	12549,	12613,
\@LTRmarginparfalse		7882, 26344, 26388	12641,	12653,
..... 26471, 26473	\@NineCollTRfootnotetext		12666,	12778,
\@LTRmarginparreset		..... 14247, 14329	12808,	12824,
..... 26370, 26377	\@NineColRTLfootnotetext		12839,	12906,
\@LTRmarginpartrue 26472		..... 14248, 14356	12935,	12948,
\@LTRsavemarbox 26357,	\@NineColfootnotetext		12962,	13077,
26358, 26361, 26364		..... 14246, 14283	13107,	13123,
\@LTRxmpar . 26355, 26356	\@ParaLTRfootnotetext		13138,	13205,
\@LTRympar . 26355, 26360		. 14911, 15018, 15128	13234,	13247,
\@M .....	\@ParaRTLfootnotetext		13261,	13376,
6, 92,		..... 14912, 15158	13406,	13422,
105, 211, 235, 305,	\@Parafootnotetext		13437,	13504,
596, 669, 670, 694,		. 14910, 15016, 15079	13533,	13546,
798, 921, 976, 977,	\@RTL@footnotefalse		13560,	13675,
1050, 1170, 1171,		... 4114, 15956,	13705,	13721,
1177, 1300, 4800,		16122, 20145,	13736,	13803,
4805, 8460, 9221,		20150, 25833, 25854	13832,	13845,
9222, 9228, 9342,	\@RTL@footnotettrue		13859,	13974,
9398, 9399, 9405,		... 4113, 15956,	14004,	14020,
9519, 9569, 9764,		16121, 20147,	14035,	14102,
9772, 9839, 11328,		20149, 25843, 25853	14131,	14144,
11599, 11608,	\@RTLibibitemfalse		14158,	14273,
12125, 12128,		..... 25931, 25932	14303,	14319,
15503, 15511,	\@RTLibibitemstrue	25930	14334,	14401,
15831, 17877,			14430,	14443,
17891, 17915,	\@RTLibiditufte@sidenote@sidenote		14457,	14572,
19418, 19430,		... 8258, 8289, 8293	14602,	14618,
19442, 20250,	\@RTLibiditufte@sidenotemarginparreset		14633,	14700,
20372, 20373,		..... 7908, 7915	14729,	14742,
20397, 20507,	\@RTLibiditufte@sidenotesavemarbox		14756,	15315,
20646, 20769,		..... 7895,	15340,	15526,
20822, 20823,		7896, 7899, 7902	16130,	16163,
20884, 20885,	\@RTLibiditufte@sidenotexmpar		16209,	16224,
21239, 21247,		..... 7893, 7894	17872,	18085,
23884, 23991,	\@RTLibiditufte@sidenoteympar		18108,	18112,
24032, 24171,		..... 7893, 7898	18119,	18128,
24202, 24225,	\@RTLfalse	... 36, 66,	18363,	19171,
24242, 24259,		87, 249, 278, 300,	19678,	19855,
24276, 24293,		619, 754, 1017,	19903,	20107,
24310, 24328,		1267, 1978, 2293,	20141,	20145,
24347, 24367,		2327, 2346, 2378,	20150,	20203,
24402, 24785,		2663, 4088, 4095,	20463,	20857,
25315, 25429, 26135		4102, 5243, 9289,	21051,	21254,
\@MM . . .		9477, 9786, 9805,	21784,	22545,
41, 55, 71, 254,		9817, 9830, 11351,	23310,	24067,
268, 283, 10809,		11622, 11743,	25791,	25826,
10830, 10877,		11759, 11805,	25833,	25854,
10884, 10929,		11820, 11833,	26012,	26030,
10936, 11971,		11845, 12192,	26468, 26539, 26555	
16135, 16152, 16168		12222, 12238,		
\@Mi .....		12253, 12320,	\@RTLfootnotetext	48,
9835, 18284		12349, 12362,		80, 159, 160, 161,
\@Mii .....		12376, 12491,		261, 293, 2391,
4948,		12520, 12535,		2395, 2425, 4874,
7792, 7836, 7880,				
10499, 10511,				
10524, 26342, 26386				





4996, 8176, 8270,	249, 263, 300, 619,	19171, 19678,
8277, 8965, 8976,	754, 1017, 1267,	20108, 20133,
9182, 9196, 10832,	2293, 2310, 2346,	20147, 20149,
10833, 11684,	2362, 2663, 4087,	20463, 20857,
11700, 11701,	4094, 4101, 5243,	21051, 21254,
11772, 11881,	9289, 9477, 9786,	21784, 22545,
11889, 12142,	9844, 9846, 11351,	23310, 24067,
12167, 12441,	11622, 11743,	25792, 25817,
12466, 12728,	11759, 11774,	25843, 25853,
12753, 13027,	11790, 11820,	26021, 26039,
13052, 13326,	11833, 11857,	26468, 26539, 26555
13351, 13625,	11870, 12192,	\@RTLxmpar . 26399, 26400
13650, 13924,	12222, 12265,	\@RTLympar . 26399, 26404
13949, 14223,	12280, 12320,	\@Reset . . . . . 17850, 17859
14248, 14522,	12349, 12389,	\@SepMark 19, 20, 21, 22,
14547, 14859,	12403, 12491,	168, 198, 224, 225,
14912, 14968,	12520, 12560,	226, 227, 344, 360,
15019, 16103,	12574, 12613,	584, 585, 586, 587,
16109, 16146,	12641, 12678,	747, 748, 749, 750,
16187, 16250,	12691, 12778,	1001, 1002, 1003,
16289, 16295,	12808, 12851,	1004, 1260, 1261,
17281, 17299,	12866, 12906,	1262, 1263, 9315,
17374, 17409,	12935, 12975,	9316, 9317, 9318,
17601, 17605,	12989, 13077,	9319, 9321, 9323,
17623, 17624,	13107, 13150,	9325, 9492, 9493,
18270, 18431,	13165, 13205,	9494, 9495, 9496,
19562, 19564,	13234, 13274,	9498, 9500, 9502,
19565, 21406,	13288, 13376,	9743, 9745, 9747,
21415, 21847,	13406, 13449,	9749, 9750, 9751,
22145, 22154,	13464, 13504,	9752, 9753, 11462,
22608, 22918,	13533, 13573,	11463, 11464,
22927, 23373,	13587, 13675,	11465, 11578,
23860, 23877, 23969	13705, 13748,	11580, 11582,
\@RTLmainfalse . 4278,	13763, 13803,	11584, 11585,
4282, 4504, 4508	13832, 13872,	11586, 11587,
\@RTLmaintrue . 4281, 4507	13886, 13974,	11588, 15629,
\@RTLmarginparfalse	14004, 14047,	15630, 15631,
. . . . . 26472, 26473	14062, 14102,	15632, 15633,
\@RTLmarginparreset	14131, 14171,	15635, 15637,
. . . . . 26414, 26421	14185, 14273,	15639, 15797,
\@RTLmarginpartrue 26471	14303, 14346,	15804, 15926,
\@RTLSavemarbox 26401,	14361, 14401,	15928, 15930,
26402, 26405, 26408	14430, 14470,	15932, 15933,
\@RTLtabfalse . . . . .	14484, 14572,	15934, 15935,
. 446, 4108, 4259,	14602, 14645,	15936, 15939,
19741, 25827,	14660, 14700,	15941, 15943,
25833, 25854,	14729, 14769,	15945, 15946,
26012, 26030, 26115	14783, 15304,	15947, 15948,
\@RTLtabtrue . . . . .	15331, 15526,	15949, 17928,
. . . . . 4107, 4258,	16130, 16147,	17929, 17930,
25818, 25843,	16194, 16224,	17931, 18145,
25853, 25900,	17872, 18085,	19058, 19060,
25907, 26021, 26039	18108, 18119,	19062, 19064,
\@RTLtrue . 36, 50, 87,	18128, 18366,	19066, 19067,



19069,	19070,	..... 12465, 12544	\@algocf@finish ... 179
19071,	19721,	\@ThreeColRTLfootnotetext	\@algocf@start ... 171
19729,	19731,	..... 12466, 12569	\@ampacol ... 1482, 1490
20478,	20479,	\@ThreeColfootnotetext	\@arabic ..... 168,
20480,	20481,	..... 12464, 12500	584, 585, 586, 587,
20482,	20484,	\@True ... 9818, 9824, 9856	621, 628, 747, 748,
20486,	20488,	\@TwoColLTRfootnotetext	749, 750, 756,
20843,	20844,	..... 12166, 12248	763, 1001, 1002,
20845,	20846,	\@TwoColRTLfootnotetext	1003, 1004, 1019,
20847,	20849,	..... 12167, 12275	1026, 1260, 1261,
20851,	20853,	\@TwoColfootnotetext	1262, 1263, 1269,
21038,	21040,	..... 12165, 12202	1276, 2665, 2674,
21042,	21043,	\@Undottedtocline 19425	5255, 9291, 9298,
21044,	21045,	\@Undottedtoclinep 19437	9315, 9316, 9317,
21046,	21047,	\@acci 16516, 18374, 20312	9318, 9319, 9321,
21220,	21222,	\@accii 16516, 18374, 20312	9323, 9325, 9479,
21224,	21226,	\@acciii .....	9486, 9492, 9493,
21227,	21228,	. 16516, 18374, 20312	9494, 9495, 9496,
21229,	21230,	\@acol 1484, 1492, 4882,	9498, 9500, 9502,
21758,	21759,	18185, 23774,	9743, 9745, 9747,
21761,	21763,	25909, 26087, 26113	9748, 9749, 9750,
21765,	22497,	\@acolampacol .. 1482,	9751, 9752, 9753,
22500,	22502,	1484, 1490, 1492	9788, 9795, 11353,
22506,	22508,	\@addamp ..... 1483, 1491	11360, 11462,
22510,	22512,	\@addfield ..... 26477	11463, 11464,
22515,	22518,	\@addmarginpar ... 26427	11465, 11578,
22522,	22524,	\@address 5135, 10666,	11580, 11582,
23270,	23272,	10667, 10764, 10766	11583, 11584,
23275,	23277,	\@addresscolour 5104,	11585, 11586,
23279,	23281,	5121, 10665, 10763	11587, 11588,
23284,	23287,	\@addtopreamble ...	11624, 11631,
23290,	24145,	... 1455, 1518, 9917	15528, 15535,
24389,	25927, 25929	\@addtoreset .....	15629, 15630,
\@SevenColLTRfootnotetext	..... 13649, 13731	... 342, 15801,	15631, 15632,
\@SevenColRTLfootnotetext	..... 13650, 13758	19719, 19725, 19727	15633, 15635,
\@SevenColfootnotetext	..... 13648, 13685	\@addviper ..... 10262	15637, 15639,
\@SixColLTRfootnotetext	..... 13350, 13432	\@afterheading ...	15926, 15928,
\@SixColRTLfootnotetext	..... 13351, 13459	..... 606, 4783,	15930, 15931,
\@SixColfootnotetext	..... 13349, 13386	4793, 11338, 18386	15932, 15933,
\@Submit ... 17833, 17842	..... 13350, 13432	\@afterindentfalse	15934, 15935,
\@TenColLTRfootnotetext	..... 14546, 14628	.. 4783, 4793, 18385	15936, 15939,
\@TenColRTLfootnotetext	..... 14547, 14655	\@afterindenttrue .	15941, 15943,
\@TenColfootnotetext	..... 14545, 14582	.. 694, 921, 1177,	15944, 15945,
\@TextField 17801, 17809	..... 14545, 14582	8459, 9228, 9405,	15946, 15947,
\@ThreeColLTRfootnotetext	..... 14545, 14582	19417, 19429,	15948, 15949,
		19441, 20397,	18145, 18147,
		20769, 24170,	19058, 19060,
		24201, 24224,	19062, 19064,
		24241, 24258,	19066, 19069,
		24275, 24292,	19070, 19071,
		24309, 24327,	20465, 20472,
		24346, 24366,	20478, 20479,
		24401, 24784,	20480, 20481,
		25308, 25428, 26134	20482, 20484,



20486,	20488,	\@author . . . . .	466,	15529,	17874,
20843,	20844,		480, 516, 537, 809,	19680,	20465,
20845,	20846,		811, 829, 874,	20466,	20859,
20847,	20849,		893, 1061, 1063,	20860,	21053,
20851,	20853,		1081, 1126, 1145,	21054,	21256,
20859,	20866,		1311, 1313, 1331,	21257,	21787,
21038,	21040,		1376, 1396, 1407,	21789,	22548,
21042,	21043,		4636, 8661, 8663,	22550,	23313,
21044,	21045,		8732, 9353, 9355,	23315, 24069, 24070	
21046,	21047,		9373, 9530, 9532,	\@bibsetup . . . . .	19680
21053,	21060,		9550, 9625, 9639,	\@bibtitlestyle . . .	
21220,	21222,		9675, 9696, 11389,	. . . . .	84, 297, 17869
21224,	21225,		11401, 11435,	\@bidi@stpelt . . . .	
21226,	21227,		11454, 11484,	. . .	6354, 6360, 6364
21228,	21229,		11498, 11534,	\@bidi@EqualStringX	
21230,	21256,		11555, 15556,	. . .	6419, 6420, 6421
21263,	21759,		15568, 15602,	\@bidi@after@Hy@hyperfootnotes	
21761,	21763,		15621, 19027,	. . . . .	11692,
21765,	21787,		20518, 20520,	11893,	12154,
21803,	22504,		20538, 20583,	12179,	12453,
22506,	22508,		20602, 20657,	12478,	12740,
22510,	22512,		20659, 20679,	12765,	13039,
22515,	22518,		20726, 20748,	13064,	13338,
22526,	22548,		20759, 20915,	13363,	13637,
22564,	23273,		20929, 20970,	13662,	13936,
23275,	23277,		20991, 21102,	13961,	14235,
23279,	23281,		21116, 21152,	14260,	14534,
23284,	23287,		21173, 21587,	14559,	14876,
23291,	23313,		21731, 22327,	14929, 14983, 15034	
23329, 24069, 24076			22471, 23100, 23244	\@bidi@append@to@csl	
\@argdef . . . . .	5881	\@auxout . .	4151, 4155,	. . .	6566, 6570, 6580
\@array 400, 433, 1417,			5298, 5657, 5685,	\@bidi@append@to@list	
1418, 23811, 26093			5711, 5739, 5765,	. . . . .	6570,
\@arrayacol . . . . .	26113		5768, 5802, 5805,	6573, 6576, 6583, 6591	
\@arrayclassiv . . .	26114	\@badmath . .	9128, 12029, 26179	\@bidi@bannerfalse	4074
\@arrayclassz . . . . .		\@begin@tempboxa . .		\@bidi@bannertrue .	4073
. 1482, 23815, 26113		. . . . .	16792,	\@bidi@before@Hy@hyperfootnotes	
\@arraycr 427, 18194, 26115			16888, 16895, 25997	. . . . .	11678,
\@arrayleft . . . . .	420	\@begin@dvi .	15829, 26530	11886,	12139,
\@arrayparboxrestore		\@begin@parpenalty .		12164,	12438,
. 2009, 18272, 20307		. . . . .	4796,	12463,	12725,
\@arrayright . . . . .	441		4805, 15765, 15779	12750,	13024,
\@arrayrule 1437, 1438,		\@bib@break . . . . .		13049,	13323,
1439, 1475, 1476, 1477		. 21779, 22540, 23305		13348,	13622,
\@arstdepth . . . . .		\@biblabel . . . . .	89,	13647,	13921,
. 23808, 23813, 23831		302, 621, 622,		13946,	14220,
\@arstheight 23813, 23831		756, 757, 1019,		14245,	14519,
\@arstrut . . . . .	414,	1020, 1269, 1270,		14544,	14856,
18210, 23789, 26103		2665, 2666, 9291,		14909, 14961, 15012	
\@arstrutbox . . .	403,	9292, 9479, 9480,		\@bidi@copy@stacktop	
18196, 18274,		9788, 9789, 11353,		. . . . .	6638, 6641
23782, 23823,		11354, 11624,		\@bidi@copyins@ . . .	
23827, 23831, 26096		11625, 15528,		. . . . .	4293, 4294,
				4295, 4296, 4297,	



4519, 4520, 4521, 4522, 4523, 11961, 16544, 16545, 16546, 16547, 16557, 16558, 16606, 16607, 16663, 16664, 16665, 16666, 16683, 16684, 16702, 16711, 16723, 16729, 16733, 16745, 16747, 16750, 16781, 19587, 19588, 19596, 20174, 20176, 20177, 26304, 26310, 26313, 26327, 26329, 26332	\@bidi@logo@hb@xt@columnwidth ..... 4298, 4340 \@bidi@lst@makecaption ..... 18082, 18098, 18099, 18130, 18131, 18132, 18136, 18138 \@bidi@mdf@RTLtrue 18362 \@bidi@orig@XeLaTeX ..... 25892, 25893 \@bidi@orig@XeTeX . ..... 25885, 25886 \@bidi@pdfbannerfalse ..... 4081 \@bidi@pdfbannertrue ..... 4080 \@bidi@pdfcreator . ..... 4267, 4418, 4444, 4560, 4574	25549, 25552, 25555, 25558, 25583, 25588, 25589 \@bidi@todonotes@figposition@rightfalse ..... 25490 \@bidi@todonotes@figposition@righttrue ..... 25488 \@bidi@todonotes@textdirection .. 25477, 25481, 25484, 25588, 25589 \@bidi@todonotes@textdirection@RTLfalse ..... 25483 \@bidi@todonotes@textdirection@RTLtrue ..... 25480 \@bidi@w@w ..... 6549 \@bidi@ww ..... 6543 \@bidi@declaredcolor ..... 9969, 9976, 25729, 25758
\@bidi@emptytoks .. ... 5347, 5352, 5376 \@bidi@envbody .... ... 5346, 5348, 5350, 5351, 5352, 5372, 5374, 5375, 5376 \@bidi@fi ..... 6500, 6501, 6502, 6503, 6507, 6508, 6512, 6513, 6517, 6518, 6523, 6524, 6528, 6529	\@bidi@pdfcustomproperties ..... 4273, 4420, 4431, 4566, 4577 \@bidi@pdfencryptfalse ..... 4397 \@bidi@pdfencrypttrue ..... 4399, 4402 \@bidi@pdfm@markfalse ..... 4173, 4582 \@bidi@pdfm@marktrue ..... 4172, 4581 \@bidi@pdfproducer ..... 4270, 4419, 4445, 4563, 4575	\@bidi@tuftelTRSidenote@normal@cite ..... 8024, 8103, 8223, 8252, 8281, 8303, 8312, 8321 \@bidi@tuftelTRSidenote@normal@cite ..... 8043, 8104, 8224, 8253, 8282, 8304, 8313, 8322 \@bidi@tuftefloat@caption ..... 7397, 7430 \@bidi@tuftefloat@caption@box 7389, 7454, 7465, 7466, 7489, 7724, 7729 \@bidi@tuftefloat@caption@fill ..... 7338, 7347, 7348, 7729 \@bidi@tuftefloat@caption@font 7303, 7304, 7358, 7555, 7726, 7732, 7745 \@bidi@tuftefloat@caption@justification ... 7245, 7361, 7555 \@bidi@tuftefloat@caption@vertical@offset ... 7392, 7393, 7401, 7465, 7466, 7493 \@bidi@tuftefloat@checkoddpages ..... 7320, 7417 \@bidi@tuftefloat@figure@box ..... 7388, 7447, 7465, 7466, 7488 \@bidi@tuftefloat@float@contents@width ..... 7409, 7445, 7446, 7448 \@bidi@tuftefloat@float@debug ... 7378, 7384, 7386, 7387, 7419,
\@bidi@finalfootnoteperpagefalse ..... 12049 \@bidi@finalfootnoteperpagetrue ..... 12047 \@bidi@ifnxtc ..... ... 6467, 6470, 6471 \@bidi@info 4194, 4223, 4224, 4458, 4486, 4487 \@bidi@inslogo@ ... ... 4165, 4166, 4297, 4523, 4559, 4584 \@bidi@list@minipage@parbox@not@nobtrue .. 6571, ..... 16238, 25985 \@bidi@list@minipage@parbox@not@nobfalse ..... 1973, 23978 \@bidi@list@minipage@parbox@true .. 16239, 25989, 25992 \@bidi@logo ... 4313, 4342, 4531, 4558 \@bidi@logo@ ..... ... 4166, 4297, 4339, 4523, 4558, 4559 \@bidi@logo@hb@xt@ ..... 4524, 4558	\@bidi@perpage@footnotefalse ..... 4182 \@bidi@perpage@footnotetrue ..... 4181 \@bidi@prepend@to@csl ..... 6568, 6571, 6582, 6624, 6626 \@bidi@prepend@to@list 6574, 6578, 6584, 6592 \@bidi@removefromreset ... 5490, 5491, 5493 \@bidi@saveprimitive ..... 5334 \@bidi@stepcounter ..... 6353, 6359 \@bidi@tabular@RTLcases .. 25898, 25900, 25907 \@bidi@todonotes@align ..... 25475, 25476, 25508,	\@bidi@tuftelTRSidenote@normal@cite ..... 8024, 8103, 8223, 8252, 8281, 8303, 8312, 8321 \@bidi@tuftelTRSidenote@normal@cite ..... 8043, 8104, 8224, 8253, 8282, 8304, 8313, 8322 \@bidi@tuftefloat@caption ..... 7397, 7430 \@bidi@tuftefloat@caption@box 7389, 7454, 7465, 7466, 7489, 7724, 7729 \@bidi@tuftefloat@caption@fill ..... 7338, 7347, 7348, 7729 \@bidi@tuftefloat@caption@font 7303, 7304, 7358, 7555, 7726, 7732, 7745 \@bidi@tuftefloat@caption@justification ... 7245, 7361, 7555 \@bidi@tuftefloat@caption@vertical@offset ... 7392, 7393, 7401, 7465, 7466, 7493 \@bidi@tuftefloat@checkoddpages ..... 7320, 7417 \@bidi@tuftefloat@figure@box ..... 7388, 7447, 7465, 7466, 7488 \@bidi@tuftefloat@float@contents@width ..... 7409, 7445, 7446, 7448 \@bidi@tuftefloat@float@debug ... 7378, 7384, 7386, 7387, 7419,





<code>\@caption</code> . . . . .	<code>\@cftdoparttrue</code> . . . . .	19194, 19197,
. 7546, 19153, 19156	. . . . . 24151, 24155	19199, 19201,
<code>\@captionabovefalse</code>	<code>\@cftl@subfig</code> . . . . 24339	19206, 19207,
. 22024, 22786, 23551	<code>\@cftl@subtab</code> . . . . 24359	19208, 19227,
<code>\@captionabovetrue</code>	<code>\@chapapp</code> . 9564, 9759,	19228, 19229,
. 22022, 22784, 23549	11594, 15499, 21235	19233, 19294,
<code>\@capttype</code> . 4887, 4935,	<code>\@chapterlistsgap@off</code>	19297, 19299,
4983, 7359, 19146,	. . . . . 19713	19301, 19306,
19150, 19153,	<code>\@chapterlistsgap@on</code>	19307, 19308,
21278, 21321,	. . . . . 19720, 19728	19327, 19328,
21929, 21933,	<code>\@chclass</code> . . 362, 374,	19329, 19333,
21935, 21936,	385, 1424, 1436,	21516, 21533,
22005, 22690,	1449, 1469, 1474,	22256, 22273,
22694, 22696,	23912, 23928,	23029, 23046, 26564
22697, 22767,	23939, 26116, 26121	<code>\@colourfalse</code> . . . . . 5047
23455, 23459,	<code>\@checkend</code> . . . 5365, 5389	<code>\@colourgreenfalse</code>
23461, 23462, 23532	<code>\@chnum</code> . 363, 370, 381,	. . . . . 10584, 10682
<code>\@ccclv</code> . . 10844, 10901,	1425, 1432, 1445,	<code>\@colourgreentrue</code> .
15371, 15372,	1455, 1471, 1472,	. . . . . 10585, 10683
15400, 15410,	1473, 1486, 1494,	<code>\@colourgreyfalse</code> .
16678, 16690,	1520, 9919, 23913,	. . . . . 10588, 10686
16724, 16727,	23920, 23935,	<code>\@colourgreytrue</code> . .
16728, 16738,	26118, 26119, 26120	. . . . . 10589, 10687
16739, 18288,	<code>\@circlefnt</code> . . . . . 15658	<code>\@colourorangefalse</code>
18294, 18307,	<code>\@classiv</code> . . . . . 4884,	. . . . . 10582, 10680
18309, 20168,	18186, 23776,	<code>\@colourorangetrue</code>
26289, 26293,	25911, 26089, 26114	. . . . . 10583, 10681
26305, 26309, 26320	<code>\@classx</code> . 1452, 1511, 9913	<code>\@colouredfalse</code> . .
<code>\@ccclvi</code> . . . . . 14884,	<code>\@classz</code> . . . . . 1452,	. . . . . 10586, 10684
14886, 14937,	1511, 1545, 1546,	<code>\@colouredtrue</code> . . .
14939, 14989,	4883, 9913, 18186,	. . . . . 10587, 10685
14991, 15040, 15042	23775, 23815,	<code>\@colourtrue</code> . . . . . 5046
<code>\@centercr</code> 8533, 20258,	25910, 26088, 26113	<code>\@colroom</code> . . . . 10544,
20271, 20284,	<code>\@cleartopmattertags</code>	10547, 10549,
23984, 24013, 26048	. . . . . 129, 17951	10550, 10844,
<code>\@cftasnum</code> . . . 24175,	<code>\@cliptoboxdim</code> . . . 23942	10901, 16656,
24206, 24229,	<code>\@clsextension</code> . . . .	16670, 16673,
24246, 24263,	. . . . 6829, 6835,	16675, 18297,
24280, 24297,	6853, 7068, 7071, 7080	18315, 21517,
24314, 24332,	<code>\@clubpenalty</code> . . 631,	21534, 22257,
24351, 24371, 24406	2678, 9798, 11634,	22274, 23030, 23047
<code>\@cftasnumb</code> . . 24176,	21063, 21266, 24079	<code>\@combinedblfloats</code>
24207, 24230,	<code>\@colht</code> . . . . . 10272,	. . 10184, 10243,
24247, 24264,	10299, 10300,	15715, 15751,
24281, 24298,	10384, 10385,	15833, 16589,
24315, 24333,	10401, 10517,	16642, 19258,
24352, 24372, 24407	10532, 10533,	19355, 26228, 26271
<code>\@cftbsnum</code> . . . 24174,	10543, 10544,	<code>\@combinefloats</code> . . .
24205, 24228,	10551, 10567,	. . . . . 15356, 16758
24245, 24262,	10571, 15361,	<code>\@compactenum@</code> . . . . 8515
24279, 24296,	15852, 16656,	<code>\@cons</code> . . . . . 26427, 26428
24313, 24331,	16668, 16669,	<code>\@contcshortstyle</code> 19101
24350, 24370, 24405	16670, 16672,	<code>\@contcstyle</code> . . . . .
<code>\@cftdpartfalse</code> . 24148	16674, 16762,	. 19106, 19112, 19117



<code>\@contcwidth</code>	19095, 19096	11849,	11861,	14760,	14773,
<code>\@contdelim</code>	.....	11874,	12196,	14787,	15072,
	.. 19089, 19100,	12226,	12242,	15103,	15121,
	19104, 19111, 19116	12257,	12269,	15137,	15151,
<code>\@contfield</code>	.....	12284,	12324,	15167,	15206,
	... 9145, 9160, 9192	12353,	12366,	15236,	15250,
<code>\@contfinal</code>	.....	12380,	12393,	15265,	15279,
	.. 19089, 19101,	12407,	12495,	15294,	16137,
	19107, 19113, 19117	12524,	12539,	16154,	16170,
<code>\@contfmark</code>	19088, 19091	12553,	12564,	16199, 16214, 16229	
<code>\@contfnote</code>	19087, 19090	12578,	12617,	<code>\@currentlabelname</code>	
<code>\@contindw</code>	..... 19112	12645,	12657,	..... 17369,	
<code>\@contnfont</code>	.....	12670,	12682,	17384,	17399,
	.. 19089, 19100,	12695,	12782,	17458,	17496,
	19104, 19111, 19116	12812,	12828,	17529, 17560, 17591	
<code>\@contpost</code>	..... 19121	12843,	12855,	<code>\@currentenvir</code>	.....
<code>\@contpre</code>	.... 19099,	12870,	12910,	5351, 5354, 5355,	
	19105, 19110, 19115	12939,	12952,	5375, 5378, 5379, 5406	
<code>\@conttfont</code>	.....	12966,	12979,	<code>\@currentext</code>	.... 24599,
	.. 19089, 19101,	12993,	13081,	24711, 24769, 24779	
	19107, 19113, 19117	13111,	13127,	<code>\@currlist</code>	..... 26427
<code>\@curfield</code>	.....	13142,	13154,	<code>\@curtabmar</code>	26476, 26479
	9144, 9159, 9179,	13169,	13209,	<code>\@cvtheme</code>	.... 5127, 5130
	9193, 9203, 26477	13238,	13251,	<code>\@cvthemeoptions</code>	..
<code>\@curline</code>	..... 9142,	13265,	13278,	..... 5128, 5130	
	9157, 26477, 26479	13292,	13380,	<code>\@date</code>	.. 469, 481, 517,
<code>\@currbox</code>	..... 4955,	13410,	13426,	540, 817, 819, 831,	
	4986, 4990, 7756,	13441,	13453,	876, 896, 1069,	
	7759, 7800, 7803,	13468,	13508,	1071, 1083, 1128,	
	7808, 7812, 7844,	13537,	13550,	1148, 1319, 1321,	
	7847, 7852, 7856,	13564,	13577,	1333, 1378, 1399,	
	7888, 7891, 7896,	13591,	13679,	1408, 4637, 8679,	
	7900, 15425,	13709,	13725,	8733, 9361, 9363,	
	26350, 26353,	13740,	13752,	9375, 9538, 9540,	
	26358, 26362,	13767,	13807,	9552, 9628, 9640,	
	26394, 26397,	13836,	13849,	9676, 9699, 11392,	
	26402, 26406,	13863,	13876,	11402, 11436,	
	26428, 26437, 26469	13890,	13978,	11457, 11487,	
<code>\@currentHlabel</code>	...	14008,	14024,	11499, 11535,	
	. 17367, 17382, 17397	14039,	14051,	11558, 11643,	
<code>\@currentHref</code>	. 17368,	14066,	14106,	11648, 15559,	
	17383, 17398,	14135,	14148,	15569, 15603,	
	17457, 17495,	14162,	14175,	15624, 17960,	
	17528, 17559,	14189,	14277,	17965, 19028,	
	17590, 18155, 18159	14307,	14323,	20526, 20528,	
<code>\@currentlabel</code>	.. 43,	14338,	14350,	20540, 20585,	
	57, 73, 256, 270,	14365,	14405,	20605, 20665,	
	285, 2301, 2318,	14434,	14447,	20667, 20681,	
	2335, 2351, 2367,	14461,	14474,	20728, 20751,	
	2383, 8148, 8166,	14488,	14576,	20760, 20918,	
	8184, 11749,	14606,	14622,	20930, 20971,	
	11765, 11780,	14637,	14649,	20993, 21105,	
	11796, 11811,	14664,	14704,	21117, 21153,	
	11824, 11837,	14733,	14746,	21176, 21592,	





21732, 22332,	\@eightcolLTRfootnotetext	8661, 8728, 8729,
22472, 23105, 23245	..... 13923, 14020	8730, 9297, 9372,
\@dblarg .....	\@eightcolRTLfootfmt	9373, 9374, 9375,
19153	.. 14054, 14069,	9485, 9549, 9550,
\@dblfloatplacement	14085, 14178, 14192	9551, 9552, 9638,
.. 10188, 10247,	\@eightcolRTLfootnotetext	9639, 9640, 9641,
15716, 15755,	..... 13924, 14047	9674, 9675, 9676,
15840, 16593,	\@eightcolfootfmt .	9677, 9794, 9820,
16646, 19262,	.. 13981, 14011,	10152, 10215,
19359, 26232, 26275	14079, 14109, 14138	10871, 10923,
\@declaredcolor 9954,	\@eightcolfootnotetext	11359, 11400,
9955, 25686, 25709	..... 13922, 13968	11401, 11402,
\@dedication .....	\@elt .....	11403, 11434,
.. 21634, 21637,	5492,	11435, 11436,
21742, 22374,	5495, 7644, 7645,	11437, 11497,
22377, 22482,	7646, 7647, 7648,	11498, 11499,
23147, 23150, 23255	7649, 7650, 7651,	11500, 11533,
\@dedicatory .....	7652, 7653, 7654,	11534, 11535,
333	7655, 7685, 7686,	11536, 11630,
\@deferlist .....	7687, 7688, 7689,	11641, 11657,
16654	7690, 7691, 7692,	11661, 15068,
\@depth ... 405, 18198,	7693, 7694, 7695,	15099, 15117,
23755, 23784,	7696, 7697, 7698,	15133, 15147,
23824, 26098, 26466	7699, 7700, 7701,	15163, 15202,
\@dgroup .....	7702, 9856, 10810,	15232, 15246,
9817	10831, 10837,	15261, 15275,
\@dischyph .....	10872, 10874,	15290, 15355,
. 16515, 18373, 20311	10876, 10882,	15534, 15567,
\@displaypagenumbersfalse	10894, 10924,	15568, 15569,
..... 5226	10926, 10928,	15570, 15601,
\@displaypagenumberstrue	10934, 23843, 23845	15602, 15603,
..... 5225	\@email 5139, 10672, 10770	15604, 15695,
\@dmath .....	\@empty .....	15731, 16285,
9805, 9834	86, 115,	16367, 16567,
\@docclearpage .... 15440	134, 136, 299, 427,	16616, 16654,
\@docolbox .....	479, 480, 481, 482,	16757, 16772,
15906	515, 516, 517, 518,	16773, 16774,
\@dodynamictfoot 15830	627, 762, 828, 829,	16775, 16776,
\@dodynamicthead 15830	830, 831, 873, 874,	17369, 17384,
\@dotsep .....	875, 876, 1025,	17399, 17458,
25326,	1080, 1081, 1082,	17496, 17529,
25327, 25435, 26141	1083, 1125, 1126,	17560, 17591,
\@dottedtocline ...	1127, 1128, 1275,	17871, 17937,
.. 25441, 25442,	1330, 1331, 1332,	17958, 18103,
25444, 25462, 26130	1333, 1375, 1376,	18109, 18132,
\@dseries .....	1377, 1378, 2030,	18136, 18138,
9830	2031, 2410, 2436,	18217, 18259,
\@eha .....	2462, 2673, 3119,	19025, 19026,
5342, 24393	3125, 3131, 3209,	19027, 19028,
\@ehc .....	3611, 3758, 3854,	19187, 19287,
5462,	3949, 4166, 4559,	19707, 20471,
5464, 5470, 5472,	4635, 4636, 4637,	20537, 20538,
5478, 5480, 5486,	4638, 4942, 5254,	20539, 20540,
5488, 5897, 6763,	5263, 5363, 5387,	20582, 20583,
18051, 18058,	6593, 8007, 8026,	
18286, 19400, 19406	8045, 8066, 8073,	
\@ehd .....		
19147		
\@eightcolLTRfootgroupv@l		
..... 13932, 13957		
\@eightcol@footgroupv@r		
..... 13928, 13953		
\@eightcolLTRfootfmt		
.. 14027, 14042,		
14082, 14151, 14165		





20584,	20585,	22471,	22472,	4809, 15766, 15780
20678,	20679,	22473,	22474,	\@endpbox . . . . .
20680,	20681,	22475,	22476,	1462, 1463, 1504,
20725,	20726,	22477,	22478,	1528, 1529, 1530,
20727,	20728,	22479,	22480,	9927, 9928, 9929,
20865,	20928,	22481,	22482,	18183, 18189,
20929,	20930,	22532,	22563,	23790, 23828, 26104
20931,	20969,	22588,	22589,	\@endpetrue 25842, 25852
20970,	20971,	22694,	22965,	\@endtraditionalpoem
20972,	21059,	23065,	23066,	. . . . . 9046, 9111
21115,	21116,	23073,	23081,	\@ensure@LR 20158, 25862
21117,	21118,	23088,	23094,	\@ensure@LTR . . 20156,
21151,	21152,	23110,	23116,	20158, 20166,
21153,	21154,	23129,	23132,	25860, 25862,
21262,	21453,	23139,	23147,	25870, 25872,
21552,	21553,	23152,	23167,	25874, 26756, 26758
21560,	21568,	23174,	23189,	\@ensure@RL 20157, 25861
21575,	21581,	23190,	23194,	\@ensure@RTL . . 20155,
21597,	21603,	23195,	23203,	20157, 25859, 25861
21616,	21619,	23204,	23208,	\@ensure@dir . . 20159,
21626,	21634,	23209,	23218,	20160, 25863, 25864
21639,	21654,	23219,	23223,	\@ensure@maindir . .
21661,	21676,	23224,	23232,	. . . . . 20160, 25864
21677,	21681,	23233,	23243,	\@enumctr 2611, 8516, 8517
21682,	21690,	23244,	23245,	\@eqnum . . . . .
21691,	21695,	23246,	23247,	. 15787, 17954, 26585
21696,	21705,	23248,	23249,	\@evenfoot 2192, 2233,
21706,	21710,	23250,	23251,	4599, 15823, 26509
21711,	21719,	23252,	23253,	\@evenhead . . . . 2191,
21720,	21730,	23254,	23255,	2233, 15822, 26509
21731,	21732,	23297,	23328,	\@extrafootnotefeaturesfalse
21733,	21734,	23353,	23354,	. . . . . 4136
21735,	21736,	23459,	23713,	\@extrafootnotefeaturestrue
21737,	21738,	23830,	23878,	. . . . . 4135
21739,	21740,	24075,	24379,	\@extrainfo . . . . .
21741,	21742,	24381,	24734,	. 5140, 10673, 10771
21772,	21802,	24740,	25207,	\@extratitle . . . . .
21827,	21828,	25689,	25692,	. . 21552, 21559,
21933,	22192,	25732,	25735,	21676, 21682,
22292,	22293,	25898,	26106,	21690, 21696,
22300,	22308,	26115,	26204,	21705, 21711,
22315,	22321,	26251,	26516,	21735, 22292,
22337,	22343,	26517, 26519, 26520		22299, 22416,
22356,	22359,	\@emptycol . . . 10536,		22422, 22430,
22366,	22374,	10539, 10555, 10558		22436, 22445,
22379,	22394,	\@emptytoks . . . . . 9819		22451, 22475,
22401,	22416,	\@end@tempboxa 16799,		23065, 23072,
22417,	22421,	16893, 16910, 26010		23189, 23195,
22422,	22430,	\@endfloatbox . . . . . 5007		23203, 23209,
22431,	22435,	\@endmodernpoem . . .		23218, 23224, 23248
22436,	22445,	. . . . . 9155, 9175		\@familyname . . . 5072,
22446,	22450,	\@endparenv . . . 9065,		5074, 5075, 5133,
22451,	22459,	9172, 19762, 19782		10647, 10737, 10758
22460,	22470,	\@endparpenalty 4800,		



<code>\@familynamecolour</code>	19277, 26194, 26241	.. 13130, 13145,
..... 5102, 5119		13185, 13254, 13268
<code>\@fax</code> .. 5138, 10671, 10769	<code>\@firstcolumntrue</code> .	<code>\@fivecolLTRfootnotetext</code>
<code>\@fcolmadefalse</code> .. 16655	..... 10160,	..... 13026, 13123
<code>\@ff@do@allframes</code> .	10223, 10530,	<code>\@fivecolRTLfootfmt</code>
..... 15832, 15837	15702, 15739,	.. 13157, 13172,
<code>\@ff@fbox</code> ..... 15915	15811, 16577,	13188, 13281, 13295
<code>\@ff@setoffset</code> ... 15912	16626, 19236,	<code>\@fivecolRTLfootnotetext</code>
<code>\@ffbackground</code> ... 15902	19336, 26212, 26259	..... 13027, 13150
<code>\@filebordercolor</code> .	<code>\@firstdetailselementfalse</code>	<code>\@fivecolfootfmt</code> ..
..... 17670, 17672	..... 10752	.. 13084, 13114,
<code>\@filecolor</code> ..... 17688	<code>\@firstdetailselementtrue</code>	13182, 13212, 13241
<code>\@finalstrut</code> .....	..... 10749	<code>\@fivecolfootnotetext</code>
2305, 2322, 2339,	<code>\@firstfooterelementfalse</code>	..... 13025, 13071
2355, 2371, 2387,	..... 10668,	<code>\@float</code> ..... 7390, 7719
11727, 11733,	10669, 10670,	<code>\@floatboxreset</code> ... 5005
11739, 16142,	10671, 10672, 10673	<code>\@floatpenalty</code> . 4948,
16159, 16175,	<code>\@firstfooterelementtrue</code>	4950, 4953, 7792,
16203, 16218, 16233	..... 10653	7794, 7798, 7802,
<code>\@firstampfalse</code> ...	<code>\@firstname</code> ... 5072,	7836, 7838, 7842,
..... 1484, 1492	5074, 5075, 5132,	7846, 7880, 7882,
<code>\@firstcolfirstmark</code>	10647, 10737, 10758	7886, 7890, 26342,
..... 10151,	<code>\@firstnamecolour</code> .	26344, 26348,
10152, 10156,	..... 5101, 5118	26352, 26386,
10214, 10215,	<code>\@firstofone</code> .....	26388, 26392, 26396
10219, 15694,	.... 6226, 6233,	<code>\@floatplacement</code> . 15446
15695, 15699,	6241, 6252, 6266,	<code>\@fltovf</code> .....
15730, 15731,	6272, 6282, 6288,	4988, 7803, 7847,
15735, 16566,	7098, 7106, 15860,	7891, 26353, 26397
16567, 16571,	15878, 15882,	<code>\@flushglue</code> 8948, 8949,
16615, 16616,	15885, 15888,	18379, 21027,
16620, 19186,	15894, 17794,	24787, 24791,
19187, 19191,	17795, 17796,	24795, 24841, 26048
19286, 19287,	17797, 19151,	<code>\@fnsymbol</code> .... 491,
19291, 26203,	21902, 22663,	792, 851, 1044,
26204, 26208,	23428, 26491,	1103, 1294, 1353,
26250, 26251, 26255	26533, 26545,	4623, 9336, 9513,
<code>\@firstcoltopmark</code> .	26548, 26550,	9650, 11412,
..... 10149,	26557, 26561, 26567	11509, 15579,
10157, 10212,	<code>\@firstoftwo</code> .....	20501, 20560,
10220, 15692,	4229, 4235, 4241,	20640, 20701,
15700, 15728,	5501, 5509, 5513,	20897, 20940,
15736, 16564,	5521, 5525, 5533,	21127, 21549,
16572, 16613,	5539, 5543, 5556,	21670, 22289,
16621, 19184,	5564, 5570, 5574,	22410, 23062, 23183
19192, 19284,	5582, 5588, 5591,	<code>\@footgroupv@r</code> 11959,
19292, 26201,	5594, 5608, 5615,	12117, 12146,
26209, 26248, 26256	6006, 6024, 6030,	12171, 12207,
<code>\@firstcolumnfalse</code>	6054, 6073, 6103,	12233, 12250,
..... 10142,	6166, 6176, 19688	12290, 12445,
10205, 10575,	<code>\@fivecol@LTRfootgroupv@l</code>	12470, 12505,
15686, 15722,	..... 13035, 13060	12530, 12546,
15847, 16553,	<code>\@fivecol@footgroupv@r</code>	12583, 12732,
16602, 19177,	..... 13031, 13056	<code>\@fivecolLTRfootfmt</code>
		12757, 12793,



12819,	12836,	14857,	14910,	12233,	12250,
12876,	13031,	14963,	14965,	12290,	12334,
13056,	13092,	15014,	15016,	12373,	12505,
13118,	13135,	16129,	16186,	12530,	12546,
13175,	13330,	16248,	17280,	12583,	12626,
13355,	13391,	17288,	17359,	12663,	12793,
13417,	13434,	17407,	17600,	12819,	12836,
13474,	13629,	17604,	17620,	12876,	12920,
13654,	13690,	17621,	18268,	12959,	13092,
13716,	13733,	18429,	19552,	13118,	13135,
13773,	13928,	19554,	19555,	13175,	13219,
13953,	13989,	21404,	21407,	13258,	13391,
14015,	14032,	21845,	22143,	13417,	13434,
14072,	14227,	22146,	22606,	13474,	13518,
14252,	14288,	22916,	22919,	13557,	13690,
14314,	14331,	23371,	23858,	13716,	13733,
14371,	14526,	23875, 23965, 23967		13773,	13817,
14551,	14587,	\@footstartv@l	11757,	13856,	13989,
14613,	14630,	11788,	11830,	14015,	14032,
14670,	14865,	11867,	11960,	14072,	14116,
14918,	15084,	12081,	12205,	14155,	14288,
15111, 15130, 15174		12235,	12263,	14314,	14331,
\@footnote . . . . .	8610	12277,	12332,	14371,	14415,
\@footnotemark .	2413,	12400,	12503,	14454,	14587,
2420, 2439, 2446,		12532,	12558,	14613,	14630,
2465, 2472, 4915,		12571,	12624,	14670,	14714,
4923, 4931, 8119,		12688,	12791,	14753,	14866,
8212, 8219, 8241,		12821,	12849,	14919,	15084,
8248, 8270, 8277,		12863,	12918,	15111,	15130,
9093, 9100, 9107,		12986,	13090,	15174, 15217, 15258	
16103,	16109,	13120,	13148,	\@for . . . . .	8008,
16112,	16118,	13162,	13217,	8013, 8027, 8032,	
17410,	17599,	13285,	13389,	8046, 8051, 8074,	
17603, 17617, 17618		13419,	13447,	8083, 10120, 24738	
\@footnotetext ..	34,	13461,	13516,	\@fourcol@LTRfootgroupv@l	
79, 151, 152,		13584,	13688,	. . . . .	12736, 12761
153, 247, 292,		13718,	13746,	\@fourcol@footgroupv@r	
2390, 2394, 2399,		13760,	13815,	. . . . .	12732, 12757
4872, 4994, 8140,		13883,	13987,	\@fourcolLTRfootfmt	
8212, 8219, 8963,		14017,	14045,	. . . . .	12831, 12846,
8974, 9180, 9194,		14059,	14114,	12886, 12955, 12969	
10790,	10791,	14182,	14286,	\@fourcolLTRfootnotetext	
11682,	11696,	14316,	14344,	. . . . .	12727, 12824
11697,	11741,	14358,	14413,	\@fourcolRTLfootfmt	
11879,	11887,	14481,	14585,	. . . . .	12858, 12873,
12140,	12165,	14615,	14643,	12889, 12982, 12996	
12439,	12464,	14657,	14712,	\@fourcolRTLfootnotetext	
12726,	12751,	14780,	14872,	. . . . .	12728, 12851
13025,	13050,	14925,	14975,	\@fourcolfootfmt . .	
13324,	13349,	15026,	15082,	. . . . .	12785, 12815,
13623,	13648,	15113,	15144,	12883, 12913, 12942	
13922,	13947,	15160, 15215, 15287		\@fourcolfootnotetext	
14221,	14246,	\@footstartv@r	11959,	. . . . .	12726, 12772
14520,	14545,	12080,	12207,	\@fps . . . . .	4936,



4937, 4939, 4942, 4959	23372, 23373,	237, 650, 665, 914,
\@fpsaddddefault ...	25693, 25736,	1166, 8574, 8581,
..... 4940, 4943	26526, 26527, 26528	9217, 9394, 9605,
\@freelist .... 4955,	\@gobbletwo 2215, 5427,	17888, 17893,
7644, 7685, 7800,	5428, 5431, 5432,	20368, 20623,
7801, 7844, 7845,	5442, 5443, 5446,	21083, 24139, 26595
7888, 7889, 15354,	5447, 5450, 5451,	\@ifclassloaded ...
16756, 26350,	5454, 5455, 6362,	6825, 6851, 7145,
26351, 26394,	21848, 22609, 23374	7151, 7214, 8623, 8625
26395, 26427, 26428	\@gtempa ..... 5638, 5639	\@ifdefinable .. 5620,
\@frontispiece ....	\@halignto .... 413,	5623, 5626, 5641,
.. 21553, 21556,	445, 23788, 23826,	5884, 5899, 16026
21560, 21563,	25898, 26102, 26115	\@ifempty .. 7, 212, 17916
21677, 21681,	\@hangfrom ... 21939,	\@ifnextchar ... 163,
21691, 21695,	21969, 21972,	4820, 4850, 4865,
21706, 21710,	22700, 22730,	5874, 7805, 7849,
21736, 22293,	22733, 23465,	7893, 9954, 9969,
22296, 22300,	23495, 23498, 26070	16101, 16110,
22303, 22417,	\@hboxRconstructfalse	16272, 16287,
22421, 22431,	..... 20124, 25808	16305, 16311,
22435, 22446,	\@hboxRconstructtrue	16865, 17607,
22450, 22476,	428, 20114, 23795,	17631, 19567,
23066, 23069,	23834, 25798, 26111	19766, 19786,
23073, 23076,	\@height ..... 404,	25686, 25729,
23190, 23194,	1542, 9941, 10418,	25923, 26355, 26399
23204, 23208,	16496, 18197,	\@ifpackagelater . 15972
23219, 23223, 23249	18274, 18399,	\@ifpackageloaded .
\@fs@capt 7733, 7746, 7754	21490, 21497,	.... 6864, 6894,
\@fs@cfont .... 7726,	22230, 22237,	6936, 7097, 7182,
7732, 7742, 7745,	23003, 23010,	7186, 7712, 7717,
7753, 15791, 15792	23755, 23783,	7770, 11263, 11264
\@fs@iftopcapt ....	23824, 26097, 26466	\@ifpackagewith 197,
... 7737, 7750, 7763	\@highpenalty .....	201, 203, 205,
\@fs@mid . 7736, 7749, 7761	.... 9242, 9258,	10097, 18023,
\@fs@post 7735, 7748, 7762	9265, 9275, 9419,	18026, 18029,
\@fs@pre . 7734, 7747, 7755	9435, 9442, 9452,	18036, 20345,
\@g@tnextcol ..... 15809	9706, 9721, 9731,	20348, 23687,
\@getcirc ..... 15654	11565, 15467,	23698, 23705, 24087
\@gnewline ... 20260,	15482, 15492,	\@ifstar .. 5991, 7562,
20273, 20286, 20297	20411, 20427,	11267, 11894,
\@gobble .. 4852, 5362,	20434, 20444,	12159, 12184,
5386, 5408, 5413,	20783, 20799,	12458, 12483,
6129, 6130, 6131,	20806, 20816,	12745, 12770,
6132, 6133, 6228,	20999, 21013,	13044, 13069,
6243, 6258, 6304,	21023, 21183,	13343, 13368,
6318, 6330, 6342,	21198, 21208,	13642, 13667,
7223, 8783, 8848,	24161, 24196,	13941, 13966,
15870, 15871,	24585, 24609, 24697	14240, 14265,
15872, 19148,	\@hintcolour .. 5109, 5125	14539, 14564,
21844, 21845,	\@holdpg 10278, 10295,	14904, 14957,
21846, 21847,	10298, 10315,	15008, 15059, 16868
22605, 22606,	10406, 10439, 10441	\@ifundefined .. 340,
22607, 22608,	\@hyper@launch ... 17693	341, 2514, 5229,
23370, 23371,	\@idxitem 102, 107, 232,	5460, 5463, 5468,



5471, 5476, 5479,	\@latex@warning ...	20868, 21065,
5484, 5487, 7954,	..... 95, 308,	21268, 21806,
8437, 8445, 8560,	635, 767, 1030,	22567, 23332, 24081
8562, 8567, 8657,	1280, 2682, 5259,	\@mainmatterfalse .
8674, 9956, 9963,	9302, 9490, 9802,	..... 8810,
9971, 9977, 15794,	11364, 11638,	8840, 9782, 11618
16019, 18061,	15539, 17880,	\@mainmattertrue ..
18072, 18135,	20476, 20870,	..... 8807, 8823
18137, 18142,	21067, 21270,	\@makeLRFntext ...
19874, 20342,	21810, 21817,	... 2286, 2338, 2386
24380, 24384,	22571, 22578,	\@makeRTLfntext ...
24460, 24482,	23336, 23343, 24083	... 2281, 2321, 2370
24483, 24531,	\@latex@warning@no@line	\@makecaption .. 7557,
24532, 24619,	. 10534, 10552, 26442	9902, 19084,
24641, 24642,	\@latexbug ..... 26428	19134, 19166,
24926, 24949,	\@latexerr .....	21896, 21928,
25003, 25063,	. 16693, 16703, 16713	22657, 22689,
25112, 25129, 25159	\@leftcolumn .. 10143,	23422, 23454, 26570
\@ifundefinedmodel	10169, 10206,	\@makechapterhead .
..... 25719, 25753	10228, 10281,	. 311, 9559, 9754,
\@ifxempty ..... 25779	10286, 15687,	11589, 15495,
\@ignoretrue .. 2241, 9841	15708, 15723,	20243, 21231, 24104
\@iiiminipage .... 16235	15744, 16554,	\@makecol 15418, 15419,
\@iiiparbox .....	16582, 16603,	16679, 16689,
. 12099, 16266, 25981	16635, 19178,	18295, 18313, 26287
\@indextitlestyle .	19237, 19250,	\@makeextratitle ..
.... 100, 230, 17886	19278, 19337,	.. 21679, 21693,
\@inlabelfalse .... 9808	19346, 26195,	21708, 22419,
\@insertfalse .... 10263	26221, 26242, 26264	22433, 22448,
\@inserttrue ..... 10529	\@let@token .. 5399, 5402	23192, 23206, 23221
\@iprintcites .... 20252	\@listI ..... 7260	\@makefnmark ... 492,
\@itemdepth ... 2602,	\@listdepth .. 16085,	852, 1354, 2283,
2622, 2623, 2624	16251, 16520,	2288, 4624, 8115,
\@itemfudge 26476, 26478	16524, 21431,	8126, 9651, 10795,
\@itemlabel ..... 25944	22170, 22943,	10816, 11413,
\@ixpt ..... 8474	25935, 25938, 25943	11510, 15580,
\@kernel@refstepcounter	\@listi .. 7260, 7268, 8478	17903, 19032,
..... 18158	\@lowertitleback ..	20561, 20702,
\@keywords ..... 334	.. 21603, 21614,	20898, 20941,
\@kludgeins .. 15358,	21626, 21661,	21128, 21550,
16759, 19594, 19599	21741, 22343,	21551, 21671,
\@lastchclass .. 363,	22354, 22366,	21672, 22290,
364, 365, 366, 368,	22401, 22481,	22291, 22411,
1425, 1426, 1427,	23116, 23127,	22412, 23063,
1428, 1430, 1469,	23139, 23174, 23254	23064, 23184, 23185
1470, 1482, 1490,	\@lowpenalty . 4796, 25235	\@makefntext .... 45,
23913, 23914,	\@m .. 93, 306, 633, 765,	59, 75, 258, 272,
23915, 23916,	1028, 1278, 2680,	287, 493, 789,
23918, 26116, 26117	9300, 9488, 9800,	854, 1041, 1104,
\@lastvipertrue ...	11362, 11636,	1291, 1356, 2304,
..... 10541, 10560	15537, 16555,	2354, 4625, 8113,
\@latex@error .. 5341,	16557, 16604,	8152, 8170, 8188,
19147, 19400, 19406	16606, 17878,	9333, 9510, 9652,
	19687, 20474,	11414, 11511,



15581,	16141,	21134,	21136,	7269, 7270, 8475,
16158,	16174,	21141,	21150,	8477, 8479, 8480,
16202,	16217,	21160,	21688,	16434, 16472,
16232,	16777,	21702,	21717,	19684, 22085,
19034,	20498,	21729,	22428,	22103, 22113,
20563,	20637,	22442,	22457,	22123, 22134,
20704,	20900,	22469,	23201,	22856, 22876,
20943,	21129,	23215, 23230, 23242		22886, 22896,
21421,	21448,	\@maketitle@hook ..		22907, 23621,
21451,	22160,	..... 118, 17940		23641, 23651,
22187,	22190,	\@makewincaption . 19971		23661, 23672, 23720
22933, 22960, 22963		\@marbox ..... 7801,		\@mkboth ..... 618,
\@makefrontispiece		7803, 7807, 7811,		646, 662, 753,
.. 21685, 21699,		7812, 7845, 7847,		911, 1016, 1163,
21714, 22425,		7851, 7855, 7856,		1266, 2215, 9214,
22439, 22454,		7889, 7891, 7895,		9288, 9391, 9476,
23198, 23212, 23227		7899, 7900, 26351,		9601, 9785, 11350,
\@makeother ... 5990,		26353, 26357,		11621, 15525,
6036, 6140, 6148		26361, 26362,		20365, 20462,
\@makeschapterhead		26395, 26397,		20620, 20856,
9213, 9390, 9579,		26401, 26405,		21050, 21079, 21253
9600, 9768, 11604,		26406, 26427,		\@mklab ..... 25945
15507, 20364,		26437, 26440,		\@mkpream . 409, 18202,
20619, 21078,		26448, 26450,		23786, 23818, 26100
21243, 24110, 24115		26451, 26453,		\@mobile 5136, 10669, 10767
\@makespecialcolbox		26454, 26455,		\@modernpoem .. 9131, 9175
..... 15359, 16760		26464, 26468, 26469		\@mpEightColLTrfootnotetext
\@maketitle ... 120,		\@mathmargin .. 11219,		..... 13959, 14154
326, 330, 498, 500,		11226, 11234, 11241		\@mpEightColRTLfootnotetext
505, 514, 524, 858,		\@maxdepth ... 15370,		..... 13960, 14181
860, 865, 872,		15385, 15406,		\@mpEightColfootnotetext
882, 1110, 1112,		15417, 16770,		..... 13958, 14112
1117, 1124, 1134,		26292, 26308, 26319		\@mpFiveColLTrfootnotetext
1360, 1362, 1367,		\@mentempa ... 19084,		..... 13062, 13257
1374, 1384, 4628,		19086, 19100,		\@mpFiveColRTLfootnotetext
4634, 9657, 9659,		19107, 19111, 19116		..... 13063, 13284
9664, 9673, 9683,		\@menubordercolor .		\@mpFiveColfootnotetext
11419, 11421,		..... 17764, 17766		..... 13061, 13215
11426, 11433,		\@menucolor ..... 17775		\@mpFourColLTrfootnotetext
11443, 11516,		\@midlist .... 15354,		..... 12763, 12958
11518, 11523,		15355, 16756, 16757		\@mpFourColRTLfootnotetext
11532, 11542,		\@minipagefalse 5009,		..... 12764, 12985
15586, 15588,		7822, 7831, 7866,		\@mpFourColfootnotetext
15593, 15600,		7875, 7910, 7919,		..... 12762, 12916
15610, 17942,		12096, 16263,		\@mpLTrfootnotetext
19037, 19039,		18094, 19140,		... 2374, 11686,
19046, 20567,		26372, 26381,		11704, 11705,
20569, 20574,		26416, 26425, 26576		11842, 11883,
20581, 20591,		\@minipagerestore 16252		11891, 12152,
20708, 20710,		\@minipagetrue ....		12177, 12451,
20715, 20724,		.... 7830, 7874,		12476, 12738,
20734, 20952,		7918, 26380, 26424		12763, 13037,
20954, 20959,		\@minus 5176, 5262, 7256,		13062, 13336,
20968, 20978,		7258, 7265, 7267,		13361, 13635,



13660, 13934,	\@mpTenColRTLfootnotetext	17296, 17307,
13959, 14233,	..... 14558, 14779	17507, 17538,
14258, 14532,	\@mpTenColfootnotetext	17569, 17632,
14557, 14874,	..... 14556, 14710	18426, 23900, 23907
14927, 14981,	\@mpThreeColLTRfootnotetext	\@mpfootins ... 2344,
15032, 16205,	..... 12476, 12662	2345, 2360, 2361,
16249, 17310,	\@mpThreeColRTLfootnotetext	2376, 2377, 11818,
17325, 17348,	..... 12477, 12687	11819, 11831,
17412, 18430, 23968	\@mpThreeColfootnotetext	11832, 11843,
\@mpNineColLTRfootnotetext	..... 12475, 12622	11844, 11855,
..... 14258, 14453	\@mpTwoColLTRfootnotetext	11856, 11868,
\@mpNineColRTLfootnotetext	..... 12177, 12372	11869, 12012,
..... 14259, 14480	\@mpTwoColRTLfootnotetext	12013, 12015,
\@mpNineColfootnotetext	..... 12178, 12399	12016, 12089,
..... 14257, 14411	\@mpTwoColfootnotetext	12091, 12094,
\@mpParaLTRfootnotetext	..... 12176, 12330	12119, 12121,
. 14927, 15032, 15257	\@mparbottom .....	16192, 16193,
\@mpParaRTLfootnotetext	. . 26438, 26446,	16207, 16208,
..... 14928, 15286	26447, 26448, 26449	16222, 16223,
\@mpParafootnotetext	\@mpargs .....	16257, 16258,
. 14926, 15030, 15213	. 12099, 16241, 16266	16261, 18415, 18420
\@mpRTLfootnotetext	\@mparswitchfalse . 7239	\@mpfootinsv@1 .....
. . . 2358, 11687,	\@mparswitchtrue . . 7234	. . 11830, 11867,
11706, 11707,	\@mpeightcol@LTRfootgroupv@1	12081, 12120,
11854, 11884,	..... 13940, 13965	12121, 12311,
11892, 12153,	\@mpeightcol@footgroupv@r	12318, 12332,
12178, 12452,	..... 13938, 13963	12340, 12347,
12477, 12739,	\@mpeightcolLTRfootnotetext	12360, 12361,
12764, 13038,	..... 13934, 14141	12374, 12375,
13063, 13337,	\@mpeightcolRTLfootnotetext	12400, 12604,
13362, 13636,	..... 13935, 14168	12611, 12624,
13661, 13935,	\@mpeightcolfootnotetext	12632, 12639,
13960, 14234,	..... 13933, 14088	12651, 12652,
14259, 14533,	\@mpfivecol@LTRfootgroupv@1	12664, 12665,
14558, 14875,	..... 13043, 13068	12688, 12897,
14928, 14982,	\@mpfivecol@footgroupv@r	12904, 12918,
15033, 16190,	..... 13041, 13066	12926, 12933,
16250, 17299,	\@mpfivecolLTRfootnotetext	12946, 12947,
17324, 17337,	..... 13037, 13244	12960, 12961,
17413, 18431, 23969	\@mpfivecolRTLfootnotetext	12986, 13196,
\@mpSevenColLTRfootnotetext	..... 13038, 13271	13203, 13217,
..... 13660, 13855	\@mpfivecolfootnotetext	13225, 13232,
\@mpSevenColRTLfootnotetext	..... 13036, 13191	13245, 13246,
..... 13661, 13882	\@mpfn 2400, 2426, 2452,	13259, 13260,
\@mpSevenColfootnotetext	4890, 4893, 4896,	13285, 13495,
..... 13659, 13813	4912, 4920, 4928,	13502, 13516,
\@mpSixColLTRfootnotetext	8210, 8216, 8239,	13524, 13531,
..... 13361, 13556	8245, 8268, 8274,	13544, 13545,
\@mpSixColRTLfootnotetext	9070, 9073, 9076,	13558, 13559,
..... 13362, 13583	9090, 9097, 9104,	13584, 13794,
\@mpSixColfootnotetext	16101, 16106,	13801, 13815,
..... 13360, 13514	16110, 16115,	13823, 13830,
\@mpTenColLTRfootnotetext	16247, 16277,	13843, 13844,
..... 14557, 14752	16292, 17285,	13857, 13858,





13883,	14093,	14120,	14127,	\@mpninecolLTRfootnotetext
14100,	14114,	14155,	14169,	..... 14233, 14440
14122,	14129,	14170,	14183,	\@mpninecolRTLfootnotetext
14142,	14143,	14184,	14390,	..... 14234, 14467
14156,	14157,	14397,	14415,	\@mpninecolfootnotetext
14182,	14392,	14419,	14426,	..... 14232, 14387
14399,	14413,	14454,	14468,	\@mppara@LTRfootgroupv@l
14421,	14428,	14469,	14482,	..... 14880,
14441,	14442,	14483,	14689,	14933, 14985, 15036
14455,	14456,	14696,	14714,	\@mppara@footgroupv@r
14481,	14691,	14718,	14725,	..... 14879, 14932
14698,	14712,	14753,	14767,	\@mpparaLTRfootnotetext
14720,	14727,	14768,	14781,	. 14874, 14981, 15243
14740,	14741,	14782,	15191,	\@mpparaRTLfootnotetext
14754,	14755,	15198,	15217,	..... 14875, 15272
14780,	15193,	15221,	15228,	\@mpparafootnotetext
15200,	15215,	15258,	15273,	. 14873, 14979, 15188
15223,	15230,	15274, 15288, 15289		\@mpsevenscol@LTRfootgroupv@l
15244,	15245,	\@mpfootnotetext ..		..... 13641, 13666
15259, 15260, 15287		..... 2342,		\@mpsevenscol@footgroupv@r
\@mpfootinsv@r ....		11685, 11702,		..... 13639, 13664
.. 12080, 12118,		11703, 11817,		\@mpsevenscolLTRfootnotetext
12119, 12309,		11882, 11890,		..... 13635, 13842
12316, 12334,		12151, 12176,		\@mpsevenscolRTLfootnotetext
12338, 12345,		12450, 12475,		..... 13636, 13869
12373, 12387,		12737, 12762,		\@mpsevenscolfootnotetext
12388, 12401,		13036, 13061,		..... 13634, 13789
12402, 12602,		13335, 13360,		\@mpsixcol@LTRfootgroupv@l
12609, 12626,		13634, 13659,		..... 13342, 13367
12630, 12637,		13933, 13958,		\@mpsixcol@footgroupv@r
12663, 12676,		14232, 14257,		..... 13340, 13365
12677, 12689,		14531, 14556,		\@mpsixcolLTRfootnotetext
12690, 12895,		14873, 14926,		..... 13336, 13543
12902, 12920,		14977, 14979,		\@mpsixcolRTLfootnotetext
12924, 12931,		15028, 15030,		..... 13337, 13570
12959, 12973,		16220, 16248,		\@mpsixcolfootnotetext
12974, 12987,		17288, 17323,		..... 13335, 13490
12988, 13194,		17326, 17411,		\@mptencol@LTRfootgroupv@l
13201, 13219,		18429, 23965, 23967		..... 14538, 14563
13223, 13230,		\@mpfourcol@LTRfootgroupv@l		..... 12744, 12769
13258, 13272,		..... 12744, 12769		\@mptencol@footgroupv@r
13273, 13286,		\@mpfourcol@footgroupv@r		..... 14536, 14561
13287, 13493,		..... 12742, 12767		\@mptencolLTRfootnotetext
13500, 13518,		\@mpfourcolLTRfootnotetext		..... 14532, 14739
13522, 13529,		..... 12738, 12945		\@mptencolRTLfootnotetext
13557, 13571,		\@mpfourcolRTLfootnotetext		..... 14533, 14766
13572, 13585,		..... 12739, 12972		\@mptencolfootnotetext
13586, 13792,		\@mpfourcolfootnotetext		..... 14531, 14686
13799, 13817,		..... 12737, 12892		\@mpthreecol@LTRfootgroupv@l
13821, 13828,		\@mplistdepth 16085, 16251		..... 12457, 12482
13856, 13870,		\@mpninecol@LTRfootgroupv@l		\@mpthreecol@footgroupv@r
13871, 13884,		..... 14239, 14264		..... 12455, 12480
13885, 14091,		\@mpninecol@footgroupv@r		\@mpthreecolLTRfootnotetext
14098, 14116,		..... 14237, 14262		..... 12451, 12650





\@mptthreecolRTLfootnotetext	15302,	15313,	25064,	25065,
..... 12452, 12675	15329,	15338,	25066,	25068,
\@mptthreecolfootnotetext	15347,	18353,	25069,	25071,
..... 12450, 12599	24395,	24434,	25074,	25077,
\@mptwocolLTRfootgroupv@l	24435,	24436,	25085,	25086,
..... 12158, 12183	24437,	24438,	25088,	25091,
\@mptwocol@footgroupv@r	24439,	24440,	25094,	25114,
..... 12156, 12181	24441,	24442,	25117,	25121,
\@mptwocolLTRfootnotetext	24443,	24461,	25161, 25164, 25168	
..... 12152, 12359	24462,	24463,		
\@mptwocolRTLfootnotetext	24464,	24465,	\@nameuse .....	9126,
..... 12153, 12386	24466,	24467,	11149,	11199,
\@mptwocolfootnotetext	24468,	24469,	11202,	11248,
..... 12151, 12306	24484,	24485,	12417,	12418,
\@namedef 9128, 12101,	24486,	24487,	12423,	12424,
12137, 12138,	24489,	24490,	12428,	12429,
12162, 12163,	24492,	24495,	12433,	12434,
12414, 12420,	24498,	24506,	12704,	12705,
12426, 12431,	24507,	24509,	12710,	12711,
12436, 12437,	24512,	24515,	12715,	12716,
12461, 12462,	24528,	24533,	12720,	12721,
12701, 12707,	24534,	24535,	13003,	13004,
12713, 12718,	24537,	24538,	13009,	13010,
12723, 12724,	24540,	24543,	13014,	13015,
12748, 12749,	24546,	24554,	13019,	13020,
13000, 13006,	24555,	24557,	13302,	13303,
13012, 13017,	24560,	24563,	13308,	13309,
13022, 13023,	24575,	24620,	13313,	13314,
13047, 13048,	24621,	24622,	13318,	13319,
13299, 13305,	24623,	24624,	13601,	13602,
13311, 13316,	24625,	24626,	13607,	13608,
13321, 13322,	24627,	24628,	13612,	13613,
13346, 13347,	24643,	24644,	13617,	13618,
13598, 13604,	24645,	24646,	13900,	13901,
13610, 13615,	24648,	24649,	13906,	13907,
13620, 13621,	24651,	24654,	13911,	13912,
13645, 13646,	24657,	24665,	13916,	13917,
13897, 13903,	24666,	24668,	14199,	14200,
13909, 13914,	24671,	24674,	14205,	14206,
13919, 13920,	24687,	24927,	14210,	14211,
13944, 13945,	24928,	24929,	14215,	14216,
14196, 14202,	24930,	24931,	14498,	14499,
14208, 14213,	24932,	24933,	14504,	14505,
14218, 14219,	24934,	24935,	14509,	14510,
14243, 14244,	24974,	24980,	14514,	14515,
14495, 14501,	24987,	24993,	14797,	14798,
14507, 14512,	25000,	25004,	14803,	14804,
14517, 14518,	25005,	25006,	14808,	14809,
14542, 14543,	25007,	25009,	14813,	14814,
14794, 14800,	25010,	25012,	15303,	15310,
14806, 14811,	25015,	25018,	15314,	15321,
14854, 14855,	25026,	25027,	15330,	15335,
14907, 14908,	25029,	25032,	15339,	15344,
14960, 15011,	25035,	25060,	15815,	21601,
			21936,	22341,



22697,	23114,	10108,	11418,	1442, 1443, 1446,
23462,	24122,	11515,	11976,	1447, 1448, 1460,
24396,	24397,	12024,	12039,	1462, 1463, 1528,
24398,	24401,	12064,	15585,	1529, 1530, 9927,
24404,	24409,	16191,	16206,	9928, 9929, 23919,
24410,	24415,	16221,	16534,	23921, 23922,
24419,	24420,	17640,	17641,	23923, 23924,
24422,	24423,	17646,	18049,	23925, 23926,
24425,	24426,	18056,	18065,	23927, 23929,
24428,	24429,	18076,	18206,	23930, 23931,
24431,	24432,	19036,	19113,	23932, 23933,
24439,	24444,	19376,	19765,	23936, 23937, 23938
24445,	24528,	19785,	20566,	\@nil . . . . . 1513, 1514,
24575,	24579,	20707,	20904,	1516, 1517, 9916,
24580,	24592,	20947,	20951,	10838, 10895, 24034
24602,	24603,	21133,	21431,	\@ninecol@LTRfootgroupv@l
24687,	24691,	21458,	21460,	. . . . . 14231, 14256
24692,	24713,	21675,	21842,	\@ninecol@footgroupv@r
24729,	24732,	22170,	22197,	. . . . . 14227, 14252
24733,	24737,	22199,	22415,	\@ninecolLTRfootfmt
24743,	24744,	22603,	22943,	. . 14326, 14341,
24745,	24749,	22970,	22972,	14381, 14450, 14464
24752,	24756,	23188,	23368,	\@ninecolLTRfootnotetext
24758,	24772,	23848,	23852,	. . . . . 14222, 14319
24774,	24776,	23913,	23922,	\@ninecolRTLfootfmt
24782,	24800,	23929,	24236,	. . 14353, 14368,
24801,	24803,	24579,	24580,	14384, 14477, 14491
24804,	24814,	24691,	24692,	\@ninecolRTLfootnotetext
24816,	24819,	24921,	25635,	. . . . . 14223, 14346
24820,	24822,	25782,	25938,	\@ninecolfootfmt . .
24824,	24825,	25979,	26014,	. . 14280, 14310,
24833,	24835,	26016,	26017,	14378, 14408, 14437
24839,	24840,	26018,	26023,	\@ninecolfootnotetext
24844,	24848,	26025,	26026,	. . . . . 14221, 14267
24852,	24853,	26027,	26032,	\@nmbulistfalse . . 25946
24921,	24954,	26034,	26035,	\@nobreakfalse . 558,
24961,	24966,	26036,	26041,	719, 963, 1202,
24967,	24974,	26043,	26044,	9252, 9429, 9716,
25053,	25060,	26045,	26119,	11574, 15477,
25131,	25198,	26121, 26164, 26428		20421, 20793,
25721, 25755, 26500		\@newlistfalse . . . . .		21008, 21193,
\@ne . . . . . 137,		. . . . . 15859, 26489		24183, 24187, 24722
142, 363, 372, 375,		\@next . . . . . 4955,		\@nobreaktrue . . 557,
497, 857, 1109,		7800, 7801, 7844,		718, 962, 1201,
1359, 1425, 1434,		7845, 7888, 7889,		9251, 9428, 9715,
1437, 1438, 1439,		26350, 26351,		11573, 15476,
1472, 1475, 1476,		26394, 26395, 26427		20420, 20792,
1477, 2343, 2359,		\@nextchar . . . . 369,		21007, 21192,
2375, 2623, 4380,		371, 372, 373,		24182, 24186, 24721
4385, 4386, 4387,		375, 376, 377, 378,		\@nocnterr . . . . . 341
4965, 5267, 5295,		379, 382, 383, 384,		\@nocounterr . . . . . 340
5330, 5655, 5709,		1431, 1433, 1434,		\@nodocument . . . . . 4934
5763, 6485, 6644,		1435, 1437, 1438,		\@noitemerr . . . . .
6715, 6776, 9656,		1439, 1440, 1441,		. . . 95, 308, 634,



766, 1029, 1279,	\@otarlinesep 23808, 23814	15834, 15838,
2681, 5259, 9301,	\@outerparskip . . . . 9169	15843, 15854,
9489, 9801, 11363,	\@outputbox . . . . .	16591, 16595,
11637, 15538,	.. 10143, 10146,	16644, 16648,
17880, 19694,	10147, 10161,	18296, 18314,
20475, 20869,	10173, 10178,	19260, 19265,
21066, 21269,	10180, 10206,	19357, 19362,
21809, 21816,	10209, 10210,	19823, 19824,
22570, 22577,	10224, 10234,	26230, 26234,
23335, 23342, 24082	10237, 10239,	26273, 26277, 26484
\@nonlatinfalse 4142,	15361, 15363,	\@ovbtrue . . . . . 15643
4253, 18083, 18127	15364, 15369,	\@ovdx . . . . . 15656, 15664
\@nonlatintrue . 4143,	15384, 15386,	\@ovdy . . . . . 15657, 15665
4254, 18083, 18127	15400, 15410,	\@ovhorz . . . 15662, 15663
\@normalLTRfootfmt	15687, 15690,	\@ovltrue . . . . . 15643
. 11735, 11814, 11852	15703, 15712,	\@ovri . . . . . 15655
\@normalRTLfootfmt	15723, 15726,	\@ovro 15655, 15664, 15665
.. 11729, 11783,	15740, 15750,	\@ovrtrue . . . . . 15643
11799, 11864, 11877	15832, 15837,	\@ovttrue . . . . . 15643
\@normalcr . . . . . 18382	15884, 16554,	\@ovvert . . . 15660, 15661
\@normalfootfmt . . .	16561, 16562,	\@ovxx . . . . . 15645,
.. 11723, 11752,	16578, 16588,	15646, 15649,
11768, 11827, 11840	16603, 16610,	15656, 15661,
\@notprerr . . . 6228, 6243	16611, 16627,	15662, 15666, 15667
\@nx . . . . . 124,	16639, 16678,	\@ovyy . . 15647, 15648,
125, 344, 17946, 17947	16690, 16724,	15649, 15657, 15663
\@nxtcol . . . . .	16726, 16737,	\@pagedp . . . 26456, 26466
. 15807, 15809, 15850	16762, 16765,	\@pageht 10267, 10273,
\@oddfoot . . . . .	16766, 18320,	15426, 15427,
2187, 2192, 2228,	18322, 18324,	15428, 26439, 26446
2233, 4594, 15820,	19178, 19181,	\@par . . . . . 24856
15827, 26503, 26520	19182, 19212,	\@para@LTRfootgroupv@l
\@oddhead . 2111, 2191,	19237, 19240,	. . . . . 14871,
2216, 2233, 15819,	19242, 19254,	14924, 14974, 15025
15826, 26503, 26519	19278, 19281,	\@para@footgroupv@r
\@oldmakefnmark 21550,	19282, 19312,	. . . . . 14865, 14918
21551, 21671,	19337, 19340,	\@para@footstartv@l
21672, 22290,	19342, 19352,	. . . . . 14872,
22291, 22411,	19831, 19834,	14925, 14975, 15026
22412, 23063,	19839, 26195,	\@para@footstartv@r
23064, 23184, 23185	26198, 26199,	. . . . . 14866, 14919
\@onelevel@sanitize 4937	26213, 26225,	\@para@LTRfootfmt . .
\@onlypreamble . . . .	26242, 26245,	.. 15125, 15141,
. . . 4366, 14847,	26246, 26260,	15180, 15254, 15269
14848, 14852, 15450	26270, 26289,	\@para@LTRfootnotetext
\@openbib@code . . . .	26291, 26305,	. 14858, 14967, 15116
.. 625, 760, 1023,	26307, 26318, 26547	\@para@RTLfootfmt . .
1273, 5252, 5263,	\@outputdblcol 15806,	.. 15155, 15171,
9295, 9483, 9792,	26283, 26284, 26285	15184, 15283, 15298
11357, 11628,	\@outputpage . . . . .	\@para@RTLfootnotetext
15532, 20469,	.. 10186, 10190,	. . . . . 14859, 15146
20863, 21057,	10245, 10249,	\@para@footfmt . . . . .
21260, 21792,	15715, 15718,	.. 15076, 15107,
22553, 23318, 24073	15753, 15757,	15176, 15210, 15240



\@parafootnotetext			
. 14857, 14965, 15061			
\@parboxrestore . 42,			
56, 72, 255, 269,			
284, 2300, 2317,			
2334, 2350, 2366,			
2382, 5004, 7551,			
7819, 7863, 7907,			
9846, 11823,			
11836, 11848,			
11860, 11873,			
11974, 12323,			
12352, 12365,			
12379, 12392,			
12406, 12616,			
12644, 12656,			
12669, 12681,			
12694, 12909,			
12938, 12951,			
12965, 12978,			
12992, 13208,			
13237, 13250,			
13264, 13277,			
13291, 13507,			
13536, 13549,			
13563, 13576,			
13590, 13806,			
13835, 13848,			
13862, 13875,			
13889, 14105,			
14134, 14147,			
14161, 14174,			
14188, 14404,			
14433, 14446,			
14460, 14473,			
14487, 14703,			
14732, 14745,			
14759, 14772,			
14786, 15205,			
15235, 15249,			
15264, 15278,			
15293, 15308,			
15319, 15859,			
16136, 16153,			
16169, 16198,			
16213, 16228,			
16246, 19161,			
19375, 25997,			
26369, 26413, 26490			
\@parboxto . 26000, 26007			
\@parmoderr . . . . .			
4953, 7797, 7841,			
7885, 26347, 26391			
\@part . . . . . 588, 11320			
\@pboxswfalse 16237, 25983	21567,	21593,	
\@pboxswtrue . . . . . 26005	21638,	22049,	
\@pdfm@mark . . . . .	22067,	22085,	
. . . 17648, 17664,	22086,	22103,	
17698, 17729,	22104,	22113,	
17758, 17802,	22114,	22123,	
17807, 17818,	22134,	22228,	
17823, 17834,	22235,	22244,	
17840, 17851, 17857	22307,	22333,	
\@pdfremotestartview	22378,	22811,	
. . . . . 17679	22830,	22856,	
\@phone 5137, 10670, 10768	22857,	22876,	
\@photo . . 5142, 10643,	22877,	22886,	
10645, 10774, 10776	22887,	22896,	
\@photowidth . . . 5141,	22907,	23001,	
5142, 10645, 10741	23008,	23017,	
\@pkgextension . . . . .	23080,	23106,	
. . . . . 6866, 6898,	23151,	23576,	
6904, 7062, 7065, 7083	23595,	23621,	
\@plus . . . . . 24,	23622,	23641,	
103, 233, 548, 565,	23642,	23651,	
649, 664, 693, 696,	23652,	23661,	
709, 727, 734, 913,	23672,	23719,	
920, 923, 936, 953,	23985,	24014,	
971, 1165, 1176,	24138,	24415,	
1179, 1192, 1210,	24583,	24586,	
1218, 5176, 5262,	24590,	24695,	
7256, 7257, 7258,	24698,	24702,	
7265, 7266, 7267,	24777,	25114,	
7269, 7270, 8475,	25117,	25121,	
8476, 8477, 8479,	25242, 25426, 26132		
8480, 8546, 9216,	\@pnumwidth . . 13, 15,		
9227, 9230, 9243,	218, 220, 551, 552,		
9259, 9266, 9393,	554, 568, 569, 573,		
9404, 9407, 9420,	712, 713, 715, 737,		
9436, 9443, 9604,	738, 742, 939, 940,		
9707, 9722, 11296,	944, 956, 957, 959,		
11310, 11566,	1195, 1196, 1198,		
15178, 15182,	1221, 1222, 1226,		
15186, 15468,	9246, 9247, 9249,		
15483, 16434,	9269, 9270, 9274,		
16472, 17889,	9423, 9424, 9426,		
17909, 19427,	9446, 9447, 9451,		
19439, 19684,	9710, 9711, 9713,		
20367, 20396,	9725, 9726, 9730,		
20399, 20412,	9991, 9996, 9997,		
20428, 20435,	11299, 11300,		
20622, 20768,	11304, 11313,		
20771, 20784,	11314, 11316,		
20800, 20807,	11568, 11569,		
21000, 21014,	11571, 15471,		
21082, 21184,	15472, 15474,		
21199, 21488,	15486, 15487,		
21495, 21504,	15491, 17922,		



17924,	19447,	13739,	13751,	\@raggedtwo@raggedrightboxes@opt
20415,	20416,	13766,	13977,	..... 20306,
20418,	20438,	14007,	14023,	20325, 20329, 20346
20439,	20443,	14038,	14050,	\@raggedtwo@saved@newline
20787,	20788,	14065,	14276,	..... 20297
20790,	20810,	14306,	14322,	\@raggedtwo@savedcr
20811,	20815,	14337,	14349,	..... 20257,
21002,	21003,	14364,	14575,	20270, 20283, 20296
21005,	21017,	14605,	14621,	\@raggedtwo@spaceskipfalse
21018,	21022,	14636,	14648,	..... 20303
21187,	21188,	14663,	15071,	\@raggedtwo@spaceskiptrue
21190,	21202,	15102,	15120,	. 20266, 20279, 20292
21203,	21207,	15136, 15150, 15166		\@rc@ifdefinable ..
24041,	24050,	\@preamfourfmt 12878,		..... 5641, 5899
24052,	24445,	12884, 12887, 12890		\@regtocline ... 690,
24594,	24595,	\@preamninefmt 14373,		728, 745, 917,
24607,	24706,	14379, 14382, 14385		947, 972, 1173,
24707,	24716,	\@preamnormalfmt ..		1211, 1229, 9224,
24980,	24987,	..... 11719,		9260, 9278, 9401,
25333, 25438, 26144		11724, 11730, 11736		9437, 9455, 20393,
\@preamble .... 411,		\@preamsevenfmt 13775,		20429, 20447,
417, 430, 441,		13781, 13784, 13787		20765, 20801, 20819
1485, 1493, 18213,		\@preamsixfmt . 13476,		\@reinserts ..... 15441
23787, 23789,		13482, 13485, 13488		\@rememsize 23818, 23821
23796, 23826,		\@preamtenfmt . 14672,		\@removefromreset .
23827, 23835,		14678, 14681, 14684		..... 19703, 19705
26101, 26103, 26112		\@preamthreefmt 12585,		\@reqcolroom .....
\@preameightfmt 14074,		12591, 12594, 12597		.. 10267, 10268,
14080, 14083, 14086		\@preamtwofmt . 12292,		10269, 10270,
\@preamerr .....		12298, 12301, 12304		10272, 10273,
. 385, 1449, 1479,		\@printcites ..... 20254		10274, 10275,
23939, 26110, 26123		\@ptsize ..... 5040,		10276, 10277, 10517
\@preamfivefmt 13177,		5041, 5042, 5043, 5050		\@resetactivechars
13183, 13186, 13189		\@publisher .. 8638, 8691		..... 15857, 26487
\@preamfntext . 11747,		\@publishers .. 21594,		\@resetdyn@pics .. 15845
11763, 11778,		21739, 22334,		\@resetst@tics ... 15844
11794, 11809,		22479, 23107, 23252		\@restonecolfalse .
11969, 12195,		\@quote .. 5143, 10649,		... 98, 228, 639,
12225, 12241,		10651, 10778, 10780		655, 904, 1156,
12256, 12268,		\@quotebox ..... 20253		9207, 9384, 9594,
12283, 12494,		\@quotecolour .....		17884, 20358,
12523, 12538,		... 5105, 5122, 5232		20613, 21072, 24096
12552, 12563,		\@r@m@msize ..... 23821		\@restonecoltrue ..
12577, 12781,		\@raggedtwo@abdhook		... 98, 228, 641,
12811, 12827,		. 20328, 20333, 20343		657, 906, 1158,
12842, 12854,		\@raggedtwo@document@opt		9209, 9386, 9596,
12869, 13080,		. 20327, 20331, 20349		17884, 20360,
13110, 13126,		\@raggedtwo@everyselectfont		20615, 21074, 24098
13141, 13153,		..... 20267,		\@resumename .. 5075, 5131
13168, 13379,		20280, 20293, 20304		\@revlabeltrue . 790,
13409, 13425,		\@raggedtwo@footmisctrue		1042, 1292, 9334,
13440, 13452,		..... 20330		9511, 20499, 20638
13467, 13678,		\@raggedtwo@newline		\@rightcolumn . 19204,
13708, 13724,		. 20260, 20273, 20286		19209, 19210,



19219, 19220,	10216, 10218,	\@sixcolRTLfootfmt
19228, 19232,	10244, 15696,	.. 13456, 13471,
19238, 19304,	15698, 15715,	13487, 13580, 13594
19309, 19310,	15732, 15734,	\@sixcolRTLfootnotetext
19319, 19320,	15752, 16568,	..... 13326, 13449
19328, 19332, 19338	16570, 16590,	\@sixcolfootfmt ...
\@rightskip .. 18378,	16617, 16619,	.. 13383, 13413,
20262, 20263,	16643, 19188,	13481, 13511, 13540
20275, 20276,	19190, 19259,	\@sixcolfootnotetext
20288, 20289,	19288, 19290,	..... 13324, 13370
20299, 20300, 26048	19356, 26205,	\@skip@bove 23812, 23814
\@rjfieldfalse ... 26474	26207, 26229,	\@spaces .....
\@runbordercolor ..	26252, 26254, 26272	. 23850, 23891, 23896
..... 17704, 17706	\@setminipage .. 7553,	\@spart .....
\@runcolor .....	16253, 16528, 19163	612,
\@s@size .....	\@setpar .....	614, 11344, 11346
23821	20901,	\@specialpagefalse
\@sarray .....	20944, 21454,	..... 15814, 26500
23780	21465, 22193,	\@specialstyle .....
\@savemarbox .....	22205, 22966, 22978	..... 15815, 26500
26468	\@settab .....	\@stabarray .....
\@secondoftwo .....	9136	..... 23776
4231, 4237, 4243,	\@sevencol@LTRfootgroupv@l	\@stabular .....
5503, 5507, 5515,	..... 13633, 13658	23772
5519, 5527, 5531,	\@sevencol@footgroupv@r	\@star@or@long . 5636,
5537, 5545, 5558,	..... 13629, 13654	5869, 5893, 5904
5567, 5576, 5585,	\@sevencolLTRfootfmt	\@startcolumn .... 16653
5591, 5594, 5605,	.. 13728, 13743,	\@startdblcolumn ..
5610, 5617, 5997,	13783, 13852, 13866	..... 10189,
6007, 6008, 6009,	\@sevencolLTRfootnotetext	10191, 10248,
6010, 6016, 6025,	..... 13624, 13721	10250, 15716,
6031, 6055, 6075,	\@sevencolRTLfootfmt	15718, 15756,
6103, 6155, 6167,	.. 13755, 13770,	15757, 15841,
6168, 6177, 15451	13786, 13879, 13893	15843, 16594,
\@secpenalty .....	\@sevencolRTLfootnotetext	16596, 16647,
5,	..... 13625, 13748	16649, 19263,
210, 547, 564, 708,	\@sevencolfootfmt .	19266, 19360,
726, 733, 935,	.. 13682, 13712,	19363, 26233,
952, 970, 1191,	13780, 13810, 13839	26235, 26276, 26278
1209, 1217, 11295,	\@sevencolfootnotetext	\@startfield .....
11309, 17914,	..... 13623, 13669	9178
24026, 24163,	\@sharp .....	\@startpbox ... 1462,
24218, 24582,	423,	1463, 1528, 1529,
24589, 24694, 24701	1487, 1488, 1489,	1530, 9927, 9928,
\@sectiontitlecolour	1495, 1496, 1497,	9929, 18187,
..... 5106, 5123	18200, 23792,	18188, 18194,
\@seesize .. 23818, 23821	23827, 23833, 26107	23790, 23828, 26104
\@setcol .....	\@sixcol@LTRfootgroupv@l	\@startsection 23, 17908
15851	..... 13334, 13359	\@starttoc ... 8441, 8449
\@setcolbox 15812, 15848	\@sixcol@footgroupv@r	\@stopfield 9143, 9158,
\@setcopyright 112, 17934	..... 13330, 13355	9162, 9190, 26474
\@setfontsize .....	\@sixcolLTRfootfmt	\@stoline .. 9162, 26474
7255, 7264, 8474,	.. 13429, 13444,	\@stpelt . 6350, 6354, 6356
8484, 8485, 8486,	13484, 13553, 13567	\@strip .....
8487, 8488, 8489, 8490	\@sixcolLTRfootnotetext	19372
\@setfpsbit .....	..... 13325, 13422	\@subclass .....
... 4969, 4972, 4975		334
\@setmarks ... 10153,		\@subject 21575, 21576,
10155, 10185,		21738, 22315,



22316, 22478,	5336, 5339, 5459,	16871, 16873,
23088, 23089, 23251	5460, 5463, 5465,	16901, 16903,
<code>\@subsectioncolour</code>	5467, 5468, 5471,	16904, 16906,
..... 5108, 5124	5473, 5475, 5476,	16909, 19710,
<code>\@subtitle</code> ... 21581,	5479, 5481, 5483,	19711, 19717,
21734, 22321,	5484, 5487, 5489,	19718, 19723, 19724
22474, 23094, 23247	5656, 5666, 5672,	<code>\@tempboxa</code> .... 2117,
<code>\@tabacol</code> 4882, 18185,	5684, 5691, 5697,	2118, 2119, 2120,
23774, 25909, 26087	5710, 5720, 5726,	2121, 2221, 2222,
<code>\@tabarray</code> .... 393,	5738, 5745, 5751,	2223, 2224, 2225,
446, 4884, 18171,	5764, 5777, 5783,	2487, 2504, 2505,
18173, 19740,	5801, 5811, 5817,	2506, 2507, 2508,
19742, 25904,	12028, 12035,	2509, 2510, 2511,
25911, 26089, 26115	15644, 16830,	2550, 2552, 2553,
<code>\@tabclassiv</code> .....	16831, 16832,	2554, 2559, 2572,
... 4884, 18186,	16833, 16870,	7803, 7847, 7891,
23776, 25911, 26089	16873, 16874,	10283, 10284,
<code>\@tabclassz</code> .....	16880, 16891,	10861, 10862,
1490, 4883, 18186,	16892, 16898,	10863, 10864,
23775, 25910, 26088	16903, 16904,	10866, 10915,
<code>\@tabcr</code> .....	16906, 16909,	10916, 10917,
..... 9139, 9149	16966, 16967,	10918, 10920,
<code>\@tabminus</code> .....	16968, 16969,	12099, 15655,
..... 9137	17426, 17430,	15659, 15667,
<code>\@tabplus</code> .....	17433, 17445,	15668, 15791,
..... 9136	17464, 17468,	15792, 15793,
<code>\@tabular</code> 387, 4870, 26085	17471, 17483,	16242, 16266,
<code>\@tabularcr</code> .....	17945, 17948,	16371, 16416,
... 4884, 18190,	18278, 18279,	16423, 16433,
23776, 25911, 26089	18281, 18282,	16436, 16440,
<code>\@tarlinesep</code> .. 23814,	19706, 19707,	16442, 16448,
23815, 23816,	19708, 19711,	16482, 16484,
23817, 23820, 23822	19718, 19724,	16490, 16503,
<code>\@temp@bibkey</code> .. 8008,	20546, 20548,	16507, 16508,
8027, 8046, 8074	20550, 20554,	16796, 16892,
<code>\@temp@bibkeyx</code> ....	20687, 20689,	16909, 17058,
.... 8013, 8014,	20691, 20695,	17239, 17241,
8016, 8017, 8018,	21278, 21279,	18086, 18091,
8019, 8032, 8033,	21321, 21322,	18095, 18239,
8035, 8036, 8037,	21453, 21794,	18240, 18243,
8038, 8051, 8052,	21797, 22192,	19089, 19092,
8054, 8055, 8056,	22555, 22558,	19096, 19098,
8057, 8083, 8084,	22965, 23320,	19104, 19106,
8086, 8087, 8088, 8089	23323, 23899,	19107, 19136,
<code>\@temp@last@bibkey</code>	23901, 23906,	19137, 19141,
.... 8007, 8008,	23908, 25424,	19972, 19973,
8014, 8026, 8027,	25441, 25445,	19976, 23873,
8033, 8045, 8046,	25446, 25447,	23893, 25385,
8052, 8073, 8074, 8084	25456, 25470,	25388, 25393,
<code>\@tempa</code> .....	25646, 25649,	25397, 25401,
123,	25655, 25659, 25673	25405, 25409,
126, 133, 134, 135,	<code>\@tempb</code> .....	25413, 25417,
136, 837, 839, 841,	5335,	25421, 26070,
845, 1089, 1091,	5336, 5338, 5339,	26071, 26126,
1093, 1097, 1339,	16830, 16831,	
1341, 1343, 1347,		
2405, 2431, 2457,		
5297, 5304, 5335,		



26127,	26128,	9422, 9444, 9449,	16765,	16767,
26129,	26353,	9708, 9723, 9728,	16889,	16891,
26397,	26535,	9939, 9940, 9941,	16896,	16898,
26542,	26543,	9989, 9994, 10807,	16899,	16901,
26572,	26573, 26577	10808,	10809,	16914,
\@tempc	16872, 16874, 16880	10810,	10828,	16924,
\@tempcnta	.....	10810,	10828,	16928,
	1453, 1512, 1513,	10829,	10830,	17917,
	1514, 1516, 1517,	10831,	10837,	17921,
	2523, 2524, 2526,	10839,	10840,	17923,
	4957, 4963, 4965,	10844,	10845,	18182,
	4978, 4979, 4985,	10846,	10847,	18192,
	4986, 5312, 5314,	10848,	10856,	18197,
	5318, 9914, 9916,	10860,	10863,	19207,
	10836,	10864,	10865,	19211,
	10893,	10879,	10880,	19307,
	19790,	10881,	10894,	19311,
	19792,	10881,	10894,	19372,
	19793,	10896,	10897,	19420,
	19799,	10901,	10902,	19432,
	19803,	10903,	10904,	19433,
	19872,	10905,	10911,	19444,
	19874,	10914,	10917,	19445,
	19878,	10918,	10919,	19794,
	19881,	10931,	10932,	20414,
	19883,	10933,	11149,	20441,
	21646,	11150,	11155,	20773,
	22386,	11156,	11157,	20786,
	22388,	11158,	11159,	20808,
	23159,	11274,	11276,	20813,
	23161,	11278,	11297,	20902,
	23886,	11302,	11312,	20903,
	25232,	14844,	14883,	20904,
	25233,	14884,	14887,	20945,
	25234,	14888,	14894,	20946,
	25254,	14895,	14896,	20947,
	25255,	14897,	14899,	21015,
	25257,	14936,	14937,	21020,
	25341,	14940,	14941,	21185,
	25342,	14947,	14948,	21205,
	25343,	14949,	14950,	21323,
	26428,	14952,	14988,	21324,
	26430,	14989,	14992,	21455,
	26433,	14993,	14999,	21456,
	26435,	15000,	15001,	21460,
	26437,	15002,	15004,	21466,
	26459	15039,	15040,	21467,
\@tempcntb	.....	15043,	15044,	21471,
	2534, 2535, 2537,	15050,	15051,	21473,
	4983, 4984, 4985,	15052,	15053,	21867,
	19791,	15055,	15371,	22194,
	19792,	15373,	15470,	22195,
	19799, 19803, 19816	15484,	15489,	22197,
\@tempdima	..... 8,	15656,	15657,	22206,
	10, 12, 14, 213,	15660,	15661,	22207,
	215, 217, 219, 401,	16240,	16244,	22211,
	402, 404, 549, 566,			22213,
	571, 698, 711, 735,			22628,
	740, 925, 926, 937,			22629,
	942, 955, 1181,			22967,
	1194, 1219, 1224,			22968,
	1507, 1508, 1540,			22970,
	1541, 1542, 2204,			22972,
	2521, 2525, 2526,			22979,
	2538, 2539, 2541,			22980,
	2564, 2566, 2577,			22984,
	2579, 3599, 3600,			22986,
	5037, 5039, 8462,			23393,
	8463, 9232, 9245,			23394,
	9267, 9272, 9409,			23819,
				23822,
				23824,
				23887,
				23946,
				23947,
				23948,
				24173,
				24177,
				24204,
				24208,
				24227,
				24231,
				24244,
				24248,
				24261,
				24278,
				24282,
				24295,
				24299,
				24312,
				24316,
				24330,
				24334,
				24349,





24353,	24369,	15649,	15650,	\@tempx . . . . .	9070,
24373,	24404,	15651,	15652,		9071, 17504, 17516
24408,	24592,	15654,	16890,	\@tempxi . . . . .	9073,
24598,	24704,	16891,	16897,		9074, 17535, 17547
24744,	24748,	16898,	16900,	\@tempxii . . . . .	9076,
24751,	24755,	16901,	19372,		9077, 17566, 17578
24758,	24760,	19397,	21468,	\@tempy . . . . .	4890, 4891
24800,	24803,	21469,	21471,	\@tempyi . . . . .	4893, 4894
24804,	24808,	21473,	22208,	\@tempyii . . . . .	4896, 4897
25249,	25251,	22209,	22211,	\@tencol@LTRfootgroupv@l	
25280,	25283,	22213,	22981,	. . . . .	14530, 14555
25290,	25293,	22982,	22984,	\@tencol@footgroupv@r	
25297,	25302,	22986,	23819,	. . . . .	14526, 14551
25305,	25317,	23822,	23824,	\@tencolLTRfootfmt	
25350,	25352,	25250,	25256,	. . . . .	14625, 14640,
25353,	25356,	25258,	25263,		14680, 14749, 14763
25359,	25363,	25265,	25268,	\@tencolLTRfootnotetext	
25370,	25372,	25272,	25276,	. . . . .	14521, 14618
25431,	25432,	25284,	25286,	\@tencolRTLfootfmt	
25445,	25447,	25287,	25300,	. . . . .	14652, 14667,
25455,	25462,	25306,	25308,		14683, 14776, 14790
25608,	25609,	25611,	25612,	\@tencolRTLfootnotetext	
25628,	25639,	25614,	25616,	. . . . .	14522, 14645
25640,	25641,	25619,	25620,	\@tencolfootfmt . . .	
25642,	25654,	25622,	25625,	. . . . .	14579, 14609,
25657,	25663,	25639,	25640,		14677, 14707, 14736
25664,	25996,	25641,	25645,	\@tencolfootnotetext	
25997,	26137,	25658,	25662,	. . . . .	14520, 14566
26138,	26438,	25663, 25999, 26000		\@ttestopt . . . . .	5871,
26439,	26440,	\@tempdimc 2533, 2534,			5889, 18179, 18180
26441,	26444,	2542, 2543, 2560,		\@testpach 362, 1424,	
26447,	26450,	2573, 9909, 21452,		1469, 23912, 26116	
26452, 26475, 26476		21463, 21464,		\@textbottom . . . . .	15366,
\@tempdimb . . . . .		21478, 22191,			16768, 21488,
2522, 2523, 2527,		22203, 22204,			21495, 22228,
2530, 2531, 2536,		22218, 22964,			22235, 23001, 23008
2537, 2538, 2539,		22976, 22977, 22991		\@textsuperscript .	
2544, 2547, 2548,		\@tempskipa . . . . .	9168,	. . . . .	492, 495, 791,
2550, 2551, 2560,		9169, 9170, 11984,			853, 855, 1043,
2565, 2566, 2573,		11985, 11986,			1107, 1293, 1355,
2578, 2579, 9908,		12008, 12009,			1357, 4624, 4627,
10364, 10384,		12010, 15324, 15325			8113, 8115, 9335,
10807, 10808,		\@tempswafalse . . . . .			9512, 9651, 9654,
10828, 10829,		. . . . .	1995, 1996,		11413, 11416,
10880, 10882,		10848, 10905,			11510, 11513,
10885, 10932,		11975, 16837,			15580, 15583,
10934, 10937,		21604, 22344,			19032, 20500,
11152, 11155,		23117, 25693, 25736			20562, 20564,
14885, 14886,		\@tempswatru . . . . .	1995,		20639, 20703,
14887, 14938,		10842, 10899,			20705, 20899,
14939, 14940,		11977, 21600,			20906, 20942,
14990, 14991,		22340, 23113, 26187			20949, 21128, 21131
14992, 15041,		\@temptokena 121, 125,		\@texttop . . . . .	15362, 16764
15042, 15043,		17943, 17947, 19858		\@tfor . . . . .	4958, 15644



<code>\@thanks</code> . . .	471, 479, 507, 515, 822, 828, 867, 873, 1074, 1080, 1119, 1125, 1324, 1330, 1369, 1375, 4629, 4635, 9366, 9372, 9543, 9549, 9630, 9638, 9666, 9674, 11394, 11400, 11428, 11434, 11489, 11497, 11525, 11533, 15561, 15567, 15595, 15601, 16268, 16282, 16285, 19025, 19048, 20531, 20537, 20576, 20582, 20670, 20678, 20717, 20725, 20920, 20928, 20961, 20969, 21107, 21115, 21143, 21151, 21597, 21616, 21639, 21720, 21730, 22337, 22356, 22379, 22460, 22470, 23110, 23129, 23152, 23233, 23243	11850, 11875, 11918, 11926, 11932, 11942, 12197, 12243, 12270, 12325, 12367, 12394, 12496, 12540, 12565, 12618, 12658, 12683, 12783, 12829, 12856, 12911, 12953, 12980, 13082, 13128, 13155, 13210, 13252, 13279, 13381, 13427, 13454, 13509, 13551, 13578, 13680, 13726, 13753, 13808, 13850, 13877, 13979, 14025, 14052, 14107, 14149, 14176, 14278, 14324, 14351, 14406, 14448, 14475,	11862, 11914, 11920, 11930, 11938, 11944, 12227, 12258, 12285, 12354, 12381, 12408, 12525, 12554, 12579, 12646, 12671, 12696, 12813, 12844, 12871, 12940, 12967, 12994, 13112, 13143, 13170, 13239, 13266, 13293, 13411, 13442, 13469, 13538, 13565, 13592, 13710, 13741, 13768, 13837, 13864, 13891, 14009, 14040, 14067, 14136, 14163, 14190, 14308, 14339, 14366, 14435, 14462, 14489,	14577, 14607, 14623, 14638, 14650, 14665, 14705, 14734, 14747, 14761, 14774, 14788, 15073, 15104, 15122, 15138, 15152, 15168, 15207, 15237, 15251, 15266, 15280, 15295, 15580, 15583, 16102, 16107, 16111, 16116, 16138, 16155, 16171, 16200, 16215, 16230, 16273, 16278, 16288, 16293, 16329, 16333, 16335, 16341, 16345, 16347, 16353, 16357, 16359, 16779, 17286, 17297, 17308, 17319, 17437, 17475, 17508, 17539, 17570, 17633, 17905, 20500, 20562, 20564, 20639, 20703, 20705, 20899, 20906, 20942, 20949, 21128, 21131
<code>\@thefnmark</code> . .	44, 58, 74, 257, 271, 286, 492, 495, 791, 853, 855, 1043, 1107, 1293, 1355, 1357, 2302, 2319, 2336, 2352, 2368, 2384, 2412, 2418, 2438, 2444, 2464, 2470, 4624, 4627, 4913, 4921, 4929, 8113, 8115, 8149, 8167, 8185, 8211, 8217, 8240, 8246, 8269, 8275, 9091, 9098, 9105, 9335, 9512, 9651, 9654, 11413, 11416, 11510, 11513, 11750, 11766, 11781, 11797, 11812, 11825, 11838,			
<code>\@tfoot</code> . . . .	15820, 15823, 15827, 26503, 26509, 26517, 26520, 26555			
<code>\@thead</code> . . . .	15819, 15822, 15826, 26503, 26509, 26516, 26519, 26539			
<code>\@themargin</code> . .	15876, 16934, 16936, 16941, 16943, 16947, 16949, 26505, 26507, 26511, 26513, 26532			
<code>\@thm</code> . . . . .	19747, 19768			
<code>\@thmcountersep</code> . . .	. . . . . 360, 25929			
<code>\@threecol@LTRfootgroupv@l</code>				



..... 12449, 12474	23081, 23083, 23250	\@todonotes@text ..
\@threecol@footgroupv@r	\@titlepageiscoverpagefalse	.. 25499, 25501,
..... 12445, 12470	. 21519, 22259, 23032	25510, 25512,
\@threecolLTRfootfmt	\@tocextra .....	25535, 25537,
.. 12542, 12556,	.. 24122, 24123,	25550, 25556, 25559
12593, 12660, 12673	24127, 24129, 24132	\@todonotes@textwidth
\@threecolLTRfootnotetext	\@tocline .. 2, 207, 17911	..... 25533
..... 12440, 12535	\@tocpagenum 15, 220, 17924	\@toodeep ... 2622, 25936
\@threecolRTLfootfmt	\@tocrmarg ... 19416,	\@topnum ... 111, 324,
.. 12567, 12581,	19428, 19440,	504, 864, 1116,
12596, 12685, 12698	20342, 24168,	1366, 8724, 9663,
\@threecolRTLfootnotetext	24199, 24222,	11425, 11522,
..... 12441, 12560	24239, 24256,	15592, 17933,
\@threecolfootfmt .	24273, 24290,	19045, 20573,
.. 12498, 12527,	24307, 24325,	20714, 20958, 21140
12590, 12620, 12648	24344, 24364,	\@topsep ... 19761, 19781
\@threecolfootnotetext	24399, 24450,	\@topsepadd .....
..... 12439, 12485	24993, 25000,	. 4801, 19762, 19782
\@title .....	25310, 25427, 26133	\@totalleftmargin .
330,	\@todonotes@MissingFigureDown	..... 16518,
461, 482, 518, 532,	..... 25589	16522, 16525,
800, 802, 830, 875,	\@todonotes@MissingFigureText	16534, 18377,
888, 1052, 1054,	..... 25566	19764, 19765,
1082, 1127, 1140,	\@todonotes@MissingFigureUp	19784, 19785,
1302, 1304, 1332,	..... 25588	20316, 25955,
1377, 1391, 1402,	\@todonotes@author	25957, 25963,
4638, 5073, 5134,	..... 25499,	25965, 25969,
8646, 8731, 9344,	25510, 25535, 25553	25971, 25975,
9346, 9374, 9521,	\@todonotes@currentfigcolor	25977, 25979,
9523, 9551, 9620,	..... 25570	26014, 26016,
9641, 9677, 9691,	\@todonotes@currentfigheight	26017, 26018,
10759, 11384,	..... 25571	26023, 26025,
11403, 11437,	\@todonotes@currentfigwidth	26026, 26027,
11449, 11479,	..... 25571,	26032, 26034,
11500, 11536,	25573, 25583, 25586	26035, 26036,
11550, 15551,	\@todonotes@drawInlineNote	26041, 26043,
15570, 15604,	..... 25494	26044, 26045, 26475
15616, 19026,	\@todonotes@drawLineToLeftMargin	\@traditionalpoem .
20509, 20511,	..... 25522, 25525	..... 9019, 9111
20539, 20584,	\@todonotes@drawLineToRightMargin	\@trihist ... 19758,
20597, 20648,	..... 25522, 25525	19778, 21430,
20650, 20680,	\@todonotes@drawMarginNote	22169, 22942, 25948
20727, 20743,	. 25521, 25524, 25528	\@twocol@LTRfootgroupv@l
20754, 20910,	\@todonotes@drawMarginNoteWithLine	... 12150, 12175
20931, 20972,	..... 25516	\@twocol@footgroupv@r
20986, 21097,	\@todonotes@ifdisabled	..... 12146, 12171
21118, 21154,	..... 25595	\@twocolLTRfootfmt
21168, 21579,	\@todonotes@sizecommand	.. 12245, 12260,
21733, 22319,	..... 25499,	12300, 12369, 12383
22473, 23092, 23246	25501, 25508,	\@twocolLTRfootnotetext
\@titlecolour . 5103, 5120	25510, 25512,	..... 12141, 12238
\@titlehead .....	25535, 25537,	\@twocolRTLfootfmt
.. 21568, 21570,	25549, 25552,	.. 12272, 12287,
21737, 22308,	25553, 25555, 25558	12303, 12396, 12410
22310, 22477,		



<code>\@twocolRTLfootnotetext</code>	1252, 1542, 9307, 9460, 9736, 9941,	<code>\@xfootnote</code> ... 4876, 4998, 8967, 8978, 9184, 9198, 17631
..... 12142, 12265		
<code>\@twocolfootfmt</code> ...	10165, 10230,	<code>\@xfootnotemark</code> .. 17316
.. 12199, 12229,	10462, 10481,	<code>\@xfootnotenext</code> ...
12297, 12327, 12356	10789, 11368,	.... 4875, 4997, 8966, 8977, 9183, 9197, 17283, 23858
<code>\@twocolfootnotetext</code>	11667, 11718,	<code>\@xiipt</code> ..... 8487
..... 12140, 12186	15517, 15746,	<code>\@xipt</code> ..... 8486
<code>\@twosidefalse</code> .... 7239	16049, 16051,	<code>\@xivpt</code> ..... 313, 8488
<code>\@twosidetrue</code> ..... 7234	16496, 16584,	<code>\@xmakefnrtxt</code> .. 854, 1356, 20563, 20704
<code>\@typeset@protect</code> .	16631, 17902,	<code>\@xnewline</code> ... 21849, 21856, 22610,
..... 4829,	17973, 18199,	22617, 23375, 23382
4835, 4841, 4856	18274, 18399,	<code>\@xp</code> ..... 121, 318, 343, 344, 9855, 17943
<code>\@undeclaredcolor</code> .	19246, 19348,	<code>\@xpt</code> ..... 7255
..... 9954,	19491, 19502,	<code>\@xstartcol</code> .... 16671
9962, 25686, 25687	19534, 19585,	<code>\@xthm</code> ..... 19766, 19786
<code>\@undefined</code> .....	20452, 20875,	<code>\@xtitle</code> ..... 330
. 4887, 18184, 19146	21031, 21213,	<code>\@xxpt</code> ..... 8489
<code>\@undottedtocline</code> 19413	21490, 22230,	<code>\@xxxii</code> ..... 4984
<code>\@unexpandable@protect</code>	23003, 23785,	<code>\@xympar</code> .....
..... 5922, 7089	23824, 26099,	7809, 7813, 7853, 7857, 7897, 7901, 26359, 26363, 26403, 26407, 26470
<code>\@unrecurse</code> 23809, 23812	26217, 26266, 26466	<code>\@yargdef</code> ..... 5891
<code>\@uppertitleback</code> ..	<code>\@x</code> ..... 9128, 9129	<code>\@ympar</code> ..... 26467
.. 21603, 21610,	<code>\@x@sf</code> ..... 8122, 8127, 8133, 8136	<code>\@ythm</code> ..... 19766, 19786
21619, 21654,	<code>\@xLTRfootnote</code> ....	<code>\[</code> ..... 9136, 15761
21740, 22343,	.... 4878, 5000,	<code>\backslash</code> ..... 122, 427, 798, 843, 1050, 1095, 1300, 1345, 1871, 2207, 3206, 4884, 5181, 5187, 5334, 6375, 6391, 6395, 6624, 6626, 6627, 6628, 6636, 6641, 6642, 6644, 7569, 7570, 7571, 7573, 8533, 8902, 9040, 9342, 9519, 10647, 10648, 10651, 10667, 10754, 10759, 10766, 10776, 10780, 11647, 11651, 11660, 17138, 17141, 17154, 17157, 17257, 17678, 17693,
22350, 22359,	8969, 8980, 9186,	
22394, 22480,	9200, 16110, 16113	
23116, 23123,	<code>\@xLTRfootnotenext</code>	
23132, 23167, 23253	..... 4877, 4999, 8968, 8979, 9185, 9199, 16272, 16275, 17305, 23859	
<code>\@urlbordercolor</code> ..	<code>\@xRTLfootnote</code> ....	
..... 17735, 17737	.... 4880, 5002, 8971, 8982, 9188, 9202, 16101, 16104	
<code>\@urlcolor</code> ..... 17749	<code>\@xRTLfootnotenext</code>	
<code>\@viipt</code> ..... 7264,	..... 4879, 5001, 8970, 8981, 9187, 9201, 16287, 16290, 17294, 23860	
8484, 19802, 19815	<code>\@xaddress</code> ..... 331	
<code>\@vipt</code> 8484, 19802, 19815	<code>\@xauthor</code> ..... 331	
<code>\@vipr</code> ..... 10192,	<code>\@xcentercr</code> .. 21858, 21865, 22619, 22626, 23384, 23391	
10194, 10196,	<code>\@xcolor@</code> .. 25694, 25737	
10251, 10253,	<code>\@xcurraddr</code> ..... 332	
10255, 10269,	<code>\@xemail</code> ..... 332	
10276, 10520,	<code>\@xepersian@pdfcustomproperties</code>	
10571, 19373,	..... 4422, 4433	
19388, 19390, 19395	<code>\@xfloat</code> ..... 4933	
<code>\@viproutput</code> 10198, 10257		
<code>\@vipt</code> ..... 8485		
<code>\@vpt</code> ..... 8485		
<code>\@whilesw</code> 10190, 10249,		
15717, 15757,		
15842, 16595,		
16648, 19264,		
19361, 26234, 26277		
<code>\@wholewidth</code> .....		
. 15646, 15648, 15666		
<code>\@width</code> .. 31, 245, 406,		
578, 772, 1007,		





<code>\adl@activate</code>	. 1420, 1503	4385, 4386, 4387,	16451,	16456,
<code>\adl@argarraydashrule</code>		4554, 4597, 4602,	16457,	16460,
	..... 1439, 1477	4965, 4979, 4985,	16469,	16533,
<code>\adl@array</code>	... 1417, 1422	5251, 5295, 5330,	16660,	16661,
<code>\adl@arraydashrule</code>		5655, 5709, 5763,	16665,	16666,
	..... 1438, 1476	6485, 6644, 6650,	16668,	16669,
<code>\adl@arrayinit</code>	... 1419	6660, 6715, 6732,	16672,	16673,
<code>\adl@arrayrestore</code>	. 1414	6741, 7757, 8463,	16674,	16675,
<code>\adl@arrayrule</code>	1437, 1475	8538, 8889, 8897,	16794,	17640,
<code>\adl@box</code>	. 1460, 1462, 1463	8898, 9169, 9272,	17650,	17875,
<code>\adl@class@iiiorvii</code>		9294, 9449, 9482,	17921,	18192,
	..... 1466, 1499	9728, 9791, 9940,	18206,	18291,
<code>\adl@class@start</code>	..	9948, 9949, 9989,	18292,	19199,
	..... 1465, 1498	10103, 10269,	19201,	19228,
<code>\adl@CT@setup</code>	.....	10270, 10273,	19229,	19232,
	... 1502, 1505, 1506	10276, 10277,	19299,	19301,
<code>\adl@depth</code>	..... 1509	10327, 10328,	19328,	19329,
<code>\adl@endarray</code>	..... 1414	10329, 10391,	19332,	19386,
<code>\adl@endmbox</code>	..... 1461	10531, 10532,	19387,	19388,
<code>\adl@everyvbox</code>	1418, 1419	10547, 10566,	19389,	19398,
<code>\adl@extract@arc</code>	.. 1514	10567, 10797,	19420,	19433,
<code>\adl@extract@dgc</code>	.. 1517	10807, 10808,	19445,	19458,
<code>\adl@extract@drsc</code>	. 1515	10818, 10828,	19587,	19588,
<code>\adl@height</code>	..... 1508	10829, 10845,	19759,	19763,
<code>\adl@inactivate</code>	...	10846, 10847,	19764,	19779,
	..... 1420, 1502	10864, 10873,	19783,	19784,
<code>\adl@noalign</code>	..... 1421	10880, 10902,	19792,	19883,
<code>\adl@org@activate</code>	. 1503	10903, 10904,	19905,	19933,
<code>\adl@org@classz</code>	... 1546	10918, 10925,	19940,	19988,
<code>\adl@org@endpbox</code>	.. 1504	10932, 11079,	19993,	19994,
<code>\adl@org@inactivate</code>	1502	11080, 11089,	19995,	20024,
<code>\adl@putlrc</code>	1457, 1458,	11090, 11106,	20025,	20051,
	1459, 1487, 1488,	11108, 11112,	20062,	20250,
	1489, 1495, 1496, 1497	11114, 11118,	20441,	20468,
<code>\adl@startmbox</code>	... 1460	11121, 11122,	20813,	20862,
<code>\advance</code>	..... 12, 90,	11123, 11302,	20903,	20946,
	217, 303, 321, 402,	11356, 11627,	21020,	21056,
	571, 624, 740, 759,	12039, 12064,	21205,	21259,
	926, 942, 1022,	12131, 12133,	21324,	21433,
	1224, 1272, 1507,	14844, 14850,	21435,	21791,
	1541, 1926, 1927,	14895, 14897,	21842,	22170,
	1943, 1957, 2011,	14948, 14950,	22552,	22603,
	2013, 2015, 2016,	15000, 15002,	22945,	22947,
	2077, 2085, 2264,	15051, 15053,	23317,	23368,
	2265, 2481, 2530,	15324, 15426,	23737,	23808,
	2531, 2543, 2547,	15427, 15428,	23822,	23832,
	2548, 2623, 2647,	15489, 15531,	23852,	23947,
	2668, 2702, 2709,	15646, 15648,	23985,	24001,
	2713, 2715, 2719,	15650, 15656,	24014,	24018,
	2720, 2967, 2968,	15657, 15664,	24050,	24051,
	3317, 3319, 3599,	15665, 15666,	24072,	24177,
	3607, 3609, 3675,	15835, 15836,	24208,	24231,
	3747, 3748, 3750,	16391, 16405,	24248,	24265,
	3751, 3765, 4335,	16418, 16419,	24282,	24299,



24316,	24334,	25801,	25805,	1382,	1404,	4642,		
24353,	24373,	25810,	25811,	9353,	9379,	9530,		
24408,	24449,	25815,	25820,	9556,	9645,	9681,		
24598,	24602,	25824,	25829,	11407,	11441,			
24713,	24748,	26485,	26495,	26496	11504,	11540,		
24751,	24755,	\ALG@floatstyle ...		15574,	15608,			
24808,	25233,	... 7772,7773,7774		19023,	19860,			
25253,	25258,	\algocf@float ..... 198		20518,	20544,			
25308,	25309,	\algocf@makecaption 188		20547,	20589,			
25310,	25313,	\algocf@within .....		20657,	20685,			
25317,	25342,	166,168,201,203,205		20688,	20732,			
25353,	25432,	\alignL ..... 9887		20756,	20935,			
25455,	25609,	\alignR ..... 9894		20976,	21122,			
25611,	25621,	\allowbreak .....		21158,	21502,			
25640,	25641,	.. 10803,10824,		21754,	22242,			
25670,	25681,	12299,	12302,	22494,	23015,	23267		
25682,	25938,	12305,	12592,	\andify .....	116,	17938		
25951,	25952,	12595,	12598,	\andname ..	843,	1095,		
25955,	25957,	12885,	12888,	1345,	20552,	20693		
25963,	25965,	12891,	13184,	\andnext .....	19024			
25969,	25971,	13187,	13190,	\AppendToTokenList	6591			
25975,	25977,	13483,	13486,	\ApplyPatchCodeToFile				
26073,	26074,	13489,	13782,	.....	7126			
26138,	26164,	13785,	13788,	\ApplyPatchCodeToPackage				
26439,	26440,	14081,	14084,	.....	1501,			
26447,	26448,	14087,	14380,	1876,	7207,	17404,		
26449,	26450,	14383,	14386,	17424,	17502,			
\afterassignment ..		14679,	14682,	14685	18247,	19127,	24086	
4288,	4290,	19067	\Alph .....	19067	\ApplyPatchIfPackageLoaded			
4516,	5923,	2815	\alt .....	2815	.....	607,		
7987,	23882,	19896	\AM@CheckAtEnd ...	19896	7178,	7194,	7199,	
\aftergroup .....		19898	\AM@ClearShipoutPicture	.....	11339,	18125,	25899	
4783,	4793,	19898	.....	19898	\ApplyPatchIfPackageLoadedF			
7986,	9952,	19861,	19867	.....	170,	2131,		
9961,	9967,	19865	\AM@currentdocname	.....	7197,	24061,	26584	
10280,	10286,	19865	.....	19865	\ApplyPatchIfPackageLoadedT			
10289,	15863,	19894	\AM@findfile .....	19894	.....	7192		
15865,	20107,	19863	\AM@output .....	19894	\ApplyPatchToClass			
20108,	20111,	19878,	\AM@pagecount ....	19863	.....	7042,	7212	
20116,	20117,	19881	\AM@pageref 19878,19881		\ApplyPatchToClasses			
20121,	20126,	19871,	\AM@pagestemp .....	19876,	.....	7037,	26610	
20127,	20131,	19877,	.. 19871,19876,	19880,	.....	7037,	26610	
20135,	20139,	19888,	19877, 19880,	19888,	19889,	19893		
20143,	21869,	19893	\AM@readlist .....	19893	\ApplyPatchToClassesIfPackageLoadedF			
21871,	21874,	19857	\AM@split@options 19857		.....	7047,	26598	
22630,	22632,	19858,	\AM@temp ... 19858,19859		\ApplyPatchToClassIfPackageLoadedF			
22635,	23395,	19856,	\AM@threadname .....	19866,	19867	.....	7052,	7140
23397,	23400,	19874,	.....	19874,	19878,	19881		
24019,	25235,	19874,	\AM@xrprefix .....	19874,	19878,	19881		
25675,	25684,	486,	.....	486,	522,	809,	835,	
25686,	25723,	838,	\and . 486,522,809,835,	838,	880,	1061,		
25727,	25780,	1087,	838, 880, 1061,	1087,	1090,	1132,		
25791,	25792,	1311,	1087, 1090, 1132,	1311,	1337,	1340,		
25795,	25800,		1311, 1337, 1340,					





<code>\ApplyPatchToPackageIfPack</code>	<code>\AtEndOfPage</code> . . . . . 5069	<code>\BackrefFootnoteTag</code>
. . . . . 7160, 26603	<code>\AtEndOfPackage</code> . . . . .	. . 16303, 16304,
<code>\ApplyPatchToPackages</code>	4087, 4088, 4094,	16309, 16310,
. . . . . 7025, 26637	4095, 4101, 4102,	16329, 16333,
<code>\ar@ialign</code> . . . . . 412	4107, 4108, 4113,	16335, 16341,
<code>\arabic</code> . . . . . 19,	4114, 4126, 4127,	16345, 16347,
20, 21, 22, 86, 198,	4128, 4129, 4130, 4165	16353, 16357, 16359
224, 225, 226, 227,	<code>\AtPageLowerLeft</code> . 11070	<code>\badness</code> . . . . . 10320,
299, 339, 15797,	<code>\AtPageUpperLeft</code> . .	10324, 10352,
15804, 17871,	. 11070, 11094, 11124	10356, 10358,
17928, 17929,	<code>\AtTextUpperLeft</code> . .	10363, 10367,
17930, 17931, 24389	. . . . . 11074, 11100	10371, 10435, 10456
<code>\array</code> . . . . . 444, 26113	<code>\author</code> . . . . . 331,	<code>\baselineskip</code> . . 425,
<code>\arraycolsep</code> . . . . . 444	484, 520, 833,	771, 773, 777,
<code>\arraylinesep</code> . . . . 23815	878, 1085, 1130,	779, 1251, 1253,
<code>\arrayrulecolor</code> . . . 1514	1335, 1380, 4640,	1257, 1259, 2499,
<code>\arrayrulewidth</code> . . 23832	8630, 8662, 9377,	2920, 2935, 2950,
<code>\arraystretch</code> 404, 405,	9554, 9643, 9679,	3037, 3039, 3067,
4777, 4788, 18197,	11405, 11439,	3073, 3216, 5863,
18198, 23783,	11502, 11538,	7283, 7285, 7288,
23784, 23819,	15572, 15606,	7290, 7292, 7295,
25924, 26097, 26098	20542, 20587,	7450, 8080, 8147,
<code>\aslice</code> . 20031, 20032,	20683, 20730,	8165, 8183, 8300,
20034, 20036,	20933, 20974,	8309, 8318, 8399,
20037, 20039,	21120, 21156,	8406, 8413, 8420,
20052, 20053, 20055	21743, 22483, 23256	8427, 8527, 8584,
<code>\At@ViperColsBreak</code>	<code>\auto@footnoterule</code>	8927, 8988, 9052,
. . . . . 10294, 10297	. . . . . 16065, 16076	9058, 9306, 9308,
<code>\AtBeginCaption</code> . . 18126	<code>\autodot</code> . . . . . 21758,	9312, 9314, 9459,
<code>\AtBeginDocument</code> . .	22497, 23270, 25445	9461, 9465, 9467,
. . . . 1549, 2194,	<code>\autofootnoterule</code> .	10104, 10105,
3088, 3321, 3550,	. . . . . 4126,	10122, 10126,
3620, 3668, 3788,	. . . . . 10783, 11712,	10533, 15873,
3876, 3971, 4036,	16074, 16775, 26589	16406, 18233,
4050, 4165, 4279,		18245, 18380,
5070, 5130, 5227,		18397, 19986,
6232, 7350, 7577,		19989, 20003,
7711, 7716, 7769,		20027, 20031,
8580, 8780, 8845,		20036, 20040,
10676, 10790,		20052, 20063,
10811, 10832,		20090, 20323,
11262, 14891,		20451, 20453,
14944, 14996,		20457, 20459,
15047, 15439,		20874, 20876,
16178, 16783,		20880, 20882,
17255, 17981,		21532, 22272,
18134, 18141,		23045, 23794,
20328, 23798, 25382		23833, 25609,
<code>\AtBeginPackage</code> . . 19128	<code>\Backref@OptHyperLTRFootnote</code>	25617, 25621,
<code>\AtEndDocument</code> . . . .	. . . . . 16318	26109, 26529, 26552
. . . . 4415, 4428,	<code>\Backref@OptHyperRTLFootnote</code>	<code>\baselinestretch</code> . .
4441, 5234, 6258,	. . . . . 16321	. . . . 5085, 8143,
9064, 9121, 18506,	<code>\Backref@OptLTRHyperFootnote</code>	. . . . . 16305
18557, 18575, 26185	. . . . . 16311	8161, 8179, 11744,
		11760, 11775,





11791,	11806,	14063,	14103,	2015, 2016, 2017, 2025
11821,	11834,	14132,	14145,	\beamer@colbox@colseps
11846,	11858,	14159,	14172,	... 2019, 2026,
11871,	12193,	14186,	14197,	2050, 2052, 2054, 2056
12223,	12239,	14203,	14209,	\beamer@colbox@dp . 2031
12254,	12266,	14214,	14274,	\beamer@colbox@ht . 2030
12281,	12321,	14304,	14320,	\beamer@colbox@ls . 2010
12350,	12363,	14335,	14347,	\beamer@colbox@rs . 2012
12377,	12390,	14362,	14402,	\beamer@colbox@sep
12404,	12415,	14431,	14444,	..... 2011,
12421,	12427,	14458,	14471,	2013, 2021, 2023
12432,	12492,	14485,	14496,	\beamer@colbox@shadow
12521,	12536,	14502,	14508,	..... 2035
12550,	12561,	14513,	14573,	\beamer@colbox@wd .
12575,	12614,	14603,	14619,	... 2008, 2029, 2038
12642,	12654,	14634,	14646,	\beamer@colclose ..
12667,	12679,	14661,	14701,	..... 2236,
12692,	12702,	14730,	14743,	2245, 2246, 2277, 2278
12708,	12714,	14757,	14770,	\beamer@colentrycode
12719,	12779,	14784,	14795,	... 2255, 2258, 2276
12809,	12825,	14801,	14807,	\beamer@colexitcode
12840,	12852,	14812,	15069,	... 2256, 2268, 2278
12867,	12907,	15100,	15118,	\beamer@colheadskip
12936,	12949,	15134,	15148,	..... 2240, 2250
12963,	12976,	15164,	15203,	\beamer@colmode ...
12990,	13001,	15233,	15247,	..... 2235, 2244
13007,	13013,	15262,	15276,	\beamer@columncom . 2244
13018,	13078,	15291,	15309,	\beamer@computepref
13108,	13124,	15320, 15334, 15343		..... 2602, 2624
13139,	13151,	\BCmd .....	4782	\beamer@cramped ...
13166,	13206,	\BDefaboveskip .....		... 2615, 2641, 2656
13235,	13248,	... 4797, 4812, 4815		\beamer@defaultspec
13262,	13275,	\BDefbelowskip .....		..... 2621
13289,	13300,	... 4801, 4813, 4816		\beamer@descdefault
13306,	13312,	\BDefinlineskip ...		..... 2647, 2655
13317,	13377,	... 4806, 4814, 4817		\beamer@descriptionitem
13407,	13423,	\beamer@ttmpop@button@default	..... 2958	\beamer@dima ... 2967,
13438,	13450,	\beamer@ttmpop@caption@default	..... 2887	2982, 2987, 2998, 3003
13465,	13505,	\beamer@ttmpop@footline@default	..... 3407	\beamer@dimb .....
13534,	13547,	\beamer@ttmpop@footnote@default	..... 2864	2968, 2983, 2984,
13561,	13574,	..... 2666, 2675		2986, 2999, 3000, 3002
13588,	13599,	\beamer@biblabeltemplate	..... 2666, 2675	\beamer@dogeometryfalse
13605,	13611,	..... 2713, 2717, 2719		..... 2072
13616,	13676,	\beamer@boxsize ...	... 2713, 2717, 2719	\beamer@entrycode . 2586
13706,	13722,	... 2713, 2717, 2719		\beamer@enum@ ... 2601
13737,	13749,	\beamer@colalign ..	..... 2239, 2249	\beamer@enumtempl . 2610
13764,	13804,	..... 2239, 2249		\beamer@exitcode .. 2592
13833,	13846,	\beamer@colbox@color	... 1997, 2036, 2049	\beamer@firstlineitemizeunskip
13860,	13873,	..... 1888,		..... 1888,
13887,	13898,	2617, 2643, 2658		\beamer@focus@totalframenumbering
13904,	13910,	... 3416, 3441, 3461		... 3416, 3441, 3461
13915,	13975,			
14005,	14021,			
14036,	14048,			



<code>\beamer@footarg</code> ...	<code>\beamer@minislidhighlight</code>	2121, 2124, 2135,
.... 2404, 2405,	..... 2729	2140, 2141, 2149,
2406, 2410, 2417,	<code>\beamer@minislidrowhighlight</code>	2150, 2151, 2152,
2430, 2431, 2432,	..... 2731	2155, 2164, 2169,
2436, 2443, 2456,	<code>\beamer@mpfn</code> .....	2170, 2178, 2179,
2457, 2458, 2462, 2469	.... 2400, 2411,	2180, 2181, 2217,
<code>\beamer@footins</code> ...	2417, 2426, 2437,	2218, 2219, 2220,
2292, 2297, 2309,	2443, 2452, 2463, 2469	2225, 2229, 2230,
2314, 2326, 2331, 2594	<code>\beamer@next</code> .....	2231, 2232, 2962,
<code>\beamer@footnotetext</code>	.... 2411, 2415,	2963, 2964, 2965,
... 2399, 2413, 2420	2422, 2437, 2441,	2966, 2971, 3011,
<code>\beamer@framebox</code> ..	2448, 2463, 2467, 2474	3367, 3372, 3376,
..... 2555,	<code>\beamer@putleft</code> 3110,	3380, 3384, 3388,
2567, 2580, 2585, 2589	3143, 3155, 3167	3753, 3764, 3781,
<code>\beamer@framefootnotetext</code>	<code>\beamer@putright</code> ..	4001, 4002, 4020, 4021
..... 2291, 2390	... 3144, 3156, 3168	<code>\beamer@tempdim</code> 2076,
<code>\beamer@frameLTrfootnotetext</code>	<code>\beamer@rightmargin</code>	2077, 2079, 2081,
..... 2325, 2392	.... 2059, 2084,	2084, 2085, 2087,
<code>\beamer@frameRTLfootnotetext</code>	2155, 2265, 2270,	2089, 2114, 2115,
..... 2308, 2391	3600, 3608, 3748, 3751	2118, 2119, 2149,
<code>\beamer@frametextheight</code>	<code>\beamer@rightsidebar</code>	2150, 2178, 2179,
.... 2521, 2542,	... 2085, 2531, 2548	2218, 2219, 2222,
2551, 2555, 2558, 2571	<code>\beamer@RTLfootnotetext</code>	2223, 2263, 2264,
<code>\beamer@frametitlebox</code>	... 2425, 2439, 2446	2265, 2266, 2712,
..... 2587	<code>\beamer@section@min@dim</code>	2713, 2714, 2715,
<code>\beamer@framezoom</code> . 2478	..... 2722	2716, 2717, 2718,
<code>\beamer@ftelleft</code> ... 3317	<code>\beamer@shortinstitute</code>	2719, 2720, 2721,
<code>\beamer@fterright</code> .. 3319	..... 3486	2722, 2966, 2967,
<code>\beamer@gobbleoptionalinsp</code>	<code>\beamer@sidebarformat</code>	2968, 2972, 2974,
..... 2815	..... 3653	2980, 2988, 2996,
<code>\beamer@headheight</code>	<code>\beamer@sidebarside</code>	3004, 3010, 3674,
..... 3592,	..... 3627,	3675, 3681, 3689,
3600, 3603, 3604,	3669, 3672, 3694	3749, 3750, 3751,
3636, 3640, 3643, 3647	<code>\beamer@sidebarwidth</code>	3764, 3765, 3766, 3775
<code>\beamer@kvorig</code> ....	3599, 3631, 3636,	<code>\beamer@themrounded@shadow</code>
.... 2402, 2408,	3637, 3639, 3642,	..... 3312
2428, 2434, 2454, 2460	3643, 3655, 3657,	<code>\beamer@thempfn</code> ...
<code>\beamer@labelzoomed</code>	3666, 3669, 3674, 3692	.... 2401, 2412,
..... 2483,	<code>\beamer@slidehaszoomtrue</code>	2418, 2427, 2438,
2487, 2514, 2516, 2517	..... 2480	2444, 2453, 2464, 2470
<code>\beamer@leftmargin</code>	<code>\beamer@stalign</code> ... 2691	<code>\beamer@typesetheadorfoot</code>
..... 2059,	<code>\beamer@stend</code> .... 2694	... 2183, 2188, 2198
2076, 2261, 2264,	<code>\beamer@stlinebreakrule</code>	<code>\beamer@usesphere</code> .
2556, 2558, 2571,	..... 2692	.... 1762, 1767,
3600, 3606, 3747, 3750	<code>\beamer@ststart</code> ... 2688	1773, 1786, 1801, 1808
<code>\beamer@leftsidebar</code>	<code>\beamer@temp</code> .....	<code>\beamer@vboxoffset</code> 2712
... 2077, 2530, 2547	... 2541, 2563, 2576	<code>\beamer@vmode</code> . 1984, 2022
<code>\beamer@lefttext</code> ..	<code>\beamer@tempbox</code> ...	<code>\beamer@xkvorig</code> ...
..... 3627, 3694	.... 1998, 2029,	.... 2403, 2409,
<code>\beamer@link</code> .....	2030, 2031, 2039,	2429, 2435, 2455, 2461
2723	2042, 2043, 2045,	<code>\beamer@xpos</code> .....
<code>\beamer@LTrfootnotetext</code>	2048, 2053, 2058,	... 2702, 2707, 2718
... 2451, 2465, 2472	2059, 2061, 2113,	<code>\beamer@ypos</code> .....
<code>\beamer@minislide</code> .	2114, 2115, 2116,	... 2708, 2709, 2714
..... 2736, 2741		



<code>\beamer@ypos@offset</code>	3626, 3655, 3657,	11010, 11181,
..... 2705, 2709	3709, 3711, 3716,	11247, 11375,
<code>\beamer@zoomborderwidth</code>	3718, 3753, 3766,	11383, 11388,
..... 2482, 2486	3767, 3773, 3802,	11447, 11453,
<code>\beamer@zoombox</code> ... 2511	3803, 3804, 3821,	11468, 11478,
<code>\beamer@zoomcount</code> .	3826, 3829, 3842,	11483, 11546,
..... 2481, 2483	3848, 3850, 3864,	11554, 11646,
<code>\beamer@zoomer</code> ... 2519	3865, 3866, 3890,	15542, 15550,
<code>\beamer@zoomframecount</code>	3891, 3892, 3902,	15555, 15614,
..... 2483	3905, 3911, 3914,	15620, 15764,
<code>\beamerboxesrounded</code> 1887	3921, 3924, 3938,	17006, 17011,
<code>\beamercolorbox</code> ... 2956	3943, 3945, 3958,	17029, 17132,
<code>\beameritemnestingprefix</code>	3959, 3960, 3981,	17134, 17148,
.... 1735, 1736,	3984, 3987, 3993,	17150, 17963,
2602, 2603, 2605,	3996, 4012, 4015,	19173, 19799,
2606, 2613, 2614,	4030, 4776, 4778,	20492, 20505,
2624, 2625, 2627,	4787, 4789, 4792,	20516, 20595,
2628, 2631, 2635, 2636	5185, 5189, 5191,	20601, 20629,
<code>\beameroriginal</code> ... 2815	5193, 5195, 5199,	20644, 20655,
<code>\beamertemplatedotitem</code>	5207, 5210, 5245,	20739, 20747,
..... 4048	5358, 5362, 5382,	20756, 20758,
<code>\begin</code> .... 450, 460,	5386, 5413, 6295,	20759, 20889,
465, 528, 536, 783,	6296, 6303, 6329,	20909, 20914,
796, 807, 886, 892,	7356, 7357, 7370,	20990, 21086,
1035, 1048, 1059,	7373, 7447, 7448,	21096, 21101,
1138, 1144, 1285,	7454, 7455, 7462,	21164, 21172,
1298, 1309, 1389,	7463, 7488, 7489,	21505, 21509,
1395, 1404, 1406,	7526, 7529, 7532,	21569, 21574,
1407, 1606, 1785,	7535, 7539, 7540,	21586, 21609,
1821, 1830, 1839,	7724, 7725, 8343,	21613, 21782,
1864, 1907, 1929,	8399, 8406, 8413,	22245, 22249,
1955, 1967, 2034,	8420, 8427, 8440,	22309, 22314,
2237, 2239, 2247,	8448, 8570, 8575,	22326, 22349,
2249, 2253, 2496,	8708, 8755, 8778,	22353, 22543,
2558, 2571, 2689,	9153, 9327, 9340,	23018, 23022,
2760, 2764, 2783,	9351, 9504, 9517,	23082, 23087,
2787, 2803, 2807,	9528, 9572, 9584,	23099, 23122,
2911, 2919, 2926,	9609, 9619, 9624,	23126, 23308,
2934, 2941, 2949,	9687, 9695, 10007,	24065, 25496,
2974, 3032, 3038,	10017, 10030,	25503, 25506,
3045, 3062, 3068,	10040, 10053,	25517, 25530,
3074, 3114, 3121,	10063, 10076,	25533, 25540,
3127, 3133, 3202,	10086, 10651,	25546, 25569,
3223, 3238, 3240,	10757, 10762,	25573, 25579, 25586
3245, 3247, 3252,	10780, 10949,	<code>\begin@bidi@stack</code> .
3258, 3272, 3274,	10952, 10956,	.... 5352, 5362,
3276, 3347, 3348,	10958, 10963,	5363, 5376, 5386, 5387
3354, 3355, 3374,	10965, 10969,	<code>\begin@group</code> .... 6,
3382, 3427, 3453,	10972, 10975,	119, 211, 312, 325,
3485, 3488, 3491,	10979, 10981,	391, 408, 490, 550,
3512, 3514, 3519,	10985, 10987,	567, 710, 736, 850,
3521, 3538, 3539,	10991, 10994,	938, 954, 1102,
3560, 3562, 3566,	10997, 11001,	1193, 1220, 1352,
3569, 3572, 3578,	11003, 11008,	1533, 1976, 1977,



2112, 2216, 2416,	20939, 21001,	17956, 18087,
2442, 2468, 2494,	21016, 21126,	18239, 18301,
2562, 2575, 4622,	21186, 21201,	18308, 18354,
4911, 4919, 4927,	21522, 21668,	18447, 18455,
5306, 5334, 5353,	21781, 21840,	18646, 18972,
5377, 5613, 5638,	22262, 22408,	19136, 19138,
5989, 6035, 6042,	22542, 22601,	19976, 20101,
6064, 6080, 6096,	23035, 23181,	20108, 20113,
6139, 6147, 6180,	23307, 23366,	20195, 20196,
6230, 6358, 6566,	23881, 23998,	20197, 21365,
6568, 6598, 6608,	24022, 24166,	21375, 21386,
6618, 6748, 7087,	24593, 24705,	21393, 21885,
7550, 7969, 8215,	25231, 25348,	22646, 23411,
8244, 8273, 8647,	25688, 25731,	23773, 23795,
8664, 8680, 8692,	25780, 25902,	23834, 23956,
8725, 9029, 9089,	26231, 26274, 26485	25680, 25684,
9096, 9103, 9133,	<code>\beginL . . . . .</code> 176,	25723, 25727,
9244, 9268, 9421,	1518, 2006, 3144,	25780, 25785,
9445, 9649, 9709,	3156, 3168, 4323,	25792, 25797,
9724, 9813, 9932,	4541, 5232, 7831,	26058, 26061,
9986, 9995, 10187,	7875, 9917, 9946,	26064, 26079,
10246, 11075,	9952, 9954, 9986,	26086, 26111,
11101, 11298,	12128, 15659,	26425, 26459,
11311, 11411,	15768, 15783,	26476, 26478,
11508, 11567,	15951, 16785,	26539, 26555,
14882, 14892,	16791, 16800,	26574, 26577, 26585
14935, 14945,	16820, 16836,	<code>\belowcaptionskip .</code>
14987, 14997,	16846, 17639,	. . . . . 18097,
15038, 15048,	18087, 19903,	19126, 19143,
15469, 15485,	19966, 20101,	21898, 21906,
15578, 15716,	20107, 20123,	21998, 22011,
15754, 15839,	20204, 21371,	22659, 22667,
15855, 16105,	21382, 21389,	22760, 22773,
16114, 16276,	21399, 23949,	23424, 23432,
16291, 16365,	25679, 25684,	23525, 23538, 26579
16417, 16450,	25686, 25780,	<code>\belowdisplayshortskip</code>
16592, 16645,	25785, 25791,	. . . 7258, 7267, 8477
16819, 16835,	25807, 26381,	<code>\belowdisplayskip .</code>
17005, 17284,	26459, 26539, 26555	. . . . . 7259,
17295, 17306,	<code>\beginR .</code> 174, 346, 358,	7272, 7307, 8482
17317, 17415,	389, 428, 1519,	<code>\bf . . .</code> 4558, 19972, 19974
17435, 17473,	3372, 3380, 3388,	<code>\bfseries . . .</code> 25, 313,
17506, 17537,	3563, 4881, 7831,	554, 570, 599, 602,
17568, 17915,	7919, 9844, 9918,	715, 739, 941, 959,
17941, 18118,	9947, 9952, 9961,	1198, 1223, 4341,
18201, 19030,	9967, 9986, 11068,	4732, 5202, 8707,
19160, 19261,	12125, 15793,	9249, 9271, 9426,
19358, 19568,	16787, 16792,	9448, 9573, 9585,
19572, 19576,	16849, 16888,	9713, 9727, 9759,
19854, 19902,	16895, 17264,	9765, 9773, 11301,
20199, 20200,	17272, 17654,	11316, 11331,
20413, 20437,	17690, 17722,	11334, 11571,
20559, 20700,	17751, 17777,	11594, 11600,
20785, 20809,	17783, 17790,	11609, 15474,



15488, 15499,	\bib@before@hook ..	\bidi@@diagbox@triple@setbox@SE@tabular@ii@i
15504, 15512,	..... 21776,	. 10995, 10998, 11006
17910, 20418,	21827, 22537,	\bidi@end ... 6286, 6290
20440, 20790,	22588, 23302, 23353	\bidi@footnotetext@font
20812, 20986,	\bib@beginhook 21769,	..... 38, 251,
21005, 21019,	21775, 22530,	2299, 2348, 8145,
21190, 21204,	22536, 23295, 23301	16125, 16132, 16226
21235, 21240,	\bib@endhook .....	\bidi@LTRfootnotetext@font
21248, 24597,	. 21830, 22591, 23356	..... 68, 280,
24710, 25141,	\bib@heading .....	2333, 2380, 8163,
25145, 25150,	. 21771, 22535, 23300	16126, 16165, 16211
25179, 25183, 25188	\bibcleanup ..... 19698	\bidi@null .. 6458, 6459
\bgroup .....	\bibentry ..... 8017,	\bidi@patchcmd ...
171,	8019, 8036, 8038,	..... 6037, 6039
172, 389, 414, 422,	8055, 8057, 8087, 8089	\bidi@RTLfootnotetext@font
428, 684, 1243,	\bibfont .....	..... 52, 265,
1519, 1889, 1967,	\bibindent ... 5236, 5237	2316, 2364, 8181,
1998, 2007, 2255,	\bibitem@fin ..... 19692	16127, 16149, 16196
2259, 2266, 2604,	\bibliofont 85, 298, 17870	\bidi@thebibliography@font@hook
2626, 2649, 3115,	\bibliographyitemlabel	..... 88, 301,
3122, 3128, 3134,	..... 5238, 5245	620, 755, 1018,
3496, 3632, 3679,	\bibname .....	1268, 2664, 5244,
3686, 3720, 3757,	8564, 9287, 9288,	9290, 9478, 9787,
4292, 4518, 4871,	9475, 9476, 9784,	11352, 11623,
4993, 8961, 9179,	9785, 11620,	15527, 17873,
9193, 9846, 9918,	11621, 15524,	19172, 19679,
15768, 15769,	15525, 20461,	20464, 20858,
15783, 16242,	20462, 20855,	21052, 21255,
16470, 18207,	20856, 21049,	21785, 22546,
18209, 18266,	21050, 21252, 21253	23311, 24068, 25933
18301, 18308,	\bibpostamble .... 19693	\bidi@absolutefootnote@count
18364, 19373,	\bibpreamble .....	..... 12025,
19914, 20109,	. 19676, 21772,	12032, 12050, 12064
20115, 20119,	21773, 22532,	\bidi@absolute@count
20125, 20129,	22533, 23297, 23298	..... 12023,
20134, 20137,	\bibsection 8558, 8561,	12024, 12031,
20142, 20387,	8563, 8564, 19170,	12039, 12046, 12050
20837, 23773,	19674, 24062, 24064	\bidi@addto@envbody
23781, 23789,	\bidi ..... 6849, 6862,	... 5348, 5366, 5368
23795, 23826,	6879, 6884, 6912, 6917	\bidi@addto@long@envbody
23830, 23834,	\bidi@@convert@dimen@t@pt	... 5372, 5390, 5392
25340, 25793,	..... 5551	\bidi@AfterAtEndOfClass
25799, 25803,	\bidi@@convert@dimen@t@unit	..... 6875
25809, 25813,	..... 5548	\bidi@AfterAtEndOfPackage
25819, 25822,	\bidi@@diagbox@double@ii	..... 6908
25828, 25902,	..... 10950, 10954	\bidi@AfterClass .. 6821
25908, 26086,	\bidi@@diagbox@double@iii	\bidi@AfterEndDocument
26095, 26103, 26111	..... 10953, 10961	..... 6275,
\BHFN@OldLTFootnote	\bidi@@diagbox@triple@setbox@NW@tabular@ii@i	6288
. 16298, 16313, 16319	. 10970, 10973, 10977	\bidi@AfterEndDocumentCheckLabelsRerun
\BHFN@OldRTLFootnote	\bidi@@diagbox@triple@setbox@NW@tabular@iii@i	1285,
. 16299, 16316, 16322	..... 10976, 10983	6247, 6252, 12066
\bib@after@hook 21826,	\bidi@@diagbox@triple@setbox@SE@tabular@ii@i	\bidi@AfterEndDocumentCheckLabelsRerunhook
21828, 22587,	..... 10992, 10999	... 6247, 6248, 6253
22589, 23352, 23354		



<code>\bidi@afterreenddocumenthook</code>	<code>\bidi@AtBeginEnvironment</code>	2956, 3608, 3609, 3756
..... 6275,	..... 6292, 6304	<code>\bidi@beamer@today</code>
6276, 6283, 6289	<code>\bidi@AtEndEnvironment</code>	... 3329, 3350, 3357
<code>\bidi@AfterEndEnvironment</code>	..... 6308, 6318	<code>\bidi@BeforeBeginEnvironment</code>
..... 6332, 6342	<code>\bidi@AtEndOutputPage</code>	..... 6322, 6330
<code>\bidi@AfterEndPreamble</code>	... 5329, 6221,	<code>\bidi@BeforeClass</code>
6235, 6238, 6241,	12038, 15894, 26567	<code>\bidi@BeforeClosingMainAux</code>
6243, 6258, 8721, 8744	<code>\bidi@atendoutputpagehook</code>	..... 6983, 6988
<code>\bidi@afterreendpreamblehook</code>	..... 6221,	<code>\bidi@BeforeFile</code>
..... 6235,	6222, 15895, 26568	... 7073, 7080, 7083
6236, 6242, 6244	<code>\bidi@AtEndPreamble</code>	<code>\bidi@BeforeFooter</code>
<code>\bidi@AfterFile</code>	..... 4390,	..... 6211, 26550
3175, 3528, 7076, 16324,	6194, 6197, 6226,	<code>\bidi@beforefooterhook</code>
21993, 22755, 23520	6228, 6233, 8001,	.. 6211, 6212, 26551
<code>\bidi@AfterFooter</code>	18100, 19531, 19591	<code>\bidi@BeforeHeader</code>
..... 6214, 26557	<code>\bidi@autofooterulefalse</code>	.. 6202, 15878, 26533
<code>\bidi@afterfooterhook</code>	.. 16053, 16057, 16060	<code>\bidi@beforeheaderhook</code>
.. 6214, 6215, 26558	<code>\bidi@autofooteruletrue</code>	..... 6202,
<code>\bidi@AfterLastShipout</code>	..... 16075	6203, 15879, 26534
... 6260, 6266, 6272	<code>\bidi@backslash</code>	<code>\bidi@BeforeOutputBoxOutputPage</code>
<code>\bidi@afterlastshipouthook</code>	..... 6375, 6376	.. 6205, 15882, 26545
..... 6260,	<code>\bidi@beamer@blacktriangle</code>	<code>\bidi@beforeoutputboxoutputpagehook</code>
6261, 6267, 6273	..... 2846,	..... 6205,
<code>\bidi@AfterOutputBoxOutputPage</code>	2860, 2861, 2862	6206, 15883, 26546
..... 6208,	<code>\bidi@beamer@frametitleshade</code>	<code>\bidi@BeforeOutputPageShipOut</code>
12026, 15885, 26548	..... 3732, 3777	.. 6199, 15860, 26491
<code>\bidi@afteroutputboxoutputpagehook</code>	<code>\bidi@beamer@Gm@lmargin</code>	<code>\bidi@beforeoutputpageshipouthook</code>
..... 6208,	..... 2094,	..... 6199,
6209, 15886, 26549	2121, 2124, 2201	6200, 15861, 26492
<code>\bidi@AfterOutputPageShipOut</code>	<code>\bidi@beamer@Gm@rmargin</code>	<code>\bidi@BeforePackage</code>
.. 6218, 15888, 26561	... 2102, 2210, 2229	7082
<code>\bidi@afteroutputpageshipouthook</code>	<code>\bidi@beamer@leftskip</code>	<code>\bidi@bidiold@footnotetext</code>
..... 6218,	... 1578, 1581,	..... 11755, 15014
6219, 15889, 26562	1585, 1588, 1592,	<code>\bidi@bidiold@mpfootnotetext</code>
<code>\bidi@AfterPackage</code>	1602, 1616, 1620,	..... 11829, 15028
6890	1638, 1656, 1662,	<code>\bidi@bidiold@mpRTLfootnotetext</code>
<code>\bidi@AfterPreamble</code>	1760, 1766, 1771,	..... 11866, 15033
.. 6232, 6233, 18017	1782, 1800, 1807,	<code>\bidi@bidiold@RTLfootnotetext</code>
<code>\bidi@AfterReadingMainAux</code>	2819, 2840, 2843,	..... 11786, 15019
..... 6997, 7002	2956, 3606, 3607, 3755	<code>\bidi@bswitch</code>
<code>\bidi@append</code>	<code>\bidi@beamer@ragged</code>	.. 6517, 6519
.. 6141, 6191	..... 1557,	<code>\bidi@CharsBefore</code>
<code>\bidi@append@cslist@to@cslist</code>	1823, 1832, 1841,	6432, 6434, 6435,
..... 6579, 6652	1850, 1866, 1882,	6440, 6444, 6445, 6450
<code>\bidi@append@list@to@list</code>	2240, 2250, 2616,	<code>\bidi@CharsBeforeNC</code>
..... 6575, 6661	2642, 2657, 2676,	6433
<code>\bidi@append@to@list</code>	2690, 2869, 2891,	<code>\bidi@clearpage</code>
..... 6554, 6573	3184, 3192, 3203,	..... 6269, 6271
<code>\bidi@append@toks@cs@to@list</code>	3286, 4277, 25833,	<code>\bidi@collect@body</code>
..... 6583	25843, 25853,	..... 5354, 5361
<code>\bidi@appto</code>	25854, 26012,	<code>\bidi@collect@body</code>
... 5925, 5969, 6240	26021, 26030, 26039	5349
<code>\bidi@apptocmd</code>	<code>\bidi@beamer@rightskip</code>	<code>\bidi@collect@long@body</code>
... 6137, 6138, 23977	..... 2827,	..... 5378, 5385
<code>\bidi@are@these@correct</code>		<code>\bidi@collect@long@body</code>
..... 6551, 6554		..... 5373



\bidi@column@check@number	\bidi@csundef . . . . .	\bidi@digits@charclass
.. 26148, 26164,	1567, 1569, 1571,	..... 4381,
26166, 26168, 26180	1573, 1575, 1595,	4385, 4386, 4387, 4388
\bidi@column@status	1597, 1599, 1623,	\bidi@dummies . . . . .
.. 4152, 4156, 26150	1625, 1627, 1629,	... 6482, 6484, 6485
\bidi@column@type .	1631, 1633, 1635,	\bidi@eappto . . . . .
. 26165, 26170, 26181	1753, 1755, 1757,	... 5929, 5942, 5970
\bidi@columnwidth .	1775, 1777, 1779,	\bidi@empty ... 4395,
.. 11674, 11676,	1812, 1814, 1816,	4396, 6457, 6460, 6461
12416, 12422,	1845, 1860, 2835,	\bidi@empty@stack .
12703, 12709,	2837, 2854, 2856,	..... 6642, 6648
13002, 13008,	2858, 2902, 2904,	\bidi@empty@toks ..
13301, 13307,	2906, 2953, 3027,	... 6655, 6658, 6662
13600, 13606,	3092, 3094, 3096,	\bidi@endpreamblehook
13899, 13905,	3098, 3100, 3102,	..... 6194,
14198, 14204,	3104, 3106, 3198,	6195, 6227, 6229
14497, 14503,	3327, 3479, 3505,	\bidi@ensure@new@command
14796, 14802,	3556, 3584, 3586,	..... 5636, 5637
15307, 15318, 18330	3588, 3590, 3704,	\bidi@ensure@newcommand
\bidi@copy@stacktop 6637	3740, 3794, 3796,	... 5636, 11885,
\bidi@copyins@amount	3882, 3884, 3977, 6125	11897, 11903,
.. 16664, 16665,	\bidi@csuse . . . . .	11904, 11908,
16666, 16669,	5912, 6299, 6313,	11909, 11910,
16674, 16675, 16687	6326, 6337, 12050	11911, 11923,
\bidi@counter@page	\bidi@csswitch . 6512, 6514	11935, 11957,
..... 5299, 5328	\bidi@csxappto 5972, 5974	11958, 11963,
\bidi@cs@a ... 6460, 6461	\bidi@csxpreto 5981, 5983	11964, 11965,
\bidi@cs@e 6631, 6632,	\bidi@current@column@status	11966, 11969,
6634, 6635, 6638, 6640	. 26150, 26153, 26186	12077, 12079,
\bidi@cs@lista . . . .	\bidi@dbg@fail . . . .	12083, 12084,
.... 6604, 6605,	5997, 6007, 6008,	12100, 12117,
6606, 6607, 6616, 6617	6009, 6010, 6016,	12122, 12124,
\bidi@cs@listb 6601, 6603	6025, 6031, 6133,	12130, 12132,
\bidi@cs@liste 6599, 6604	6155, 6167, 6168, 6177	12136, 12186,
\bidi@cs@appto . . . . . 5969	\bidi@dbg@info . 5998,	12238, 12265,
\bidi@cs@arg ... 6387,	6000, 6003, 6005,	12292, 12297,
6403, 6477, 6484,	6006, 6017, 6019,	12300, 12303,
6502, 6507, 6512,	6021, 6023, 6024,	12306, 12359,
6517, 6523, 6528,	6026, 6028, 6030,	12386, 12413,
6570, 6571, 6589,	6131, 6156, 6158,	12425, 12435,
6595, 6606, 6616,	6160, 6163, 6169, 6171	12485, 12535,
6625, 6635, 6639, 6643	\bidi@dbg@init . 5995,	12560, 12585,
\bidi@cs@defcs . . . . . 5619	6014, 6130, 6153	12590, 12593,
\bidi@cs@eappto 5970, 5973	\bidi@dbg@succ . 6041,	12596, 12599,
\bidi@cs@epreto 5979, 5982	6132, 6164, 6172, 6174	12650, 12675,
\bidi@cs@gappto . 5971,	\bidi@dbg@trce . 5988,	12700, 12712,
6293, 6309, 6323, 6333	6034, 6129, 6138, 6146	12722, 12772,
\bidi@cs@gpreto . . . . . 5980	\bidi@default . . . . .	12824, 12851,
\bidi@cs@let . . . . . 5625	.... 6502, 6507,	12878, 12883,
\bidi@cs@letcs . . . . . 5622	6512, 6517, 6523, 6528	12886, 12889,
\bidi@cs@name ... 6399,	\bidi@del@tok@from@list	12892, 12945,
6550, 6556, 6601, 6635	..... 6598	12972, 12999,
\bidi@cs@preto . . . . . 5978	\bidi@digits ... 4379,	13011, 13021,
\bidi@cs@protect ... 6704	4385, 4386, 4387	13071, 13123,





13150,	13177,	\bidi@eqs@b .. 6413, 6414	\bidi@ifdefparam ..
13182,	13185,	\bidi@EqualString . 6413	..... 6108,
13188,	13191,	\bidi@EqualStringX 6418	6110, 6111, 6112
13244,	13271,	\bidi@error ... 5645,	\bidi@ifdefprotected
13298,	13310,	5897, 6487, 6594, 6763	..... 6117,
13320,	13370,	\bidi@everyjob . 4221,	6119, 6120, 6121
13422,	13449,	4224, 4485, 4487	\bidi@ifEmpty ..... 6460
13476,	13481,	\bidi@expandonce ..	\bidi@ifempty ..... 6458
13484,	13487,	5917, 5928, 5932,	\bidi@ifEmptyX ..... 6459
13490,	13543,	5936, 5940, 5950,	\bidi@ifhashcheck .
13570,	13597,	5954, 5958, 5962, 6175	... 6002, 6079, 6162
13609,	13619,	\bidi@ff@box 15902, 15920	\bidi@ifhashcheck@i
13669,	13721,	\bidi@finalfootnoteperpage	..... 6083, 6085
13748,	13775,	..... 12030, 12041	\bidi@ifhashcheck@ii
13780,	13783,	\bidi@firstcolumn@status@write	..... 6087,
13786,	13789,	..... 4150, 4158,	6090, 6091, 6092
13842,	13869,	10168, 10227,	\bidi@ifmulticol ..
13896,	13908,	15707, 15743,	.. 11975, 11985,
13918,	13968,	16581, 16634,	12009, 15447, 15451
14020,	14047,	19249, 19345,	\bidi@ifNextChar .. 6468
14074,	14079,	26157, 26220, 26263	\bidi@ifpatchable .
14082,	14085,	\bidi@floathook ...	... 5991, 5993, 6040
14088,	14141,	.. 11675, 14881,	\bidi@ifpatchable@i
14168,	14195,	14934, 14986,	..... 5991, 6012
14207,	14217,	15037, 15445, 15447	\bidi@ifpattern ...
14267,	14319,	\bidi@font@@outputpage	..... 6004, 6095
14346,	14373,	. 15868, 26482, 26524	\bidi@ifscanable ..
14378,	14381,	\bidi@footdir@footnote	..... 6001,
14384,	14387,	.. 79, 292, 2394,	6022, 6063, 6161
14440,	14467,	16180, 16182, 16186	\bidi@in@front@of@cslist
14494,	14506,	\bidi@footskip ....	..... 6607, 6608
14516,	14566,	.. 11986, 11993,	\bidi@in@front@of@list
14618,	14645,	12010, 12017, 15325	..... 6606
14672,	14677,	\bidi@fswitch . 6528, 6530	\bidi@info ..... 5648
14680,	14683,	\bidi@gappto .....	\bidi@init@multi@footins
14686,	14739,	5323, 5933, 5971,	..... 15433,
14766,	14793,	6194, 6199, 6202,	15450, 15455, 15456
14805,	14815,	6205, 6208, 6211,	\bidi@invert@csstack
14823,	14830,	6214, 6218, 6221,	..... 6647
14833,	14841,	6235, 6247, 6260, 6275	\bidi@IsEmptyList . 6461
14853,	15061,	\bidi@gpreto .. 5955, 5980	\bidi@joinfootnotes
15116,	15146,	\bidi@hooktocmd ...	..... 11959,
15176,	15180,	... 6141, 6149, 6151	11960, 11961, 11981
15184,	15188,	\bidi@hooktocmd@i .	\bidi@joinmpfootnotes
15243,	15272,	..... 6165, 6179	.. 11830, 11867,
15301,	15312,	\bidi@hop@ES .. 6421, 6423	12005, 12080,
15328,	15337,	\bidi@ifafterfinalfootnoteperpage	12081, 12332,
15346,	15353,	..... 12045, 12058	12334, 12373,
15357, 15368, 15369	\bidi@ensure@newlength	\bidi@ifblank@i ...	12400, 12624,
	. 5643, 11907, 11967	... 5591, 5592, 5594	12626, 12663,
\bidi@epreto .....	\bidi@ifdefmacro ..	..... 5597,	12688, 12918,
... 5951, 5964, 5979	..... 5599, 5600, 5601	13219, 13258,	\bidi@eprto .....
\bidi@eqs@a .. 6413, 6414			





13285, 13516,	6701, 6703, 6715, 6741	\bidi@make@mppara@LTRfootgroup
13518, 13557,	\bidi@looprepeat@dxbody	.. 14878, 14931,
13584, 13815,	..... 6724, 6728	14984, 15035, 15337
13817, 13856,	\bidi@looprepeat@setup	\bidi@make@mpsevenscol@LTRfootgroup
13883, 14114,	..... 6721, 6747	. 13640, 13665, 13913
14116, 14155,	\bidi@looprepeat@sign	\bidi@make@mpsixcol@LTRfootgroup
14182, 14413,	... 6721, 6732, 6762	. 13341, 13366, 13614
14415, 14454,	\bidi@looprepeat@tmp	\bidi@make@mpntencol@LTRfootgroup
14481, 14712,	6722, 6723, 6750,	. 14537, 14562, 14810
14714, 14753,	6752, 6755, 6760,	\bidi@make@mpthreecol@LTRfootgroup
14780, 15215,	6767, 6770, 6772, 6775	. 12456, 12481, 12717
15217, 15258, 15287	\bidi@looprepeat@traceexit	\bidi@make@mptwoocol@LTRfootgroup
\bidi@lastcolumn@status@write	..... 6706, 6741	. 12157, 12182, 12430
4154, 4159, 10172,	\bidi@looprepeat@traceinit	\bidi@make@mpninecol@LTRfootgroup
10233, 15711,	..... 6706, 6714	. 14230, 14255, 14500
15749, 16587,	\bidi@looprepeat@zero	\bidi@make@mppara@LTRfootgroup
16638, 19253,	... 6721, 6740, 6778	.. 14869, 14922,
19351, 26224, 26269	\bidi@lst@caption@direction	14972, 15023, 15312
\bidi@leave@mult@copyins	..... 18049,	\bidi@make@mpsevenscol@LTRfootgroup
..... 19586, 19597	18050, 18062, 18065	. 13632, 13657, 13902
\bidi@left@footnoterule	\bidi@lst@caption@script	\bidi@make@mpsixcol@LTRfootgroup
. 18332, 18338, 18343	..... 18056,	. 13333, 13358, 13603
\bidi@leftskip ....	18057, 18073, 18076	\bidi@make@mpntencol@LTRfootgroup
.. 24598, 24600,	\bidi@lst@ensure@caption@direction	14529, 14554, 14799
24602, 24603,	..... 18060,	\bidi@make@mpthreecol@LTRfootgroup
24713, 24770,	18085, 18087,	. 12448, 12473, 12706
24772, 24808,	18089, 18108,	\bidi@make@mptwoocol@LTRfootgroup
24809, 24841, 25831	18112, 18119, 18128	. 12149, 12174, 12419
\bidi@length@of@csstack	\bidi@lst@ensure@caption@script@makecolbf ...	..... 15407, 15419
... 6643, 6644, 6647	. 18071, 18083, 18127	\bidi@matrix@check
\bidi@length@of@stack	\bidi@LTRrigidbalance	..... 5405, 25918
..... 6643, 6657	.. 12127, 12424,	\bidi@matrix@error
\bidi@local@in@front@of@list	12434, 12711,	..... 5407, 5411
..... 6611, 6628	12721, 13010,	\bidi@mopfn@bottom
\bidi@local@push@onto	13020, 13309,	..... 15374,
..... 6627	13319, 13608,	15387, 15420, 15421
\bidi@looprepeat@comp	13618, 13907,	\bidi@mopfootnotebf
... 6721, 6757, 6762	13917, 14206,	..... 15383, 15414
\bidi@looprepeat@csarg	14216, 14505,	\bidi@mpfootnoterule
..... 6699, 6751	14515, 14804, 14814	2343, 2359, 2375,
\bidi@looprepeat@csargromannumeral	\bidi@make@mpeightcol@LTRfootgroup	15958, 16191,
..... 6701,	.. 13931, 13956, 14201	16206, 16221,
6716, 6717, 6718,	\bidi@make@mpfivecol@LTRfootgroup	16260, 18419, 23975
6719, 6720, 6723,	. 13034, 13059, 13304	\bidi@mpswitch . 6523, 6525
6728, 6729, 6730,	\bidi@make@mpfourcol@LTRfootgroup	\bidi@multicol@align@columns
6731, 6732, 6734,	. 12735, 12760, 13005	..... 19473,
6740, 6753, 6755,	\bidi@make@mpsevencol@LTRfootgroup	. 13939, 13964, 14212
6756, 6757, 6764,	..... 19524, 19527, 19529	\bidi@make@mpfivecol@LTRfootgroup
6765, 6767, 6772, 6780	\bidi@make@mpfourcol@LTRfootgroup	..... 20103, 20104,
\bidi@looprepeat@csromannumeral	. 13042, 13067, 13315	20105, 20106,
.... 6700, 6724,	\bidi@make@mpthreecol@LTRfootgroup	. 12743, 12768, 13016
6732, 6735, 6751, 6779	..... 25602, 25787,	\bidi@make@mpninecol@LTRfootgroup
\bidi@looprepeat@depth	\bidi@make@mpsevencol@LTRfootgroup	5788, 25789, 25790
..... 6700,	.. 14238, 14263, 14511	\bidi@namedef ..... 6344







<code>\bidi@ReplaceClass</code>	7067	<code>\bidi@set@list</code>	.... 6616	6513, 6517, 6518,
<code>\bidi@ReplaceInput</code>	7058	<code>\bidi@SOUL@ulleaders</code>		6523, 6524, 6528, 6529
<code>\bidi@ReplacePackage</code>		..... 23754, 23760		<code>\bidi@t@w@w</code>
..... 7061		<code>\bidi@stack@length</code>		..... 6552
<code>\bidi@ResetPreventPackageFromLoading</code>		..... 6642, 6644, 6645,		<code>\bidi@tabular@RTLcases</code>
..... 6959		6649, 6650, 6659, 6660		..... 25898, 25925
<code>\bidi@resrvda</code>	....	<code>\bidi@star@footmarkwidth</code>		<code>\bidi@tempcountb</code>
6043, 6044, 6045,		..... 11894,		..... 6379,
6048, 6049, 6050,		11953, 12159,		6648, 6649, 6658, 6659
6051, 6052, 6053,		12184, 12458,		<code>\bidi@temptoksa</code>
6058, 6061, 6065,		12483, 12745,		6380,
6066, 6067, 6068,		12770, 13044,		6648, 6651, 6652,
6069, 6071, 6072,		13069, 13343,		6653, 6655, 6658, 6662
6081, 6083, 6097,		13368, 13642,		<code>\bidi@temptoksb</code>
6098, 6100, 6102,		13667, 13941,		6381,
6103, 6181, 6182,		13966, 14240,		6650, 6651, 6652, 6653
6183, 6184, 6185,		14265, 14539,		<code>\bidi@todonotes@tempa</code>
6186, 6187, 6188, 6189		14564, 14904,		..... 25478, 25486
<code>\bidi@resrvdb</code>	. 6045, 6046	14957, 15008, 15059		<code>\bidi@todonotes@tempb</code>
<code>\bidi@restorecatcode</code>		<code>\bidi@startparafootskip</code>		..... 25478, 25479, 25486, 25487
..... 6392,		..... 14849,		<code>\bidi@tok@SM</code>
7121, 7154, 7171, 7187		14852, 14901,		.. 6599, 6604
<code>\bidi@right@footnoterule</code>		14902, 14954,		<code>\bidi@toks@lista</code>
. 18333, 18336, 18345		14955, 15006, 15057		..
<code>\bidi@rightskip</code>	24594,	<code>\bidi@step@absolutefootnote@count</code>		6564, 6566, 6567,
24706, 24774,		.. 11756, 11787,		6568, 6569, 6600,
24775, 24787,		12063, 12203,		6602, 6608, 6609,
24791, 24795, 25832		12249, 12276,		6611, 6613, 6618, 6619
<code>\bidi@RTL@everypar</code>		12501, 12545,		<code>\bidi@toks@listb</code>
.. 15068, 15099,		12570, 12789,		..
15117, 15133,		12835, 12862,		... 6564, 6600, 6602
15147, 15163,		13088, 13134,		<code>\bidi@typesethour</code>
15202, 15232,		13161, 13387,		.
15246, 15261,		13433, 13460,		4329, 4331, 4332,
15275, 15290,		13686, 13732,		4333, 4336, 4548,
20101, 20105,		13759, 13985,		4550, 4551, 4552, 4555
23713, 25785, 25789		14031, 14058,		<code>\bidi@typesetminute</code>
<code>\bidi@s@tfftextcol</code>		14284, 14330,		4330, 4333, 4334,
..... 15899, 15903		14357, 14583,		4335, 4337, 4549,
<code>\bidi@s@ved@eqno</code>	..	14629, 14656,		4552, 4553, 4554, 4556
..... 20191,		15080, 15129, 15159		<code>\bidi@undef</code>
20193, 20194,		<code>\bidi@storecatcode</code>		... 2864,
26580, 26582, 26583		..... 6385,		2887, 2958, 3407,
<code>\bidi@s@ved@leqno</code>	.	7118, 7149, 7168, 7184		6053, 6124, 6189,
..... 20192,		<code>\bidi@StorePreventPackageFromLoading</code>		6229, 6244, 24453,
20193, 20194,		..... 6965		24454, 24614,
26581, 26582, 26583		<code>\bidi@StringBefore</code>		24615, 24864, 24865
<code>\bidi@s@epmark@charclass</code>		6443		<code>\bidi@undefined</code>
..... 4382,		<code>\bidi@StringBeforeNC</code>		..... 6124, 6126
4383, 4384, 4388		..... 6431		<code>\bidi@undefinedcs</code>
<code>\bidi@set@column@status</code>		<code>\bidi@switch</code>	... 6491,	.
. 26152, 26180, 26185		6502, 6504, 6509		617, 6484, 6539,
<code>\bidi@set@cslist</code>	..	<code>\bidi@switch@exit</code>		6543, 6549, 6553, 6594
..... 6617, 6618		6501, 6502, 6503,		<code>\bidi@UnPreventPackageFromLoading</code>
		6507, 6508, 6512,		..... 6968
				<code>\bidi@UnReplaceClass</code>
				..... 7070
				<code>\bidi@UnReplaceInput</code>
				..... 7059
				<code>\bidi@UnReplacePackage</code>
				..... 7064



\bidi@version .. 4057, 4060, 4207, 4226, 4228, 4234, 4240, 4268, 4271, 4274, 4453, 4471, 4491, 4493, 4561, 4564, 4567	\bidipoem@hvind ... 8885, 8888, 8889, 8897, 8898, 8901, 8904	\bidituftefloatDebugInfoNL ..... 7222, 7310, 7314, 7609, 7658
\bidi@w@w ..... 6539	\bidipoem@hvlen 8884, 8889, 8891, 8902, 8904	\bidituftefloatError ..... 7221, 7704
\bidi@warning .. 5646, 6302, 6316, 6328, 6340	\bidipoem@hvsep 8884, 8897, 8898, 8905	\bidituftefloatInfoNL ... 7222, 7223, 7773
\bidi@warningnoline .. 610, 614, 5647, 11342, 11346, 15674, 15676, 15679, 15681, 20206, 20218, 20236	\bidipoem@next 8890, 8891	\bidituftefloatRecalculate ..... 7339, 7350
\bidi@willbeunhskip ... 6586, 6593, 6596	\bidipoem@openbox . ..... 8929, 8934	\bidituftehyperrefLoadHyperref ..... 8598, 8609
\bidi@x@stack@to@list ..... 6657	\bidipoem@p@ftn 8936, 8946, 9070, 9071, 9073, 9074, 9076, 9077, 9080, 9083, 9086, 9191, 17505, 17515, 17536, 17546, 17567, 17577	\bidituftesidenotemarginpar ... 7789, 8141, 8300
\bidi@xappto ..... ... 5937, 5943, 5972	\bidipoem@p@ftntext 8963, 8974, 9069, 9180, 9194, 17503	\bidituftetocError ... 8329, 8376, 8385
\bidi@xargdef . 5875, 5883	\bidipoem@p@LTRftntext 8964, 8975, 9072, 9181, 9195, 17534	\bidiversion .. 4226, 4488
\bidi@xparaskip ... .. 14844, 14846, 14848, 14898, 14951, 15003, 15054	\bidipoem@p@RTLftntext 8965, 8976, 9075, 9182, 9196, 17565	\bigskip ..... 20242
\bidi@xpreto ..... ... 5959, 5965, 5981	\bidipoem@p@xfootnote ..... 8967, 8978, 9088, 9184, 9198	\bl .... 20007, 20008, 20011, 20012, 20013, 20017, 20072, 20079, 20083
\bidicolor .... 9912, 9968, 9983, 9985, 15900, 25728, 25775, 25778, 25779	\bidipoem@p@xftntext ... 8966, 8977, 9079, 9093, 9183, 9197	\blacktriangleleft . 2848, 16386, 16388
\bidics ..... 6376	\bidipoem@p@xLTRfootnote ..... 8969, 8980, 9095, 9186, 9200	\blacktriangleright . 2850, 16386, 16388
\bididate . 4056, 4060, 4207, 4268, 4271, 4451, 4471, 4561, 4564	\bidipoem@p@xLTRftntext ... 8968, 8979, 9082, 9100, 9185, 9199	\bmb@b ..... 26129
\bidiGscale@box .. ..... 16868, 16869	\bidipoem@p@xRTLfootnote ..... 8971, 8982, 9102, 9188, 9202	\bmb@l ..... 26126
\bidiGscale@box ... . 16845, 16846, 16865	\bidipoem@p@xRTLftntext ... 8970, 8981, 9085, 9107, 9187, 9201	\bmb@r ..... 26127
\bidiGscale@box@dd . 16877, 16881, 16887	\bidipoem@set@@verse ... 8891, 8894, 8896	\bmb@t ..... 26128
\bidiGscale@box@dddd ..... 16883, 16894	\bidipoem@set@verseI ..... 8890, 8893	\bmb@box .. 1906, 1911, 1912, 1913, 1916, 1917, 1921, 1922, 1923, 1929, 1930, 1942, 1948, 1952, 1967
\bidillap ..... 26069	\bidipoem@spreadbox ..... 8880, 8902, 8904, 8905, 8906	\bmb@colorbox ..... 1966
\bidipdfinfooff ... 4582	\bidireleasename .. ..... 4059, 4455	\bmb@dima . 1926, 1939, 1942, 1943, 1944, 1945, 1956, 1957, 1958
\bidipdfinfoon 4581, 4587	\bidirlap ..... 26068	\bmb@dimb ..... 1927, 1940, 1941, 1944
\bidipoem@hvlen .. ..... 8885, 8891, 8894, 8897, 8906		\bmb@lower ... 1893, 1969
\bidipoem@half@verses ... 8911, 8912, 8915		\bmb@prevheight ... ..... 1914, 1923
\bidipoem@half@verses@next ... 8911, 8912, 8913		\bmb@temp ..... 1917, 1918, 1919, 1921, 1925, 1926, 1927, 1937
		\bmb@upper ... 1898, 1908
		\bmb@width 1907, 1916, 1925, 1955, 1956, 1967
		\bool ..... 18447, 18455, 18586, 18603, 18604, 18648, 18654, 18669, 18692,



18695,	18715,	16491,	16494,	26292, 26308, 26319
18720,	18732,	16508,	16582,	\br . . . . 20007, 20009,
18749,	18750,	16588,	16635,	20011, 20012,
18753,	18770,	16639,	16678,	20013, 20017,
18795,	18802,	16690,	16701,	20073, 20079, 20087
18808,	18814,	16711,	16724,	\BR@b@bibitem . 7994, 7995
18824,	18831,	16796,	16813,	\BR@bibitem .. 7997, 7998
18853,	18965,	16816,	16859,	\BR@c@bibitem . . . . . 7999
18968,	18976,	16862,	16892,	\bracetext . . . . .
18977,	19741,	16909,	18095,	4291, 4517, 20107,
19827, 19829, 19838		18243,	18298,	20108, 25791, 25792
\boolean . . . . .		18302,	18320,	\break . . . . . 18178
7222, 7282, 7284,		18322,	18324,	\BreakBibliography
7287, 7291, 7294,		18665,	18923,	. . . . . 21778,
7297, 7322, 7418,		18934,	18939,	21811, 21813,
7433, 7444, 7464,		18973,	18974,	21819, 22539,
7471, 7479, 7496,		18975,	18976,	22572, 22574,
7516, 7520, 7538,		18978,	19107,	22580, 23304,
7539, 7542, 7543,		19141,	19250,	23337, 23339, 23345
7578, 7587, 7598,		19254,	19346,	\breakhere . . . 3374, 3382
8343, 8347, 8395,		19352,	19489,	\breaklooprepeat . .
8608, 8745, 8814,		19495,	19510,	. . . . . 6685,
8825, 15914, 19860		19518,	19826,	6687, 6739, 6740,
\botmark . . . 15893, 26566		19834,	19839,	6758, 6769, 6774, 6788
\box . . 1921, 2039, 2043,		19976,	19980,	\breakrepeatloop . . 6714
2045, 2053, 2059,		19996,	20030,	\bs . . . . . 4742, 4743, 4745
2061, 2115, 2119,		20034,	20039,	\bslice . . . . . 20027,
2121, 2141, 2150,		20043,	20055,	20028, 20030,
2152, 2170, 2179,		20066,	20080,	20040, 20041,
2181, 2219, 2223,		20083,	20087,	20043, 20063,
2225, 2232, 2507,		20092,	20168,	20064, 20066,
2511, 2559, 2572,		20184,	20222,	20090, 20091, 20092
2589, 2594, 2965,		20230,	21296,	\bx@A . . . . . 7644, 7685
2971, 3011, 3781,		21305,	21343,	\bx@a . . . . 7618, 7650, 7691
4324, 4542, 7759,		21354,	23956,	\bx@AA . . . 7657, 7659, 7697
9819, 9883, 9951,		24002,	24020,	\bx@B . . . . . 7644, 7685
10110, 10113,		25672,	25673,	\bx@b . . . . 7619, 7650, 7691
10130, 10134,		25683,	25879,	\bx@BB . . . . . 7660, 7697
10169, 10173,		26071,	26221,	\bx@C . . . . . 7644, 7685
10179, 10180,		26225,	26264,	\bx@c . . . . 7620, 7650, 7691
10228, 10234,		26270,	26289,	\bx@CC . . . . . 7661, 7697
10238, 10239,		26305,	26437,	\bx@D . . . . . 7644, 7685
10465, 10470,		26453,	26464,	\bx@d . . . . 7621, 7650, 7691
10477, 10484,		26477, 26479,		\bx@DD . . . . . 7662, 7697
10520, 10804,		26543, 26547, 26577		\bx@E . . . . . 7644, 7685
10825, 10841,		\boxdef . . . . . 4774,		\bx@e . . . . 7622, 7650, 7691
10898, 12124,		4776, 4782, 4787, 4792		\bx@EE . . . . . 7663, 7697
12127, 14827,		\boxmaxdepth . . . . .		\bx@F . . . . . 7645, 7686
14839, 15400,		. . 10796, 10801,		\bx@f . . . . 7623, 7651, 7692
15410, 15708,		10817, 10822,		\bx@FF . . . . . 7664, 7698
15712, 15744,		10849, 10906,		\bx@G . . . . . 7645, 7686
15750, 15793,		15370, 15385,		\bx@g . . . . 7624, 7651, 7692
15884, 15917,		15642, 16437,		\bx@GG . . . . . 7665, 7698
15922, 16484,		16439, 16763,		\bx@H . . . . . 7645, 7686







16191, 16206,	15947, 19062,	10123, 10130, 10134
16221, 16247, 18428	20480, 20845,	\c@twsliceb .. 10105,
\c@NAT@ctr ..... 19680	21045, 21228,	10107, 10110,
\c@page .. 8752, 11076,	21761, 22508, 23277	10113, 10126,
11104, 15808,	\c@table .....	10127, 10130, 10134
15835, 25635, 26433	9325, 9502, 9747,	\c@twwinlines 10103, 10116
\c@paragraph ... 586,	11582, 15639,	\c@zabspage ..... 15988
749, 1003, 1262,	15930, 15943,	\cals@activate@rtl 9867
9318, 9495, 9752,	19071, 20488,	\cals@AtBeginTable 9884
11464, 11587,	20851, 21042,	\cals@AtEndTable .. 9886
15632, 15935,	21224, 22518, 23287	\cals@backupt@row .. 9883
15948, 19064,	\c@thisframe .....	\cals@borderB ..... 9882
20481, 20846,	.. 15807, 15812,	\cals@borderL ..... 9879
21046, 21229,	15848, 15850, 15851	\cals@borderR ..... 9880
21763, 22510, 23279	\c@tocdepth ..... 3,	\cals@borderT ..... 9881
\c@part .....	208, 546, 563, 691,	\cals@current@context
\c@poem@no .... 9021,	707, 725, 918, 951,	..... 9873
9063, 9115, 9126	969, 1174, 1190,	\cals@last@context 9872
\c@secnumdepth . 314,	1208, 9225, 9241,	\cals@paddingL . 9889,
589, 598, 9562,	9257, 9402, 9418,	9891, 9896, 9898
9757, 11321,	9434, 9705, 9720,	\cals@paddingR 9893, 9900
11330, 11592,	11294, 11308,	\cals@set@tohsize . 9876
15498, 20246, 21234	11564, 15466,	\cals@setcellprevdepth
\c@section 2725, 9315,	15481, 17912,	..... 9876
9492, 9749, 11584,	19414, 19426,	\cals@setpadding .. 9876
15629, 15932,	19438, 20394,	\cals@setup@alignment
15945, 19058,	20410, 20426,	..... 9860, 9875
19731, 20478,	20766, 20782,	\cals@table@alignment
20843, 21043,	20798, 20998,	..... 9865, 9866
21226, 22504, 23273	21012, 21182,	\cals@tbreak@tokens 9870
\c@subparagraph 587,	21197, 24149,	\cals@tfoot@height 9871
750, 1004, 1263,	24153, 24195,	\cals@tfoot@tokens
9319, 9496, 9753,	24214, 24236,	..... 9869, 9886
11465, 11588,	24253, 24270,	\cals@thead@tokens 9868
15633, 15936,	24287, 24579,	\cals@vfillAdd . 9861,
15949, 19066,	24691, 24729,	9863, 9889, 9898
20482, 20847,	25229, 25425, 26131	\cals@vfillDrop ...
21047, 21230,	\c@twb .....	.... 9862, 9863,
21765, 22512, 23281	10120	9891, 9893, 9896, 9900
\c@subsection 584, 747,	\c@twcompctr ..... 10101	\CAny ..... 4763
1001, 1260, 2726,	\c@twcompoddctr .. 10117	\cAny .....
9316, 9493, 9750,	\c@twfirst ... 10102,	..... 4771
11462, 11585,	10108, 10115,	\cap@indent .....
15630, 15933,	10119, 10128, 10131	.. 21951, 21959,
15946, 19060,	\c@twlftside ..... 10106	21969, 21972,
20479, 20844,	\c@twlspec .....	21974, 22712,
21044, 21227,	. 10120, 10123, 10127	22720, 22730,
21759, 22506, 23275	\c@twprune ... 10106,	22733, 22735,
\c@subsectionslide 2728	10107, 10123, 10127	23477, 23485,
\c@subsubsection 585,	\c@twrounds .. 10118,	23495, 23498, 23500
748, 1002, 1261,	10121, 10124, 10136	\cap@left .... 21883,
9317, 9494, 9751,	\c@twrtside ..... 10107	21920, 22644,
11463, 11586,	\c@twslicea .. 10104,	22681, 23409, 23446
15631, 15934,	10106, 10110,	\cap@margin .....
	10113, 10122,	. 21839, 22600, 23365





<code>\cap@right</code> ... 21891, 21987, 22652, 22748, 23417, 23513	23438, 23470, 23481, 23492, 23503	<code>\cftchapterprecistoc</code> ..... 24447
<code>\cap@width</code> ... 21868, 21921, 22629, 22682, 23394, 23447	<code>\captionlabelfalse</code> 18136	<code>\cftdot</code> ..... 24145
<code>\caption</code> ..... 7427, 7428, 7430, 7486, 17021, 17039, 18181, 19145, 19147, 21924, 21925, 22685, 22686, 23450, 23451	<code>\catcode</code> .. 4452, 4586, 6060, 6388, 6389, 6390, 6430, 7115, 7144, 7165, 7181, 7966, 7988, 8919, 8920, 8922, 8923, 16395, 16396, 16511	<code>\cftdotfill</code> ..... 24439
<code>\caption@@make</code> ... 18261	<code>\Centering</code> ..... 20256	<code>\cftdotsep</code> ..... 24438
<code>\caption@@par</code> ..... 9904	<code>\centering</code> .... 313, 3201, 10651, 10664, 10780, 17051, 17136, 17152, 19092, 19094, 19096, 21637, 22377, 23150	<code>\cftfigaftersnum</code> . 24314
<code>\caption@begin</code> ... 18255	<code>\CenteringLeftskip</code> 20261	<code>\cftfigaftersnumb</code> 24315
<code>\caption@belowskip</code> 18259	<code>\CenteringParfillskip</code> ..... 20264	<code>\cftfigfillnum</code> ... 24318
<code>\caption@end</code> ..... 18263	<code>\CenteringParindent</code> ..... 20265	<code>\cftfigfont</code> ..... 24317
<code>\caption@hangindent</code> 9905	<code>\CenteringRightskip</code> ..... 20262	<code>\cftfigindent</code> 24306, 24309
<code>\caption@ifdefined</code> 18258	<code>\centerline</code> 317, 16491, 16508, 20195, 26057	<code>\cftfignumwidth</code> .. 24312
<code>\caption@LT@make</code> . 18249	<code>\cftbeforechapskip</code> 24197	<code>\cftfigpresnum</code> ... 24313
<code>\caption@LT@settype</code> ..... 18250	<code>\cftbeforefigskip</code> 24305	<code>\cftparaaftersnum</code> 24280
<code>\caption@LT@setup</code> 18251	<code>\cftbeforeparaskip</code> 24271	<code>\cftparaaftersnumb</code> 24281
<code>\caption@make@above</code> ..... 18260	<code>\cftbeforepartskip</code> 24165	<code>\cftparafillnum</code> .. 24284
<code>\caption@make@below</code> ..... 18262	<code>\cftbeforesecskip</code> . ..... 24216, 24219	<code>\cftparafont</code> ..... 24283
<code>\caption@makecaption</code> ..... 9902, 18130	<code>\cftbeforesubfigskip</code> ..... 24342	<code>\cftparaindent</code> .... ..... 24272, 24275
<code>\caption@normalsize</code> ..... 18256	<code>\cftbeforesubparaskip</code> ..... 24288	<code>\cftparanumwidth</code> . 24278
<code>\caption@parindent</code> 9905	<code>\cftbeforesubsecskip</code> ..... 24237	<code>\cftpartaftersnum</code> 24175
<code>\caption@prepare@stepcounter</code> ..... 18254	<code>\cftbeforesubsubsecskip</code> ..... 24254	<code>\cftpartaftersnumb</code> 24176
<code>\caption@setautoposition</code> ..... 18252	<code>\cftbeforesubtabskip</code> ..... 24362	<code>\cftpartfillnum</code> .. 24179
<code>\caption@starfalse</code> ..... 18131, 18253	<code>\cftbeforetabskip</code> 24323	<code>\cftpartfont</code> ..... 24178
<code>\caption@starttrue</code> . . 18132, 18138, 18253	<code>\cftchapaftersnum</code> 24206	<code>\cftpartindent</code> .... ..... 24167, 24170
<code>\captionabove</code> . 22022, 22027, 22784, 22789, 23549, 23554	<code>\cftchapaftersnumb</code> 24207	<code>\cftpartnumwidth</code> . 24173
<code>\captionbelow</code> . 22024, 22029, 22786, 22791, 23551, 23556	<code>\cftchapfillnum</code> .. 24210	<code>\cftpartpresnum</code> ... ..... 24174, 24178
<code>\captionformat</code> .... .. 21912, 21944, 21955, 21966, 21977, 22673, 22705, 22716, 22727, 22738,	<code>\cftchapfont</code> ..... 24209	<code>\cftpnualign</code> .... 24144
	<code>\cftchapindent</code> .... . 24198, 24201, 24448	<code>\cftsecaftersnum</code> . 24229
	<code>\cftchapnumwidth</code> .. ..... 24204, 24449	<code>\cftsecaftersnumb</code> 24230
	<code>\cftchappresnum</code> .. 24205	<code>\cftsecfillnum</code> ... 24233
		<code>\cftsecfont</code> ..... 24232
		<code>\cftsecindent</code> 24221, 24224
		<code>\cftsecnumwidth</code> .. 24227
		<code>\cftsecpresnum</code> ... 24228
		<code>\cftsubfigaftersnum</code> ..... 24351
		<code>\cftsubfigaftersnumb</code> ..... 24352
		<code>\cftsubfigfillnum</code> 24355
		<code>\cftsubfigfont</code> ... 24354
		<code>\cftsubfigindent</code> .. ..... 24343, 24346
		<code>\cftsubfignumwidth</code> 24349
		<code>\cftsubfigpresnum</code> 24350
		<code>\cftsubparaaftersnum</code> ..... 24297
		<code>\cftsubparaaftersnumb</code> ..... 24298
		<code>\cftsubparafillnum</code> 24301
		<code>\cftsubparafont</code> .. 24300



<code>\cftsubparaindent</code> . . . . .	24289, 24292	<code>\chapterheadstartvskip</code> . . . . .	20243	<code>\cleardoublepage</code> . . . . .	8705, 8750, 8752, 8809, 8822, 8836, 9778, 11614
<code>\cftsubparanumwidth</code> . . . . .	24295	<code>\chaptermark</code> . . . . .	8826, 24106	<code>\clearpage</code> . . . . .	651, 667, 916, 1168, 6264, 6265, 6269, 6270, 7705, 8717, 8752, 8838, 9219, 9396, 9606, 9780, 11616, 20370, 20625, 21084, 21642, 22382, 23155, 24140
<code>\cftsubparapresnum</code> 24296		<code>\chaptername</code> . . . . .	318, 19078	<code>\clip</code> . . . . .	3431, 3454
<code>\cftsubsecaftersnum</code> . . . . .	24246	<code>\chapterstyle</code> . . . . .	19073	<code>\clist</code> . . . . .	6923, 6929, 6933, 6934, 6942, 6943, 6956, 6961, 6962, 6966, 6970, 6971, 6973, 6975, 7011, 7015, 7016, 7020, 7023, 7027, 7028, 7032, 7035, 7039, 7040, 7044, 7049, 7050, 7054
<code>\cftsubsecaftersnumb</code> . . . . .	24247	<code>\char</code> 4389, 4746, 4747, 6376		<code>\CloneTOCEntryStyle</code> . . . . .	22039, 22052, 22070, 22079, 22801, 22814, 22833, 22842, 23566, 23579, 23598, 23607
<code>\cftsubsecfillnum</code> 24250		<code>\chardef</code> . . . . .	6375, 16395, 18049, 18050, 18056, 18057	<code>\closing</code> . . . . .	11654
<code>\cftsubsecfont</code> . . . . .	24249	<code>\check@floats</code> . . . . .	10545	<code>\clubpenalty</code> . . . . .	92, 305, 630, 631, 764, 1027, 1277, 2677, 2678, 5256, 9037, 9299, 9487, 9797, 9798, 11361, 11633, 11634, 15536, 17877, 19686, 20473, 20867, 21062, 21063, 21265, 21266, 21805, 22566, 23331, 24078, 24079
<code>\cftsubsecindent</code> . . . . .	24238, 24241	<code>\CheckCommand</code> 17425, 17463		<code>\coffeeont</code> . . . . .	19434
<code>\cftsubsecnumwidth</code> 24244		<code>\checkoddpages</code> . . . . .	7321	<code>\col@number</code> . . . . .	132, 137, 139, 142, 143, 150, 497, 857, 1109, 1359, 9656, 11418, 11515, 11976, 11985, 12009, 15434
<code>\cftsubsecpresnum</code> 24245		<code>\CIIIAny</code> . . . . .	4764		
<code>\cftsubsubsecaftersnum</code> . . . . .	24263	<code>\ciiiiAny</code> . . . . .	4772		
<code>\cftsubsubsecaftersnumb</code> . . . . .	24264	<code>\circle</code> . . . . .	10009, 10012, 10019, 10022, 10032, 10035, 10042, 10045, 10055, 10058, 10065, 10068, 10078, 10081, 10088, 10091		
<code>\cftsubsubsecfillnum</code> . . . . .	24267	<code>\cite</code> . . . . .	8003, 8095, 8101, 8102, 8196, 8201, 8222, 8230, 8251, 8259, 8280, 8298, 8302, 8307, 8311, 8316, 8320, 19689, 19690		
<code>\cftsubsubsecfont</code> 24266		<code>\citeasnoun</code> . . . . .	19690		
<code>\cftsubsubsecindent</code> . . . . .	24255, 24258	<code>\citeN</code> . . . . .	19689		
<code>\cftsubsubsecnumwidth</code> . . . . .	24261	<code>\cites</code> . . . . .	8096		
<code>\cftsubsubsecpresnum</code> . . . . .	24262	<code>\cl@ckpt</code> . . . . .	23844		
<code>\cftsubsubtabaftersnum</code> . . . . .	24371	<code>\ClassInfo</code> . . . . .	8783, 8848, 21447, 21850, 21859, 22033, 22186, 22611, 22620, 22795, 22959, 23376, 23385, 23560		
<code>\cftsubsubtabaftersnumb</code> . . . . .	24372	<code>\ClassWarning</code> . . . . .	21620, 21627, 21649, 21655, 21662, 21923, 22360, 22367, 22389, 22395, 22402, 22684, 23133, 23140, 23162, 23168, 23175, 23449		
<code>\cftsubsubtabfillnum</code> 24375		<code>\ClassWarningNoLine</code> . . . . .	19129		
<code>\cftsubsubtabfont</code> . . . . .	24374	<code>\cleardoubleemptypage</code> . . . . .	21640, 22380, 23153		
<code>\cftsubsubtabindent</code> . . . . .	24363, 24366				
<code>\cftsubsubtabnumwidth</code> 24369					
<code>\cftsubsubtabpresnum</code> 24370					
<code>\cfttabaftersnum</code> . . . . .	24332				
<code>\cfttabaftersnumb</code> 24333					
<code>\cfttabfillnum</code> . . . . .	24336				
<code>\cfttabfont</code> . . . . .	24335				
<code>\cfttabindent</code> 24324, 24327					
<code>\cfttabnumwidth</code> . . . . .	24330				
<code>\cfttabpresnum</code> . . . . .	24331				
<code>\chapnumfont</code> . . . . .	20245				
<code>\chapter</code> . . . . .	8341, 8369, 8439, 8447, 8563, 8569, 9287, 9475, 9784, 11620, 15524, 20461, 20855, 21049, 21252				
<code>\chapterheadendvskip</code> . . . . .	20251				



15435,	15585,	12968,	12981,	\color@endbox ..	5013,
19036,	19376,	12995,	13083,		7825, 7869, 7913,
19458,	19463,	13113,	13129,		21368, 21378,
19537,	19538,	13144,	13156,		21396, 26375,
19540,	19543,	13171,	13211,		26419, 26540, 26556
19544,	19551,	13240,	13253,	\color@endgroup ...	
20566,	20707,	13267,	13280,	....	2028, 2306,
20951,	21133,	13294,	13382,		2323, 2340, 2356,
21675,	22415, 23188	13412,	13428,		2372, 2388, 8155,
\col@sep	391, 444, 9908,	13443,	13455,		8173, 8191, 9191,
	9909, 18193, 25902	13470,	13510,		11753, 11769,
\color	1607, 1610, 1647,	13539,	13552,		11784, 11800,
	1679, 1702, 1723,	13566,	13579,		11815, 11828,
	1744, 1790, 1931,	13593,	13681,		11841, 11853,
	1933, 1972, 2067,	13711,	13727,		11865, 11878,
	2735, 2740, 2815,	13742,	13754,		12097, 12200,
	2975, 3640, 4658,	13769,	13809,		12230, 12246,
	4659, 4660, 4661,	13838,	13851,		12261, 12273,
	4662, 4663, 5179,	13865,	13878,		12288, 12328,
	9953, 9956, 9959,	13892,	13980,		12357, 12370,
	9977, 9980, 10645,	14010,	14026,		12384, 12397,
	10648, 10658,	14041,	14053,		12411, 12499,
	10776, 18391, 25685	14068,	14108,		12528, 12543,
\color@	.... 25725, 25772	14137,	14150,		12557, 12568,
\color@b@x	.....	14164,	14177,		12582, 12621,
	9945, 9983, 9985,	14191,	14279,		12649, 12661,
	25678, 25775, 25778	14309,	14325,		12674, 12686,
\color@begingroup	.	14340,	14352,		12699, 12786,
	..... 1998,	14367,	14407,		12816, 12832,
	2303, 2320, 2337,	14436,	14449,		12847, 12859,
	2353, 2369, 2385,	14463,	14476,		12874, 12914,
	8151, 8169, 8187,	14490,	14578,		12943, 12956,
	9189, 9203, 11751,	14608,	14624,		12970, 12983,
	11767, 11782,	14639,	14651,		12997, 13085,
	11798, 11813,	14666,	14706,		13115, 13131,
	11826, 11839,	14735,	14748,		13146, 13158,
	11851, 11863,	14762,	14775,		13173, 13213,
	11876, 12198,	14789,	15075,		13242, 13255,
	12228, 12244,	15106,	15124,		13269, 13282,
	12259, 12271,	15140,	15154,		13296, 13384,
	12286, 12326,	15170,	15209,		13414, 13430,
	12355, 12368,	15239,	15253,		13445, 13457,
	12382, 12395,	15268,	15282,		13472, 13512,
	12409, 12497,	15297,	15376,		13541, 13554,
	12526, 12541,	15389,	16140,		13568, 13581,
	12555, 12566,	16157,	16173,		13595, 13683,
	12580, 12619,	16201,	16216,		13713, 13729,
	12647, 12659,	16231,	16243,		13744, 13756,
	12672, 12684,	16731,	16741,		13771, 13811,
	12697, 12784,	16748,	18267,		13840, 13853,
	12814, 12830,	18365,	26295,		13867, 13880,
	12845, 12857,	26311, 26322, 26330			13894, 13982,
	12872, 12912,	\color@block .	9950, 25683		14012, 14028,
	12941, 12954,	\color@box ..	9983, 25775		14043, 14055,



14070,	14110,	10473,	15713,	12951,	12965,
14139,	14152,	16640,	17885,	12978,	12992,
14166,	14179,	19256,	19373,	13208,	13237,
14193,	14281,	19466,	19512,	13250,	13264,
14311,	14327,	20363,	20618,	13277,	13291,
14342,	14354,	21077,	25640,	13507,	13536,
14369,	14409,	25645,	25649,	13549,	13563,
14438,	14451,	25655, 25658, 26226		13576,	13590,
14465,	14478,	\columnseprule . . . .		13806,	13835,
14492,	14580,	. . . . 99, 229, 643,		13848,	13862,
14610,	14626,	659, 908, 1160,		13875,	13889,
14641,	14653,	4607, 5089, 9211,		14105,	14134,
14668,	14708,	9388, 9598, 10165,		14147,	14161,
14737,	14750,	10230, 10462,		14174,	14188,
14764,	14777,	10481, 15705,		14404,	14433,
14791,	15077,	15746, 16584,		14446,	14460,
15108,	15126,	16631, 17885,		14473,	14487,
15142,	15156,	19246, 19348,		14703,	14732,
15172,	15211,	19491, 19502,		14745,	14759,
15241,	15255,	20362, 20617,		14772,	14786,
15270,	15284,	21076, 26217, 26266		14885,	14938,
15299,	15380,	\columnseprulecolor		14990,	15041,
15393,	16143,	. . . . . 19490, 19501		15205,	15235,
16160,	16176,	\columnwidth . . . . 28,		15249,	15264,
16204,	16219,	41, 55, 71, 242,		15278,	15293,
16234,	16264,	254, 268, 283, 578,		15517,	15521,
16734,	16744,	582, 778, 1012,		15704,	15706,
16751,	26299,	1258, 2296, 2313,		15710,	15714,
26314, 26326, 26333		2330, 2349, 2365,		15742,	15748,
\color@fb@x 25776, 25777		2381, 4301, 4307,		16046,	16049,
\color@fb@x . 9984, 25776		5003, 9313, 9466,		16051,	16136,
\color@hbox . . . . .		9736, 9740, 9848,		16153,	16169,
. . 21365, 21375,		10163, 10167,		16197,	16212,
21393, 26537, 26553		10171, 10175,		16227,	16245,
\color@setgroup . . .		10226, 10232,		16526,	16533,
. . . . . 9986, 25780		10460, 10464,		16580,	16586,
\color@vbox . . . . .		10469, 10474,		16629,	16633,
4991, 7816, 7860,		10476, 10483,		16637,	16641,
7904, 26366, 26410		10794, 10815,		16993,	16994,
\colorA . . 9564, 9573, 9585		11368, 11372,		17899,	17973,
\colorB . . . . . 9570,		11667, 11671,		17977,	18330,
9576, 9582, 9588		11676, 11718,		18368,	19244,
\colorblend . . 25692,		11748, 11764,		19248,	19252,
25693, 25735, 25736		11779, 11795,		19255,	19344,
\colorbox . . . . . 2051,		11810, 11823,		19350,	19373,
4819, 4821, 4822		11836, 11848,		19402,	19408,
\colorlet . . . . . 1895,		11860, 11873,		19570,	19574,
1900, 1970, 1971,		12323, 12352,		19578,	19582,
2000, 2002, 2991, 3031		12365, 12379,		20458,	20881,
\columncolor . . 1513, 9916		12392, 12406,		21031,	21035,
\columnsep 99, 229, 644,		12616, 12644,		21213,	21217,
660, 909, 1161,		12656, 12669,		21497,	21536,
4606, 5088, 9212,		12681, 12694,		21537,	22237,
9389, 9599, 10174,		12909, 12938,		22276,	22277,



23010,	23049,	12109,	12114,	12126,	12129,
23050,	26215,	12144,	12148,	12131,	18213,
26219,	26223,	12169,	12173,	23789,	23827, 26103
26227,	26262,	12443,	12447,	\crrc . . . . .	4885, 8987,
26268, 26458, 26460		12468,	12472,		23777, 23807,
\contentslabel .	8400,	12730,	12734,		25913, 25916, 26090
	8407, 8414, 8421, 8428	12755,	12759,	\CROP@llc . . . . .	10051
\contentsline . . . . .	17256	13029,	13033,	\CROP@lrc . . . . .	10074
\contentsmargin . . . . .	24042	13054,	13058,	\CROP@ulc . . . . .	10005
\contentspush . . . . .	24016	13328,	13332,	\CROP@urc . . . . .	10028
\convertcolorspec .		13353,	13357,	\CROP@exopt . . . . .	10098
	. . . . . 25699,	13627,	13631,	\cs . . . . .	6978, 6989,
	25702, 25742, 25745	13652,	13656,		6990, 6992, 7003,
\Coord . . . . .	4760	13926,	13930,		7004, 7006, 18159,
\coord . . . . .	4765	13951,	13955,		18504, 18555,
\CoordIII . . . . .	4762	14225,	14229,		18573, 18627,
\coordiii . . . . .	4767	14250,	14254,		18642, 18930,
\Coordn . . . . .	4761	14524,	14528,		18932, 19823, 19824
\coordn . . . . .	4766	14549,	14553,	\cs@a . . . . .	6461
\Coordx . . . . .	4757,	14861,	14868,	\csname 8, 44, 58, 74, 166,	
	4760, 4761, 4762,	14914,	14921,		168, 198, 213, 257,
	4763, 4764, 4765,	14970,	15021,		271, 286, 343, 344,
	4766, 4767, 4771, 4772	15425,	15434,		398, 1416, 2302,
\coordx . . . . .	4768	15818,	16546,		2319, 2336, 2352,
\Coordy . . . . .	4758,	16555,	16557,		2368, 2384, 2417,
	4760, 4761, 4762,	16604,	16606,		2443, 2469, 2488,
	4763, 4764, 4765,	16933,	16939,		2517, 4848, 4849,
	4766, 4767, 4771, 4772	26351, 26395, 26503			4863, 4864, 4890,
\coordy . . . . .	4769	\count@ . . . . .	1453,		4893, 4896, 4912,
\Coordz . . . . .	4759,		1512, 5420, 5425,		4920, 4928, 4983,
	4762, 4764, 4767, 4772		5436, 5440, 9914,		5270, 5273, 5276,
\coordz . . . . .	4770		19453, 19454,		5278, 5280, 5283,
\copy . . . . .	1948, 7812,		19456, 19458,		5286, 5294, 5295,
	7856, 7900, 9852,		19465, 19486,		5300, 5307, 5309,
	10143, 10206,		19487, 19489,		5311, 5312, 5313,
	10315, 10805,		19506, 19507,		5314, 5317, 5319,
	10826, 15687,		19510, 19795,		5323, 5325, 5354,
	15723, 16554,		19803, 19816, 23883		5355, 5378, 5379,
	16603, 16804,	\counterwithout	19074,		5406, 5427, 5431,
	16850, 18294,		19075, 19076, 19077		5442, 5446, 5450,
	18309, 18316,	\coverpagebottommargin			5454, 5465, 5473,
	19178, 19278,		. 21529, 22269, 23042		5481, 5489, 5491,
	20100, 20183,	\coverpageleftmargin			5493, 5497, 5498,
	20253, 25878,		. . 21524, 21525,		5562, 5604, 5614,
	26195, 26242,		21527, 22264,		5620, 5621, 5623,
	26362, 26406, 26469		22265, 22267,		5624, 5626, 5627,
\cor@height . . . . .	19201,		23037, 23038, 23040		5629, 5631, 5633,
	19202, 19229,	\coverpagerightmargin			5635, 5837, 5838,
	19230, 19269,		. 21527, 22267, 23040		5840, 5841, 5844,
	19301, 19302,	\coverpagetopmargin			5845, 5854, 5855,
	19329, 19330, 19366		. . . . . 21523,		5890, 5891, 5914,
\count . . . . .	4296, 4522,		21529, 22263,		5969, 5970, 5971,
	4986, 6694, 7801,		22269, 23036, 23042		5972, 5978, 5979,
	7845, 7889, 11977,	\cr 418, 8984, 8991, 9047,			5980, 5981, 6126,



6297, 6298, 6300,	13454,	13469,	17569,	17917,
6311, 6312, 6314,	13509,	13538,	19158,	19159,
6325, 6335, 6344,	13551,	13565,	19166,	21409,
6345, 6346, 6347,	13578,	13592,	21413,	21417,
6370, 6394, 6399,	13680,	13710,	21500,	21724,
6403, 6419, 6437,	13726,	13741,	22042,	22044,
6439, 6447, 6449,	13753,	13768,	22046,	22049,
6458, 6459, 6539,	13808,	13837,	22055,	22063,
6543, 6576, 6578,	13850,	13864,	22065,	22067,
6589, 6590, 6604,	13877,	13891,	22073,	22075,
6612, 6614, 6641,	13979,	14009,	22148,	22152,
6662, 6699, 6700,	14025,	14040,	22156,	22240,
6701, 6717, 6718,	14052,	14067,	22464,	22804,
6719, 6720, 7548,	14107,	14136,	22806,	22808,
7549, 7556, 7557,	14149,	14163,	22811,	22817,
8149, 8167, 8185,	14176,	14190,	22825,	22827,
8216, 8245, 8274,	14278,	14308,	22830,	22836,
8516, 9042, 9070,	14324,	14339,	22838,	22921,
9073, 9076, 9090,	14351,	14366,	22925,	22929,
9097, 9104, 9112,	14406,	14435,	23013,	23237,
9113, 9151, 9176,	14448,	14462,	23569,	23571,
9177, 9959, 9965,	14475,	14489,	23573,	23576,
9973, 9980, 11750,	14577,	14607,	23582,	23590,
11766, 11781,	14623,	14638,	23592,	23595,
11797, 11812,	14650,	14665,	23601,	23603,
11825, 11838,	14705,	14734,	23779,	23805,
11850, 11862,	14747,	14761,	23807,	23839,
11875, 12042,	14774,	14788,	23861,	23863,
12197, 12227,	15073,	15104,	23879,	23880,
12243, 12258,	15122,	15138,	23900,	23907,
12270, 12285,	15152,	15168,	24123,	24388,
12325, 12354,	15207,	15237,	24389,	24405,
12367, 12381,	15251,	15266,	24406,	24407,
12394, 12408,	15280,	15295,	24414,	24416,
12496, 12525,	15644,	15795,	24417,	24470,
12540, 12554,	15796,	15802,	24471,	24629,
12565, 12579,	15803,	15908,	24630,	24734,
12618, 12646,	15909,	15910,	24759,	24786,
12658, 12671,	15911,	15913,	24790,	24794,
12683, 12696,	15915,	15916,	24851,	24903,
12783, 12813,	15917,	15918,	24906,	24920,
12829, 12844,	15920,	15921,	24936,	24937,
12856, 12871,	15922,	15978,	24953,	24960,
12911, 12940,	16002,	16020,	24965,	24983,
12953, 12967,	16106,	16115,	24984,	24996,
12980, 12994,	16138,	16155,	24997,	25052,
13082, 13112,	16171,	16200,	25107,	25109,
13128, 13143,	16215,	16230,	25111,	25127,
13155, 13170,	16277,	16292,	25130,	25136,
13210, 13239,	17258,	17261,	25138,	25141,
13252, 13266,	17263,	17267,	25145,	25150,
13279, 13293,	17271,	17285,	25154,	25158,
13381, 13411,	17296,	17307,	25172,	25176,
13427, 13442,	17507,	17538,	25179,	25183,



25188, 25192,	10318, 10319,	10369, 10371, 10396
25197, 25199,	10407, 10465, 10477	\cuted@wlog@debug
25200, 25203,	\cuted@tempbox@c .	.. 10330, 10356,
25207, 25257,	.. 10318, 10319,	10358, 10367, 10371
25259, 25266,	10326, 10327,	\cvcomputer ..... 5211
25267, 25271,	10331, 10332,	\cvdoubleitem . 5188, 5212
25276, 25280,	10347, 10351,	\cventry ..... 5200
25291, 25292,	10361, 10377,	\cvlanguage ..... 5209
25296, 25302,	10395, 10406,	\cvline 5183, 5184, 5189,
25357, 25358,	10409, 10411, 10412	5193, 5195, 5201, 5210
25362, 25458,	\cuted@tempbox@var	\cvlistdoubleitem . 5194
25459, 25461,	. 10457, 10495, 10507	\cvlistitem ..... 5192
25464, 25465,	\cuted@tempdim@a .	\cvtheme ..... 5126, 5129
25469, 25943,	.. 10347, 10349,	
26008, 26092,	10351, 10353,	<b>D</b>
26153, 26166, 26168	10356, 10357,	\d ..... 18474
\CT@do@color ..... 9911	10358, 10408,	\dollarbegin .....
\CT@cell@color 1537, 9936	10420, 10426,	.. 391, 445, 1457,
\CT@color ..... 9910	10438, 10442,	1458, 1459, 1522,
\CT@column@color ..	10448, 10545,	1525, 1526, 9921,
..... 1535, 9934	10546, 10547, 10551	9924, 9925, 25902
\CT@do@color .....	\cuted@tempdim@b .	\dollarend .....
... 1538, 9911, 9937	..... 10311,	.. 392, 445, 1457,
\CT@extract .. 1513, 9916	10314, 10316,	1458, 1459, 1524,
\CT@row@color . 1536, 9935	10319, 10323,	1525, 1526, 9923,
\CT@setup ..... 1502,	10335, 10353,	9924, 9925, 25903
1503, 1505, 1506,	10377, 10385,	\dashgapcolor ..... 1517
1510, 1534, 9907, 9933	10391, 10398,	\date ... 485, 521, 834,
\cumpartcl ..... 20004	10407, 10409,	879, 1086, 1131,
\cuntcl ..... 20004	10434, 10437, 10439	1336, 1381, 4641,
\curraddr ..... 332	\cuted@tempdim@spread	8630, 8678, 9378,
\current@color ....	.. 10326, 10327,	9555, 9644, 9680,
.... 9952, 9958,	10328, 10329,	11406, 11440,
9965, 9973, 9979,	10336, 10340,	11503, 11539,
16373, 16378,	10343, 10346,	15573, 15607,
25684, 25721,	10347, 10349,	20543, 20588,
25722, 25726,	10354, 10365,	20684, 20731,
25755, 25756, 25773	10375, 10378,	20934, 20975,
\CurrentOption ....	10383, 10386,	21121, 21157,
8764, 8765, 8766,	10390, 10394,	21752, 22492, 23265
8767, 8768, 8788,	10411, 10413, 10415	\day ..... 3330
8789, 8790, 8791,	\cuted@varbox@a ..	\deadcycles .. 6281, 6284
8792, 10591, 10689	.. 10315, 10316,	\debug ..... 6987,
\currentposxwidth . 5834	10322, 10323,	6993, 7001, 7007
\currentposyheight 5851	10351, 10357,	\debugfootnotedirection
\CustomFBox ..... 16375	10360, 10368,	..... 15965
\cuted@column@badness	10437, 10470, 10484	\declare@file@substitution
..... 10338,	\cuted@varbox@c ..	... 7058, 7062, 7068
10339, 10352, 10363	..... 10322,	\DeclareCaptionFont 1877
\cuted@page@rule .	10323, 10328,	\DeclareCaptionJustification
..... 10418, 10419	10329, 10333,	..... 1882
\cuted@tempbox@a .	10334, 10357,	\DeclareOption ....
..... 10279,	10360, 10364,	.... 5018, 5021,
10289, 10316,	10367, 10368,	5024, 5027, 5030,



5033, 5036, 5041,	882, 1029, 1041,	4772, 4777, 4788,
5042, 5043, 5044,	1042, 1050, 1089,	4819, 4820, 4821,
5045, 5047, 7226,	1090, 1092, 1097,	4822, 4829, 4835,
7228, 7230, 7233,	1099, 1104, 1105,	4841, 4849, 4854,
7238, 8335, 8336,	1134, 1279, 1291,	4856, 4864, 4869,
8594, 8595, 8620,	1292, 1300, 1339,	4870, 4885, 4889,
8621, 8764, 8765,	1340, 1342, 1347,	4892, 4895, 4900,
8766, 8767, 8768,	1349, 1354, 1356,	4903, 4906, 4910,
8788, 8789, 8790,	1384, 1404, 1414,	4918, 4926, 4933,
8791, 8792, 10581,	1415, 1418, 1424,	4935, 4936, 4938,
10583, 10585,	1452, 1465, 1466,	5007, 5101, 5102,
10587, 10589,	1469, 1482, 1490,	5103, 5104, 5105,
10590, 10679,	1498, 1499, 1502,	5106, 5108, 5109,
10681, 10683,	1503, 1506, 1511,	5127, 5128, 5131,
10685, 10687, 10688	1984, 1997, 2067,	5132, 5133, 5134,
<code>\DeclareRobustCommand</code>	2110, 2111, 2187,	5135, 5136, 5137,
4745, 4746, 4747,	2198, 2207, 2214,	5138, 5139, 5140,
4748, 4749, 4750,	2216, 2228, 2236,	5141, 5142, 5143,
4751, 7561, 7568,	2246, 2255, 2256,	5259, 5328, 5348,
9953, 9968, 15761,	2258, 2268, 2277,	5349, 5352, 5358,
15771, 25685,	2278, 2281, 2282,	5361, 5372, 5373,
25728, 26057,	2283, 2286, 2287,	5376, 5382, 5385,
26066, 26067,	2288, 2404, 2405,	5396, 5398, 5401,
26068, 26069, 26075	2406, 2411, 2415,	5405, 5411, 5419,
<code>\DeclareSectionCommand</code>	2430, 2431, 2432,	5426, 5427, 5431,
..... 22081,	2437, 2441, 2456,	5435, 5441, 5442,
22091, 22099,	2457, 2458, 2463,	5446, 5450, 5454,
22109, 22119,	2467, 2478, 2482,	5459, 5467, 5475,
22130, 22844,	2601, 2612, 2621,	5483, 5490, 5492,
22852, 22863,	2632, 2646, 2681,	5592, 5600, 5621,
22872, 22882,	2688, 2694, 2698,	5629, 5636, 5637,
22892, 22903,	2758, 2781, 2801,	5643, 5645, 5646,
23609, 23617,	3317, 3319, 3374,	5647, 5648, 5650,
23628, 23637,	3382, 3653, 4056,	5869, 5871, 5873,
23647, 23657, 23668	4057, 4058, 4150,	5879, 5883, 5886,
<code>\DeclareTOCEntryStyle</code>	4154, 4288, 4290,	5895, 5906, 5908,
. 24455, 24616, 24866	4291, 4346, 4351,	5909, 5920, 5993,
<code>\dedication</code> .....	4356, 4361, 4451,	6012, 6044, 6045,
. 21751, 22491, 23264	4453, 4454, 4455,	6046, 6057, 6063,
<code>\dedicatory</code> .....	4488, 4505, 4513,	6066, 6067, 6079,
..... 333	4514, 4515, 4516,	6091, 6095, 6098,
<code>\def</code> .....	4517, 4523, 4524,	6111, 6120, 6151,
2, 23, 26, 30,	4531, 4547, 4555,	6179, 6182, 6183,
34, 48, 64, 95, 98,	4556, 4557, 4558,	6191, 6192, 6228,
107, 108, 109, 110,	4559, 4560, 4563,	6243, 6270, 6287,
122, 132, 133, 135,	4566, 4570, 4581,	6344, 6345, 6346,
207, 228, 237, 238,	4582, 4585, 4594,	6347, 6356, 6376,
239, 240, 244, 247,	4599, 4624, 4625,	6385, 6392, 6399,
261, 276, 308, 311,	4753, 4754, 4755,	6403, 6408, 6413,
323, 329, 346, 355,	4757, 4758, 4759,	6418, 6420, 6423,
360, 362, 387, 394,	4760, 4761, 4762,	6426, 6434, 6435,
400, 435, 444, 445,	4763, 4764, 4765,	6437, 6439, 6440,
492, 493, 524, 588,	4766, 4767, 4768,	6447, 6449, 6450,
634, 766, 789, 790,	4769, 4770, 4771,	6457, 6458, 6459,
798, 837, 838, 840,		
845, 847, 852, 854,		





6460, 6461, 6465,  
6466, 6468, 6469,  
6471, 6477, 6483,  
6501, 6502, 6507,  
6512, 6517, 6523,  
6528, 6539, 6543,  
6549, 6552, 6566,  
6568, 6570, 6571,  
6573, 6574, 6575,  
6577, 6579, 6581,  
6583, 6584, 6589,  
6590, 6591, 6592,  
6593, 6598, 6599,  
6606, 6608, 6611,  
6616, 6618, 6624,  
6625, 6626, 6627,  
6631, 6634, 6636,  
6637, 6641, 6643,  
6644, 6647, 6657,  
6699, 6700, 6701,  
6704, 6714, 6721,  
6723, 6728, 6740,  
6747, 6749, 6753,  
6754, 6761, 6763,  
6766, 6771, 6778,  
6780, 7086, 7096,  
7104, 7268, 7359,  
7380, 7384, 7397,  
7477, 7546, 7564,  
7570, 7607, 7732,  
7734, 7735, 7736,  
7745, 7747, 7748,  
7749, 7753, 7755,  
7761, 7762, 7789,  
7803, 7806, 7810,  
7814, 7827, 7833,  
7847, 7850, 7854,  
7858, 7871, 7877,  
7891, 7894, 7898,  
7902, 7915, 7967,  
7982, 7987, 8113,  
8115, 8143, 8161,  
8179, 8200, 8229,  
8258, 8478, 8515,  
8523, 8752, 8890,  
8891, 8893, 8911,  
8912, 8915, 8925,  
8926, 8927, 8928,  
8934, 8937, 8948,  
8949, 8950, 8960,  
8986, 8990, 8997,  
9019, 9038, 9039,  
9040, 9046, 9069,  
9072, 9075, 9079,

9082, 9085, 9088,  
9095, 9102, 9112,  
9113, 9114, 9124,  
9128, 9131, 9136,  
9137, 9138, 9140,  
9149, 9155, 9176,  
9177, 9301, 9333,  
9334, 9342, 9489,  
9510, 9511, 9519,  
9559, 9579, 9651,  
9652, 9683, 9754,  
9768, 9801, 9805,  
9817, 9830, 9837,  
9841, 9844, 9907,  
9910, 9913, 9945,  
9952, 9955, 9962,  
9970, 9976, 9983,  
9984, 9986, 10102,  
10115, 10118,  
10119, 10124,  
10131, 10136,  
10140, 10203,  
10262, 10264,  
10266, 10788,  
10792, 10795,  
10813, 10816,  
10834, 10891,  
11068, 11132,  
11159, 11161,  
11166, 11197,  
11198, 11271,  
11320, 11363,  
11413, 11414,  
11443, 11510,  
11511, 11542,  
11589, 11604,  
11637, 11675,  
11717, 11744,  
11760, 11775,  
11791, 11806,  
11821, 11834,  
11846, 11858,  
11871, 11898,  
11899, 11900,  
11908, 11909,  
11910, 11975,  
11981, 11999,  
12005, 12085,  
12193, 12223,  
12239, 12254,  
12266, 12281,  
12321, 12350,  
12363, 12377,  
12390, 12404,

12415, 12421,  
12427, 12432,  
12492, 12521,  
12536, 12550,  
12561, 12575,  
12614, 12642,  
12654, 12667,  
12679, 12692,  
12702, 12708,  
12714, 12719,  
12779, 12809,  
12825, 12840,  
12852, 12867,  
12907, 12936,  
12949, 12963,  
12976, 12990,  
13001, 13007,  
13013, 13018,  
13078, 13108,  
13124, 13139,  
13151, 13166,  
13206, 13235,  
13248, 13262,  
13275, 13289,  
13300, 13306,  
13312, 13317,  
13377, 13407,  
13423, 13438,  
13450, 13465,  
13505, 13534,  
13547, 13561,  
13574, 13588,  
13599, 13605,  
13611, 13616,  
13676, 13706,  
13722, 13737,  
13749, 13764,  
13804, 13833,  
13846, 13860,  
13873, 13887,  
13898, 13904,  
13910, 13915,  
13975, 14005,  
14021, 14036,  
14048, 14063,  
14103, 14132,  
14145, 14159,  
14172, 14186,  
14197, 14203,  
14209, 14214,  
14274, 14304,  
14320, 14335,  
14347, 14362,  
14402, 14431,



14444,	14458,	16689,	16777,	19032,	19034,
14471,	14485,	16785,	16791,	19084,	19086,
14496,	14502,	16800,	16802,	19134,	19145,
14508,	14513,	16818,	16829,	19156,	19175,
14573,	14603,	16830,	16832,	19275,	19372,
14619,	14634,	16845,	16846,	19380,	19413,
14646,	14661,	16848,	16864,	19425,	19437,
14701,	14730,	16866,	16869,	19451,	19484,
14743,	14757,	16871,	16872,	19498,	19533,
14770,	14784,	16887,	16894,	19537,	19568,
14795,	14801,	16954,	16955,	19572,	19576,
14807,	14812,	16956,	16957,	19580,	19584,
14844,	14849,	16966,	16968,	19586,	19694,
15069,	15100,	17004,	17256,	19708,	19710,
15118,	15134,	17283,	17294,	19717,	19723,
15148,	15164,	17305,	17316,	19811,	19863,
15203,	15233,	17326,	17337,	19867,	19871,
15247,	15262,	17348,	17359,	19873,	19889,
15276,	15291,	17374,	17389,	19901,	19915,
15309,	15320,	17406,	17432,	19965,	19971,
15334,	15343,	17449,	17457,	19978,	20097,
15420,	15424,	17470,	17487,	20098,	20100,
15433,	15437,	17495,	17503,	20101,	20107,
15495,	15507,	17520,	17528,	20108,	20109,
15538,	15580,	17534,	17551,	20119,	20129,
15581,	15610,	17559,	17565,	20137,	20145,
15641,	15684,	17582,	17590,	20146,	20147,
15720,	15794,	17598,	17612,	20148,	20149,
15806,	15854,	17616,	17630,	20150,	20155,
15958,	16044,	17638,	17645,	20156,	20159,
16048,	16050,	17653,	17656,	20161,	20162,
16052,	16054,	17659,	17693,	20163,	20164,
16056,	16058,	17725,	17754,	20166,	20167,
16059,	16061,	17781,	17784,	20180,	20186,
16065,	16074,	17786,	17789,	20193,	20194,
16076,	16083,	17798,	17799,	20195,	20196,
16084,	16101,	17880,	17884,	20197,	20306,
16104,	16110,	17893,	17894,	20327,	20333,
16113,	16121,	17895,	17897,	20353,	20354,
16122,	16123,	17901,	17903,	20475,	20498,
16129,	16146,	17908,	17911,	20499,	20507,
16162,	16190,	17932,	17944,	20546,	20547,
16205,	16220,	18082,	18098,	20549,	20554,
16235,	16241,	18099,	18131,	20556,	20561,
16247,	16254,	18132,	18136,	20563,	20591,
16267,	16271,	18138,	18151,	20637,	20638,
16275,	16281,	18173,	18178,	20646,	20687,
16286,	16290,	18179,	18180,	20688,	20690,
16369,	16383,	18187,	18236,	20695,	20697,
16385,	16387,	18265,	18277,	20702,	20704,
16389,	16397,	18280,	18283,	20734,	20756,
16502,	16512,	18334,	18341,	20869,	20898,
16543,	16551,	18352,	18360,	20900,	20941,
16600,	16653,	18426,	18427,	20943,	20978,



21066,	21128,	25767,	25771,	1660, 1667, 1690,
21129,	21160,	25775,	25776,	1711, 1732, 1759,
21231,	21243,	25777,	25780,	1765, 1769, 1781,
21269,	21273,	25785,	25791,	1799, 1805, 1818,
21316,	21363,	25792,	25793,	1827, 1836, 1847,
21366,	21373,	25803,	25813,	1862, 2839, 2842,
21376,	21384,	25822,	25833,	2860, 2861, 2862,
21391,	21394,	25834,	25843,	2866, 2873, 2880,
21421,	21451,	25844,	25853,	2889, 2908, 2923,
21453,	21482,	25854,	25859,	2938, 2955, 2960,
21502,	21756,	25860,	25863,	3029, 3108, 3112,
21757,	21809,	25865,	25866,	3139, 3148, 3151,
21816,	21842,	25867,	25868,	3160, 3163, 3172,
22005,	22022,	25870,	25872,	3200, 3332, 3409,
22024,	22160,	25874,	25875,	3481, 3507, 3558,
22190,	22192,	25898,	25900,	3594, 3624, 3672,
22222,	22242,	25905,	25907,	3706, 3742, 3798,
22496,	22570,	25913,	25915,	3837, 3886, 3933, 3979
22577,	22603,	25922,	25924,	<code>\deffootnote</code> . . 21419,
22767,	22784,	25927,	25929,	21484, 22158,
22786,	22933,	25930,	25931,	22224, 22931, 22997
22963,	22965,	25932,	25934,	<code>\define@choicekey</code> .
22995,	23015,	25944,	25981,	. . . . . 25478, 25486
23269,	23335,	26047,	26060,	<code>\define@key</code> . 2687, 25476
23342,	23368,	26063,	26070,	<code>\definecolor</code> . . . 4648,
23532,	23549,	26072,	26085,	4649, 4650, 4651,
23551,	23700,	26090,	26093,	4652, 4653, 5100,
23702,	23707,	26113,	26116,	5107, 10595,
23709,	23712,	26126,	26127,	10600, 10603,
23716,	23733,	26128,	26129,	10604, 10605,
23754,	23757,	26130,	26150,	10607, 10608,
23772,	23777,	26152,	26185,	10611, 10612,
23780,	23803,	26192,	26239,	10614, 10615,
23807,	23811,	26339,	26353,	10618, 10619,
23821,	23837,	26356,	26360,	10621, 10622,
23843,	23851,	26364,	26377,	10625, 10626,
23872,	23881,	26383,	26397,	10628, 10629,
23882,	23898,	26400,	26404,	10632, 10633,
23902,	23905,	26408,	26421,	10698, 10699,
23909,	23912,	26427,	26467,	10704, 10705,
23942,	23987,	26471,	26472,	10710, 10711,
24021,	24043,	26473,	26474,	10716, 10717,
24049,	24052,	26484,	26570,	10722, 10723, 11264
24054,	24057,	26582,	26583,	<code>\DefineTOCEntryCommandOption</code>
24082,	24789,	26585, 26756, 26758		. . . . . 24877,
24813,	25424,	<code>\default@color</code> . . . .		24879, 24881,
25445,	25447,	. . . . . 9952, 25684		24885, 24887,
25603,	25646,	<code>\DefaultOptionsFile</code>		24889, 24891, 24893
25649,	25655,	. 17982, 17984, 17987		<code>\DefineTOCEntryIfOption</code>
25659,	25678,	<code>\defbeamertemplate</code>		. . . . . 24869,
25684,	25687,	. . . . . 1577,		24871, 24875, 24911
25709,	25718,	1580, 1584, 1587,		<code>\DefineTOCEntryLengthOption</code>
25724,	25730,	1590, 1601, 1615,		. . 24456, 24458,
25752,	25758,	1618, 1637, 1655,		24617, 24867,



24883, 24895,	\dfn@elt@adjust ...	\DFNalwaysdouble . 10946
24897, 24913, 24915	..... 10872, 10924	\DFNcolumnsep .....
\DefineTOCEntryListOption	\dfn@elt@getht ....	. 10855, 10868, 10912
..... 24873	..... 10837, 10894	\DFNcolumnwidth ...
\DefineTOCEntryOption	\dfn@fnht .... 10808,	.. 10789, 10794,
..... 24899	10829, 10870,	10815, 10854,
\DefNewDummy .. 6483, 6500	10873, 10879,	10856, 10859,
\delimiter .....	10880, 10881,	10869, 10911, 10913
\DEPTH .....	10922, 10925,	\diagbox@double ...
\depth .....	10931, 10932, 10933	..... 10948, 10951
18975, 18982, 19007	\dfn@fnmaxdp .. 10796,	\diagbox@double@pict@NE
\depthof .....	10801, 10806,	..... 11022, 11029
11144, 11153,	10817, 10822,	\diagbox@double@pict@NW
11154, 11158, 11163	10827, 10849,	..... 11021
\descriptionlabel . 8556	10852, 10906, 10909	\diagbox@double@pict@SE
\DetectColumn 26156, 26160	\dfn@footnoterule .	..... 11014, 11021
\detokenize .....	..... 10890, 10942	\diagbox@double@pict@SW
5598, 5600, 6044,	\dfn@footnotetext 10791	..... 11029
6046, 6047, 6066,	\dfn@gobble 10793, 10814	\diagbox@font .....
6081, 6098, 6101,	\dfn@ins .....	.. 10949, 10952,
6109, 6111, 6182, 6183	10801, 10803,	10956, 10958,
\dfn@afteroutput ..	10805, 10822,	10963, 10965,
..... 10883,	10823, 10824,	10969, 10972,
10886, 10935, 10938	10826, 10840,	10975, 10979,
\dfn@boxa .... 10792,	10841, 10897, 10898	10981, 10985, 10987
10797, 10800,	\dfn@latex@footnotetext	\diagbox@ht .. 11016,
10804, 10805,	..... 10790	11019, 11024, 11027
10806, 10813,	\dfn@latex@LTRfootnotetext	\diagbox@insepl 10949,
10818, 10821,	..... 10796, 10811	10956, 10958,
10825, 10826,	\dfn@latex@makecol	10969, 10972,
10827, 10840,	..... 10889, 10941	10979, 10981,
10847, 10850,	\dfn@latex@RTLfootnotetext	10991, 11001, 11003
10852, 10859,	..... 10817, 10832	\diagbox@insepr 10952,
10867, 10897,	\dfn@list .... 10810,	10963, 10965,
10904, 10907,	10831, 10838,	10975, 10985,
10909, 10913, 10921	10871, 10873,	10987, 10994,
\dfn@boxb .... 10806,	10876, 10882,	10997, 11008, 11010
10827, 10844,	10895, 10923,	\diagbox@setlinecolor
10845, 10852,	10925, 10928, 10934	..... 11015,
10857, 10901,	\dfn@LTRfootnotetext	11018, 11023,
10902, 10909, 10912	..... 10792, 10812	11026, 11031,
\dfn@countins 10836, 10893	\dfn@LTRmakecol ...	11035, 11040,
\dfn@dima .... 10797,	. 10891, 10943, 10945	11044, 11049,
10798, 10799,	\dfn@makecol .....	11053, 11058, 11062
10810, 10818,	. 10943, 10944, 10945	\diagbox@triple@pict@NE
10819, 10820,	\dfn@makefnmark ...	..... 11039
10831, 10835,	..... 10795, 10816	\diagbox@triple@pict@NW
10852, 10872,	\dfn@RTLfootnotetext	..... 11030
10892, 10909, 10924	..... 10813, 10833	\diagbox@triple@pict@SE
\dfn@dimb .... 10872,	\dfn@RTLmakecol ...	..... 11057
10873, 10875,	. 10834, 10943, 10944	\diagbox@triple@pict@SW
10876, 10878,	\dfn@split ... 10806,	..... 11048
10924, 10925,	10827, 10840,	\diagbox@triple@setbox@NE
10927, 10928, 10930	10852, 10897, 10909	..... 11013



<code>\diagbox@triple@setbox@NW</code>	16453, 16460,	26034, 26035,
..... 10968,	16461, 16462,	26036, 26041,
10971, 10974, 10989	16463, 18290,	26043, 26044, 26045
<code>\diagbox@triple@setbox@SE</code>	18291, 18292,	<code>\disable@package@load</code>
..... 10990,	18293, 19587,	..... 6952
10993, 10996, 11013	19588, 20168,	<code>\display@setup</code> 9806,9831
<code>\diagbox@triple@setbox@SW</code>	20173, 23735,	<code>\displayindent</code> ... 9847
..... 10989	23737, 23743,	<code>\displaystyle</code> 15768,15784
<code>\diagbox@wd</code> .. 11016,	23749, 25617,	<code>\displaywidth</code> .. 9847,
11019, 11024, 11027	25618, 25619,	11135, 11137,
<code>\DigitsDotDashInterCharToks</code>	25620, 25621,	11142, 15787, 17955
..... 4388, 4389	25622, 25681, 25682	<code>\divide</code> 2524,2526,2535,
<code>\dim</code> ... 18649,18650,	<code>\dimen@i</code> ... 23736,	2537, 4332, 4551,
18973, 18974, 18975	23737, 23742, 23748	6809, 8898, 11985,
<code>\dimen</code> 4295, 4521, 11968,	<code>\dimen@ii</code> ... 16455,	12009, 12133,
12110, 12115,	16456, 16457,	14886, 14887,
12132, 12133,	16463, 16465,	14939, 14940,
12134, 12143,	16468, 16469, 16470	14991, 14992,
12147, 12168,	<code>\dimexpr</code> . 28, 242, 778,	15042, 15043,
12172, 12442,	1012, 1258, 2499,	15656, 15657,
12446, 12467,	2920, 2935, 2950,	16793, 16794,
12471, 12729,	3253, 3255, 3259,	20012, 20013, 23817
12733, 12754,	3261, 3370, 3379,	<code>\do</code> . 329, 330, 331, 332,
12758, 13028,	3387, 5549, 5552,	333, 334, 4960,
13032, 13053,	5840, 5844, 5854,	8008, 8013, 8027,
13057, 13327,	5863, 9313, 9466,	8032, 8046, 8051,
13331, 13352,	10284, 10346,	8074, 8083, 10120,
13356, 13626,	10347, 10349,	15644, 24738, 25134
13630, 13651,	10375, 10384,	<code>\do@chvFloat</code> ... 16954
13655, 13925,	10408, 10438,	<code>\document</code> ... 6224, 6240
13929, 13950,	17899, 18397,	<code>\documentclass</code> ...
13954, 14224,	18406, 19373,	..... 16700, 16710
14228, 14249,	19582, 20458,	<code>\doloopbody</code> 6669, 6670,
14253, 14523,	20881, 21441,	6714, 6787, 6794,
14527, 14548,	21487, 21494,	6801, 6804, 6806,
14552, 14860,	21497, 21523,	6810, 6812, 6814, 6818
14867, 14913,	21524, 21525,	<code>\donotcoloroutermaths</code>
14920, 14969,	21526, 21528,	... 2860, 2861, 2862
15020, 16547,	22180, 22227,	<code>\doubleitemmaincolumnwidth</code>
19470, 19477,	22234, 22237,	5149, 5162, 5163,
19478, 19486,	22263, 22264,	5164, 5165, 5189, 5191
19487, 19492,	22265, 22266,	<code>\doublerulesepcolor</code> 1516
19493, 19506,	22268, 22953,	<code>\downto</code> value ... 6667,
19507, 19514,	23000, 23007,	6679, 6761, 6800
19515, 26476, 26479	23010, 23036,	<code>\dp</code> ... 40, 54, 70,
<code>\dimen@</code> ... 9948,	23037, 23038,	253, 267, 282, 405,
9949, 15363,	23039, 23041,	1509, 1917, 1922,
15365, 16405,	24603, 24816,	2031, 2116, 2120,
16406, 16407,	24824, 24833,	2140, 2151, 2169,
16417, 16418,	24835, 26014,	2180, 2220, 2224,
16419, 16422,	26016, 26017,	2231, 2506, 2510,
16423, 16424,	26018, 26023,	2554, 2964, 4320,
16430, 16440,	26025, 26026,	4538, 9949, 9950,
16442, 16451,	26027, 26032,	10284, 10327,



10329, 10332,  
10334, 10395,  
10396, 10411,  
10413, 10797,  
10818, 10845,  
10864, 10866,  
10902, 10918,  
10920, 11138,  
11143, 11156,  
11162, 11276,  
11281, 11285,  
11288, 11973,  
14825, 15363,  
15371, 15428,  
15655, 15668,  
16135, 16152,  
16168, 16660,  
16665, 16765,  
16806, 16807,  
16810, 16852,  
16853, 16856,  
18198, 18405,  
18408, 19470,  
19486, 19487,  
19492, 19493,  
19506, 19507,  
19514, 19515,  
19992, 19993,  
19994, 20168,  
21282, 21324,  
21327, 21381,  
21388, 21892,  
21894, 21988,  
21990, 22653,  
22655, 22749,  
22751, 23418,  
23420, 23514,  
23516, 23784,  
23819, 23831,  
23945, 23947,  
25673, 25682,  
25683, 26098,  
26448, 26455, 26542

`\dquad` . . . . . 9839, 9841

`\draw` . . . . . 25497,  
25504, 25508,  
25531, 25541,  
25549, 25552,  
25555, 25558,  
25570, 25575,  
25582, 25588, 25589

`\dseries@display@setup`  
. . . . . 9831

**E**

`\edef` . . . . . 123,  
369, 1431, 1485,  
1493, 2405, 2406,  
2431, 2432, 2457,  
2458, 2483, 2541,  
4194, 4221, 4458,  
4485, 4847, 4862,  
4890, 4893, 4896,  
5297, 5335, 5338,  
5351, 5355, 5362,  
5375, 5379, 5386,  
5596, 5599, 5633,  
5656, 5684, 5710,  
5738, 5764, 5801,  
5927, 5928, 5931,  
5932, 5949, 5950,  
5953, 5954, 6043,  
6048, 6058, 6065,  
6068, 6081, 6085,  
6090, 6097, 6100,  
6107, 6110, 6116,  
6119, 6175, 6181,  
6184, 6346, 6387,  
6397, 6475, 6484,  
6546, 6601, 6604,  
6631, 6634, 6638,  
6722, 6727, 6728,  
6750, 6755, 6767,  
6772, 6966, 7090,  
7977, 8122, 8133,  
9070, 9073, 9076,  
11188, 11191,  
11986, 12010,  
12028, 15325,  
15795, 15802,  
15907, 15909,  
15910, 15911,  
15995, 16016,  
16303, 16309,  
16437, 17426,  
17433, 17464,  
17471, 17504,  
17535, 17566,  
17945, 18278,  
18281, 19706,  
19858, 19877,  
19880, 19906,  
20342, 21278,  
21321, 21514,  
21794, 21849,  
21858, 22254,  
22555, 22610,  
22619, 23027,

23320, 23375,  
23384, 23787,  
23812, 23826,  
23844, 23899,  
23906, 23919,  
24388, 24737,  
24759, 24920,  
24953, 24960,  
24965, 25052,  
25203, 25239,  
25343, 25456,  
25693, 25698,  
25707, 25722,  
25726, 25736,  
25741, 25750,  
25756, 25769,  
25773, 26000,  
26101, 26165, 26179

`\EdefEscapeName` . . 17757

`\egroup` . . . . . 179,  
185, 396, 436, 439,  
440, 688, 1247,  
1414, 1415, 1532,  
2028, 2256, 2268,  
2270, 2607, 2629,  
2652, 3115, 3122,  
3128, 3134, 3500,  
3645, 3681, 3689,  
3720, 3757, 4885,  
4886, 5011, 8987,  
9191, 9850, 9931,  
12098, 15773,  
15774, 15788,  
16265, 16477,  
16481, 18304,  
18310, 19381,  
19949, 19959,  
19980, 20111,  
20117, 20121,  
20127, 20131,  
20135, 20139,  
20143, 20391,  
20841, 23777,  
23778, 23803,  
23809, 25343,  
25795, 25801,  
25805, 25811,  
25815, 25820,  
25824, 25829,  
25905, 25913,  
25914, 26090, 26091

`\EightColumnFootnotes`  
. . . . . 13943

`\eightcolumnfootnotes`



. . . . . 13918  
 \eject 16408, 16477, 16497  
 \else . . . . . 4, 12,  
 13, 25, 36, 87, 104,  
 116, 134, 136, 151,  
 155, 159, 167, 175,  
 182, 191, 209, 217,  
 218, 234, 249, 300,  
 315, 319, 350, 363,  
 364, 365, 367, 368,  
 371, 372, 373, 375,  
 376, 377, 378, 379,  
 382, 383, 384, 421,  
 428, 488, 499, 502,  
 551, 568, 571, 572,  
 592, 595, 609, 613,  
 619, 640, 651, 656,  
 667, 671, 679, 683,  
 684, 688, 692, 695,  
 696, 701, 712, 723,  
 737, 740, 741, 744,  
 754, 801, 810, 818,  
 842, 846, 848, 859,  
 862, 905, 916, 919,  
 922, 923, 929, 939,  
 942, 943, 946, 956,  
 967, 978, 986, 990,  
 999, 1017, 1053,  
 1062, 1070, 1094,  
 1098, 1100, 1111,  
 1114, 1157, 1168,  
 1172, 1175, 1178,  
 1179, 1184, 1195,  
 1206, 1221, 1224,  
 1225, 1228, 1238,  
 1242, 1243, 1247,  
 1267, 1303, 1312,  
 1320, 1344, 1348,  
 1350, 1361, 1364,  
 1401, 1406, 1407,  
 1420, 1425, 1426,  
 1427, 1429, 1430,  
 1433, 1434, 1435,  
 1437, 1438, 1439,  
 1440, 1441, 1442,  
 1443, 1446, 1447,  
 1448, 1468, 1469,  
 1470, 1471, 1472,  
 1473, 1475, 1476,  
 1477, 1478, 1479,  
 1552, 1560, 1643,  
 1673, 1696, 1717,  
 1738, 1915, 1932,  
 1953, 1991, 2003,

2030, 2031, 2041,  
 2047, 2080, 2088,  
 2097, 2105, 2143,  
 2172, 2257, 2272,  
 2293, 2343, 2346,  
 2414, 2440, 2466,  
 2493, 2507, 2529,  
 2546, 2570, 2622,  
 2663, 2703, 2730,  
 2733, 2738, 2745,  
 2763, 2786, 2806,  
 2822, 2830, 2849,  
 3009, 3056, 3120,  
 3126, 3132, 3209,  
 3227, 3239, 3246,  
 3257, 3317, 3319,  
 3353, 3419, 3436,  
 3442, 3446, 3452,  
 3458, 3462, 3466,  
 3513, 3520, 3543,  
 3571, 3611, 3628,  
 3635, 3646, 3656,  
 3695, 3710, 3717,  
 3735, 3758, 3807,  
 3818, 3828, 3849,  
 3856, 3904, 3913,  
 3923, 3944, 3951,  
 3986, 3995, 4006,  
 4014, 4025, 4039,  
 4230, 4236, 4242,  
 4280, 4282, 4291,  
 4302, 4305, 4308,  
 4398, 4401, 4427,  
 4439, 4492, 4506,  
 4508, 4517, 4527,  
 4831, 4837, 4843,  
 4858, 4941, 4949,  
 4954, 4964, 5203,  
 5204, 5205, 5207,  
 5243, 5310, 5316,  
 5337, 5340, 5359,  
 5367, 5383, 5391,  
 5407, 5494, 5502,  
 5508, 5514, 5520,  
 5526, 5532, 5538,  
 5544, 5557, 5565,  
 5569, 5575, 5583,  
 5587, 5609, 5616,  
 5669, 5694, 5723,  
 5748, 5780, 5814,  
 5843, 5878, 6074,  
 6408, 6421, 6422,  
 6435, 6436, 6438,  
 6440, 6448, 6450,

6472, 6486, 6539,  
 6543, 6549, 6555,  
 6595, 6764, 6773,  
 7117, 7148, 7167,  
 7183, 7325, 7331,  
 7526, 7529, 7532,  
 7535, 7565, 7793,  
 7799, 7831, 7837,  
 7843, 7881, 7887,  
 8066, 8463, 8464,  
 8752, 8837, 8890,  
 8903, 8912, 9002,  
 9023, 9048, 9121,  
 9141, 9142, 9157,  
 9162, 9166, 9208,  
 9219, 9223, 9226,  
 9229, 9230, 9235,  
 9246, 9255, 9269,  
 9272, 9273, 9277,  
 9289, 9345, 9354,  
 9362, 9385, 9396,  
 9400, 9403, 9406,  
 9407, 9412, 9423,  
 9432, 9446, 9449,  
 9450, 9454, 9477,  
 9522, 9531, 9539,  
 9561, 9572, 9574,  
 9595, 9606, 9647,  
 9658, 9661, 9710,  
 9725, 9728, 9729,  
 9756, 9770, 9779,  
 9786, 9809, 9839,  
 9865, 9890, 9897,  
 9946, 9951, 9989,  
 9990, 9996, 10016,  
 10039, 10062,  
 10085, 10110,  
 10111, 10113,  
 10125, 10130,  
 10132, 10134,  
 10154, 10159,  
 10177, 10193,  
 10217, 10222,  
 10236, 10252,  
 10271, 10287,  
 10308, 10348,  
 10359, 10373,  
 10376, 10382,  
 10414, 10422,  
 10425, 10428,  
 10444, 10447,  
 10450, 10475,  
 10504, 10538,  
 10542, 10557,



10565,	10657,	12517,	12520,	14964,	14978,
10739,	10753,	12531,	12603,	15015,	15029,
10798,	10802,	12610,	12613,	15064,	15083,
10804,	10819,	12625,	12631,	15089,	15096,
10823,	10825,	12638,	12641,	15112,	15192,
10834,	10839,	12775,	12778,	15199,	15216,
10848,	10859,	12792,	12798,	15222,	15229,
10863,	10871,	12805,	12808,	15360,	15401,
10891,	10896,	12820,	12896,	15413,	15424,
10905,	10913,	12903,	12906,	15437,	15471,
10917,	10923,	12919,	12925,	15486,	15489,
10943,	10957,	12932,	12935,	15490,	15497,
10964,	10980,	13074,	13077,	15509,	15526,
10986,	11002,	13091,	13097,	15576,	15587,
11009,	11071,	13104,	13107,	15590,	15649,
11081,	11084,	13119,	13195,	15697,	15702,
11087,	11107,	13202,	13205,	15733,	15738,
11110,	11113,	13218,	13224,	15763,	15776,
11117,	11141,	13231,	13234,	15793,	15821,
11223,	11238,	13373,	13376,	15825,	15846,
11253,	11254,	13390,	13396,	15952,	15956,
11255,	11256,	13403,	13406,	15981,	16005,
11283,	11299,	13418,	13494,	16087,	16090,
11302,	11303,	13501,	13504,	16130,	16181,
11313,	11324,	13517,	13523,	16221,	16224,
11327,	11341,	13530,	13533,	16239,	16257,
11345,	11351,	13672,	13675,	16331,	16334,
11409,	11420,	13689,	13695,	16343,	16346,
11423,	11506,	13702,	13705,	16355,	16358,
11517,	11520,	13717,	13793,	16368,	16386,
11568,	11591,	13800,	13803,	16388,	16404,
11606,	11615,	13816,	13822,	16409,	16429,
11622,	11643,	13829,	13832,	16458,	16464,
11644,	11646,	13971,	13974,	16480,	16487,
11651,	11657,	13988,	13994,	16492,	16505,
11659,	11663,	14001,	14004,	16535,	16569,
11743,	11759,	14016,	14092,	16574,	16618,
11820,	11833,	14099,	14102,	16623,	16657,
11916,	11919,	14115,	14121,	16658,	16663,
11928,	11931,	14128,	14131,	16680,	16681,
11940,	11943,	14270,	14273,	16683,	16691,
11979,	11983,	14287,	14293,	16692,	16702,
11990,	12001,	14300,	14303,	16721,	16725,
12007,	12014,	14315,	14391,	16727,	16736,
12052,	12090,	14398,	14401,	16738,	16746,
12189,	12192,	14414,	14420,	16761,	16785,
12206,	12212,	14427,	14430,	16787,	16790,
12219,	12222,	14569,	14572,	16791,	16792,
12234,	12310,	14586,	14592,	16798,	16800,
12317,	12320,	14599,	14602,	16808,	16814,
12333,	12339,	14614,	14690,	16817,	16820,
12346,	12349,	14697,	14700,	16827,	16834,
12488,	12491,	14713,	14719,	16836,	16842,
12504,	12510,	14726,	14729,	16846,	16849,





16854,	16860,	17777,	17872,	20167,	20169,
16863,	16876,	17890,	17910,	20175,	20193,
16879,	16882,	17913,	17921,	20194,	20202,
16888,	16895,	17922,	17938,	20213,	20227,
16905,	16918,	17960,	17961,	20233,	20242,
16927,	16935,	17963,	17968,	20244,	20250,
16942,	16945,	17983,	18002,	20261,	20263,
16948,	16967,	18012,	18020,	20274,	20276,
16970,	16976,	18032,	18039,	20287,	20289,
16977,	16980,	18064,	18075,	20298,	20300,
16987,	16989,	18093,	18103,	20319,	20339,
16995,	17006,	18109,	18146,	20353,	20354,
17014,	17016,	18164,	18165,	20359,	20370,
17017,	17018,	18166,	18167,	20374,	20382,
17021,	17026,	18191,	18242,	20386,	20387,
17032,	17034,	18252,	18287,	20391,	20395,
17035,	17036,	18302,	18306,	20398,	20399,
17039,	17049,	18323,	18337,	20404,	20415,
17051,	17064,	18344,	18415,	20424,	20438,
17070,	17073,	19038,	19041,	20441,	20442,
17077,	17083,	19052,	19053,	20446,	20463,
17086,	17089,	19054,	19055,	20510,	20519,
17095,	17100,	19056,	19057,	20527,	20551,
17103,	17107,	19086,	19102,	20555,	20557,
17109,	17112,	19108,	19114,	20568,	20571,
17116,	17118,	19139,	19149,	20614,	20625,
17120,	17124,	19171,	19189,	20649,	20658,
17129,	17133,	19205,	19218,	20666,	20692,
17140,	17145,	19231,	19235,	20696,	20698,
17149,	17156,	19289,	19305,	20709,	20712,
17161,	17165,	19318,	19331,	20753,	20758,
17169,	17171,	19335,	19391,	20759,	20767,
17174,	17178,	19399,	19405,	20770,	20771,
17180,	17182,	19414,	19416,	20776,	20787,
17186,	17190,	19420,	19421,	20796,	20810,
17194,	17200,	19426,	19428,	20813,	20814,
17203,	17207,	19433,	19438,	20818,	20824,
17213,	17216,	19440,	19445,	20832,	20836,
17219,	17225,	19455,	19468,	20837,	20841,
17240,	17250,	19530,	19553,	20857,	20886,
17259,	17270,	19558,	19563,	20937,	20953,
17290,	17301,	19596,	19678,	20956,	21002,
17312,	17330,	19683,	19716,	21017,	21020,
17341,	17352,	19722,	19730,	21021,	21026,
17363,	17378,	19733,	19765,	21027,	21051,
17393,	17453,	19785,	19800,	21073,	21084,
17491,	17524,	19848,	19879,	21124,	21135,
17555,	17586,	19903,	19961,	21138,	21187,
17639,	17651,	19975,	20009,	21202,	21205,
17654,	17671,	20035,	20073,	21206,	21233,
17680,	17690,	20074,	20075,	21245,	21254,
17705,	17713,	20101,	20155,	21286,	21331,
17722,	17736,	20156,	20159,	21365,	21367,
17751,	17765,	20163,	20164,	21371,	21375,



21377,	21382,	22447,	22451,	23921,	23922,
21386,	21389,	22452,	22459,	23923,	23924,
21393,	21395,	22496,	22501,	23925,	23926,
21399,	21426,	22523,	22531,	23927,	23929,
21434,	21446,	22532,	22545,	23930,	23931,
21459,	21462,	22560,	22576,	23932,	23933,
21472,	21488,	22586,	22593,	23936,	23937,
21495,	21501,	22594,	22595,	23938,	24001,
21539,	21554,	22597,	22631,	24018,	24025,
21558,	21561,	22634,	22660,	24027,	24032,
21568,	21575,	22666,	22711,	24037,	24038,
21581,	21602,	22722,	22732,	24041,	24046,
21618,	21619,	22761,	22772,	24050,	24051,
21626,	21635,	22790,	22820,	24067,	24093,
21642,	21644,	22938,	22946,	24097,	24107,
21648,	21654,	22958,	22971,	24113,	24119,
21661,	21677,	22975,	22985,	24124,	24130,
21678,	21682,	23001,	23008,	24140,	24144,
21683,	21689,	23014,	23052,	24154,	24162,
21691,	21692,	23067,	23071,	24167,	24168,
21696,	21697,	23074,	23081,	24169,	24177,
21704,	21706,	23088,	23094,	24184,	24198,
21707,	21711,	23115,	23131,	24199,	24200,
21712,	21719,	23132,	23139,	24208,	24217,
21756,	21757,	23148,	23155,	24221,	24222,
21770,	21772,	23157,	23161,	24223,	24231,
21784,	21799,	23167,	23174,	24238,	24239,
21815,	21825,	23190,	23191,	24240,	24248,
21832,	21833,	23195,	23196,	24255,	24256,
21834,	21836,	23202,	23204,	24257,	24265,
21870,	21873,	23205,	23209,	24272,	24273,
21899,	21905,	23210,	23217,	24274,	24282,
21950,	21961,	23219,	23220,	24289,	24290,
21971,	21999,	23224,	23225,	24291,	24299,
22010,	22028,	23232,	23269,	24306,	24307,
22058,	22165,	23296,	23297,	24308,	24316,
22173,	22185,	23310,	23325,	24324,	24325,
22198,	22202,	23341,	23351,	24326,	24334,
22212,	22228,	23358,	23359,	24343,	24344,
22235,	22241,	23360,	23362,	24345,	24353,
22279,	22294,	23396,	23399,	24363,	24364,
22298,	22301,	23425,	23431,	24365,	24373,
22308,	22315,	23476,	23487,	24383,	24398,
22321,	22342,	23497,	23526,	24399,	24400,
22358,	22359,	23537,	23555,	24408,	24430,
22366,	22375,	23585,	23681,	24448,	24449,
22382,	22384,	23684,	23691,	24450,	24588,
22388,	22394,	23700,	23707,	24700,	24720,
22401,	22417,	23745,	23762,	24730,	24736,
22418,	22422,	23795,	23808,	24740,	24788,
22423,	22429,	23816,	23829,	24792,	24905,
22431,	22432,	23834,	23913,	25229,	25243,
22436,	22437,	23914,	23915,	25247,	25270,
22444,	22446,	23917,	23918,	25285,	25295,



25299,	25309,	26119,	26120,	3517,	3524,	3546,
25310,	25311,	26121,	26122,	3547,	3561,	3564,
25312,	25317,	26123,	26126,	3567,	3576,	3579,
25319,	25320,	26127,	26131,	3649,	3663,	3714,
25328,	25334,	26133,	26138,	3721,	3763,	3772,
25351,	25361,	26167,	26176,	3778,	3779,	3813,
25367,	25373,	26186,	26206,	3814,	3815,	3823,
25376,	25387,	26211,	26253,	3833,	3844,	3861,
25425,	25427,	26258,	26283,	3871,	3872,	3873,
25432,	25441,	26290,	26306,	3897,	3898,	3899,
25446,	25448,	26317,	26328,	3909,	3919,	3929,
25455,	25462,	26343,	26349,	3940,	3955,	3965,
25493,	25500,	26387,	26393,	3966,	3967,	3982,
25505,	25511,	26431,	26433,	3991,	4010,	4029,
25522,	25525,	26443,	26459,	4031,	4585,	4780,
25536,	25543,	26461,	26464,	4791,	4792,	5187,
25557,	25607,	26468,	26477,	5189,	5191,	5193,
25614,	25615,	26506,	26509,	5195,	5199,	5207,
25617,	25625,	26512,	26518,	5210,	5260,	5351,
25633,	25635,	26539,	26555,	5359,	5361,	5362,
25636,	25647,	26575,	26582,	5368,	5375,	5383,
25651,	25656,	\em . . . . .	8556	5385,	5386,	5392,
25665,	25671,	\email . . . . .	332, 5139	6295,	6296,	6317,
25679,	25683,	\emaillink . . . . .		6341,	7365,	7366,
25692,	25711,	. 5221, 10672, 10770		7371,	7374,	7451,
25716,	25735,	\emailsymbol . . . . .		7452,	7459,	7460,
25760,	25765,	. 5099, 10672, 10770		7467,	7468,	7488,
25785,	25831,	\empty . . . . .	16318,	7489,	7527,	7530,
25832,	25859,	16321, 16967, 23715		7533,	7536,	7543,
25860,	25863,	\EmptyTokenList . . .	6590	7544,	7727,	7728,
25867,	25868,	\end . . . . .	179, 186,	8347,	8403,	8410,
25937,	25956,	467, 470, 473, 538,		8417,	8424,	8431,
25959,	25964,	541, 813, 821, 824,		8442,	8450,	8577,
25967,	25970,	894, 897, 1065,		8578,	8714,	8757,
25973,	25976,	1073, 1076, 1146,		8779,	9163,	9357,
25990,	25998,	1149, 1315, 1323,		9365,	9368,	9534,
26003,	26004,	1326, 1397, 1400,		9542,	9545,	9574,
26005,	26015,	1405, 1406, 1407,		9586,	9626,	9629,
26016,	26018,	1611, 1792, 1873,		9632,	9697,	9700,
26024,	26025,	1910, 1947, 1961,		10015,	10025,	
26027,	26033,	2040, 2241, 2246,		10038,	10048,	
26034,	26036,	2278, 2500, 2569,		10061,	10071,	
26042,	26043,	2582, 2694, 2762,		10084,	10094,	
26045,	26053,	2766, 2785, 2789,		10651,	10760,	
26054,	26055,	2805, 2809, 2913,		10772,	10780,	
26056,	26059,	2928, 2943, 3007,		11185,	11259,	
26062,	26065,	3034, 3043, 3049,		11390,	11393,	
26066,	26067,	3065, 3071, 3077,		11396,	11455,	
26068,	26069,	3117, 3123, 3129,		11458,	11485,	
26071,	26073,	3135, 3214, 3230,		11488,	11491,	
26074,	26078,	3269, 3351, 3352,		11556,	11559,	
26080,	26094,	3358, 3359, 3374,		11648,	15557,	
26111,	26116,	3382, 3451, 3471,		15560,	15563,	
26117,	26118,	3487, 3490, 3501,		15622,	15625,	



15775,	17024,	. 25905, 25913, 25920	8185, 8216, 8245,
17042,	17144,	\endcolumn . . . . . 2242	8274, 8516, 9042,
17160,	17251,	\endcsname 8, 44, 58, 74,	9070, 9073, 9076,
17965,	19173,	166, 168, 198, 213,	9090, 9097, 9104,
19819,	20522,	257, 271, 286, 343,	9112, 9113, 9151,
20530,	20533,	344, 398, 1416,	9176, 9177, 9959,
20603,	20606,	2302, 2319, 2336,	9965, 9973, 9980,
20661,	20669,	2352, 2368, 2384,	11750, 11766,
20672,	20749,	2417, 2443, 2469,	11781, 11797,
20752,	20757,	2488, 2517, 4848,	11812, 11825,
20758,	20759,	4849, 4863, 4864,	11838, 11850,
20916,	20919,	4890, 4893, 4896,	11862, 11875,
20922,	20994,	4912, 4920, 4928,	12042, 12197,
21103,	21106,	4983, 5270, 5273,	12227, 12243,
21109,	21174,	5276, 5278, 5281,	12258, 12270,
21177,	21274,	5283, 5286, 5294,	12285, 12325,
21317,	21503,	5295, 5300, 5308,	12354, 12367,
21571,	21588,	5309, 5311, 5313,	12381, 12394,
21596,	21611,	5315, 5318, 5319,	12408, 12496,
21615,	21643,	5324, 5325, 5354,	12525, 12540,
21780,	22243,	5355, 5378, 5379,	12554, 12565,
22311,	22328,	5406, 5428, 5432,	12579, 12618,
22336,	22351,	5443, 5447, 5451,	12646, 12658,
22355,	22383,	5455, 5465, 5473,	12671, 12683,
22541,	23016,	5481, 5489, 5491,	12696, 12783,
23084,	23101,	5493, 5497, 5498,	12813, 12829,
23109,	23124,	5555, 5561, 5562,	12844, 12856,
23128,	23156,	5604, 5614, 5620,	12871, 12911,
23306,	23868,	5621, 5623, 5624,	12940, 12953,
24065,	25497,	5626, 5627, 5629,	12967, 12980,
25504,	25514,	5631, 5633, 5635,	12994, 13082,
25519,	25532,	5838, 5839, 5841,	13112, 13128,
25539,	25542,	5842, 5845, 5846,	13143, 13155,
25561,	25578,	5855, 5856, 5890,	13170, 13210,
25585, 25591, 25593		5891, 5913, 5914,	13239, 13252,
\enddblfloat . . . . 21361		5969, 5970, 5971,	13266, 13279,
\endfloat . . . . .		5972, 5978, 5979,	13293, 13381,
. . 7391, 7720, 21312		5980, 5981, 6126,	13411, 13427,
\endrotdblfloat . 21316		6297, 6298, 6300,	13442, 13454,
\endrotfloat . . . . .		6311, 6312, 6314,	13469, 13509,
. 21273, 21314, 21315		6325, 6335, 6344,	13538, 13551,
\endarray . . . . . 394,		6345, 6346, 6347,	13565, 13578,
435, 1414, 1415,		6357, 6370, 6394,	13592, 13680,
23803, 23807, 25905		6399, 6403, 6419,	13710, 13726,
\endBCmd . . . . . 4782		6437, 6439, 6447,	13741, 13753,
\endbeamer@columnenv		6449, 6458, 6459,	13768, 13808,
. . . . . 2242		6539, 6543, 6576,	13837, 13850,
\endbeamer@putright		6578, 6589, 6590,	13864, 13877,
. . . 3149, 3161, 3173		6604, 6612, 6614,	13891, 13979,
\endbeamerboxesrounded		6641, 6662, 6699,	14009, 14025,
. . . . . 1976		6700, 6701, 6717,	14040, 14052,
\endbidi@switch . . .		6718, 6719, 6720,	14067, 14107,
. . . 6496, 6500, 6501		7548, 7549, 7556,	14136, 14149,
\endbidi@tabular@RTLcases		7557, 8149, 8167,	14163, 14176,



14190,	14278,	22811,	22817,	25363,	25383,
14308,	14324,	22825,	22827,	25384,	25392,
14339,	14351,	22830,	22836,	25396,	25400,
14366,	14406,	22838,	22921,	25404,	25408,
14435,	14448,	22925,	22929,	25412,	25416,
14462,	14475,	23013,	23237,	25420,	25458,
14489,	14577,	23569,	23571,	25459,	25461,
14607,	14623,	23573,	23576,	25464,	25465,
14638,	14650,	23582,	23590,	25469,	25943,
14665,	14705,	23592,	23595,	26008,	26092,
14734,	14747,	23601,	23603,	26153,	26166, 26168
14761,	14774,	23779,	23805,	\enddocument . . .	6250,
14788,	15073,	23807,	23839,	6256,	6263, 6280
15104,	15122,	23861,	23863,	\endflushleft .	4802, 4810
15138,	15152,	23879,	23880,	\endgraf	18245, 18261,
15168,	15207,	23900,	23907,	22007,	22769, 23534
15237,	15251,	24123,	24388,	\endgroup	17, 127, 222,
15266,	15280,	24389,	24405,	320, 327, 392, 419,	
15295,	15644,	24406,	24407,	508, 560, 574, 721,	
15795,	15797,	24414,	24416,	743, 868, 945, 965,	
15802,	15804,	24417,	24470,	1120, 1204, 1227,	
15908,	15909,	24471,	24629,	1370, 1539, 2186,	
15910,	15911,	24630,	24734,	2226, 2419, 2445,	
15913,	15915,	24759,	24786,	2471, 2501, 2568,	
15916,	15917,	24790,	24794,	2581, 4630, 4914,	
15918,	15920,	24851,	24903,	4922, 4930, 5306,	
15921,	15922,	24906,	24920,	5345, 5364, 5388,	
15978,	16002,	24936,	24937,	5613, 5638, 5994,	
16020,	16106,	24953,	24960,	6013, 6058, 6072,	
16115,	16138,	24965,	24983,	6082, 6099, 6152,	
16155,	16171,	24984,	24996,	6225, 6361, 6567,	
16200,	16215,	24997,	25052,	6569, 6605, 6610,	
16230,	16277,	25107,	25109,	6619, 6777, 7092,	
16292,	17258,	25111,	25127,	7558, 7985, 7987,	
17261,	17263,	25130,	25136,	8218, 8247, 8276,	
17267,	17271,	25138,	25141,	8653, 8670, 8686,	
17285,	17296,	25145,	25150,	8697, 8737, 9056,	
17307,	17507,	25154,	25158,	9092, 9099, 9106,	
17538,	17569,	25172,	25176,	9164, 9253, 9276,	
17917,	19158,	25179,	25183,	9430, 9453, 9667,	
19159,	19166,	25188,	25192,	9717, 9732, 9938,	
19702,	19712,	25197,	25199,	10200,	10259,
19726,	21409,	25200,	25203,	11097,	11127,
21413,	21417,	25207,	25254,	11305,	11318,
21500,	21724,	25255,	25257,	11429,	11526,
22042,	22044,	25259,	25264,	11575,	14889,
22046,	22049,	25266,	25268,	14900,	14942,
22055,	22063,	25272,	25275,	14953,	14994,
22065,	22067,	25276,	25279,	15005,	15045,
22073,	22075,	25280,	25289,	15056,	15478,
22148,	22152,	25291,	25293,	15493,	15596,
22156,	22240,	25297,	25301,	15718,	15758,
22464,	22804,	25302,	25355,	15843,	15864,
22806,	22808,	25357,	25359,	16108,	16117,



16279,	16294,	20126,	20214,	21367,	21377,
16380,	16421,	21371,	21382,	21386,	21395,
16452,	16597,	21389,	21399,	21889,	22650,
16650,	16828,	23957,	25683,	23415,	23777,
16843,	17249,	25684,	25723,	23778,	23803,
17287,	17298,	25727,	25780,	23809,	23956,
17309,	17320,	25791,	25810,	25680,	25684,
17421,	17446,	26464,	26539,	25686,	25780,
17484,	17517,	\endlist . . . . .	96,	25792,	25800,
17548,	17579,	309, 636, 768, 999,		25913,	26058,
17926,	17949,	1031, 1281, 2683,		26061,	26064,
18122,	18214,	8541, 8549, 8554,		26079,	26090,
19049,	19167,	9303, 9491, 9803,		26091,	26464,
19267,	19364,	11365, 11639,		26477,	26479,
19571,	19575,	15540, 17881,		26539,	26555,
19579,	19897,	19697, 20477,		26574, 26577, 26585	
19947,	19952,	20871, 21068,		\endrotate . . . . .	21376
19954,	19957,	21271, 21823,		\endRTL 20148, 25844, 25852	
19962,	20209,	22584, 23349, 24084		\ends@math . . . . .	9836
20216,	20422,	\endlooprepeat . . . . .		\endsideways . . . . .	21394
20445,	20577,	. . . 6704, 6733, 6740		\endsidewaysfigure 21314	
20718,	20794,	\endLTR 20146, 25834, 25842		\endsidewaysstable 21315	
20817,	20962,	\endMakeFramed . . . 16394		\endstabular 23777, 23779	
21009,	21024,	\endmath . . . . .	9836	\endstrip . . . . .	19380
21144,	21194,	\endmdf@lrbox . . . . .	18400	\endtabular 394, 398,	
21209,	21515,	\endminipage . . . . .		1415, 1416, 4885,	
21721,	21781,	. 12085, 16254, 23961		23803, 23805,	
21876,	22255,	\endmodernpoem . . . . .	9177	23889, 26090, 26092	
22461,	22542,	\endpgpicture . . . 19915		\endtabularx . . . . .	
22637,	23028,	\endpspicture 20208, 20218		. 23840, 23869, 23880	
23234,	23307,	\endR . . . 181, 346, 358,		\endtcblrbox 23961, 23962	
23402,	23882,	396, 439, 1414,		\endtcbsavebox . . 23962	
24006,	24190,	1415, 1532, 3375,		\endtcvbox . . . . .	23972
24610,	24724,	3383, 3391, 3563,		\endtitlepage . . 678,	
25237,	25365,	4885, 4886, 9844,		985, 1237, 9285,	
25675,	25708,	9931, 9947, 9952,		9473, 20381, 20831	
25751,	25770,	9954, 9986, 11068,		\endtraditionalpoem 9113	
25903,	26236,	12126, 15793,		\endtrivlist . . . . .	15789
26279, 26485, 26495		16787, 16792,		\endturn . . . . .	21366
\endinput . . . . .	448,	16849, 16888,		\endwindow . . . . .	19978
10003, 24059, 24143		16895, 17264,		\enskip . . . . .	25350, 25375
\endL . 183, 1543, 2028,		17272, 17654,		\enspace 318, 19972, 19974	
3149, 3161, 3173,		17690, 17722,		\ensuremath . . . . .	4226
4325, 4543, 5232,		17751, 17777,		\env@RTLcases 25918, 25922	
9942, 9951, 9952,		17787, 17790,		\EQ 11132, 11138, 11139,	
9961, 9967, 9986,		17956, 18089,		11143, 11144,	
12129, 15663,		18239, 18304,		11153, 11154,	
15774, 15788,		18310, 18354,		11156, 11158,	
15951, 16790,		18447, 18455,		11159, 11161,	
16798, 16817,		18646, 18972,		11162, 11163,	
16827, 16842,		19136, 19138,		11164, 11166,	
16863, 17651,		19976, 20108,		11167, 11168,	
18089, 19961,		20116, 20195,		11180, 11183,	
19966, 20107,		20196, 20197,		11185, 11187,	



11188, 11190,	<code>\ESO@tempdimb</code> . . . . .	198, 369, 398, 800,
11193, 11195,	. . . 11093, 11095,	809, 817, 843,
11197, 11198,	11120, 11121,	846, 1052, 1061,
11200, 11201,	11122, 11123, 11125	1069, 1095, 1098,
11203, 11206,	<code>\evenpage</code> . 4591, 4594,	1302, 1311, 1319,
11207, 11208,	4595, 4596, 4598,	1345, 1348, 1416,
11211, 11214,	4599, 4600, 4601, 4603	1431, 1513, 1514,
11222, 11229,	<code>\evensidemargin</code> . . .	1515, 1517, 2488,
11237, 11244,	. . . 4615, 11106,	2517, 2608, 3486,
11246, 11249,	11114, 16936,	4229, 4231, 4235,
11253, 11254,	16941, 16949,	4237, 4241, 4243,
11255, 11256,	21525, 22265,	4830, 4832, 4836,
11268, 11270, 11271	23038, 26505, 26513	4838, 4842, 4844,
<code>\eq@addpunct</code> . . . . . 9841	<code>\everycr</code> . . . . . 18218	4848, 4849, 4857,
<code>\EQ@box</code> . . . . . 9846, 9852	<code>\everydisplay</code> . . . . . 9806	4859, 4863, 4864,
<code>\eq@group</code> . . . . . 9809, 9818	<code>\everyhbox</code> . . . 20110,	4888, 4891, 4894,
<code>\eq@GRP@first@dmath</code> 9818	20112, 20120,	4897, 4901, 4904,
<code>\eq@if</code> . . . 5423, 5424, 5426	20122, 25794,	4907, 4958, 4959,
<code>\eq@isIntertext</code> . . . 9856	25796, 25804, 25806	5012, 5270, 5273,
<code>\eq@prelim</code> . . . 9809, 9826	<code>\everyjob</code> . . . . . 4221,	5276, 5280, 5294,
<code>\eq@setnumber</code> . . . . . 9812	4224, 4485, 4487	5306, 5307, 5312,
<code>\eq@setup@a</code> . . . . . 9814	<code>\everymath</code> . . . . . 356	5323, 5348, 5350,
<code>\eq@startup</code> . . . . . 9815	<code>\everypar</code> . . . . . 558,	5354, 5355, 5359,
<code>\eq@wdCond</code> . . . . . 9833	719, 963, 1202,	5362, 5372, 5374,
<code>\eqnewif</code> . . . . . 4251,	7831, 7875, 7919,	5378, 5379, 5383,
4252, 4255, 4264, 5419	9252, 9429, 9716,	5386, 5406, 5408,
<code>\eqno</code> . . . . . 337, 20191,	11574, 15477,	5413, 5427, 5428,
20193, 26580, 26582	15671, 18273,	5431, 5432, 5442,
<code>\eqnumform</code> . . . . . 9844	18275, 20102,	5443, 5446, 5447,
<code>\eqstyle</code> . . . . . 9811	20106, 20314,	5450, 5451, 5454,
<code>\equal</code> . . . . . 5197,	20421, 20793,	5455, 5491, 5493,
5214, 5218, 5222,	21008, 21193,	5497, 5501, 5503,
7379, 7413, 7424,	24183, 24187,	5507, 5509, 5513,
7456, 7457, 7473,	24722, 25786,	5515, 5519, 5521,
7514, 7772, 8014,	25790, 25836,	5525, 5527, 5531,
8015, 8033, 8034,	25846, 26381, 26425	5533, 5537, 5539,
8052, 8053, 8084,	<code>\everyvbox</code> . . . . 1418,	5543, 5545, 5556,
8085, 10759, 15899	1419, 20130,	5558, 5562, 5563,
<code>\errmessage</code> . . . . .	20132, 20138,	5564, 5566, 5567,
. . . 4292, 4518, 19468	20140, 25814,	5570, 5574, 5576,
<code>\ERROR</code> . . . . . 26177	25816, 25823, 25825	5581, 5582, 5584,
<code>\escapechar</code> . . . 5334,	<code>\ExecuteDoHook</code> 21422,	5585, 5588, 5597,
5420, 5425, 5436,	21444, 22161,	5604, 5608, 5610,
5440, 5638, 6386,	22183, 22934, 22956	5613, 5614, 5615,
6391, 6393, 6395, 6408	<code>\ExecuteOptions</code> . . .	5617, 5620, 5621,
<code>\ESO@isMEMOIR</code> . . . . 11073	5048, 7243, 8624,	5623, 5624, 5626,
<code>\ESO@tempdima</code> . 11078,	8626, 10592, 10690	5627, 5629, 5631,
11079, 11080,	<code>\exhyphenpenalty</code> . .	5633, 5635, 5639,
11082, 11086,	. . . . . 670, 977,	5885, 5886, 5887,
11088, 11089,	1171, 9222, 9399,	5888, 5889, 5891,
11090, 11095,	20373, 20823, 20885	5914, 5918, 5969,
11102, 11106,	<code>\exp</code> . . . . 18523, 18526,	5970, 5971, 5972,
11108, 11112,	18580, 18755, 18809	5978, 5979, 5980,
11114, 11118, 11125	<code>\expandafter</code> . . . 166,	5981, 6071, 6072,



6073,	6075,	6082,	18110,	18215,	24414,	24416,
6083,	6086,	6101,	18279,	18282,	24417,	24470,
6108,	6117,	6126,	19148,	19151,	24629,	24734,
6297,	6311,	6325,	19183,	19185,	24759,	24786,
6335,	6344,	6345,	19283,	19285,	24790,	24794,
6346,	6347,	6362,	19859,	19876,	24850,	24903,
6389,	6390,	6399,	19888,	19893,	24906,	24920,
6403,	6458,	6459,	20104,	20509,	24936,	24953,
6471,	6472,	6567,	20518,	20526,	24960,	24965,
6569,	6576,	6578,	20552,	20555,	24982,	24983,
6580,	6582,	6583,	20648,	20657,	24995,	24996,
6584,	6604,	6606,	20665,	20693,	25052,	25106,
6609,	6612,	6613,	20696,	21279,	25108,	25110,
6614,	6616,	6619,	21291,	21301,	25126,	25130,
6624,	6687,	6699,	21322,	21337,	25135,	25137,
6701,	6717,	6718,	21349,	21420,	25140,	25144,
6719,	6720,	6758,	21500,	21601,	25149,	25153,
6769,	6774,	6788,	21724,	21856,	25157,	25171,
7975,	8516,	8946,	21865,	22041,	25176,	25178,
9071,	9074,	9077,	22043,	22045,	25182,	25187,
9080,	9083,	9086,	22048,	22054,	25191,	25196,
9112,	9113,	9176,	22062,	22064,	25199,	25200,
9177,	9191,	9344,	22066,	22072,	25203,	25207,
9353,	9361,	9521,	22074,	22159,	25267,	25271,
9530,	9538,	9806,	22240,	22341,	25292,	25296,
9916,	9958,	9979,	22464,	22499,	25358,	25362,
10148,	10150,		22514,	22517,	25458,	25459,
10211,	10213,		22521,	22617,	25461,	25464,
12042,	12099,		22626,	22803,	25465,	25468,
15691,	15693,		22805,	22807,	25693,	25705,
15727,	15729,		22810,	22816,	25708,	25716,
15795,	15796,		22824,	22826,	25717,	25736,
15802,	15803,		22829,	22835,	25748,	25751,
15900,	15917,		22837,	22932,	25765,	25766,
15922,	15980,		23013,	23114,	25770,	25788,
15983,	16004,		23237,	23283,	26092,	26153,
16007,	16020,		23286,	23382,	26165,	26200,
16034,	16035,		23391,	23568,	26202,	26249
16036,	16037,		23570,	23572,	\ExplSyntaxOff . . . .	
16039,	16266,		23575,	23581,	. . . . . 432, 443,	
16421,	16443,		23589,	23591,	4192, 4365, 7056,	
16444,	16452,		23594,	23600,	18235, 19744, 19843	
16563,	16565,		23602,	23779,	\ExplSyntaxOn 399, 434,	
16612,	16614,		23805,	23838,	4069, 4343, 6820,	
16833,	16871,		23841,	23861,	18150, 19739, 19822	
16872,	17289,		23864,	23866,	\extrafeetendmini .	
17291,	17300,		23868,	23879,	. . . . . 12079, 12084	
17302,	17311,		23880,	23888,	\extrafeetendminihook	
17313,	17416,		23892,	23894,	. . . . . 12082, 12083	
17430,	17444,		23901,	23903,	\extrafeetins 11957, 11958	
17468,	17482,		23908,	23910,	\extrafeetinshook .	
17515,	17546,		23919,	24388,	. . . . . 11962, 11963	
17577,	18103,		24389,	24405,	\extrafeetminihook 12078	
18104,	18109,		24406,	24407,	\extrainfo . . . . . 5140	





<code>\extrarowheight</code> ...	<code>\fb@putboxa</code> .. 16402,	373, 385, 386, 389,
.. 402, 18184, 18192	16427, 16485, 16502	396, 421, 428, 439,
<code>\extrarulesep</code> .... 23832	<code>\fb@resto@set</code> .....	501, 506, 544, 551,
<code>\extratitle</code> .....	. 16437, 16477, 16481	559, 561, 568, 571,
. 21745, 22485, 23258	<code>\fb@sizeofframe</code> ...	572, 575, 594, 595,
	..... 16410, 16432	601, 609, 613, 619,
	<code>\FBifcaptop</code> .....	642, 651, 658, 667,
	<code>\fbox</code> . 4782, 4792, 9985,	671, 684, 687, 688,
	11272, 17063,	689, 695, 696, 701,
	17069, 17076,	704, 712, 720, 722,
	17082, 17088,	729, 730, 737, 740,
	17094, 17102,	741, 746, 754, 793,
	17106, 17111,	803, 812, 820, 844,
	17115, 17119,	846, 861, 866, 900,
	17123, 17138,	907, 916, 922, 923,
	17139, 17154,	929, 932, 939, 942,
	17155, 17164,	943, 948, 956, 964,
	17168, 17173,	966, 973, 974, 978,
	17177, 17181,	998, 999, 1000,
	17185, 17193,	1017, 1045, 1055,
	17199, 17206,	1064, 1072, 1096,
	17212, 17218, 17224	1098, 1113, 1118,
	<code>\fboxrule</code> 4730, 16371,	1152, 1159, 1168,
	16377, 16383,	1172, 1178, 1179,
	16385, 16387, 16389	1184, 1187, 1195,
	<code>\fboxsep</code> .. 2051, 4731,	1203, 1205, 1212,
	4798, 4807, 9947,	1213, 1221, 1224,
	9948, 9949, 9985,	1225, 1230, 1243,
	16371, 16383,	1246, 1247, 1248,
	16385, 16387,	1267, 1295, 1305,
	16389, 25680,	1314, 1322, 1346,
	25681, 25682, 25778	1348, 1363, 1368,
	<code>\fcolorbox</code> .....	1406, 1407, 1409,
	4732	1412, 1414, 1415,
	<code>\FeetAboveFloat</code> ...	1420, 1434, 1435,
	..... 15418, 15422	1449, 1450, 1464,
	<code>\FeetAtBottom</code> .... 15420	1472, 1473, 1479,
	<code>\FeetBelowFloat</code> .. 15419	1480, 1484, 1489,
	<code>\FeetBelowRagged</code> ..	1492, 1497, 1500,
	..... 15421, 15423	1508, 1509, 1518,
	<code>\ff@backcol</code> .....	1519, 1531, 1532,
	15911	1543, 1554, 1562,
	<code>\ff@col</code> .....	1646, 1651, 1676,
	15909	1684, 1699, 1707,
	<code>\ff@frametype</code> 15907, 15918	1720, 1728, 1741,
	<code>\ff@txtcol</code> .....	1749, 1920, 1924,
	. 15899, 15900, 15910	1934, 1965, 1993,
	<code>\fi</code> .....	1996, 2005, 2011,
	12, 13,	2013, 2018, 2019,
	18, 25, 36, 87, 98,	2020, 2021, 2023,
	104, 107, 108, 109,	2025, 2026, 2027,
	117, 134, 136, 142,	2030, 2031, 2044,
	150, 154, 158, 162,	2046, 2057, 2060,
	169, 177, 184, 193,	2062, 2082, 2090,
	217, 218, 223, 228,	
	234, 237, 238, 239,	
	249, 300, 315, 319,	
	338, 346, 358, 372,	
<code>\fb@adjheight</code> .....		
. 16408, 16478, 16498		
<code>\fb@afterframe</code> ....		
. 16403, 16428, 16486		
<code>\FB@capttype</code> .....		
. 15801, 15802, 15804		
<code>\fb@frh</code> . 16415, 16419,		
16434, 16469, 16472		
<code>\fb@put@frame</code> . 16397,		
16408, 16479, 16499		



2091, 2099, 2107,  
2134, 2148, 2163,  
2177, 2271, 2272,  
2293, 2343, 2346,  
2359, 2375, 2421,  
2447, 2473, 2502,  
2507, 2532, 2540,  
2549, 2556, 2583,  
2640, 2663, 2683,  
2706, 2710, 2732,  
2737, 2742, 2744,  
2747, 2767, 2790,  
2810, 2824, 2832,  
2851, 2973, 3013,  
3058, 3124, 3130,  
3136, 3213, 3229,  
3241, 3248, 3263,  
3317, 3319, 3324,  
3330, 3360, 3365,  
3371, 3372, 3374,  
3375, 3380, 3382,  
3383, 3388, 3390,  
3391, 3422, 3440,  
3449, 3450, 3460,  
3469, 3470, 3472,  
3473, 3474, 3515,  
3522, 3545, 3563,  
3574, 3577, 3602,  
3613, 3630, 3638,  
3644, 3648, 3651,  
3658, 3699, 3701,  
3712, 3719, 3737,  
3760, 3809, 3820,  
3831, 3834, 3851,  
3858, 3907, 3916,  
3926, 3946, 3953,  
3989, 3998, 4005,  
4008, 4017, 4024,  
4027, 4041, 4225,  
4232, 4238, 4244,  
4283, 4284, 4291,  
4292, 4304, 4310,  
4311, 4378, 4389,  
4394, 4400, 4403,  
4411, 4438, 4449,  
4450, 4494, 4509,  
4510, 4517, 4518,  
4529, 4547, 4576,  
4833, 4839, 4845,  
4860, 4881, 4885,  
4886, 4888, 4944,  
4945, 4951, 4966,  
4967, 4970, 4973,  
4976, 4980, 4981,

4989, 5203, 5204,  
5205, 5207, 5235,  
5243, 5291, 5305,  
5320, 5321, 5343,  
5344, 5359, 5369,  
5383, 5393, 5402,  
5409, 5496, 5504,  
5510, 5516, 5522,  
5528, 5534, 5540,  
5546, 5559, 5568,  
5571, 5577, 5586,  
5589, 5611, 5618,  
5663, 5667, 5673,  
5674, 5692, 5698,  
5699, 5717, 5721,  
5727, 5728, 5746,  
5752, 5753, 5774,  
5778, 5784, 5785,  
5812, 5818, 5819,  
5847, 5880, 5915,  
6076, 6251, 6254,  
6297, 6311, 6325,  
6335, 6363, 6408,  
6413, 6418, 6421,  
6422, 6423, 6431,  
6441, 6443, 6451,  
6458, 6461, 6465,  
6472, 6477, 6488,  
6500, 6501, 6539,  
6543, 6550, 6554,  
6556, 6595, 6687,  
6721, 6759, 6765,  
6769, 6774, 6788,  
7093, 7122, 7155,  
7172, 7188, 7327,  
7333, 7526, 7529,  
7532, 7535, 7554,  
7565, 7795, 7804,  
7831, 7839, 7848,  
7883, 7892, 8068,  
8125, 8127, 8137,  
8463, 8464, 8581,  
8582, 8583, 8761,  
8839, 8891, 8904,  
8912, 8943, 8944,  
8999, 9000, 9004,  
9011, 9016, 9025,  
9054, 9062, 9064,  
9119, 9121, 9125,  
9144, 9146, 9147,  
9148, 9159, 9161,  
9162, 9171, 9173,  
9210, 9219, 9223,  
9229, 9230, 9235,

9238, 9246, 9254,  
9261, 9262, 9269,  
9272, 9273, 9279,  
9289, 9321, 9323,  
9325, 9337, 9347,  
9356, 9364, 9387,  
9396, 9400, 9406,  
9407, 9412, 9415,  
9423, 9431, 9438,  
9439, 9446, 9449,  
9450, 9456, 9477,  
9498, 9500, 9502,  
9514, 9524, 9533,  
9541, 9561, 9567,  
9568, 9572, 9574,  
9597, 9606, 9660,  
9665, 9703, 9710,  
9718, 9725, 9728,  
9729, 9733, 9743,  
9745, 9747, 9756,  
9762, 9763, 9770,  
9781, 9786, 9805,  
9807, 9808, 9809,  
9817, 9828, 9830,  
9839, 9844, 9846,  
9861, 9862, 9863,  
9865, 9867, 9892,  
9899, 9905, 9917,  
9918, 9930, 9931,  
9942, 9946, 9947,  
9951, 9952, 9954,  
9961, 9967, 9986,  
9989, 9990, 9996,  
10001, 10026,  
10049, 10072,  
10095, 10110,  
10113, 10114,  
10130, 10134,  
10135, 10137,  
10158, 10183,  
10190, 10199,  
10201, 10221,  
10242, 10249,  
10258, 10260,  
10290, 10301,  
10302, 10310,  
10341, 10342,  
10350, 10355,  
10366, 10372,  
10379, 10380,  
10381, 10387,  
10388, 10389,  
10416, 10424,  
10430, 10431,



10432,	10446,	11659,	11663,	13824,	13831,
10452,	10453,	11688,	11708,	13832,	13973,
10454,	10487,	11743,	11759,	13974,	13990,
10501,	10513,	11820,	11833,	13996,	14003,
10516,	10526,	11921,	11922,	14004,	14018,
10540,	10548,	11933,	11934,	14094,	14101,
10554,	10559,	11945,	11946,	14102,	14117,
10561,	10562,	11977,	11978,	14123,	14130,
10563,	10577,	11979,	11996,	14131,	14272,
10612,	10619,	11997,	12003,	14273,	14289,
10626,	10633,	12020,	12021,	14295,	14302,
10658,	10707,	12036,	12054,	14303,	14317,
10713,	10719,	12075,	12095,	14393,	14400,
10725,	10739,	12131,	12191,	14401,	14416,
10754,	10800,	12192,	12208,	14422,	14429,
10803,	10804,	12214,	12221,	14430,	14571,
10821,	10824,	12222,	12236,	14572,	14588,
10825,	10850,	12312,	12319,	14594,	14601,
10866,	10867,	12320,	12335,	14602,	14616,
10869,	10878,	12341,	12348,	14692,	14699,
10887,	10888,	12349,	12490,	14700,	14715,
10907,	10920,	12491,	12506,	14721,	14728,
10921,	10930,	12512,	12519,	14729,	14842,
10939,	10940,	12520,	12533,	14896,	14949,
10943,	10959,	12605,	12612,	14966,	14980,
10966,	10982,	12613,	12627,	15001,	15017,
10988,	11004,	12633,	12640,	15031,	15052,
11011,	11068,	12641,	12777,	15066,	15085,
11071,	11083,	12778,	12794,	15091,	15098,
11091,	11092,	12800,	12807,	15114,	15194,
11095,	11109,	12808,	12822,	15201,	15218,
11115,	11116,	12898,	12905,	15224,	15231,
11119,	11125,	12906,	12921,	15367,	15403,
11145,	11229,	12927,	12934,	15415,	15429,
11244,	11253,	12935,	13076,	15431,	15438,
11254,	11255,	13077,	13093,	15471,	15479,
11256,	11286,	13099,	13106,	15486,	15489,
11299,	11302,	13107,	13121,	15490,	15494,
11303,	11306,	13197,	13204,	15497,	15502,
11313,	11319,	13205,	13220,	15509,	15526,
11326,	11327,	13226,	13233,	15589,	15594,
11333,	11341,	13234,	13375,	15628,	15635,
11345,	11351,	13376,	13392,	15637,	15639,
11422,	11427,	13398,	13405,	15649,	15653,
11461,	11519,	13406,	13420,	15660,	15661,
11524,	11562,	13496,	13503,	15662,	15663,
11568,	11576,	13504,	13519,	15701,	15717,
11578,	11580,	13525,	13532,	15719,	15737,
11582,	11591,	13533,	13674,	15757,	15759,
11597,	11598,	13675,	13691,	15770,	15777,
11606,	11617,	13697,	13704,	15793,	15816,
11622,	11643,	13705,	13719,	15824,	15828,
11646,	11649,	13795,	13802,	15842,	15849,
11651,	11658,	13803,	13818,	15926,	15928,



15930,	15939,	17020,	17021,	17839,	17847,
15941,	15943,	17022,	17034,	17856,	17864,
15951,	15954,	17036,	17037,	17872,	17884,
15956,	15970,	17038,	17039,	17890,	17893,
15984,	16008,	17040,	17045,	17894,	17895,
16092,	16094,	17051,	17052,	17910,	17921,
16130,	16183,	17053,	17066,	17922,	17927,
16191,	16206,	17072,	17079,	17939,	17956,
16221,	16224,	17085,	17091,	17960,	17963,
16238,	16239,	17097,	17098,	17966,	17968,
16262,	16336,	17099,	17104,	17989,	18004,
16337,	16348,	17108,	17113,	18014,	18022,
16349,	16360,	17117,	17121,	18034,	18041,
16361,	16362,	17125,	17126,	18067,	18068,
16372,	16386,	17127,	17128,	18078,	18079,
16388,	16398,	17135,	17143,	18096,	18105,
16466,	16467,	17151,	17159,	18111,	18145,
16495,	16500,	17166,	17170,	18148,	18164,
16509,	16522,	17175,	17179,	18166,	18169,
16523,	16524,	17183,	17187,	18179,	18180,
16538,	16573,	17188,	17189,	18195,	18239,
16595,	16598,	17196,	17202,	18244,	18252,
16622,	16648,	17209,	17215,	18299,	18300,
16651,	16662,	17221,	17227,	18301,	18302,
16667,	16676,	17228,	17229,	18304,	18305,
16682,	16684,	17230,	17231,	18308,	18310,
16685,	16701,	17232,	17233,	18317,	18325,
16711,	16720,	17242,	17247,	18339,	18346,
16730,	16735,	17248,	17252,	18354,	18362,
16740,	16752,	17264,	17272,	18366,	18399,
16754,	16755,	17276,	17277,	18421,	18447,
16769,	16785,	17292,	17303,	18455,	18646,
16787,	16790,	17314,	17334,	18972,	19040,
16791,	16792,	17345,	17356,	19044,	19047,
16798,	16800,	17371,	17386,	19052,	19053,
16811,	16817,	17401,	17460,	19054,	19055,
16820,	16827,	17498,	17531,	19056,	19057,
16836,	16842,	17562,	17593,	19069,	19083,
16844,	16846,	17619,	17622,	19086,	19092,
16849,	16857,	17625,	17628,	19096,	19097,
16863,	16878,	17637,	17639,	19118,	19119,
16884,	16885,	17643,	17649,	19120,	19125,
16888,	16895,	17651,	17654,	19136,	19138,
16907,	16908,	17668,	17673,	19142,	19152,
16921,	16931,	17682,	17690,	19164,	19171,
16937,	16944,	17702,	17707,	19193,	19200,
16950,	16951,	17715,	17722,	19203,	19224,
16967,	16971,	17733,	17738,	19234,	19264,
16976,	16980,	17744,	17751,	19270,	19271,
16981,	16991,	17762,	17767,	19293,	19300,
16992,	16997,	17777,	17783,	19303,	19324,
16998,	16999,	17787,	17790,	19334,	19361,
17007,	17016,	17806,	17814,	19367,	19368,
17018,	17019,	17822,	17830,	19373,	19393,



19403,	19404,	20276,	20285,	21238,	21245,
19409,	19410,	20287,	20289,	21254,	21288,
19416,	19420,	20298,	20300,	21292,	21302,
19421,	19424,	20321,	20341,	21333,	21338,
19428,	19433,	20353,	20354,	21339,	21350,
19436,	19440,	20361,	20370,	21351,	21365,
19445,	19449,	20374,	20387,	21367,	21371,
19457,	19468,	20390,	20391,	21375,	21377,
19482,	19487,	20392,	20398,	21382,	21386,
19493,	19507,	20399,	20404,	21389,	21393,
19515,	19530,	20407,	20415,	21395,	21399,
19543,	19551,	20423,	20430,	21428,	21436,
19556,	19561,	20431,	20438,	21437,	21461,
19566,	19598,	20441,	20442,	21474,	21476,
19678,	19685,	20448,	20463,	21481,	21488,
19704,	19709,	20484,	20486,	21495,	21507,
19714,	19721,	20488,	20502,	21541,	21555,
19731,	19732,	20512,	20521,	21557,	21564,
19735,	19736,	20529,	20553,	21566,	21572,
19737,	19750,	20555,	20570,	21578,	21581,
19755,	19759,	20575,	20609,	21605,	21606,
19765,	19771,	20616,	20625,	21617,	21625,
19776,	19779,	20641,	20651,	21632,	21633,
19785,	19804,	20660,	20668,	21641,	21642,
19817,	19818,	20694,	20696,	21653,	21660,
19850,	19868,	20711,	20716,	21667,	21677,
19882,	19890,	20758,	20759,	21680,	21682,
19891,	19895,	20761,	20764,	21687,	21691,
19903,	19918,	20770,	20771,	21694,	21696,
19926,	19961,	20776,	20779,	21701,	21703,
19976,	19977,	20787,	20795,	21706,	21709,
19995,	19999,	20802,	20803,	21711,	21716,
20006,	20007,	20810,	20813,	21718,	21719,
20009,	20011,	20814,	20820,	21722,	21753,
20012,	20013,	20824,	20837,	21756,	21757,
20019,	20044,	20840,	20841,	21758,	21774,
20046,	20057,	20842,	20849,	21777,	21784,
20068,	20075,	20851,	20853,	21801,	21822,
20081,	20083,	20857,	20886,	21829,	21832,
20086,	20087,	20955,	20960,	21833,	21834,
20101,	20155,	20996,	21002,	21836,	21872,
20156,	20159,	21010,	21017,	21875,	21886,
20163,	20164,	21020,	21021,	21890,	21901,
20167,	20172,	21025,	21026,	21907,	21983,
20173,	20178,	21027,	21038,	21984,	21985,
20193,	20194,	21040,	21042,	22001,	22012,
20195,	20196,	21051,	21075,	22030,	22036,
20197,	20205,	21084,	21137,	22060,	22167,
20215,	20229,	21142,	21180,	22175,	22176,
20235,	20242,	21187,	21195,	22200,	22214,
20244,	20248,	21202,	21205,	22216,	22221,
20250,	20259,	21206,	21210,	22228,	22235,
20261,	20263,	21220,	21222,	22247,	22281,
20272,	20274,	21224,	21233,	22295,	22297,



22304,	22306,	23232,	23235,	24256,	24257,
22312,	22318,	23266,	23269,	24265,	24268,
22321,	22345,	23270,	23285,	24272,	24273,
22346,	22357,	23288,	23299,	24274,	24282,
22365,	22372,	23303,	23310,	24285,	24289,
22373,	22381,	23327,	23348,	24290,	24291,
22382,	22393,	23355,	23358,	24299,	24302,
22400,	22407,	23359,	23360,	24306,	24307,
22417,	22420,	23362,	23398,	24308,	24316,
22422,	22427,	23401,	23412,	24319,	24324,
22431,	22434,	23416,	23427,	24325,	24326,
22436,	22441,	23433,	23509,	24334,	24337,
22443,	22446,	23510,	23511,	24343,	24344,
22449,	22451,	23528,	23539,	24345,	24353,
22456,	22458,	23557,	23563,	24356,	24363,
22459,	22462,	23587,	23682,	24364,	24365,
22493,	22496,	23685,	23695,	24373,	24376,
22497,	22500,	23702,	23709,	24390,	24398,
22503,	22516,	23752,	23768,	24399,	24400,
22519,	22522,	23773,	23777,	24408,	24411,
22525,	22534,	23778,	23795,	24433,	24448,
22538,	22545,	23803,	23809,	24449,	24450,
22562,	22583,	23816,	23823,	24591,	24611,
22590,	22593,	23829,	23834,	24703,	24720,
22594,	22595,	23865,	23922,	24723,	24725,
22597,	22633,	23923,	23939,	24761,	24762,
22636,	22647,	23940,	23956,	24764,	24766,
22651,	22662,	23994,	24001,	24796,	24797,
22668,	22744,	24003,	24018,	24798,	24805,
22745,	22746,	24029,	24032,	24821,	24837,
22763,	22774,	24039,	24040,	24860,	24908,
22792,	22798,	24041,	24046,	24909,	25236,
22822,	22940,	24050,	24051,	25238,	25245,
22948,	22949,	24067,	24092,	25247,	25260,
22973,	22987,	24099,	24117,	25261,	25262,
22989,	22994,	24118,	24134,	25269,	25273,
23001,	23008,	24135,	24136,	25278,	25282,
23020,	23054,	24140,	24141,	25288,	25294,
23068,	23070,	24144,	24152,	25298,	25304,
23077,	23079,	24156,	24157,	25307,	25309,
23085,	23091,	24158,	24164,	25310,	25311,
23094,	23118,	24167,	24168,	25314,	25317,
23119,	23130,	24169,	24177,	25320,	25321,
23138,	23145,	24188,	24189,	25330,	25336,
23146,	23154,	24191,	24192,	25345,	25346,
23155,	23166,	24198,	24199,	25354,	25360,
23173,	23180,	24200,	24208,	25364,	25367,
23190,	23193,	24211,	24212,	25368,	25379,
23195,	23200,	24220,	24221,	25380,	25390,
23204,	23207,	24222,	24223,	25391,	25395,
23209,	23214,	24231,	24234,	25399,	25403,
23216,	23219,	24238,	24239,	25407,	25411,
23222,	23224,	24240,	24248,	25415,	25419,
23229,	23231,	24251,	24255,	25423,	25427,



25432,	25440,	26071,	26073,	19191,	19291,
25443,	25450,	26074,	26081,	26208,	26255, 26566
25451,	25455,	26084,	26086,	\firstname	..... 5132
25462,	25485,	26090,	26091,	\firstnamecolour	..
25491,	25502,	26094,	26110,	. 5101, 10597, 10693	
25507,	25513,	26111,	26119,	\firstnamefont	....
25515,	25522,	26120,	26123,	5110, 5118, 10635,	
25525,	25538,	26124,	26125,	10636, 10727, 10730	
25547,	25560,	26126,	26127,	\firstnamestyle	5118,
25563,	25574,	26133,	26138,	10647, 10737, 10758	
25580,	25581,	26146,	26163,	\FiveColumnFootnotes	
25587,	25592,	26169,	26171,	..... 13046	
25595,	25609,	26178,	26188,	\fivecolumnfootnotes	
25614,	25617,	26190,	26210,	..... 13021	
25618,	25619,	26234,	26237,	\Fld@width	... 17805,
25620,	25624,	26257,	26277,	17813, 17821, 17829	
25627,	25629,	26280,	26283,	\flnew@within	.... 15801
25635,	25636,	26301,	26316,	\float@newx	..... 15794
25650,	25660,	26334,	26336,	\floatalignment	...
25661,	25668,	26345,	26354,	.... 7383, 7384,	
25673,	25676,	26389,	26398,	7425, 7426, 7448,	
25679,	25680,	26430,	26433,	7455, 7463, 7514, 7725	
25683,	25684,	26434,	26435,	\FloatBarrier	. 7355, 7705
25686,	25695,	26436,	26437,	\floatc@bidituftefloatplain	
25696,	25700,	26445,	26459,	..... 7723,	
25706,	25712,	26463,	26464,	7733, 7740, 7746, 7754	
25713,	25714,	26468,	26476,	\floatc@bidituftefloatplaintop	
25717,	25723,	26477,	26478,	..... 7740	
25727,	25738,	26479,	26480,	\floatc@bidituftefloatruled	
25739,	25743,	26501,	26508,	..... 7741	
25749,	25761,	26514,	26515,	\floatc@plain	.... 15791
25762,	25763,	26516,	26517,	\floatingpenalty	..
25766,	25780,	26519,	26520,	. . 41, 55, 71, 254,	
25785,	25831,	26521,	26539,	268, 283, 10809,	
25832,	25840,	26555,	26574,	10830, 10877,	
25850,	25859,	26577,	26578,	10884, 10929,	
25860,	25863,	26582,	26583,	10936, 11971,	
25867,	25868,	26585, 26593, 26595		16135, 16152, 16168	
25913,	25939,	\figcaption	17016, 17034	\floatstyle	..... 7774
25958,	25966,	\fill	..... 3033,	\flushleft	... 4799, 4808
25972,	25978,	3224, 3226, 3228,		\FN@sf@@footnote	..
25986,	25993,	3433, 3434, 3437,		..... 4826, 4830	
25994,	25995,	3438, 3444, 3447,		\FN@sf@@footnotemark	
26001,	26006,	3455, 3540, 3542,		..... 4855, 4857	
26009,	26017,	3544, 8754, 8758,		\FN@sf@LTRfootnote	
26018,	26026,	17051, 17246,		..... 4827, 4836	
26027,	26035,	18164, 18166, 18168		\FN@sf@RTLfootnote	
26036,	26044,	\filright	.. 23981, 24010	..... 4828, 4842	
26045,	26053,	\FirstFrameCommand		\FN@sf@gobble@bracket	
26054,	26055,	..... 16385, 16431		..... 4866, 4869	
26056,	26059,	\firstmark	... 10156,	\FN@sf@gobble@opt	.
26062,	26065,	10219, 15699,		..... 4832,	
26066,	26067,	15735, 15893,		4838, 4844, 4847	
26068,	26069,	16571, 16620,			



\FN@sf@gobble@optonly	\footdir@ORG@bidi@amsbook@LTrfootnotetext	12002,
..... 4859, 4862	..... 294	12108, 12113,
\FN@sf@gobble@twobrace	\footdir@ORG@bidi@amsbook@RTLfootnotetext	15379,
..... 4851, 4854	..... 293	15388, 15392,
\focus@pbar@height	\footdir@ORG@bidi@beamer@footnotetext	15412,
3431, 3433, 3434,	..... 2394	16129, 16146,
3435, 3437, 3438,	\footdir@ORG@bidi@beamer@LTrfootnotetext	16555,
3439, 3444, 3445,	..... 2396	16556, 16604,
3447, 3448, 3454,	\footdir@ORG@bidi@beamer@RTLfootnotetext	16658,
3455, 3457, 3459,	..... 2395	16659, 16660,
3464, 3465, 3467, 3468	\footdir@ORG@bidi@footnotetext	16661, 16681,
\focus@pbar@leftoffset	..... 16186	16682, 16692,
3413, 3414, 3429,	\footdir@ORG@bidi@LTrfootnotetext	16701, 16722,
3433, 3434, 3437, 3438	..... 16188	16740, 16743,
\focus@pbar@progress	\footdir@ORG@bidi@RTLfootnotetext	20169, 20170,
... 3428, 3434, 3438	..... 16187	20172, 26288,
\focus@pbar@rightoffset	\footdir@temp ... 79,	26294, 26298,
3417, 3418, 3420,	80, 81, 292, 293,	26303, 26321, 26325
3421, 3429, 3444,	294, 2394, 2395,	\footinsdim .. 11967,
3447, 3457, 3459,	2396, 16025,	11968, 12110,
3464, 3465, 3467, 3468	16186, 16187, 16188	12115, 12143,
\font ..... 23719, 23720	\footdir@toks .....	12147, 12168,
\fontdimen . 23719, 23720	.. 15966, 16033,	12172, 12442,
\fontsize ..... 313,	16034, 16035, 16039	12446, 12467,
8709, 8711, 8713,	\footdir@write .....	12471, 12729,
10635, 10727,	. 15961, 15990, 16029	12733, 12754,
17905, 19802, 19815	\footersymbol . 10654,	12758, 13028,
\foo ..... 19873,	10655, 10670,	13032, 13053,
19875, 19885, 19887	10671, 10672, 10673	13057, 13327,
\footdir@abspage ..	\footfootmark .....	13331, 13352,
..... 15995,	.. 11725, 11911,	13356, 13626,
15998, 15999,	12299, 12592,	13630, 13651,
16002, 16003, 16006	12885, 13184,	13655, 13925,
\footdir@debug 15967,	13483, 13782,	13929, 13950,
15975, 15979,	14081, 14380,	13954, 14224,
15982, 15992,	14679, 15179, 16326	14228, 14249,
15999, 16003, 16006	\footfudgefactor ..	14253, 14523,
\footdir@debugfalse 4120	.. 14826, 14888,	14527, 14548,
\footdir@debugtrue	14941, 14993, 15044	14552, 14860,
..... 4119, 15965	\footins .....	14867, 14913,
\footdir@fntext ...	35,	14920, 14969, 15020
. 16013, 16030, 16032	49, 65, 248, 262,	\footinsv@l .. 11757,
\footdir@LeftRightElse	277, 10809, 10830,	11788, 11960,
. 15973, 15989, 16066	10834, 10835,	12112, 12113,
\footdir@name .....	10846, 10849,	12114, 12115,
. 16016, 16019, 16020	10853, 10877,	12147, 12148,
\footdir@ORG@bidi@amsart@footnotetext	10883, 10891,	12172, 12173,
..... 79	10903,	12190, 12205,
\footdir@ORG@bidi@amsart@LTrfootnotetext	10906, 10910,	12213, 12220,
..... 81	10935,	12235, 12238,
\footdir@ORG@bidi@amsart@RTLfootnotetext	11742, 11758,	12251, 12252,
..... 80	11789,	12263, 12277,
\footdir@ORG@bidi@amsbook@footnotetext	11804, 11968,	12446, 12447,
..... 292	11989, 11991,	12471, 12472,





12489,	12503,	14867,	14868,	13716,	13733,
12511,	12518,	14902,	14920,	13748,	13761,
12532,	12535,	14921,	14955,	13762,	13773,
12547,	12548,	14969,	14970,	13925,	13926,
12558,	12571,	15006,	15020,	13950,	13951,
12733,	12734,	15021,	15057,	13970,	13989,
12758,	12759,	15065,	15082,	13993,	14000,
12776,	12791,	15090,	15097,	14015,	14032,
12799,	12806,	15113,	15116,	14047,	14060,
12821,	12824,	15131,	15132,	14061,	14072,
12837,	12838,	15144,	15160,	14224,	14225,
12849,	12863,	15443, 15456, 15460		14249,	14250,
13032,	13033,	\footinsv@r .. 11959,		14269,	14288,
13057,	13058,	12107, 12108,		14292,	14299,
13075,	13090,	12109, 12110,		14314,	14331,
13098,	13105,	12143, 12144,		14346,	14359,
13120,	13123,	12168, 12169,		14360,	14371,
13136,	13137,	12188, 12207,		14523,	14524,
13148,	13162,	12211, 12218,		14548,	14549,
13331,	13332,	12233, 12250,		14568,	14587,
13356,	13357,	12265, 12278,		14591,	14598,
13374,	13389,	12279, 12290,		14613,	14630,
13397,	13404,	12442, 12443,		14645,	14658,
13419,	13422,	12467, 12468,		14659,	14670,
13435,	13436,	12487, 12505,		14860,	14861,
13447,	13461,	12509, 12516,		14901,	14913,
13630,	13631,	12530, 12546,		14914,	14954,
13655,	13656,	12560, 12572,		15063,	15084,
13673,	13688,	12573, 12583,		15088,	15095,
13696,	13703,	12729, 12730,		15111,	15130,
13718,	13721,	12754, 12755,		15146,	15161,
13734,	13735,	12774, 12793,		15162,	15174,
13746,	13760,	12797, 12804,		15442, 15455, 15459	
13929,	13930,	12819, 12836,		\footmarkstyle . . . .	
13954,	13955,	12851, 12864,		. . . . . 11908, 11947	
13972,	13987,	12865, 12876,		\footmarkwidth . . . .	
13995,	14002,	13028, 13029,		. . 11907, 11912,	
14017,	14020,	13053, 13054,		11913, 11915,	
14033,	14034,	13073, 13092,		11917, 11920,	
14045,	14059,	13096, 13103,		11924, 11925,	
14228,	14229,	13118, 13135,		11927, 11929,	
14253,	14254,	13150, 13163,		11932, 11936,	
14271,	14286,	13164, 13175,		11937, 11939,	
14294,	14301,	13327, 13328,		11941, 11944,	
14316,	14319,	13352, 13353,		11951, 11954,	
14332,	14333,	13372, 13391,		16327, 16328,	
14344,	14358,	13395, 13402,		16330, 16332,	
14527,	14528,	13417, 13434,		16335, 16339,	
14552,	14553,	13449, 13462,		16340, 16342,	
14570,	14585,	13463, 13474,		16344, 16347,	
14593,	14600,	13626, 13627,		16351, 16352,	
14615,	14618,	13651, 13652,		16354, 16356, 16359	
14631,	14632,	13671, 13690,		\footnote 455, 529, 788,	
14643,	14657,	13694, 13701,		887, 1040, 1139,	



1290, 1390, 2398,	784, 1036, 1286,	14081, 14104,
4826, 4829, 8291,	5210, 5232, 7263,	14133, 14218,
8610, 8641, 9332,	7264, 7302, 7921,	14243, 14275,
9509, 9614, 9688,	7922, 7923, 8115,	14305, 14380,
11380, 11448,	8145, 8163, 8181,	14403, 14432,
11473, 11547,	9328, 9505, 9610,	14517, 14542,
15547, 15615,	11376, 11469,	14574, 14604,
19087, 19090,	11964, 11965,	14679, 14702,
20497, 20596,	11966, 15543,	14731, 14831,
20634, 20740,	16125, 16126,	14854, 14883,
20894, 20982,	16127, 16132,	14893, 14907,
21091, 21165,	16149, 16165,	14936, 14946,
21546, 22286, 23059	16196, 16211,	15070, 15101,
\footnotelayout . . .	16226, 17892,	15179, 15204, 15234
. . . 8109, 8110, 8113	19972, 19974,	\forcerectofloat . . 7386
\footnotemark . . . . .	20493, 20630,	\forceversofloat . . 7387
4855, 4856, 16267,	20890, 21087,	\forvariable . . . . .
16281, 19088, 19091	21542, 22282, 23055	6667, 6673, 6749,
\footnoterule . 10788,	\footnotetext . . 4890,	6785, 6792, 6797,
10850, 10856,	4901, 9070, 9080	6803, 6808, 6812, 6813
10861, 10889,	\footrulewidth 5080, 7584	\FourColumnFootnotes
10890, 10907,	\footscript . . . . .	. . . . . 12747
10911, 10915,	. . 11908, 11914,	\fourcolumnfootnotes
10941, 10942,	11918, 11920,	. . . . . 12722
11717, 12093,	16329, 16333, 16335	\fp . . . . . 18744,
15378, 15391,	\footskip . . . . 21532,	18745, 18746, 18747
15958, 16054,	22272, 23045, 26552	\fps@figure . . . . . 17004
16058, 16061,	\foottextfont . . . . .	\framebox . . . . 10645,
16076, 16081,	. . 11726, 11746,	10776, 19402, 19408
16082, 16084,	11762, 11823,	\FrameCommand . . . . 16383
16743, 16776,	11836, 11964,	\FrameHeightAdjust 16457
19533, 20171,	12137, 12162,	\FrameRestore . 16391,
23973, 26297, 26324	12194, 12224,	16395, 16511, 16512
\footnotes . . . . . 8106	12299, 12322,	\framewidth . . . . .
\footnotesep 29, 31, 40,	12351, 12436,	. . . 2294, 2311, 2328
46, 54, 60, 70, 76,	12461, 12493,	\fromaddress . . . . .
243, 245, 253, 259,	12522, 12592,	. . 11641, 11647,
267, 273, 282, 288,	12615, 12643,	11657, 17958, 17964
2305, 2322, 2339,	12723, 12748,	\fromname . . . . . 11662
2355, 2371, 2387,	12780, 12810,	\fromsig . . . 11661, 11663
10806, 10827,	12885, 12908,	\fromvalue . . . . 6667,
10852, 10909,	12937, 13022,	6753, 6776, 6798, 6813
11726, 11732,	13047, 13079,	\frontmatter . . . . . 8808
11738, 11972,	13109, 13184,	\fs@biditytfloatboxed
14894, 14947,	13207, 13236,	. . . . . 7752
14999, 15050,	13321, 13346,	\fs@biditytfloatplain
16134, 16142,	13378, 13408,	. . . . . 7731, 7739
16151, 16159,	13483, 13506,	\fs@biditytfloatplaintop
16167, 16175,	13535, 13620,	. . . . . 7739
16203, 16218,	13645, 13677,	\fs@biditytfloatruled
16233, 17900, 17902	13707, 13782,	. . . . . 7744
\footnotesize . . . 38,	13805, 13834,	\fslice . 19989, 19990,
52, 68, 106, 236,	13919, 13944,	19992, 19993, 19996
251, 265, 280, 451,	13976, 14006,	



<code>\ftn@amount</code> .. 16659,	18695,	18696,	18996,	18997,
16660, 16661,	18699,	18700,	19002,	19009,
16668, 16672, 16673	18701,	18702,	19825, 19833, 19836	
<code>\ftn@font</code> .... 21443,	18703,	18704,	<code>\g@addto@macro</code> . 7381,	
21479, 22182,	18706,	18709,	8067, 8069, 11180,	
22219, 22955, 22992	18710,	18712,	11183, 11185,	
<code>\ftn@rule@height</code> ..	18715,	18717,	14881, 14934,	
..... 21487,	18720,	18725,	14986, 15037,	
21490, 21494,	18733,	18734,	15441, 15446,	
21497, 22227,	18736,	18737,	15454, 15458,	
22230, 22234,	18738,	18739,	18328, 25134, 25463	
22237, 23000,	18740,	18741,	<code>\g@mix@page@int</code> .. 18882	
23003, 23007, 23010	18742,	18744,	<code>\gdef</code> ..... 441, 2517,	
<code>\ftn@rule@test@values</code>	18745,	18746,	2519, 4729, 5101,	
..... 21486,	18747,	18749,	5102, 5103, 5104,	
21493, 22226,	18750,	18760,	5105, 5106, 5108,	
22233, 22999, 23006	18768,	18769,	5109, 5270, 5294,	
<code>\ftn@rule@width</code> 21490,	18770,	18772,	5631, 6345, 6431,	
21497, 22230,	18777,	18778,	6433, 6443, 6445,	
22237, 23003, 23010	18783,	18784,	6762, 6764, 6765,	
<code>\ftnm@font</code> .....	18788,	18793,	7399, 7400, 7402,	
. 21482, 22222, 22995	18796,	18803,	7405, 7485, 7490,	
<code>\full@width</code> .....	18805,	18808,	7491, 7492, 7644,	
. 19460, 19472, 19520	18809,	18813,	7685, 8064, 8202,	
<code>\futurelet</code> .... 837,	18815,	18816,	8231, 8260, 8299,	
839, 1089, 1091,	18819,	18820,	8308, 8317, 8646,	
1339, 1341, 5399,	18821,	18825,	8663, 8679, 8691,	
6467, 6470, 20546,	18826,	18830,	8731, 8732, 8733,	
20548, 20687, 20689	18831,	18838,	8920, 8923, 9178,	
	18853,	18854,	9190, 9192, 10155,	
	18855,	18857,	10218, 11134,	
	18862,	18865,	11147, 12042,	
	18866,	18869,	15396, 15407,	
	18873,	18874,	15418, 15419,	
	18875,	18879,	15698, 15734,	
	18880,	18881,	16020, 16080,	
	18888,	18889,	16570, 16619,	
	18890,	18892,	18144, 18147,	
	18893,	18896,	19190, 19290,	
	18897,	18902,	19747, 19768,	
	18908,	18919,	20163, 23717,	
	18924,	18925,	23982, 23983,	
	18926,	18930,	23988, 24011,	
	18933,	18934,	24012, 25460,	
	18935,	18936,	25867, 25927,	
	18938,	18946,	26150, 26207, 26254	
	18960,	18961,	<code>\geometry</code> . 2079, 2081,	
	18962,	18963,	2087, 2089, 7285,	
	18965,	18968,	7288, 7292, 7295, 7299	
	18976,	18977,	<code>\Gin@angle</code> ..... 19808	
	18980,	18984,	<code>\Gin@bboxtrue</code> .... 16821	
	18985,	18987,	<code>\Gin@defaultbp</code> ....	
	18989,	18990,	.. 16822, 16823,	
	18991,	18995,	16824, 16825,	

## G



23944, 23945, 23948	2511, 2594, 2722,	10142,	10143,
\Gin@eheight . . . . . 19810	4632, 4633, 4634,	10153,	10160,
\Gin@esetsize . . . . . 16840	4635, 4636, 4637,	10194,	10205,
\Gin@ewidth 19809, 19810	4638, 4639, 4640,	10206,	10216,
\Gin@exclamation . .	4641, 4642, 4888,	10223,	10253,
. 16870, 19809, 19812	4891, 4894, 4897,	10278,	10297,
\Gin@gridfalse . . . 19795	4901, 4904, 4907,	10494,	10505,
\Gin@ii . . . . . 16829	4986, 4990, 5012,	10518,	10530,
\Gin@iii . . . 16818, 16832	5295, 5309, 5311,	10532,	10541,
\Gin@llx . . . . . 16822	5317, 5319, 5330,	10543,	10544,
\Gin@lly . . . . . 16823	5336, 5348, 5372,	10547,	10550,
\Gin@outer@scalex 19806	5473, 5489, 5655,	10560,	10567,
\Gin@outer@scaley 19807	5709, 5763, 6567,	10568,	10575,
\Gin@scalex . . . . . 19811	6569, 6589, 6590,	10801,	10808,
\Gin@scaley . . . . . 19812	6601, 6609, 6619,	10822,	10829,
\Gin@urx . . . . . 16824	6732, 6751, 6753,	10841,	10849,
\Gin@ury . . . . . 16825	6755, 6767, 6772,	10853,	10870,
\Gin@clude@graphics	7250, 7384, 7428,	10873,	10881,
. . . . . 16826, 16838	7429, 7801, 7812,	10886,	10898,
\Gin@put@path . . . . . 18642	7815, 7845, 7856,	10906,	10910,
\global . 311, 475, 476,	7859, 7889, 7900,	10922,	10925,
477, 478, 479, 480,	7903, 7957, 8724,	10933,	10938,
481, 482, 483, 484,	8921, 8924, 8942,	11260,	11398,
485, 486, 504, 510,	8946, 8962, 8973,	11399,	11400,
511, 512, 513, 514,	8999, 9000, 9027,	11401,	11402,
515, 516, 517, 518,	9040, 9041, 9061,	11403,	11404,
519, 520, 521, 522,	9071, 9074, 9077,	11405,	11406,
557, 558, 718, 719,	9080, 9083, 9086,	11407,	11425,
826, 827, 828, 829,	9118, 9128, 9142,	11431,	11432,
830, 831, 832, 833,	9144, 9149, 9150,	11433,	11434,
834, 835, 864, 870,	9156, 9157, 9159,	11435,	11436,
871, 872, 873, 874,	9179, 9191, 9193,	11437,	11438,
875, 876, 877, 878,	9251, 9252, 9370,	11439,	11440,
879, 880, 962, 963,	9371, 9372, 9373,	11441,	11493,
1078, 1079, 1080,	9374, 9375, 9376,	11494,	11495,
1081, 1082, 1083,	9377, 9378, 9379,	11496,	11497,
1084, 1085, 1086,	9428, 9429, 9547,	11498,	11499,
1087, 1116, 1122,	9548, 9549, 9550,	11500,	11501,
1123, 1124, 1125,	9551, 9552, 9553,	11502,	11503,
1126, 1127, 1128,	9554, 9555, 9556,	11504,	11522,
1129, 1130, 1131,	9634, 9635, 9636,	11528,	11529,
1132, 1201, 1202,	9637, 9638, 9639,	11530,	11531,
1328, 1329, 1330,	9640, 9641, 9642,	11532,	11533,
1331, 1332, 1333,	9643, 9644, 9645,	11534,	11535,
1334, 1335, 1336,	9663, 9669, 9670,	11536,	11537,
1337, 1366, 1372,	9671, 9672, 9673,	11538,	11539,
1373, 1374, 1375,	9674, 9675, 9676,	11540,	11573,
1376, 1377, 1378,	9677, 9678, 9679,	11574,	11818,
1379, 1380, 1381,	9680, 9681, 9715,	11831,	11843,
1382, 1508, 1509,	9716, 9808, 9818,	11855,	11868,
1888, 2292, 2309,	9819, 9820, 9821,	11989,	11991,
2326, 2343, 2344,	9822, 9823, 9824,	12013,	12015,
2359, 2360, 2375,	9825, 9833, 9846,	12039,	12047,
2376, 2480, 2487,	9851, 9855, 9911,	12049,	12064,



12131,	12209,	15574,	15592,	19209,	19217,
12251,	12278,	15598,	15599,	19219,	19227,
12307,	12336,	15600,	15601,	19228,	19229,
12360,	12374,	15602,	15603,	19230,	19232,
12387,	12401,	15604,	15605,	19233,	19236,
12507,	12547,	15606,	15607,	19237,	19268,
12572,	12600,	15608,	15686,	19269,	19277,
12628,	12651,	15687,	15696,	19278,	19288,
12664,	12676,	15702,	15722,	19294,	19297,
12689,	12795,	15723,	15732,	19299,	19301,
12837,	12864,	15739,	15811,	19302,	19304,
12893,	12922,	15814,	15847,	19309,	19317,
12946,	12960,	15850,	15852,	19319,	19327,
12973,	12987,	15858,	15859,	19328,	19329,
13094,	13136,	15860,	15878,	19330,	19332,
13163,	13192,	15882,	15885,	19333,	19336,
13221,	13245,	15888,	15890,	19337,	19365,
13259,	13272,	15894,	16191,	19366,	19372,
13286,	13393,	16192,	16206,	19373,	19385,
13435,	13462,	16207,	16221,	19386,	19387,
13491,	13520,	16222,	16544,	19388,	19389,
13544,	13558,	16545,	16546,	19390,	19392,
13571,	13585,	16547,	16553,	19398,	19470,
13692,	13734,	16554,	16555,	19487,	19493,
13761,	13790,	16556,	16557,	19507,	19515,
13819,	13843,	16558,	16568,	19680,	19905,
13857,	13870,	16577,	16602,	19922,	19923,
13884,	13991,	16603,	16604,	19924,	19925,
14033,	14060,	16605,	16606,	19933,	19940,
14089,	14118,	16607,	16617,	19979,	20003,
14142,	14156,	16626,	16655,	20004,	20005,
14169,	14183,	16656,	16668,	20254,	20420,
14290,	14332,	16669,	16670,	20421,	20535,
14359,	14388,	16672,	16673,	20536,	20537,
14417,	14441,	16674,	16675,	20538,	20539,
14455,	14468,	16757,	16770,	20540,	20541,
14482,	14589,	17430,	17444,	20542,	20543,
14631,	14658,	17468,	17482,	20544,	20573,
14687,	14716,	17515,	17546,	20579,	20580,
14740,	14754,	17577,	17640,	20581,	20582,
14767,	14781,	17650,	18094,	20583,	20584,
14817,	14831,	18206,	18207,	20585,	20586,
14850,	15086,	18279,	18282,	20587,	20588,
15131,	15161,	18297,	18315,	20589,	20674,
15189,	15219,	19020,	19021,	20675,	20676,
15244,	15259,	19022,	19023,	20677,	20678,
15273,	15288,	19024,	19025,	20679,	20680,
15355,	15406,	19026,	19027,	20681,	20682,
15417,	15476,	19028,	19045,	20683,	20684,
15477,	15565,	19140,	19177,	20685,	20714,
15566,	15567,	19178,	19188,	20720,	20721,
15568,	15569,	19194,	19197,	20722,	20723,
15570,	15571,	19199,	19201,	20724,	20725,
15572,	15573,	19202,	19204,	20726,	20727,



20728,	20729,	22473,	22474,	26455,	26469,
20730,	20731,	22475,	22476,	26474,	26488,
20732,	20792,	22477,	22478,	26489,	26491,
20793,	20924,	22479,	22480,	26500,	26533,
20925,	20926,	22481,	22482,	26545,	26548,
20927,	20928,	22483,	22484,	26550,	26557,
20929,	20930,	22485,	22486,	26561,	26563,
20931,	20932,	22487,	22488,	26564, 26567, 26576	
20933,	20934,	22489,	22490,	\globalcolorstrue .	
20935,	20958,	22491,	22492,	..... 1894, 1899	
20964,	20965,	22494,	22784,	\GlobalSetatBoolean 5482	
20966,	20967,	22786,	23029,	\GlobalSetBoolean .	
20968,	20969,	23030,	23031,	.... 5466, 7386,	
20970,	20971,	23032,	23110,	7387, 7414, 7415,	
20972,	20973,	23129,	23152,	7419, 7420, 7713, 7714	
20974,	20975,	23233,	23243,	\glossary .. 15872, 26528	
20976,	21007,	23244,	23245,	\glueexpr .... 24954,	
21008,	21111,	23246,	23247,	24961, 24966,	
21112,	21113,	23248,	23249,	25053, 25114,	
21114,	21115,	23250,	23251,	25117, 25121, 25127	
21116,	21117,	23252,	23253,	\Gm@lmargin 2067, 2098,	
21118,	21119,	23254,	23255,	2104, 2225, 2556, 3752	
21120,	21121,	23256,	23257,	\Gm@pageframes ... 16932	
21122,	21140,	23258,	23259,	\Gm@rmargin ... 2067,	
21146,	21147,	23260,	23261,	2096, 2106, 3343, 3783	
21148,	21149,	23262,	23263,	\Gm@vrule .... 16915,	
21150,	21151,	23264,	23265,	16916, 16917,	
21152,	21153,	23267,	23549,	16919, 16920,	
21154,	21155,	23551,	23808,	16921, 16924,	
21156,	21157,	23812,	23813,	16925, 16926,	
21158,	21192,	23814,	23831,	16929, 16930, 16931	
21193,	21516,	23843,	23848,	\Gm@vrules@mpi ... 16912	
21517,	21518,	23852,	23864,	\Gm@vrules@mpii .. 16922	
21519,	21597,	23901,	23903,	\grid ..... 19803, 19816	
21616,	21639,	23908,	23910,	\Grot@box .... 16790,	
21720,	21730,	24182,	24183,	16798, 21371,	
21731,	21732,	24186,	24187,	21382, 21389, 21399	
21733,	21734,	24721,	24722,	\Grot@box@kv ..... 16791	
21735,	21736,	24815,	24820,	\Grot@box@std .... 16785	
21737,	21738,	25457,	25605,	\Grot@setangle 16786,	
21739,	21740,	25613,	25623,	16797, 21364,	
21741,	21742,	25626,	25670,	21374, 21385, 21392	
21743,	21744,	25938,	26153,	\Grot@x ..... 16788,	
21745,	21746,	26164,	26194,	16793, 21369,	
21747,	21748,	26195,	26205,	21379, 21387, 21397	
21749,	21750,	26212,	26241,	\Grot@y ..... 16789,	
21751,	21752,	26242,	26252,	16794, 21370,	
21754,	22022,	26259,	26351,	21380, 21387, 21398	
22024,	22256,	26362,	26365,	\group .. 18623, 18644,	
22257,	22258,	26395,	26406,	18931, 18944,	
22259,	22337,	26409,	26437,	18949, 18956, 19012	
22356,	22379,	26446,	26447,	\grp@aligned ..... 9824	
22460,	22470,	26448,	26449,	\GRP@box . 9819, 9851, 9853	
22471,	22472,	26451,	26454,	\grp@eqs@numbered . 9823	





11372,	11671,	23873,	23943,	1680,	1701,	1703,		
14824,	14834,	25325,	25326,	1722,	1724,	1743,		
14839,	15306,	25375,	25377,	1745,	2185,	2189,		
15317,	15333,	25434,	25435,	2211,	2225,	2228,		
15342,	15521,	25638,	25672,	2490,	2551,	2870,		
15659,	15703,	25674,	25680,	2877,	2884,	3287,		
15706,	15710,	25793,	25802,	3293,	3299,	4598,		
15787,	15791,	25803,	25812,	4603,	8931,	8933,		
15793,	15832,	25877,	25878,	9038,	9249,	9274,		
15837,	16046,	25882,	25883,	9426,	9451,	9713,		
16778,	16779,	25889,	25890,	9730,	9991,	10110,		
16787,	16792,	25902,	25908,	10113,	10130,			
16803,	16804,	26070,	26079,	10134,	10164,			
16849,	16850,	26081,	26086,	10166,	10229,			
16888,	16895,	26096,	26111,	10231,	10461,			
17899,	17905,	26140,	26141,	10463,	10480,			
17924,	17977,	26466,	26476,	26478	10482,	11304,		
18196,	18237,	<code>\hboxL</code> . . . . .	192,	11316,	11571,			
18243,	18301,	4307,	4309,	4528,	12130,	15474,		
18308,	18628,	16491,	16508,	17996,	20119,	25803		
18644,	18645,	<code>\hboxR</code> 190,	4301,	4303,	4526,	20109,	25793	
18663,	18923,	<code>\head@style</code> . . .	668,	975,	1169,	1402,		
18925,	18935,	9220,	9397,	20371,	20754,	20821,	20883	
18971,	19006,	<code>\headheight</code> . . .	2225,	4608,	11122,	15880,	21530,	
19420,	19454,	22270,	23043,	26535	<code>\headrulewidth</code>	5079,	7583	
19470,	19472,	<code>\headsep</code> . . . . .	4616,	4619,	11123,	15881,	21531,	
19582,	19831,	22271,	23044,	26544	<code>\headwidth</code> . . . . .	5169		
19833,	19836,	<code>\height</code> .	16794,	16868,	17076,	17078,		
19917,	19972,	17082,	17084,	17111,	17112,	17115,	17116,	
19976,	19996,	17115,	17116,	17115,	17112,	17115,	17116,	
20029,	20033,	17173,	17174,	17177,	17178,	17206,	17208,	
20038,	20042,	17212,	17214,	18974,	18982,	19007		
20054,	20065,	<code>\hfil</code> .	15,	220,	554,	573,		
20082,	20092,	715,	742,	944,	959,	1107,	1198,	1226,
20109,	20118,	1456,	1457,	1458,	1459,	1487,	1488,	
20119,	20128,	1489,	1495,	1496,	1497,	1647,	1678,	
20182,	20183,	1680,	1701,	1703,	1722,	1724,	1743,	
20184,	20186,	1745,	2185,	2189,	2211,	2225,	2228,	
20187,	20222,	2490,	2551,	2870,	2877,	2884,	3287,	
20230,	20242,	3293,	3299,	4598,	4603,	8931,	8933,	
20404,	20458,	9038,	9249,	9274,	9426,	9451,	9713,	
20776,	20881,	9730,	9991,	10110,	10113,	10130,		
21005,	21035,	10134,	10164,	10166,	10229,	10461,		
21217,	21386,	10463,	10480,	10482,	11304,	11316,	11571,	
21443,	21479,	12130,	15474,	15491,	15705,	15745,	15747,	
21482,	21497,	15773,	15786,	15793,	16583,	16585,	16630,	
22004,	22182,	16585,	16630,	16632,	16921,	16926,	17924,	
22219,	22222,	16926,	17924,	18095,	18243,	19141,	19245,	
22237,	22766,	19141,	19245,	19247,	19347,	19349,	19447,	
22955,	22992,	19349,	19447,	19976,	20030,	20034,	20039,	
22995,	23010,	20034,	20039,	20043,	20055,	20066,	20092,	
23531,	23734,	20043,	20055,	20066,	20092,	20418,	20443,	
23782,	23795,	20418,	20443,	20790,	20815,	21005,	21022,	
23823,	23834,	20790,	20815,	21005,	21022,	21190,	21207,	
		21005,	21022,	21190,	21207,	24445,	24607,	
		21190,	21207,	24445,	24607,	24716,	25198,	
		24445,	24607,	24716,	25198,	25333,	25370,	
		25333,	25370,	25372,	25438,	25445,	25447,	
		25372,	25438,	25445,	25447,	25916,	26144,	
		25445,	25447,	25916,	26144,	26216,	26218,	
		25916,	26144,	26216,	26218,	26265,	26267,	
		26216,	26218,	26265,	26267,	26477,	26479,	
		26477,	26479,	26516,	26517,	26516,	26517,	
		26516,	26517,	26519,	26520,	26577		
		26519,	26520,	26577	<code>\hfill</code>	1525,	1526,	2241,
					2246,	2267,	3343,	
					3492,	3495,	3629,	
					3720,	5190,	5196,	
					5210,	7517,	7518,	





7521, 7522, 8902,	\HLTR@mplTRfootnotetext	17899, 17977,
8912, 9924, 9925,	.. 11704, 17311,	19582, 20458,
10646, 19422,	17325, 17349, 17412	20881, 21035, 21217
19446, 19607,	\hoffset . . . . . 4612	
19610, 19611,	\hold@viper .. 10176,	\hsize . 41, 55, 71, 254,
19612, 19615,	10179, 10235,	268, 283, 671, 978,
19616, 19617,	10238, 10306,	1172, 2008, 2206,
19618, 19619,	10309, 10493,	2294, 2295, 2296,
19622, 19623,	10494, 10505,	2311, 2312, 2313,
19624, 19625,	10506, 10518,	2328, 2329, 2330,
19626, 19627,	10519, 10531,	2349, 2365, 2381,
19628, 19631,	10566, 10568, 10569	2550, 4558, 5003,
19632, 19633,	\holder . 19986, 19989,	7757, 7758, 7818,
19634, 19635,	19998, 20008,	7862, 7906, 8503,
19636, 19637,	20009, 20027,	9223, 9400, 9848,
19638, 19639,	20031, 20036,	10110, 10113,
19642, 19643,	20040, 20052,	10130, 10134,
19644, 19647,	20056, 20063, 20067	11748, 11764,
19648, 19649,	\hook . 6828, 6835, 6881,	11779, 11795,
19652, 19653,	6886, 6897, 6904,	11810, 11823,
19654, 19655,	6914, 6919, 6985, 6999	11836, 11848,
19656, 19659,	\href . . . . . 5215, 5216,	11860, 11873,
19660, 19661,	5219, 5220, 5223, 5224	12293, 12323,
19662, 19663,	\HRTL@mpRTLfootnotetext	12352, 12365,
19666, 19667,	.. 11706, 17300,	12379, 12392,
19668, 19669,	17324, 17338, 17413	12406, 12416,
19670, 20083,	\HRTL@RTLfootnotetext	12422, 12586,
20087, 21497,	.. 11700, 17281,	12616, 12644,
22042, 22059,	17302, 17375,	12656, 12669,
22237, 22804,	17409, 17488,	12681, 12694,
22821, 23010,	17583, 17605, 17623	12703, 12709,
23569, 23586,	\hrule 31, 245, 578, 772,	12879, 12909,
23983, 24012,	1007, 1252, 7747,	12938, 12951,
25161, 25164,	7748, 7758, 7759,	12965, 12978,
25168, 25327,	8932, 9307, 9460,	12992, 13002,
25436, 25593, 26142	9570, 9576, 9582,	13008, 13178,
\hfilneg . . . . . 12125, 12128	9588, 9736, 10418,	13208, 13237,
\hfuzz 11135, 23885, 23887	10789, 11368,	13250, 13264,
\hintcolour . . . . . 5109	11667, 11718,	13277, 13291,
\hintfont . . . . . 5117,	15517, 16049,	13301, 13307,
5125, 5179, 5186, 5191	16051, 16083,	13477, 13507,
\hinscolumnwidth .	16496, 17902,	13536, 13549,
. . . . . 5145,	17973, 18399,	13563, 13576,
5159, 5163, 5171,	19534, 19585,	13590, 13600,
5179, 5185, 5191, 5248	20084, 20452,	13606, 13776,
\hintstyle . . . . . 5125	20875, 21031,	13806, 13835,
\hline 18172, 18174, 18181	21213, 21490,	13848, 13862,
\HLOFF . . . . . 4734	21497, 22230,	13875, 13889,
\HLON . . . . . 4728	22237, 23003, 23010	13899, 13905,
\HLTR@LTRfootnotetext	\hrulefill 28, 242, 582,	14075, 14105,
.. 11698, 17282,	778, 1012, 1258,	14134, 14147,
17313, 17390,	9313, 9466, 9740,	14161, 14174,
17408, 17450,	11372, 11671,	14188, 14198,
17552, 17606, 17626	15521, 16046,	14204, 14374,
		14404, 14433,



14446,	14460,	23447,	25385,	15704,	15709,
14473,	14487,	25388,	25393,	15713,	15714,
14497,	14503,	25397,	25401,	15769,	15785,
14673,	14703,	25405,	25409,	16046,	16629,
14732,	14745,	25413,	25417,	16636,	16640,
14759,	14772,	25421,	25641,	16641,	16914,
14786,	14796,	25662,	25666,	16916,	16917,
14802,	15074,	25833,	25843,	16920,	16925,
15105,	15123,	25997,	26368,	16928,	16930,
15139,	15153,	26412,	26573,	26577	16931,
15169,	15205,				17805,
15208,	15235,	\hskip . . . . . 14, 28,			17813,
15238,	15249,	219, 242, 315, 319,			17829,
15252,	15264,	572, 582, 701, 702,			17838,
15267,	15278,	741, 778, 929, 930,			17846,
15281,	15293,	943, 991, 1012,			17855,
15296,	15307,	1184, 1185, 1225,			17863,
15318,	15792,	1258, 1405, 1458,			17899,
15793,	16136,	1459, 1497, 1521,			17923,
16153,	16169,	1524, 1588, 1645,			17955,
16197,	16212,	1649, 1675, 1682,			19244,
16227,	16244,	1698, 1705, 1719,			19251,
16245,	16391,	1726, 1740, 1747,			19255,
16496,	16526,	2050, 2052, 2054,			19256,
16529,	16533,	2056, 2059, 2067,			19421,
16536,	16537,	2121, 2124, 2132,			19433,
18091,	18095,	2155, 2162, 2201,			19445,
18209,	18240,	2210, 2225, 2229,			19500,
18243,	18271,	2261, 2270, 2743,			19504,
18368,	18369,	2972, 3010, 3343,			19508,
18376,	18399,	3372, 3374, 3380,			19511,
19137,	19141,	3382, 3388, 3390,			19512,
19374,	19454,	3600, 3637, 3642,			19519,
19456,	19464,	3678, 3685, 3697,			19520,
19500,	19504,	3752, 3780, 3783,			19582,
19508,	19511,	3918, 3928, 4003,			19607,
19516,	19519,	4004, 4007, 4022,			19610,
19569,	19573,	4023, 4026, 5262,			19612,
19577,	20145,	8464, 8904, 8948,			19615,
20147,	20315,	8949, 8952, 8954,			19617,
20374,	20824,	8955, 8958, 9235,			19622,
20886,	20902,	9236, 9273, 9313,			19624,
20945,	21455,	9412, 9413, 9450,			19628,
21466,	21468,	9466, 9729, 9740,			19631,
21537,	21538,	9920, 9923, 9990,			19633,
21882,	21919,	10163, 10170,			19637,
21921,	22194,	10174, 10175,			19639,
22206,	22208,	10460, 10468,			19642,
22277,	22278,	10473, 10474,			19644,
22643,	22680,	10854, 10855,			19647,
22682,	22967,	10858, 10868,			19652,
22979,	22981,	10869, 10912,			19654,
23050,	23051,	11303, 11372,			19656,
23408,	23445,	11671, 14822,			19659,
		15490, 15521,			19661,
					19663,
					19666,
					19668,
					19670,
					19684,
					19934,
					19941,
					20404,
					20405,
					20442,
					20458,
					20757,
					20776,
					20777,
					20814,
					20881,
					21021,
					21035,
					21206,
					21217,
					21295,
					21297,
					21304,
					21306,
					21342,
					21344,
					21353,
					21355,
					21441,
					21497,
					21504,
					22180,
					22237,
					22244,
					22953,
					23010,
					23017,



23743,	23749,	23389,	23485,	20790,	20815,
23761,	23766,	23495,	23498,	20906,	20949,
23982,	24011,	23500,	23681,	21005,	21022,
24177,	24208,	23682,	23689,	21131,	21190,
24231,	24248,	23693,	23699,	21207,	21443,
24265,	24282,	23701,	23706,	21479,	22004,
24299,	24316,	23708,	23988,	22014,	22182,
24334,	24353,		24000	22219,	22766,
24373,	24408,	\hss . . . . .	495,	22776,	22955,
24600,	24603,		554, 573, 715, 742,	22992,	23531,
24809,	24841,		944, 959, 1198,	23541,	23755,
25320,	25367,		1226, 2043, 2612,	24607,	24716,
25377,	25432,		2634, 3639, 3640,	25646,	25648,
26138,	26215,		4341, 4558, 4627,	25653,	25659,
26222,	26226,		8523, 9249, 9274,	25879,	26007,
26227,	26460,		9426, 9451, 9654,	26058,	26059,
26462,	26476,		9713, 9730, 9991,	26061,	26062,
			10169,	10173,	26064,
\hspace .	108, 109, 238,		10228,	10234,	26068,
	239, 591, 3516,		10466,	10471,	26069,
	3523, 5180, 5185,		10478,	10485,	26126,
	5191, 7500, 7507,		10857,	10867,	26127,
	7729, 8407, 8408,		10912,	10921,	26128,
	8414, 8415, 8421,		11137,	11140,	26221,
	8422, 8428, 8429,		11142,	11145,	26225,
	8556, 8582, 8583,		11148,	11304,	26264, 26270, 26464
	10776, 10949,		11316,	11416,	\ht . . .
	10952, 10956,		11513,	11571,	401, 1507, 1540,
	10958, 10963,		11914,	11920,	1913, 1923, 1929,
	10965, 10969,		11926,	11932,	1942, 2030, 2114,
	10972, 10975,		11938,	11944,	2116, 2118, 2120,
	10979, 10981,		15474,	15491,	2140, 2149, 2151,
	10985, 10987,		15583,	15708,	2169, 2178, 2180,
	10991, 10994,		15712,	15744,	2218, 2220, 2222,
	10997, 11001,		15750,	15903,	2224, 2230, 2504,
	11003, 11008,		16329,	16335,	2508, 2552, 2963,
	11010, 11323,		16341,	16347,	3764, 4321, 4539,
	11658, 11915,		16353,	16359,	9939, 9948, 9950,
	11927, 11939,		16582,	16588,	10269, 10276,
	16330, 16342,		16635,	16639,	10284, 10298,
	16354, 17051,		16813,	16859,	10309, 10326,
	17067, 17080,		16917,	16931,	10328, 10331,
	17092, 17105,		18001,	18008,	10333, 10347,
	17114, 17122,		18013,	18237,	10360, 10364,
	17167, 17176,		18246,	18665,	10367, 10368,
	17184, 17197,		18926,	19007,	10371, 10377,
	17210, 17222,		19250,	19254,	10395, 10396,
	17246, 17894,		19346,	19352,	10409, 10439,
	17895, 21854,		19490,	19491,	10531, 10566,
	21863, 21959,		19501,	19502,	10797, 10806,
	21969, 21972,		19948,	19958,	10818, 10827,
	21974, 22615,		20184,	20195,	10835, 10845,
	22624, 22720,		20196,	20197,	10847, 10863,
	22730, 22733,		20222,	20230,	10892, 10902,
	22735, 23380,		20418,	20443,	10904, 10917,
					11288, 12132,
					12417, 12423,
					12428, 12433,



12704,	12710,	19389, 19392, 19394	17182,	17199,	
12715,	12720,	\ht@viper 10268, 10274,	17201,	17212,	
13003,	13009,	10275,	10298,	17214, 17224, 17226	
13014,	13019,	10299,	10300,	\hvCapWidth .. 16984,	
13302,	13308,	10311,	10465,	16986,	16988,
13313,	13318,	10470, 10477, 10484	16990,	16994,	
13601,	13607,	\httplink .....	5217	16996, 17011, 17029	
13612,	13617,	\Huge . 8490, 9573, 9585,	\hvFloat .....	16958	
13900,	13906,	9765, 9773, 11600,	\hvMaxCapWidth	16969,	
13911,	13916,	11609,	15504,	16970,	16991,
14199,	14205,	15512, 21240, 21248	16992, 16993, 16996		
14210,	14215,	\huge . 602, 8344, 8346,	\hvObjectBox .....		
14498,	14504,	8489, 9564, 9759,	.. 16973, 16976,		
14509,	14514,	11334,	11594,	16978,	16982,
14797,	14803,	15499,	21235,	16988,	17063,
14808,	14813,	21579, 22319, 23092		17065,	17076,
14826,	14895,	\hv@Bottom .....	17146	17078,	17088,
14948,	15000,	\hv@Center ...	17050,	17090,	17106,
15051,	15426,	17061,	17101,	17107,	17115,
15655,	16416,	17163, 17191, 17244		17116,	17123,
16423,	16440,	\hv@figure . 17015, 17033		17124,	17131,
16447,	16448,	\hv@floatObject ...		17134,	17139,
16461,	16465,	..... 16976, 16980		17142,	17147,
16488,	16659,	\hv@floatType . 17006,		17150,	17154,
16664,	16806,	17015, 17033, 17251		17157,	17168,
16807,	16809,	\hv@Height .....	16988	17169,	17177,
16852,	16853,	\hv@label .....	16957	17178,	17185,
16855,	16988,	\hv@Left ...	16991, 17059	17186,	17193,
18182,	18257,	\hv@longCap .....	16956	17195,	17206,
18274,	18289,	\hv@Right ..	16992, 17048	17208, 17218, 17220	
18291,	18292,	\hv@shortCap .....		\hvObjectWidth .....	
18293,	18397,	. 16955, 17021, 17039		.. 16982, 16986,	
18404,	18407,	\hv@Top . 17074, 17110,		16990, 16991, 16992	
19228,	19232,	17130, 17172, 17204		\hvOBox .....	16976, 16980
19237,	19328,	\hv@Width ..	16986, 17009	\hvSet@capAngle ...	
19332,	19337,	\hv@Zero ...	16975, 17238	..... 17009, 17028	
19388,	19390,	\hvAboveCaptionSkip		\hvSet@capPos .....	
19588,	19998,	..... 17154, 17157		.. 16991, 16992,	
20056,	20067,	\hvBelowCaptionSkip		17059, 17130, 17146	
20072,	20073,	..... 17138, 17141		\hvSet@capVPos	17061,
20074,	20075,	\hvCaptionBox . 17010,		17074,	17101,
20079,	20094,	17027,	17069,	17110,	17163,
21281,	21323,	17071,	17082,	17172, 17191, 17204	
21326,	21381,	17084,	17094,	\hvSet@capWidth	16986,
21388,	23783,	17096,	17102,	16988, 16993, 16994	
23819,	23831,	17103,	17111,	\hvSet@floatCapSep	
23946,	25681,	17112,	17119,	..... 17067,	
25683,	26097,	17120,	17131,	17080,	17092,
26440, 26450, 26454		17132,	17138,	17105,	17114,
\ht@hold@viper	10307,	17141,	17147,	17122,	17167,
10309,	10531,	17148,	17155,	17176,	17184,
10532, 10566, 10567		17158,	17164,	17197, 17210, 17222	
\ht@strip	19385, 19386,	17165,	17173,	\hvSet@floatPos ..	17004
19387,	19388,	17174,	17181,		



\hvSet@objectAngle	\Hy@maketitle@optarg	17272, 17274, 17654, 17787, 17790
..... 16975, 16979	..... 17607, 17612	
\hvSet@objectPos ..	\Hy@pstringD 17662, 17681	\hyper@linkfile .. 17656
. 17048, 17050, 17244	\Hy@pstringdef .....	\hyper@linkstart ..
\hvSet@rotAngle ...	.. 17661, 17662,	.. 17264, 17268,
. 16969, 17238, 17241	17696, 17697, 17728	17272, 17274,
\Hy@Acrobatmenu .. 17755	\Hy@pstringF .....	17654, 17783, 17790
\Hy@backout .....	.. 17659, 17660,	\hyper@linkurl ... 17725
17782	17661, 17676,	\hyper@nat@current 17784
\Hy@BeginAnnot .....	17696, 17709, 17714	\hyper@nat@linkbreak
.. 17638, 17658,	\Hy@pstringP 17697, 17714	..... 17789
17695, 17727, 17756	\Hy@pstringURI .....	\hyper@nat@linkend 17786
\Hy@bidipoem@footnotetext	..... 17728, 17741	\hyper@nat@linkstart
..... 17511, 17520	\Hy@raisedlink .....	..... 17781
\Hy@bidipoem@LTRfootnotetext	.. 17331, 17342,	\hyper@pageduration
..... 17542, 17551	17353, 17364,	..... 2113, 2217
\Hy@bidipoem@RTLfootnotetext	17379, 17394,	\hyper@pagetext
..... 17573, 17582	17454, 17492,	..... 2113, 2217
\Hy@CleanupFile .. 17660	17525, 17556, 17587	\hyperlink .....
\Hy@colorlink . 17688,	\Hy@saved@footnotemark	2487
17720, 17749, 17775	..... 17599, 17618	\hyperref 16329, 16333,
\Hy@EndAnnot .....	\Hy@saved@footnotetext	16335, 16341,
.. 17645, 17691,	..... 17600, 17621	16345, 16347,
17723, 17752, 17778	\Hy@SetNewWindow ..	16353, 16357, 16359
\Hy@endcolorlink . 17647	..... 17683, 17711	\hypersetup 2486, 5063,
\Hy@footnote@currentHlabel	\Hy@setpdfborder ..	5071, 8600, 8659, 8676
. 17367, 17382, 17397	..... 17669,	\hypertarget ... 2516,
\Hy@footnote@currentHref	17703, 17734, 17763	21848, 22609, 23374
..... 17329,	\Hy@tabularx@hook .	\hyphenpenalty ... 6,
17332, 17340,	..... 17406, 17418	105, 211, 235,
17343, 17351,	\Hy@temp@menu 17757, 17770	670, 977, 1171,
17354, 17362,	\Hy@xspace@end .....	9222, 9399, 17891,
17365, 17368,	.. 17654, 17690,	17915, 20373,
17377, 17380,	17722, 17751, 17777	20823, 20885, 21028
17383, 17392,	\Hy@LTR@saved@LTRfootnotetext	\HyRTL@saved@RTLfootnotetext
17395, 17398,	..... 17602, 17627	..... 17601, 17624
17441, 17479,	\HyOrg@maketitle ..	
17512, 17543, 17574	. 17597, 17608, 17613	I
\Hy@gtemp .. 17417, 17422	\HyOrg@TX@endtabularx	\i .....
\Hy@href@nextactionraw	..... 17405	6789, 6801, 6813, 6814
..... 17684,	\hyper@@anchor 17329,	\ialign .....
17716, 17745, 17771	17332, 17340,	23826, 25916, 26102
\Hy@href@page .....	17343, 17351,	\if .....
17679	17354, 17362,	371,
\Hy@linkcounter ...	17365, 17377,	372, 373, 375, 376,
..... 11188, 11193	17380, 17392,	377, 378, 379, 382,
\Hy@linktoc .....	17395, 17452,	383, 384, 421, 428,
17260	17455, 17490,	1433, 1434, 1435,
\Hy@LT@LTRfootnotetext	17493, 17523,	1437, 1438, 1439,
..... 17440, 17449	17526, 17554,	1440, 1441, 1442,
\Hy@LT@RTLfootnotetext	17557, 17585, 17588	1443, 1446, 1447,
..... 17478, 17487	\hyper@link .....	1448, 1471, 1472,
\Hy@MakeRemoteAction	..... 17653	1473, 1475, 1476,
..... 17663	\hyper@linkend .....	1477, 1478, 1479,
\Hy@maketitle@end .	.. 17264, 17268,	4962, 4968, 4971,
. 17609, 17614, 17616		4974, 4977, 6484,



6539, 6543, 6549,	5754, 5786, 5792,	5948, 5952, 5956,
6553, 6594, 6677,	5820, 5826, 5835,	5960, 5996, 6015, 6154
9809, 9828, 9861,	5852, 6369, 11679,	\if@capbreak . . . . .
9862, 9863, 15978,	11680, 11693,	. 21962, 22723, 23488
16002, 16239,	11694, 12046,	\if@captionabove ..
17982, 18163,	15449, 19592,	. . . . . 21897,
18165, 18167,	25881, 25888, 26594	21903, 21997,
19866, 23795,	\if@bidi@def . . . . . 5572	22008, 22658,
23829, 23834,	\if@bidi@defmacro .	22664, 22759,
23921, 23922,	. . . . 5595, 5596,	22770, 23423,
23923, 23924,	5604, 5999, 6018, 6157	23429, 23524, 23535
23925, 23926,	\if@bidi@defparam .	\if@cftdopart . . . 24159
23927, 23929,	. . . . . 6020,	\if@cfthaschapter .
23930, 23931,	6106, 6107, 6159	. . . . . 24150,
23932, 23933,	\if@bidi@defprimitive	24154, 24160,
23936, 23937,	. . . . . 5606	24181, 24193, 24215
23938, 26002,	\if@bidi@defprotected	\if@cfthaspart . . 24146
26003, 26094,	. . . . . 6027,	\if@chapterentrywithdots
26111, 26118,	6115, 6116, 6170	. . . . . 22818, 23583
26119, 26120,	\if@bidi@finalfootnotepage	\if@colour . . . . . 5046
26121, 26122, 26123	. . . . . 12044, 12067	\if@colourgreen 10584,
\if@allcaps . . . 799,	\if@bidi@list@minipage@parbox	10613, 10682, 10708
808, 816, 1051,	. . . . . 4265,	\if@colourgrey 10588,
1060, 1068, 1301,	25953, 26013,	10627, 10686, 10720
1310, 1318, 9343,	26022, 26031,	\if@colourorange ..
9352, 9360, 9520,	26040, 26053,	. . . . . 10582,
9529, 9537, 20508,	26054, 26066, 26067	10606, 10680, 10702
20517, 20525,	\if@bidi@list@minipage@parbox@coloured	10586,
20647, 20656, 20664	. . . . . 4266,	10620, 10684, 10714
\if@altsecnumformat	25961, 26015,	\if@compatibility .
. 21758, 22497, 23270	26024, 26033, 26042	. . 556, 717, 793,
\if@bib@break@ 21768,	\if@bidi@mdf@RTL ..	961, 1045, 1200,
21793, 21808,	. . . . . 18359, 18366	1295, 9337, 9514,
21824, 22529,	\if@bidi@patchable	20502, 20641,
22554, 22569,	. . . . . 5987, 5988	24185, 24720, 26082
22585, 23294,	\if@bidi@pdfbanner	\if@contcw . 19093, 19122
23319, 23334, 23350	. . . . . 4063, 4413	\if@conthang . . . . 19103
\if@bibchapter . . . 24100	\if@bidi@pdfencrypt	\if@continent . . . 19109
\if@bidi@banner . . .	. . . . . 4257, 4404	\if@DEBUG . . . . . 5017
. . . . . 4062, 4222	\if@bidi@pdfm@mark	\if@displaypagenumbers
\if@bidi@blank . . . .	. . . . . 4067,	. . . . . 5225, 5228
. . . 5590, 6092, 6099	4414, 4440, 4498, 4573	\if@donumindex . . . .
\if@bidi@csdef . . . .	\if@bidi@perpage@footnote	. . . . . 24101, 24120
. . . . 4421, 4432,	. . . . . 4068, 4391	\if@dotocbib . . . . 24060
5554, 5603, 18329,	\if@bidi@todonotes@figposition	\if@dotright 24108, 24125
19532, 25214, 25220	. . 25474, 25572,	\if@extrafootnote@features
\if@bidi@csmacro .. 5602	25577, 25584, 25590	. . . . . 4065, 4376
\if@bidi@csprimitive	\if@bidi@todonotes@textdirection	\if@f@B@ide .. 10190,
. . . . . 5612	. . . . . 25473,	10249, 15717,
\if@bidi@csundef ..	25507, 25547, 25581	15757, 15842,
. . . . . 5269,	\if@bidi@undef . . . .	16595, 16648,
5272, 5275, 5279,	. . . . 5578, 5643,	16677, 19264,
5284, 5560, 5639,	5896, 5907, 5926,	19361, 26234, 26277
5675, 5700, 5729,	5930, 5934, 5938,	\if@ff@nwpg . . . . . 15810



<code>\if@filesw</code>	5296, 5665, 5671, 5690, 5696, 5719, 5725, 5744, 5750, 5776, 5782, 5810, 5816, 12027	<code>\if@newlist</code>	.. 15858, 15890, 26488, 26563	1224, 1225, 1243, 1267, 1406, 1407, 1518, 1519, 1532, 1543, 1558, 1642, 1648, 1672, 1681, 1695, 1704, 1716, 1725, 1737, 1746, 1989, 2507, 2557, 2663, 2759, 2782, 2802, 2820, 2828, 2847, 2969, 3008, 3054, 3237, 3244, 3251, 3346, 3363, 3369, 3372, 3375, 3378, 3380, 3383, 3386, 3388, 3391, 3511, 3518, 3563, 3568, 3654, 3709, 3715, 3825, 3847, 3901, 3910, 3920, 3942, 3983, 3992, 4011, 4252, 4281, 4500, 4507, 5243, 5500, 5506, 5664, 5689, 5718, 5743, 5775, 5809, 8463, 8464, 8581, 8582, 8583, 9223, 9229, 9230, 9235, 9246, 9269, 9272, 9273, 9289, 9400, 9406, 9407, 9412, 9423, 9446, 9449, 9450, 9477, 9561, 9572, 9574, 9710, 9725, 9728, 9729, 9756, 9770, 9786, 9805, 9817, 9830, 9905, 9946, 9947, 9951, 9952, 9954, 9961, 9967, 9986, 9989, 9990, 9996, 10001, 10110, 10113, 10130, 10134, 10955, 10962, 10978, 10984, 11000, 11007, 11136, 11216, 11231, 11253, 11254, 11255, 11256, 11279, 11299, 11302, 11303, 11313, 11327, 11341,
<code>\if@firstcolumn</code>	10141, 10204, 10265, 10537, 10556, 15685, 15721, 16552, 16601, 16689, 19176, 19276, 19382, 26193, 26240, 26430	<code>\if@nonlatin</code>	..... .. 346, 358, 4066, 4389, 5536, 5542, 9844, 9846, 18354	
<code>\if@firstdetailselement</code>	..... 10749, 10751	<code>\if@noparlist</code>	..... 9166	
<code>\if@firstfooterelement</code>	..... 10653, 10656	<code>\if@noskipsec</code>	.. 9807, 16514, 18371, 20309	
<code>\if@hboxRconstruct</code>	..... 4256, 4501, 5524, 5530, 16238, 25960, 25984, 26015, 26024, 26033, 26042, 26053, 26054, 26066, 26067	<code>\if@oldtoc</code>	. 705, 731, 933, 949, 1188, 1215, 9239, 9263, 9416, 9440, 20408, 20432, 20780, 20804	
<code>\if@ignore</code>	... 6336, 6338	<code>\if@openright</code>	..... .. 8835, 9777, 11613	
<code>\if@inlabel</code>	..... 9808	<code>\if@ovb</code>	..... 15663	
<code>\if@inltxdoc</code>	..... 24093	<code>\if@ovl</code>	..... 15661	
<code>\if@insert</code>	..... 10564	<code>\if@ovr</code>	..... 15660	
<code>\if@komalongtable</code>	. 21994, 22756, 23521	<code>\if@ovt</code>	..... 15662	
<code>\if@left@column@shrink</code>	..... 10427	<code>\if@pboxsw</code>	..... 26009	
<code>\if@left@column@spread</code>	..... 10344, 10421	<code>\if@restonecol</code>	..... ..... 651, 667, 916, 1168, 9219, 9396, 9606, 20370, 20625, 21084, 24140	
<code>\if@LTRbibitems</code>	. 87, 300, 619, 754, 1017, 1267, 2663, 4262, 5243, 9289, 9477, 9786, 11351, 11622, 15526, 17872, 19171, 19678, 20463, 20857, 21051, 21254, 21784, 22545, 23310, 24067	<code>\if@reversemargin</code>	26435	
<code>\if@LTRmarginpar</code>	.. ..... 4261, 26459, 26464, 26468	<code>\if@right@column@shrink</code>	. 10345, 10374, 10449	
<code>\if@mainmatter</code>	. 8807, 9563, 9758, 11593, 20247, 22500, 22522	<code>\if@right@column@spread</code>	..... 10443	
<code>\if@minipage</code>	. 7552, 19162	<code>\if@rjfield</code>	..... 26474	
<code>\if@mparswitch</code>	... 26432	<code>\if@rl</code>	..... 4252	
		<code>\if@rl@footnote</code>	... 4264	
		<code>\if@rlmain</code>	..... 4251	
		<code>\if@rot@twoside</code>	21285, 21290, 21300, 21330, 21336, 21348	
		<code>\if@RTL</code>	. 12, 13, 25, 87, 104, 107, 108, 109, 173, 180, 189, 217, 218, 234, 237, 238, 239, 300, 315, 319, 551, 568, 571, 572, 595, 609, 613, 619, 671, 684, 695, 696, 701, 712, 737, 740, 741, 754, 922, 923, 929, 939, 942, 943, 956, 978, 1017, 1172, 1178, 1179, 1184, 1195, 1221,	



11345,	11351,	20155,	20156,	23414,	23680,
11568,	11591,	20159,	20163,	23683,	23688,
11606,	11622,	20195,	20196,	23699,	23706,
11643,	11646,	20197,	20225,	23738,	23758,
11651,	11659,	20231,	20242,	23956,	24001,
15471,	15486,	20244,	20250,	24018,	24038,
15489,	15490,	20261,	20263,	24041,	24046,
15497,	15509,	20274,	20276,	24050,	24051,
15526,	15793,	20287,	20289,	24067,	24144,
15951,	16239,	20298,	20300,	24167,	24168,
16386,	16388,	20317,	20337,	24169,	24177,
16785,	16787,	20353,	20354,	24198,	24199,
16790,	16791,	20374,	20387,	24200,	24208,
16792,	16798,	20398,	20399,	24221,	24222,
16800,	16817,	20404,	20415,	24223,	24231,
16820,	16827,	20438,	20441,	24238,	24239,
16836,	16842,	20442,	20463,	24240,	24248,
16846,	16849,	20758,	20759,	24255,	24256,
16863,	16888,	20770,	20771,	24257,	24265,
16895,	17060,	20776,	20787,	24272,	24273,
17162,	17264,	20810,	20813,	24274,	24282,
17272,	17654,	20814,	20824,	24289,	24290,
17690,	17722,	20837,	20857,	24291,	24299,
17751,	17777,	20886,	21002,	24306,	24307,
17783,	17787,	21017,	21020,	24308,	24316,
17790,	17804,	21021,	21026,	24324,	24325,
17812,	17820,	21027,	21051,	24326,	24334,
17828,	17836,	21187,	21202,	24343,	24344,
17845,	17853,	21205,	21206,	24345,	24353,
17862,	17872,	21233,	21245,	24363,	24364,
17890,	17893,	21254,	21365,	24365,	24373,
17894,	17895,	21367,	21371,	24398,	24399,
17910,	17921,	21375,	21377,	24400,	24408,
17922,	17956,	21382,	21386,	24448,	24449,
17960,	17963,	21389,	21393,	24450,	25247,
17968,	17990,	21395,	21399,	25309,	25310,
18000,	18010,	21424,	21432,	25311,	25317,
18239,	18321,	21457,	21470,	25320,	25367,
18335,	18342,	21756,	21757,	25427,	25432,
18362,	18447,	21784,	21832,	25455,	25462,
18455,	18646,	21833,	21834,	25522,	25525,
18972,	19052,	21836,	21884,	25609,	25644,
19053,	19054,	21888,	22163,	25652,	25679,
19055,	19056,	22171,	22196,	25680,	25683,
19057,	19136,	22210,	22496,	25684,	25686,
19138,	19171,	22545,	22593,	25723,	25727,
19416,	19420,	22594,	22595,	25780,	25785,
19421,	19428,	22597,	22645,	25831,	25832,
19433,	19440,	22649,	22936,	25859,	25860,
19445,	19678,	22944,	22969,	25863,	25867,
19765,	19785,	22983,	23269,	25954,	25962,
19800,	19814,	23310,	23358,	25968,	25974,
19846,	19976,	23359,	23360,	25987,	26055,
20026,	20101,	23362,	23410,	26056,	26058,





26061,	26064,	13693,	13700,	4251, 4280, 4299,
26066,	26067,	13705,	13715,	4499, 4506, 4525,
26068,	26069,	13791,	13798,	10006, 10029,
26071,	26073,	13803,	13814,	10052, 10075,
26074,	26079,	13820,	13827,	10459, 10943,
26126,	26127,	13832,	13969,	11068, 11071,
26133,	26138,	13974,	13986,	11077, 11085,
26459,	26464,	13992,	13999,	11095, 11105,
26468,	26476,	14004,	14014,	11111, 11125,
26477,	26478,	14090,	14097,	15956, 16913,
26479,	26574,	14102,	14113,	16923, 16940,
26577, 26585, 26595		14119,	14126,	16946, 18018,
\if@RTL@footnote	36,	14131,	14268,	18030, 18037,
249, 2293, 2343,		14273,	14285,	19373, 19530,
2346, 4264, 4503,		14291,	14298,	26283, 26504,
7831, 11743,		14303,	14313,	26510, 26539, 26555
11759, 11820,		14389,	14396,	\if@RTLmarginpar . .
11833, 12187,		14401,	14412,	. . . . . 4260,
12192, 12204,		14418,	14425,	26459, 26464, 26468
12210, 12217,		14430,	14567,	\if@RTLtab . 372, 373,
12222, 12232,		14572,	14584,	389, 396, 428, 439,
12308, 12315,		14590,	14597,	1414, 1415, 1434,
12320, 12331,		14602,	14612,	1435, 1472, 1473,
12337, 12344,		14688,	14695,	4255, 4881, 4885,
12349, 12486,		14700,	14711,	4886, 5512, 5518,
12491, 12502,		14717,	14724,	9865, 9867, 9888,
12508, 12515,		14729,	14962,	9895, 9917, 9918,
12520, 12529,		14976,	15013,	9931, 9942, 18164,
12601, 12608,		15027,	15062,	18166, 18301,
12613, 12623,		15081,	15087,	18304, 18308,
12629, 12636,		15094,	15110,	18310, 23773,
12641, 12773,		15190,	15197,	23777, 23778,
12778, 12790,		15214,	15220,	23795, 23803,
12796, 12803,		15227,	16130,	23809, 23834,
12808, 12818,		16179, 16221, 16224		23922, 23923,
12894, 12901,	\if@RTLbibitems . 87,			25913, 26086,
12906, 12917,	300, 619, 754,			26090, 26091,
12923, 12930,	1017, 1267, 2663,			26111, 26119, 26120
12935, 13072,	4263, 5243, 9289,			\if@sectionentrywithdots
13077, 13089,	9477, 9786, 11351,			. . . . . 22056
13095, 13102,	11622, 15526,			\if@sentedir . . . . . 4502
13107, 13117,	17872, 19171,			\if@specialpage . . .
13193, 13200,	19678, 20463,			. . . . . 15813, 26499
13205, 13216,	20857, 21051,			\if@tab@rl . . . . . 4255
13222, 13229,	21254, 21784,			\if@tablecaptionabove
13234, 13371,	22545, 23310, 24067			. 22026, 22788, 23553
13376, 13388,	\if@RTLmain . . . 1550,			\if@tempswa . . . 2014,
13394, 13401,	2078, 2086, 2095,			2024, 2033, 2048,
13406, 13416,	2103, 2125, 2142,			10851, 10908,
13492, 13499,	2156, 2171, 3225,			11979, 21607,
13504, 13515,	3317, 3319, 3322,			22347, 23120, 24902
13521, 13528,	3432, 3443, 3456,			\if@thmmarks . . 19748,
13533, 13670,	3463, 3541, 3634,			19752, 19769, 19773
13675, 13687,	3641, 3733, 4037,			\if@titlecentered .



..... 1388, 20738	\ifAM@survey ..... 19870	25487, 25711,
\if@titlepage .....	\IfArgIsEmpty .....	25760, 26170, 26171
.. 449, 672, 780,	. 21440, 22179, 22952	\ifcat ..... 4291,
979, 1032, 1231,	\ifartopt ..... 19072	4517, 6434, 6435
1282, 9608, 11374,	\ifbeamer@centered 2272	\IfClassLoadedF ... 9607
11467, 15541,	\ifbeamer@colbox@ignorebg	\IfClassLoadedT 448,
20375, 20489,	..... 1996, 1999	7243, 10003,
20626, 20825,	\ifbeamer@colbox@rounded	11896, 15924,
20888, 21085,	..... 2032	15937, 24059, 24143
21508, 22248, 23021	\ifbeamer@compress 2701	\ifconvertcolorsU .
\if@titlepageiscoverpage	\ifbeamer@dogeometry	..... 25697,
. 21513, 22253, 23026	..... 2074	25713, 25740, 25762
\if@tocstyle@penalties	\ifbeamer@onlytextwidth	\ifcpcodpage ..... 7329
..... 25230, 25339	..... 2254	\ifcfsname . 5555, 5561,
\if@todonotes@authorgiven	\ifbeamer@plainframe	5913, 6297, 6311,
..... 25498,	..... 2528,	6325, 6335, 6357,
25509, 25534, 25551	2545, 2556, 3597	19702, 19712,
\if@todonotes@disabled	\ifbeamer@sb@subsection	19726, 25254,
..... 25492, 25493	... 3805, 3816, 3824	25255, 25264,
\if@todonotes@dviStyle	\ifbeamer@theme@subsection	25275, 25279,
..... 25495, 25529	..... 3565	25289, 25301,
\if@ttb@rotate ... 15950	\ifbeamer@tree@showhooks	25355, 25383,
\if@twocolumn ... 98,	..... 4000, 4019	25384, 25392,
228, 496, 638, 654,	\ifbeamercolorempy	25396, 25400,
681, 688, 856, 903,	1995, 2915, 2917,	25404, 25408,
988, 999, 1108,	2920, 2930, 2932,	25412, 25416, 25420
1155, 1240, 1247,	2935, 2945, 2947,	\ifdefined ... 5573, 5579
1358, 4300, 4306,	2950, 3236, 3243,	\ifdefining ..... 6554
8761, 9206, 9383,	3271, 3273, 3337, 3394	\ifdfn@allowcbreak
9593, 9655, 11417,	\ifbidi@autofooterule	..... 10804, 10825
11514, 15584,	..... 2343,	\ifdfn@ruleboth ...
16691, 17884,	2359, 2375, 15957,	..... 10862, 10916
19035, 20357,	16191, 16206, 16221	\ifdfn@trysingle ..
20384, 20391,	\ifbidi@in@label ..	..... 10843, 10900
20565, 20612,	..... 6548, 6550	\ifdim 1508, 1509, 1911,
20706, 20834,	\IfbidiPackageVersion	1918, 1930, 1952,
20841, 20950,	..... 4239	2011, 2013, 2014,
21071, 21132,	\IfbidiPackageVersionBefore	2019, 2021, 2023,
21674, 22414,	..... 4233	2025, 2026, 2042,
23187, 24095,	\IfbidiPackageVersionLater	2058, 2538, 3372,
26155, 26429, 26588	..... 4227	3380, 3388, 3592,
\if@twoside .....	\ifblank ..... 2621, 3486	3631, 3666, 4002,
... 8752, 11103,	\ifblendcolors 25691,	4021, 4228, 4234,
15817, 21555,	25712, 25734, 25761	4240, 7565, 8132,
21599, 21677,	\ifbool .... 18384, 18393	8901, 8938, 8940,
21691, 22295,	\IfBooleanT ..... 6977	8999, 9000, 9002,
22339, 22417,	\IfBooleanTF ... 6823,	9008, 9048, 9060,
22431, 23068,	6877, 6892, 6910, 6938	9142, 9144, 9157,
23112, 23190,	\ifcase ... 1455, 1482,	9159, 9167, 9838,
23204, 25635, 26502	1486, 1490, 1494,	10284, 10299,
\if@vihproof 19401, 19407	1520, 9919, 17260,	10343, 10346,
\ifadl@inactive ... 1420	18252, 24032,	10375, 10383,
\ifadl@usingarypkg 1423	24418, 25299,	10384, 10390,
\ifAM@output ..... 19892	25369, 25479,	10413, 10420,



10426,	10442,	25669, 26441, 26573	17376, 17391,
10448,	10517,	\ifdofullc@p . . . . .	17451, 17489,
10533,	10546,	. 21938, 22699, 23464	17522, 17553, 17584
10549,	10551,	\iffalse . . . . .	\ifHy@pdfa . . . 17668,
10798,	10819,	5421, 5422, 5424,	17702, 17733, 17762
10839,	10848,	5437, 5438, 5439,	\ifin@label . . . . . 6556
10875,	10879,	16513, 16514,	\ifinner . . 4952, 7796,
10896,	10905,	18142, 18370,	7840, 7884, 16401,
10927,	10931,	18371, 20308, 20309	25604, 26346, 26390
11912,	11917,	\IfFileExists . . . . .	\ifL@RTL . . . . . 17990
11924,	11929,	. . . 7309, 8781, 8846	\iflatin . . . . . 5535
11936,	11941,	\IfFileLoadedTF . . . 7105	\ifLtoR . . . . . 5505
14896,	14949,	\iffootdir@debug . .	\ifLtoR@hboxconstruct
15001,	15052,	. . . . . 4064, 15968	. . . . . 5529
15649,	15651,	\ifFootnoteBackref@number	\ifLtoR@table . . . . . 5517
15792,	16327,	. . . . . 16325	\ifmaskcolors . 25701,
16332,	16339,	\ifGin@grid 19801, 19814	25712, 25744, 25761
16344,	16351,	\ifGin@iso . . . . . 16902	\ifmmode . . . . .
16356,	16398,	\ifhbox . . . . 14838, 14842	4490, 9946, 9951,
16406,	16422,	\ifhmode . . . . .	15762, 15772,
16423,	16453,	2683, 4946, 7790,	16785, 16787,
16461,	16474,	7834, 7878, 8121,	16790, 16791,
16489,	16522,	8127, 9952, 9954,	16792, 16798,
16523,	16805,	9961, 9967, 9986,	16800, 16817,
16812,	16851,	23994, 25684,	16820, 16827,
16858,	16903,	25686, 25723,	16836, 16842,
16993,	17131,	25727, 25780,	16846, 16849,
17147,	18091,	26066, 26067,	16863, 16888,
18240,	18289,	26110, 26340, 26384	16895, 17639,
18293,	19042,	\ifhv@fbox . . . 17062,	17651, 17654,
19085,	19092,	17068, 17075,	17690, 17722,
19096,	19098,	17081, 17087,	17751, 17777,
19137,	19198,	17093, 17102,	19903, 19961,
19206,	19208,	17106, 17111,	20201, 20212,
19298,	19306,	17115, 17119,	21365, 21367,
19308,	19383,	17123, 17137,	21371, 21375,
19394,	19478,	17153, 17164,	21377, 21382,
19486,	19492,	17168, 17173,	21386, 21389,
19506,	19514,	17177, 17181,	21393, 21395,
19920,	19973,	17185, 17192,	21399, 25679,
19998,	20056,	17198, 17205,	25683, 26004, 26077
20067,	20074,	17211, 17217, 17223	\ifNAT@openbib . . . 19681
20079,	20094,	\ifhv@nonFloat 17005,	\ifnonlatin . . . . . 5541
21868,	21951,	17012, 17030,	\ifnum . . . . . 3,
22629,	22712,	17051, 17243, 17245	137, 143, 208, 314,
23394,	23477,	\ifhv@onlyText . . . . .	363, 364, 365, 366,
23820,	24758,	. . . . . 17013, 17031	368, 497, 546, 563,
24803,	24818,	\ifhv@useOBox 16976, 16980	589, 598, 691, 707,
24823,	25265,	\ifHy@href@ismap . 17742	725, 857, 918, 951,
25290,	25356,	\ifHy@hyperfootnotes	969, 1109, 1174,
25612,	25614,	. 11681, 11695, 17279	1190, 1208, 1359,
25616,	25618,	\ifHy@nesting . . . . .	1425, 1426, 1427,
25619,	25620,	. . 17328, 17339,	1428, 1430, 1469,
25622,	25662,	17350, 17361,	1470, 2343, 2359,



2375,	2622,	2700,	19721,	19731,	25234,	25252,			
2704,	2725,	2726,	19986,	19992,	25425,	25643,			
2728,	3330,	3411,	20004,	20007,	25935,	26116,			
3425,	3426,	4385,	20008,	20009,	26117,	26131,			
4386,	4387,	4547,	20011,	20012,	26186,	26437,			
4978,	5314,	5837,	20013,	20014,	26459,	26582,	26583		
6408,	6436,	6438,	20023,	20045,	\ifodd . . . .	4963,	8752,		
6446,	6448,	6649,	20050,	20061,	11076,	11104,			
6659,	6757,	6763,	20072,	20073,	11175,	15818,			
6788,	6803,	6809,	20079,	20083,	16933,	16939,			
7115,	7144,	7165,	20086,	20087,	25635,	26433,	26503		
7181,	9021,	9225,	20193,	20194,	\ifoddpag	. . . . .	7323		
9241,	9257,	9321,	20246,	20394,	\ifoneline	captions			
9323,	9325,	9402,	20410,	20426,	. . . . .	21841,	22602,	23367	
9418,	9434,	9498,	20484,	20486,	\IfPackage	LoadedF . .			
9500,	9502,	9562,	20488,	20566,	. . . . .	7134,	7143,	7163	
9656,	9705,	9720,	20707,	20766,	\IfPackage	LoadedT . .	7164		
9743,	9745,	9747,	20782,	20798,	\ifpgfrem	emberpicture	reposition	onpage	
9757,	9839,	10108,	20849,	20851,	. . . . .	19916			
10116,	10121,		20853,	20951,	\ifpoem@	started	8995,		
10128,	10338,		20998,	21012,	. . . . .	9001,	9141,	9148,	9162
10339,	10352,		21038,	21040,	\ifprimitive	. . . . .	5607,	5614	
10363,	10499,		21042,	21133,	\ifr@gged	bottom . . .	20173		
10511,	10524,		21182,	21197,	\ifrot@	messages . . .			
10739,	11294,		21220,	21222,	. . . . .	21335,	21347		
11308,	11321,		21224,	21234,	\ifRtoL . . . . .	5499			
11330,	11418,		21420,	21431,	\ifRtoLh	boxconstruct			
11515,	11564,		21500,	21601,	. . . . .	5523			
11578,	11580,		21648,	21675,	\ifRtoL	table . . . . .	5511		
11582,	11592,		21724,	22159,	\ifsome	thing . . . . .	6687		
11976,	11977,		22170,	22240,	\Ifstr . . . . .	24461,	24462,		
12050,	12130,		22341,	22388,	. . . . .	24463,	24464,		
15425,	15466,		22415,	22464,	. . . . .	24465,	24466,		
15481,	15498,		22499,	22514,	. . . . .	24467,	24468,		
15585,	15635,		22517,	22521,	. . . . .	24469,	24484,		
15637,	15639,		22932,	22943,	. . . . .	24485,	24486,		
15926,	15928,		23013,	23114,	. . . . .	24487,	24489,		
15930,	15939,		23161,	23188,	. . . . .	24490,	24491,		
15941,	15943,		23237,	23283,	. . . . .	24494,	24497,		
16088,	16191,		23286,	23865,	. . . . .	24506,	24507,		
16206,	16221,		23913,	23914,	. . . . .	24508,	24511,		
16522,	16524,		23915,	23916,	. . . . .	24514,	24533,		
16712,	17641,		23918,	24023,	. . . . .	24534,	24535,		
17646,	17912,		24025,	24149,	. . . . .	24537,	24538,		
18062,	18065,		24153,	24195,	. . . . .	24539,	24542,		
18073,	18076,		24214,	24236,	. . . . .	24545,	24554,		
18145,	18179,		24253,	24270,	. . . . .	24555,	24556,		
18180,	18284,		24287,	24304,	. . . . .	24559,	24562,		
18285,	19036,		24322,	24341,	. . . . .	24620,	24621,		
19069,	19195,		24361,	24396,	. . . . .	24622,	24623,		
19225,	19295,		24579,	24580,	. . . . .	24624,	24625,		
19325,	19414,		24691,	24692,	. . . . .	24626,	24627,		
19426,	19438,		24719,	24729,	. . . . .	24628,	24643,		
19538,	19544,		24743,	25229,	. . . . .	24644,	24645,		



24646,	24648,	8608, 8654, 8663,	25848,	26288,
24649,	24650,	8671, 8698, 8745,	26303, 26304, 26327	
24653,	24656,	8814, 8825, 10643,	<code>\ifWF@float</code>	25617, 25631
24665,	24666,	10649, 10666,	<code>\ifx .</code>	115, 134, 136, 151,
24667,	24670,	10669, 10670,		155, 159, 166, 841,
24673,	24927,	10671, 10672,		845, 1093, 1097,
24928,	24929,	10673, 10759,		1343, 1347, 2030,
24930,	24931,	10764, 10767,		2031, 2410, 2436,
24932,	24933,	10768, 10769,		2462, 2488, 3119,
24934,	24935,	10770, 10771,		3125, 3131, 3209,
25004,	25005,	10774, 10778,		3416, 3441, 3461,
25006,	25007,	15899, 15914,		3611, 3627, 3694,
25009,	25010,	19860, 21289, 21334		3758, 3854, 3949,
25011,	25014,	<code>\iftocfeature .</code>		4395, 4396, 4829,
25017,	25026,	24711, 24769, 24779		4835, 4841, 4856,
25027,	25028,	<code>\iftocstyle@autolength</code>		4887, 4939, 4942,
25031,	25034,	.....		5203, 5204, 5205,
25064,	25065,	<code>\iftocstyle@indentnotnumbered</code>		5207, 5307, 5336,
25066,	25068,	.....		5339, 5359, 5363,
25069,	25070,	<code>\iftrue</code> .....		5383, 5387, 5402,
25073,	25076,	5439, 7737, 7750, 7763		5406, 5493, 5562,
25085,	25086,	<code>\ifttl@label</code> .....		5580, 5876, 6072,
25087,	25090,	<code>\ifTX@</code> .....		6414, 6420, 6421,
25093,	25113,	<code>\IfValueT</code> .....		6458, 6459, 6460,
25116,	25119,	<code>\ifvbox</code> .....		6461, 6471, 6477,
25139,	25143,	16759, 19594, 19599		6502, 6507, 6512,
25148,	25160,	<code>\ifvmode</code> ..		6517, 6523, 6528,
25163,	25167,	5772, 7093, 7526,		6716, 8066, 8890,
25177,	25181, 25186	7529, 7532, 7535,		8911, 9064, 9116,
<code>\Ifstrstart</code> ..	24918,	18399, 19468,		9121, 9123, 10152,
	24950, 24978,	19759, 19779, 23807		10215, 10871,
	24991, 25050, 25202	<code>\ifvoid</code> .		10923, 11641,
<code>\iftagsleft@</code> ..	338, 11133	10235, 10251,		11657, 11661,
<code>\iftest</code> .....	6491	10306, 10493,		15695, 15731,
<code>\ifthenelse</code>	5197, 5214,	10802, 10823,		16085, 16366,
	5218, 5222, 5230,	10834, 10859,		16567, 16616,
	7222, 7282, 7284,	10891, 10913,		16654, 16831,
	7287, 7291, 7294,	11982, 11988,		16873, 16874,
	7297, 7322, 7379,	12000, 12006,		16880, 16967,
	7398, 7413, 7418,	12012, 12089,		16969, 16975,
	7424, 7433, 7444,	15399, 15412,		16986, 16988,
	7450, 7456, 7457,	15424, 15437,		16991, 16992,
	7464, 7471, 7473,	16257, 16482,		17009, 17015,
	7479, 7496, 7514,	16503, 16658,		17016, 17018,
	7516, 7520, 7538,	16663, 16681,		17021, 17033,
	7539, 7542, 7543,	16683, 16692,		17034, 17036,
	7578, 7587, 7598,	16702, 16722,		17039, 17048,
	7608, 7657, 7772,	16723, 16727,		17050, 17059,
	7996, 8014, 8015,	16738, 16745,		17061, 17074,
	8033, 8034, 8052,	18302, 18415,		17101, 17110,
	8053, 8084, 8085,	19453, 19596,		17130, 17146,
	8203, 8208, 8232,	20101, 20167,		17163, 17172,
	8237, 8261, 8266,	20169, 20174,		17191, 17204,
	8343, 8347, 8395,	25785, 25838,		17238, 17244,



17257,	17288,	23088,	23094,	16924,	16929,
17299,	17310,	23116,	23132,	17944,	17963,
17617,	17620,	23139,	23147,	18354,	19159,
17623,	17626,	23155,	23167,	19166,	20380,
17670,	17678,	23174,	23189,	20389,	20830,
17704,	17712,	23190,	23194,	20839,	21365,
17735,	17764,	23195,	23203,	21375,	21393,
17937,	17958,	23204,	23208,	21911,	21913,
18102,	18103,	23209,	23218,	22672,	22674,
18107,	18109,	23219,	23223,	23437,	23439,
18184,	19146,	23224,	23232,	25723,	25727,
19187,	19287,	23297,	23815,	25980,	26019,
19552,	19557,	24034,	24381,	26028,	26037, 26046
19562,	19707,	24734,	24740,	\iii . . . . .	6795
19711,	19718,	24786,	24790,	\ilg . . . . .	19995, 20018
19724,	19876,	24794,	24901,	\immediate . . .	7090, 9128
19888,	20164,	25241,	25312,	\includegraphics . .	
20257,	20270,	25324,	25332,	. . .	5238, 10645,
20283,	20550,	25349,	25374,	10776, 19789, 19862	
20554,	20691,	25441,	25446,	\includemedia . . . . .	
20695,	21453,	25448,	25692,	. . .	18621, 18951, 18952
21488,	21495,	25735,	25868,	\includepdf . . . . .	19853
21552,	21553,	25988,	25991,	\indentedwidth . . .	11659
21560,	21568,	25998,	26157,	\index . . . . .	6673,
21575,	21581,	26165,	26204,	6674, 15871, 26527	
21603,	21619,	26251,	26516,	\indexname . . . .	645,
21626,	21634,	26517, 26519, 26520		646, 647, 661,	
21642,	21654,	\ifXC@tst . . .	25715, 25764	662, 910, 911,	
21661,	21676,	\ignorespaces . . .	46,	1162, 1163, 8568,	
21677,	21681,	60, 76, 122, 259,		8569, 9213, 9214,	
21682,	21690,	273, 288, 346, 677,		9390, 9391, 9600,	
21691,	21695,	686, 984, 1236,		9601, 9602, 20364,	
21696,	21705,	1245, 2022, 2240,		20365, 20619,	
21706,	21710,	2246, 2250, 2255,		20620, 21078,	
21711,	21719,	2267, 2277, 2305,		21079, 21080,	
21772,	22192,	2322, 2339, 2355,		24104, 24105,	
22228,	22235,	2371, 2387, 2747,		24106, 24110,	
22292,	22293,	6245, 6735, 6751,		24111, 24112,	
22300,	22308,	6753, 6759, 6762,		24115, 24116,	
22315,	22321,	6765, 6769, 6774,		24122, 24123,	
22343,	22359,	7549, 7556, 7557,		24127, 24128,	
22366,	22374,	7566, 8153, 8171,		24129, 24132, 24133	
22382,	22394,	8189, 8225, 8254,		\indexspace . . . . .	8584
22401,	22416,	8283, 8548, 8972,		\init@mult@footins	15454
22417,	22421,	8983, 9136, 9137,		\input . . . . .	4367,
22422,	22430,	9284, 9472, 9842,		4377, 4496, 4583,	
22431,	22435,	9848, 9961, 9967,		5050, 7116, 7120,	
22436,	22445,	9975, 9982, 11646,		7146, 7152, 7166,	
22446,	22450,	11660, 11726,		7170, 7204, 7214,	
22451,	22459,	11732, 11738,		8782, 8847, 26587	
22532,	22965,	16142, 16159,		\input@path . . . . .	18642
23001,	23008,	16175, 16203,		\InputIfFileExists	17984
23065,	23066,	16218, 16233,		\insert . . . . .	35,
23073,	23081,	16915, 16919,		49, 65, 248, 262,	



277, 4297, 4523,	<code>\insertfootnotemark</code>	<code>\insertsubsubenumlabel</code>
10793, 10809,	..... 2283,	..... 1723
10814, 10830,	2288, 2870, 2877,	<code>\insertsubtitle</code> ...
10877, 10883,	2884, 3287, 3293, 3299	... 3048, 3116, 3193
10929, 10935,	<code>\insertfootnotetext</code>	<code>\inserttitle</code> .....
11742, 11758,	..... 2282,	... 3042, 3115, 3186
11773, 11789,	2287, 2870, 2877,	<code>\inserttitlegraphic</code> 3059
11804, 12002,	2884, 3287, 3293, 3299	<code>\inserttitleindicator</code>
12186, 12238,	<code>\insertframenummer</code>	..... 3114
12265, 12485,	3221, 3429, 3435,	<code>\inserttocsection</code> .
12535, 12560,	3439, 3457, 3459, 3536	.... 1585, 1613,
12772, 12824,	<code>\insertframesubtitle</code>	1653, 1763, 1794, 3110
12851, 13071,	..... 3611,	<code>\inserttocsectionnumber</code>
13123, 13150,	3612, 3758, 3759,	..... 1588,
13370, 13422,	3854, 3857, 3949, 3952	1610, 1647, 1791
13449, 13669,	<code>\insertframetitle</code> .	<code>\inserttocsubsection</code>
13721, 13748,	..... 3610,	1578, 1588, 1616,
13968, 14020,	3757, 3853, 3948	1658, 1767, 1802, 2840
14047, 14267,	<code>\insertgotosymbol</code> . 2758	<code>\inserttocsubsectionnumber</code>
14319, 14346,	<code>\insertinstitute</code> ..	..... 1588
14566, 14618,	... 3070, 3125, 3128	<code>\inserttocsubsubsection</code>
14645, 15061,	<code>\insertinstituteindicator</code>	1582, 1593, 1621,
15116, 15146,	..... 3127	1665, 1773, 1809, 2844
15430, 15438,	<code>\insertlogo</code> .....	<code>\inserttotalframenummer</code>
16129, 16146,	..... 3640	.... 3221, 3420,
16162, 16682, 16684	<code>\insertnavigation</code> .	3426, 3429, 3445,
<code>\insert@column</code> ....	..... 3563, 3822	3448, 3465, 3468, 3536
.... 1457, 1458,	<code>\insertnote</code> .....	<code>\insertverticalnavigation</code>
1459, 1460, 1462,	..... 3401	..... 3692
1463, 1523, 1525,	<code>\insertpenalties</code> ..	<code>\insertvrule</code> .....
1526, 1528, 1529,	..... 16093, 16712	... 2067, 3338, 3396
1530, 9922, 9924,	<code>\insertreturnsymbol</code> 2801	<code>\int</code> 18229, 18675, 18722,
9925, 9927, 9928, 9929	<code>\insertsection</code> 3367, 3374	18723, 18727,
<code>\insertauthor</code> .....	<code>\insertsectionhead</code>	18805, 18893,
... 3064, 3119, 3122	..... 3206,	18896, 18897,
<code>\insertauthorindicator</code>	3516, 3918, 4001, 4009	18908, 18946,
..... 3121	<code>\insertshortauthor</code>	18984, 19009, 19825
<code>\insertblocktitle</code> .	... 3486, 3689, 3713	<code>\interfootnotelinepenalty</code>
1822, 1831, 1840,	<code>\insertshortdate</code> .. 3494	.. 39, 53, 69, 252,
2912, 2927, 2942,	<code>\insertshortframetitle</code>	266, 281, 11970,
3143, 3155, 3167, 3267	..... 3384, 3390	16133, 16150, 16166
<code>\insertbuttontext</code> . 2962	<code>\insertshortinstitute</code>	<code>\interlinepenalty</code> .
<code>\insertcaption</code> ....	..... 3486	..... 39, 53,
... 1857, 1872, 2899	<code>\insertshorttitle</code> .	69, 252, 266, 281,
<code>\insertcaptionname</code>	.... 3366, 3489,	596, 669, 694, 921,
... 1854, 1870, 2896	3681, 3720, 3908, 3990	976, 1170, 1177,
<code>\insertcaptionnumber</code>	<code>\insertskipsymbol</code> . 2781	8460, 9221, 9228,
..... 1854	<code>\insertslideintonotes</code>	9398, 9405, 9569,
<code>\insertdate</code> .....	..... 3343	9764, 9772, 10496,
... 3076, 3131, 3134	<code>\insertsubenumlabel</code> 1702	10508, 10521,
<code>\insertdateindicator</code>	<code>\insertsubsection</code> .	11328, 11599,
..... 3133	..... 3376, 3382	11608, 11970,
<code>\insertenumlabel</code> ..	<code>\insertsubsectionhead</code>	15503, 15511,
..... 1679, 1744	..... 3209,	16133, 16150,
	3212, 3523, 3575,	
	3832, 3928, 4020, 4028	









11563,	15465,	19628,	19631,	798,	888,	1050,
20409,	20425,	19633,	19635,	1140,	1300,	1391,
20781,	20797,	19637,	19639,	1402,	8399,	8406,
20997,	21181,	19642,	19644,	8488,	8731,	9342,
24053,	24054,	19647,	19649,	9519,	9620,	9691,
24147,	25386,	19652,	19654,	10728,	11384,	
<code>\l@section</code> . . . . .		19656,	19659,	11449,	11479,	
562, 732, 745, 934,		19661,	19663,	11550,	15551,	
947, 1216, 1229,		19666,	19668,	15616,	20507,	
11293, 24213, 25398		19670,	20468,	20597,	20646,	
<code>\l@subfigure</code> . . . . .	24340	20862,	21056,	20743,	20754,	
<code>\l@subparagraph</code> . . .		21259,	21791,	20910,	21097,	21168
. . . . .	24286, 25414	22552,	23317, 24072	<code>\Large</code> . . . . .	599,	
<code>\l@subsection</code> 24235, 25402		<code>\labelwidth</code> 89, 90, 302,		8350, 8413, 8487,		
<code>\l@subsection</code> . .		303, 622, 623, 757,		8732, 8733, 10639,		
. . . . .	24252, 25406	758, 1020, 1021,		10732, 11331, 20986		
<code>\l@subtable</code> . . . . .	24360	1270, 1271, 2655,		<code>\large</code> . . . . .	463, 469,	
<code>\l@table</code> 8469, 24321, 25418		2666, 2667, 5248,		534, 540, 554, 715,		
<code>\label</code> 5234, 7427, 7429,		5250, 8498, 8499,		805, 815, 890, 896,		
7431, 7435, 7487,		9292, 9293, 9480,		959, 1057, 1067,		
15870,	16304,	9481, 9789, 9790,		1142, 1148, 1198,		
16310,	17023,	11354,	11355,	1307, 1317, 1393,		
17041,	21844,	11625,	11626,	1399, 1403, 1408,		
22605,	23370,	15529,	15530,	8357, 8420, 8486,		
<code>\labelitemi</code> 790, 1042,		16527,	17874,	9249, 9349, 9359,		
1105, 1292, 9334,		17875,	19607,	9426, 9526, 9536,		
9511, 20499, 20638		19610,	19612,	9622, 9628, 9693,		
<code>\labelname</code> . . .	19607,	19615,	19617,	9699, 9713, 10638,		
19610,	19612,	19619,	19622,	10640,	10731,	
19615,	19617,	19624,	19626,	10733,	11316,	
19619,	19622,	19628,	19631,	11386,	11392,	
19624,	19626,	19633,	19635,	11451,	11457,	
19628,	19631,	19637,	19639,	11481,	11487,	
19633,	19635,	19642,	19644,	11552,	11558,	
19637,	19639,	19647,	19649,	11571,	15474,	
19642,	19644,	19652,	19654,	15553,	15559,	
19647,	19649,	19656,	19659,	15618,	15624,	
19652,	19654,	19661,	19663,	20418,	20514,	
19656,	19659,	19666,	19668,	20524,	20599,	
19661,	19663,	19670,	20466,	20605,	20653,	
19666, 19668, 19670		20467,	20860,	20663,	20745,	
<code>\labelsep</code> . . . . .	85, 90,	20861,	21054,	20751,	20755,	
298, 303, 624, 759,		21055,	21257,	20760,	20790,	
1022, 1272, 2647,		21258,	21789,	20912,	20918,	
2668, 5249, 5251,		21790,	22550,	21005,	21099,	
8497, 8499, 8556,		22551,	23315,	21105,	21170,	
9294, 9482, 9791,		23316, 24070, 24071		21176,	21190,	
11356,	11627,	<code>\landscape</code> .	18328, 19845	24709, 25141, 25179		
15531,	17870,	<code>\langle</code> . . . . .	4738	<code>\Largr</code> . . . . .	4741	
17875,	19607,	<code>\Larg</code> . . . . .	4737,	<code>\Largs</code> . . . . .	4740	
19610,	19612,	. . . . .	4738, 4739, 4740, 4741	<code>\lastbox</code> 10283, 14817,		
19615,	19617,	<code>\Larga</code> . . . . .	4738	14837,	14841,	
19619,	19622,	<code>\Largb</code> . . . . .	4739	18396,	20101,	
19624,	19626,	<code>\LARGE</code> . . . . .	461, 532,	25785,	25837, 25847	



<code>\LastFrameCommand</code> .	11315,	11570,	20495,	20632,
..... 16389, 16499	12296,	12589,	20872,	20892,
<code>\lastkern</code> ... 8132, 16474	12882,	13181,	21029,	21089,
<code>\lastpenalty</code> . 9839, 25234	13480,	13779,	21211,	21485,
<code>\lastrule</code> ..... 9886	14078,	14377,	21544,	22225,
<code>\lastskip</code> ..... 7565,	14676,	15473,	22284,	22998, 23057
9167, 9168, 9838	15488,	15767,		
<code>\LastTOCLevelWasHigher</code>	15782,	16236,	<code>\leftfootnoterule</code> .	
..... 25111	16801,	16847,	..... 4127,	
<code>\LastTOCLevelWasLower</code>	16867,	17657,	10785, 11714,	
..... 25107	17694,	17726,	16052, 16055,	
<code>\LastTOCLevelWasSame</code>	17904,	17923,	16296, 16772, 26590	
..... 25109	18391,	19419,	<code>\leftline</code> .. 20196, 26066	
<code>\LaTeX</code> ..... 17799,	19431,	19443,	<code>\leftlinenumber</code> ..	
25871, 25872, 25890	20100,	20181,	..... 18021, 18024	
<code>\LaTeXe</code> .... 25873, 25874	20186,	20253,	<code>\leftmargin</code> .... 90,	
<code>\LBEG</code> ..... 4742	20403,	20417,	303, 623, 624, 758,	
<code>\lcb</code> . 4739, 4742, 4743, 4746	20440,	20500,	759, 994, 1021,	
<code>\lccode</code> ..... 6436,	20639,	20775,	1022, 1271, 1272,	
6438, 25636, 25637	20789,	20812,	2655, 2667, 2668,	
<code>\Lcs</code> ..... 4753	21004,	21019,	5250, 5251, 7268,	
<code>\LcsStar</code> ..... 4754	21189,	21204,	8478, 8537, 8538,	
<code>\leaders</code> ..... 21497,	21497,	22237,	8545, 8551, 9293,	
22237, 23010,	23010,	23722,	9294, 9481, 9482,	
23755, 24047,	23773,	23997,	9790, 9791, 11355,	
25325, 25434, 26140	24020,	24172,	11356, 11626,	
<code>\leavevmode</code> .... 14,	24203,	24226,	11627, 15530,	
219, 315, 388, 553,	24243,	24260,	15531, 17875,	
570, 700, 714,	24277,	24294,	20250, 20467,	
739, 791, 928,	24311,	24329,	20468, 20861,	
941, 958, 1043,	24348,	24368,	20862, 21055,	
1106, 1183, 1197,	24403,	24596,	21056, 21258,	
1223, 1293, 1578,	24708,	24799,	21259, 21435,	
1581, 1585, 1588,	25316,	25430,	21790, 21791,	
1591, 1602, 1616,	25679,	25876,	22174, 22551,	
1619, 1638, 1656,	25882,	25889,	22552, 22947,	
1661, 1760, 1766,	25901,	25908,	23316, 23317,	
1770, 1782, 1800,	25982, 26086, 26136		24071, 24072,	
1806, 1849, 1865,			25952, 25955,	
1984, 2240, 2250,	<code>\left</code> . 25902, 25909, 25915		25965, 25969,	
2260, 2275, 2662,	<code>\left@footnoterule</code>		25977, 26014,	
2840, 2843, 2893,	30, 244, 453, 576,		26016, 26017,	
2920, 2935, 2950,	769, 786, 1005,		26018, 26023,	
3109, 3142, 3154,	1038, 1249, 1288,		26025, 26026,	
3166, 3483, 3509,	2343, 2375, 9304,		26027, 26032,	
3708, 3746, 3756,	9330, 9457, 9507,		26034, 26035,	
4871, 5179, 5662,	9612, 9734, 11366,		26036, 26041,	
5716, 5773, 8120,	11378, 11471,		26043, 26044, 26045	
8461, 8929, 9005,	11665, 15515,		<code>\leftmargin</code> ... 7268,	
9234, 9248, 9271,	15545, 16048,		8478, 8491, 8498	
9335, 9411, 9425,	16054, 16067,		<code>\leftmarginii</code> ..... 8492	
9448, 9512, 9712,	16069, 16206,		<code>\leftmarginiii</code> .... 8493	
9727, 9807, 9808,	16221, 17901,		<code>\leftmarginiv</code> ..... 8494	
9946, 9998, 11301,	17971, 18332,		<code>\leftmarginv</code> ..... 8495	
	18334, 20449,		<code>\leftmarginvi</code> ..... 8496	



<code>\leftmarginwidth</code>	. 21026		
<code>\leftmark</code>	..... 8828		
<code>\leftskip</code>	.... 12, 13,		
	217, 218, 315, 319,		
	551, 568, 571, 572,		
	671, 684, 695, 696,		
	701, 712, 737, 740,		
	741, 922, 923, 929,		
	939, 942, 943, 956,		
	978, 1172, 1178,		
	1179, 1184, 1195,		
	1221, 1224, 1225,		
	1243, 2010, 2011,		
	2015, 2823, 2829,		
	3317, 3319, 8455,		
	8463, 8464, 9035,		
	9223, 9229, 9230,		
	9235, 9246, 9269,		
	9272, 9273, 9400,		
	9406, 9407, 9412,		
	9423, 9446, 9449,		
	9450, 9710, 9725,		
	9728, 9729, 9861,		
	9862, 9863, 9989,		
	9990, 9996, 11299,		
	11302, 11303,		
	11313, 11568,		
	12102, 15348,		
	15471, 15486,		
	15489, 15490,		
	17921, 17922,		
	18378, 19052,		
	19053, 19416,		
	19420, 19421,		
	19428, 19433,		
	19440, 19445,		
	20261, 20263,		
	20274, 20276,		
	20287, 20289,		
	20298, 20300,		
	20374, 20387,		
	20398, 20399,		
	20404, 20415,		
	20438, 20441,		
	20442, 20770,		
	20771, 20776,		
	20787, 20810,		
	20813, 20814,		
	20824, 20837,		
	20886, 21002,		
	21017, 21020,		
	21021, 21026,		
	21027, 21187,		
	21202, 21205,		
		21206, 21427,	
		22166, 22939,	
		23989, 24001,	
		24018, 24039,	
		24041, 24046,	
		24050, 24051,	
		24167, 24168,	
		24169, 24177,	
		24198, 24199,	
		24200, 24208,	
		24221, 24222,	
		24223, 24231,	
		24238, 24239,	
		24240, 24248,	
		24255, 24256,	
		24257, 24265,	
		24272, 24273,	
		24274, 24282,	
		24289, 24290,	
		24291, 24299,	
		24306, 24307,	
		24308, 24316,	
		24324, 24325,	
		24326, 24334,	
		24343, 24344,	
		24345, 24353,	
		24363, 24364,	
		24365, 24373,	
		24398, 24399,	
		24400, 24408,	
		24448, 24449,	
		24450, 25247,	
		25309, 25310,	
		25311, 25317,	
		25320, 25367,	
		25427, 25432,	
		25455, 25462,	
		25831, 25832,	
		26049, 26073,	
		26074, 26133, 26138	
<code>\LEND</code>	..... 4743		
<code>\leqno</code>	.... 338, 20192,		
	20194, 26581, 26583		
<code>\let</code>	.. 86, 102, 115, 152,		
	153, 156, 157, 160,		
	161, 164, 232, 299,		
	329, 337, 338, 357,		
	391, 392, 398, 423,		
	427, 433, 445, 451,		
	452, 453, 454, 455,		
	456, 457, 475, 476,		
	477, 478, 479, 480,		
	481, 482, 483, 484,		
	485, 486, 510, 511,		
		512, 513, 514, 515,	
		516, 517, 518, 519,	
		520, 521, 522, 529,	
		530, 531, 627, 650,	
		665, 762, 784, 785,	
		786, 787, 788, 826,	
		827, 828, 829, 830,	
		831, 832, 833, 834,	
		835, 870, 871, 872,	
		873, 874, 875, 876,	
		877, 878, 879, 880,	
		887, 914, 1025,	
		1036, 1037, 1038,	
		1039, 1040, 1078,	
		1079, 1080, 1081,	
		1082, 1083, 1084,	
		1085, 1086, 1087,	
		1122, 1123, 1124,	
		1125, 1126, 1127,	
		1128, 1129, 1130,	
		1131, 1132, 1139,	
		1166, 1275, 1286,	
		1287, 1288, 1289,	
		1290, 1328, 1329,	
		1330, 1331, 1332,	
		1333, 1334, 1335,	
		1336, 1337, 1372,	
		1373, 1374, 1375,	
		1376, 1377, 1378,	
		1379, 1380, 1381,	
		1382, 1390, 1416,	
		1417, 1421, 1437,	
		1438, 1439, 1475,	
		1476, 1477, 1502,	
		1503, 1504, 1505,	
		1510, 1545, 1546,	
		1888, 2191, 2192,	
		2215, 2233, 2242,	
		2343, 2359, 2375,	
		2390, 2391, 2392,	
		2399, 2400, 2401,	
		2402, 2403, 2408,	
		2409, 2425, 2426,	
		2427, 2428, 2429,	
		2434, 2435, 2451,	
		2452, 2453, 2454,	
		2455, 2460, 2461,	
		2655, 2673, 2675,	
		4158, 4159, 4166,	
		4286, 4288, 4290,	
		4456, 4512, 4514,	
		4516, 4559, 4632,	
		4633, 4634, 4635,	
		4636, 4637, 4638,	



4639, 4640, 4641,  
4642, 4826, 4827,  
4828, 4855, 4872,  
4873, 4874, 4875,  
4876, 4877, 4878,  
4879, 4880, 4882,  
4883, 4884, 4994,  
4995, 4996, 4997,  
4998, 4999, 5000,  
5001, 5002, 5254,  
5263, 5336, 5354,  
5378, 5397, 5402,  
5421, 5422, 5429,  
5430, 5433, 5434,  
5437, 5438, 5444,  
5445, 5448, 5449,  
5452, 5453, 5456,  
5457, 5491, 5624,  
5627, 5641, 5877,  
5899, 5921, 5922,  
6052, 6124, 6126,  
6129, 6130, 6131,  
6132, 6133, 6188,  
6226, 6233, 6241,  
6252, 6258, 6266,  
6269, 6272, 6282,  
6286, 6288, 6353,  
6354, 6359, 6466,  
6469, 6500, 6586,  
6593, 6596, 6606,  
6616, 6627, 6694,  
6704, 6706, 6740,  
6751, 7089, 7260,  
7390, 7391, 7428,  
7429, 7435, 7437,  
7441, 7486, 7487,  
7569, 7571, 7573,  
7719, 7720, 7733,  
7737, 7739, 7740,  
7746, 7750, 7754,  
7763, 8007, 8008,  
8026, 8027, 8045,  
8046, 8073, 8074,  
8102, 8103, 8104,  
8201, 8222, 8223,  
8224, 8230, 8251,  
8252, 8253, 8259,  
8280, 8281, 8282,  
8298, 8302, 8303,  
8304, 8307, 8311,  
8312, 8313, 8316,  
8320, 8321, 8322,  
8469, 8533, 8574,  
8661, 8728, 8729,

8730, 8920, 8921,  
8923, 8924, 8942,  
8963, 8964, 8965,  
8966, 8967, 8968,  
8969, 8970, 8971,  
8974, 8975, 8976,  
8977, 8978, 8979,  
8980, 8981, 8982,  
9043, 9061, 9112,  
9118, 9139, 9152,  
9162, 9176, 9180,  
9181, 9182, 9183,  
9184, 9185, 9186,  
9187, 9188, 9194,  
9195, 9196, 9197,  
9198, 9199, 9200,  
9201, 9202, 9217,  
9297, 9328, 9329,  
9330, 9331, 9332,  
9370, 9371, 9372,  
9373, 9374, 9375,  
9376, 9377, 9378,  
9379, 9394, 9485,  
9505, 9506, 9507,  
9508, 9509, 9547,  
9548, 9549, 9550,  
9551, 9552, 9553,  
9554, 9555, 9556,  
9605, 9610, 9611,  
9612, 9613, 9614,  
9615, 9616, 9634,  
9635, 9636, 9637,  
9638, 9639, 9640,  
9641, 9642, 9643,  
9644, 9645, 9669,  
9670, 9671, 9672,  
9673, 9674, 9675,  
9676, 9677, 9678,  
9679, 9680, 9681,  
9688, 9689, 9690,  
9794, 9818, 9820,  
9823, 9824, 9825,  
9831, 9836, 9856,  
9868, 9869, 9870,  
9872, 9873, 9879,  
9880, 9881, 9882,  
9902, 9911, 9952,  
9958, 9979, 10153,  
10156, 10157,  
10216, 10219,  
10220, 10783,  
10784, 10785,  
10786, 10787,  
10790, 10791,

10793, 10811,  
10812, 10814,  
10832, 10833,  
10837, 10872,  
10874, 10886,  
10889, 10890,  
10894, 10924,  
10926, 10938,  
10941, 10942,  
10989, 11013,  
11021, 11029,  
11359, 11376,  
11377, 11378,  
11379, 11380,  
11398, 11399,  
11400, 11401,  
11402, 11403,  
11404, 11405,  
11406, 11407,  
11431, 11432,  
11433, 11434,  
11435, 11436,  
11437, 11438,  
11439, 11440,  
11441, 11448,  
11469, 11470,  
11471, 11472,  
11473, 11474,  
11475, 11493,  
11494, 11495,  
11496, 11497,  
11498, 11499,  
11500, 11501,  
11502, 11503,  
11504, 11528,  
11529, 11530,  
11531, 11532,  
11533, 11534,  
11535, 11536,  
11537, 11538,  
11539, 11540,  
11547, 11548,  
11549, 11630,  
11682, 11683,  
11684, 11685,  
11686, 11687,  
11696, 11697,  
11698, 11699,  
11700, 11701,  
11702, 11703,  
11704, 11705,  
11706, 11707,  
11712, 11713,  
11714, 11715,



11716,	11879,	13359,	13360,	14926,	14927,
11880,	11881,	13361,	13362,	14928,	14932,
11882,	11883,	13365,	13367,	14933,	14963,
11884,	11887,	13623,	13624,	14965,	14967,
11888,	11889,	13625,	13629,	14968,	14971,
11890,	11891,	13633,	13634,	14974,	14975,
11892,	11896,	13635,	13636,	14977,	14979,
12140,	12141,	13639,	13641,	14981,	14982,
12142,	12146,	13648,	13649,	14985,	15014,
12150,	12151,	13650,	13654,	15016,	15018,
12152,	12153,	13658,	13659,	15019,	15022,
12156,	12158,	13660,	13661,	15025,	15026,
12165,	12166,	13664,	13666,	15028,	15030,
12167,	12171,	13922,	13923,	15032,	15033,
12175,	12176,	13924,	13928,	15036,	15068,
12177,	12178,	13932,	13933,	15099,	15117,
12181,	12183,	13934,	13935,	15133,	15147,
12439,	12440,	13938,	13940,	15163,	15202,
12441,	12445,	13947,	13948,	15232,	15246,
12449,	12450,	13949,	13953,	15261,	15275,
12451,	12452,	13957,	13958,	15290,	15327,
12455,	12457,	13959,	13960,	15355,	15421,
12464,	12465,	13963,	13965,	15451,	15534,
12466,	12470,	14221,	14222,	15543,	15544,
12474,	12475,	14223,	14227,	15545,	15546,
12476,	12477,	14231,	14232,	15547,	15565,
12480,	12482,	14233,	14234,	15566,	15567,
12726,	12727,	14237,	14239,	15568,	15569,
12728,	12732,	14246,	14247,	15570,	15571,
12736,	12737,	14248,	14252,	15572,	15573,
12738,	12739,	14256,	14257,	15574,	15598,
12742,	12744,	14258,	14259,	15599,	15600,
12751,	12752,	14262,	14264,	15601,	15602,
12753,	12757,	14520,	14521,	15603,	15604,
12761,	12762,	14522,	14526,	15605,	15606,
12763,	12764,	14530,	14531,	15607,	15608,
12767,	12769,	14532,	14533,	15615,	15671,
13025,	13026,	14536,	14538,	15696,	15699,
13027,	13031,	14545,	14546,	15700,	15732,
13035,	13036,	14547,	14551,	15735,	15736,
13037,	13038,	14555,	14556,	15819,	15820,
13041,	13043,	14557,	14558,	15822,	15823,
13050,	13051,	14561,	14563,	15826,	15827,
13052,	13056,	14846,	14857,	15856,	15858,
13060,	13061,	14858,	14859,	15860,	15870,
13062,	13063,	14862,	14865,	15871,	15872,
13066,	13068,	14866,	14871,	15878,	15882,
13324,	13325,	14872,	14873,	15885,	15888,
13326,	13330,	14874,	14875,	15890,	15893,
13334,	13335,	14879,	14880,	15894,	16027,
13336,	13337,	14910,	14911,	16055,	16081,
13340,	13342,	14912,	14915,	16082,	16191,
13349,	13350,	14918,	14919,	16206,	16221,
13351,	13355,	14924,	14925,	16248,	16249,



16250,	16251,	18373,	18374,	20588,	20589,
16285,	16367,	18382,	18429,	20596,	20623,
16373,	16378,	18430,	18431,	20630,	20631,
16513,	16514,	19020,	19021,	20632,	20633,
16515,	16516,	19022,	19023,	20634,	20635,
16568,	16571,	19024,	19025,	20636,	20674,
16572,	16617,	19026,	19027,	20675,	20676,
16620,	16621,	19028,	19084,	20677,	20678,
16757,	16772,	19087,	19088,	20679,	20680,
16773,	16774,	19090,	19091,	20681,	20682,
16775,	16776,	19188,	19191,	20683,	20684,
16870,	16904,	19192,	19288,	20685,	20720,
16906,	16934,	19291,	19292,	20721,	20722,
16936,	16941,	19524,	19527,	20723,	20724,
16943,	16947,	19554,	19555,	20725,	20726,
16949,	17280,	19559,	19560,	20727,	20728,
17281,	17282,	19564,	19565,	20729,	20730,
17323,	17324,	19688,	19689,	20731,	20732,
17325,	17367,	19690,	19806,	20740,	20741,
17368,	17369,	19807,	19808,	20742,	20865,
17382,	17383,	19809,	19810,	20890,	20891,
17384,	17397,	19812,	19856,	20892,	20893,
17398,	17399,	19861,	19875,	20894,	20895,
17405,	17407,	19907,	20102,	20896,	20924,
17408,	17409,	20106,	20151,	20925,	20926,
17410,	17411,	20152,	20153,	20927,	20928,
17412,	17413,	20154,	20157,	20929,	20930,
17422,	17458,	20158,	20160,	20931,	20932,
17496,	17529,	20165,	20188,	20933,	20934,
17560,	17591,	20189,	20190,	20935,	20964,
17597,	17599,	20191,	20192,	20965,	20966,
17600,	17601,	20237,	20254,	20967,	20968,
17602,	17603,	20258,	20260,	20969,	20970,
17604,	17605,	20271,	20273,	20971,	20972,
17606,	17618,	20284,	20286,	20973,	20974,
17621,	17624,	20296,	20297,	20975,	20976,
17627,	17794,	20308,	20309,	20982,	20983,
17795,	17796,	20310,	20311,	20984,	21059,
17797,	17871,	20312,	20325,	21083,	21087,
17888,	17937,	20331,	20343,	21088,	21089,
17990,	18130,	20351,	20352,	21090,	21091,
18142,	18170,	20368,	20471,	21092,	21093,
18171,	18172,	20493,	20494,	21111,	21112,
18174,	18176,	20495,	20496,	21113,	21114,
18177,	18181,	20497,	20535,	21115,	21116,
18183,	18185,	20536,	20537,	21117,	21118,
18186,	18188,	20538,	20539,	21119,	21120,
18189,	18190,	20540,	20541,	21121,	21122,
18194,	18200,	20542,	20543,	21146,	21147,
18217,	18259,	20544,	20579,	21148,	21149,
18268,	18269,	20580,	20581,	21150,	21151,
18270,	18332,	20582,	20583,	21152,	21153,
18333,	18370,	20584,	20585,	21154,	21155,
18371,	18372,	20586,	20587,	21156,	21157,



21158,	21165,	22483,	22484,	23830,	23833,
21166,	21167,	22485,	22486,	23842,	23845,
21262,	21287,	22487,	22488,	23858,	23859,
21314,	21315,	22489,	22490,	23860,	23875,
21332,	21404,	22491,	22492,	23876,	23877,
21405,	21406,	22494,	22563,	23878,	23879,
21520,	21540,	22588,	22589,	23880,	23882,
21542,	21543,	22604,	22605,	23883,	23886,
21544,	21545,	22606,	22607,	23887,	23961,
21546,	21547,	22608,	22609,	23962,	23965,
21548,	21550,	22694,	22781,	23967,	23968,
21597,	21616,	22783,	22789,	23969,	23984,
21639,	21669,	22791,	22916,	24013,	24042,
21671,	21720,	22917,	22918,	24047,	24053,
21725,	21726,	23033,	23053,	24056,	24075,
21727,	21728,	23055,	23056,	24139,	24145,
21729,	21730,	23057,	23058,	24174,	24175,
21731,	21732,	23059,	23060,	24176,	24205,
21733,	21734,	23061,	23063,	24206,	24207,
21735,	21736,	23110,	23129,	24228,	24229,
21737,	21738,	23152,	23182,	24230,	24245,
21739,	21740,	23184,	23233,	24246,	24247,
21741,	21742,	23238,	23239,	24262,	24263,
21743,	21744,	23240,	23241,	24264,	24279,
21745,	21746,	23242,	23243,	24280,	24281,
21747,	21748,	23244,	23245,	24296,	24297,
21749,	21750,	23246,	23247,	24298,	24313,
21751,	21752,	23248,	23249,	24314,	24315,
21754,	21802,	23250,	23251,	24331,	24332,
21827,	21828,	23252,	23253,	24333,	24350,
21843,	21844,	23254,	23255,	24351,	24352,
21845,	21846,	23256,	23257,	24370,	24371,
21847,	21848,	23258,	23259,	24372,	24405,
21933,	22019,	23260,	23261,	24406,	24407,
22021,	22027,	23262,	23263,	24470,	24629,
22029,	22143,	23264,	23265,	24812,	24850,
22144,	22145,	23267,	23328,	24903,	24906,
22260,	22280,	23353,	23354,	24936,	24982,
22282,	22283,	23369,	23370,	24995,	25207,
22284,	22285,	23371,	23372,	25228,	25444,
22286,	22287,	23373,	23374,	25452,	25457,
22288,	22290,	23459,	23546,	25464,	25481,
22337,	22356,	23548,	23554,	25484,	25544,
22379,	22409,	23556,	23713,	25602,	25606,
22411,	22460,	23714,	23715,	25684,	25689,
22465,	22466,	23718,	23774,	25699,	25703,
22467,	22468,	23775,	23776,	25732,	25742,
22469,	22470,	23779,	23790,	25746,	25786,
22471,	22472,	23791,	23792,	25790,	25855,
22473,	22474,	23799,	23800,	25856,	25857,
22475,	22476,	23805,	23814,	25858,	25861,
22477,	22478,	23815,	23816,	25862,	25864,
22479,	22480,	23818,	23821,	25869,	25871,
22481,	22482,	23825,	23828,	25873,	25885,





25892,	25895,	10036,	10037,	21921,	22004,
25896,	25897,	10043,	10044,	22278,	22615,
25898,	25902,	10046,	10047,	22624,	22682,
25903,	25909,	10056,	10057,	22766,	23051,
25910,	25911,	10059,	10060,	23380,	23389,
25923,	25945,	10066,	10067,	23447,	23531,
26007,	26048,	10069,	10070,	25833,	25843,
26051,	26052,	10079,	10080,	25951,	25952,
26083,	26087,	10082,	10083,	25979,	26014,
26088,	26089,	10089,	10090,	26016,	26017,
26092,	26104,	10092,	10093,	26018,	26023,
26105,	26106,	20195, 20196, 20197		26025,	26026,
26107,	26113,	<code>\LineNumber</code> .. 17999,		26027,	26032,
26114,	26115,	18001, 18003,		26034,	26035,
26153,	26205,	18008, 18011, 18013		26036,	26041,
26208,	26209,	<code>\linenumberwidth</code> ..		26043,	26044,
26252,	26255,	. 18001, 18008, 18013		26045, 26475, 26478	
26256,	26486,	<code>\lineskip</code> ..... 424,		<code>\link</code> ..... 5213	
26488,	26491,	464, 535, 806,		<code>\list</code> . 89, 302, 621, 756,	
26503,	26505,	891, 1058, 1143,		992, 1019, 1269,	
26507,	26509,	1308, 1394, 1403,		2609, 2630, 2653,	
26511,	26513,	5083, 9350, 9527,		2665, 8516, 8534,	
26516,	26517,	9623, 9694, 11387,		8543, 8551, 9291,	
26519,	26520,	11452, 11482,		9479, 9788, 11353,	
26526,	26527,	11553, 15554,		11624, 15528,	
26528,	26533,	15619, 15874,		17874, 19680,	
26545,	26548,	18233, 18379,		20465, 20859,	
26550,	26557,	20322, 20515,		21053, 21256,	
26561,	26563,	20600, 20654,		21786, 22547,	
26566,	26567,	20746, 20755,		23312, 24069, 25934	
26580,	26581,	20913, 20989,		<code>\listdoubleitemmaincolumnwidth</code>	
26589,	26590,	21100, 21171,		.... 5153, 5166,	
26591, 26755, 26757		21585, 22325,		5167, 5168, 5195, 5199	
<code>\LetLtxMacro</code> 16298, 16299		23098, 23794,		<code>\listfigurename</code> ...	
<code>\Letter</code> ..... 5099		23833, 26109, 26529		..... 8438, 8439	
<code>\lettergroup</code> ..... 8585		<code>\lineskiplimit</code> ....		<code>\listitemmaincolumnwidth</code>	
<code>\lftside</code> ..... 20032,		..... 15875, 26529		..... 5152,	
20034, 20037,		<code>\linespacing</code> .. 24, 17909		5160, 5161, 5193	
20039, 20053, 20055		<code>\linespread</code> .. 3185, 5863		<code>\listitemsymbol</code> ...	
<code>\Line</code> ..... 11016,		<code>\linewidth</code> .... 5207,		5094, 5151, 5192,	
11019, 11024,		7463, 15768,		5194, 10594, 10692	
11027, 11032,		15783, 15787,		<code>\listitemsymbolwidth</code>	
11033, 11036,		16525, 16533,		..... 5150,	
11037, 11041,		16534, 16536,		5151, 5161, 5167	
11042, 11045,		16537, 16970,		<code>\listoffigures</code> .... 8436	
11046, 11050,		18376, 19092,		<code>\listoftables</code> ..... 8444	
11051, 11054,		19098, 19763,		<code>\listparindent</code> ....	
11055, 11059,		19765, 19783,		. 992, 8536, 8543,	
11060, 11063, 11064		19785, 19990,		8544, 25941, 25950	
<code>\line</code> ... 10010, 10011,		19996, 20082,		<code>\listtablename</code> 8446, 8447	
10013, 10014,		20091, 20092,		<code>\llap</code> ..... 1603, 1639,	
10020, 10021,		20145, 20147,		1656, 1663, 1761,	
10023, 10024,		20315, 21538,		1766, 1772, 1783,	
10033, 10034,		21854, 21863,		1801, 1808, 2612,	



2634, 3697, 8523,	18280, 19034,	\LS@rot . . . . . 18320
11148, 11913,	19084, 19134,	\lsb . . . . . 4740, 4748
11925, 11937,	19156, 19568,	\lst@caption . 18103,
16328, 16340,	19572, 19576,	18109, 18116, 18121
16352, 16779,	19971, 20180,	\lst@alloverstyle .
16915, 16917,	20498, 20563,	. . . . . 4729, 4735
16919, 16921,	20637, 20704,	\lst@HRefStepCounter
16924, 16926,	20900, 20943,	. . . . . 18103, 18109
16929, 16931,	21129, 21421,	\lst@ifnumberbychapter
23740, 24002, 24020	21451, 22160,	. . . . . 18142, 18143
\LoadClass . . . 8770, 8794	22190, 22933,	\lst@Key . . . 18046, 18053
\long 34, 48, 64, 247, 261,	22963, 23712,	\lst@MakeCaption . .
276, 493, 789, 854,	23898, 23902,	. . . . . 18101, 18114
1041, 1104, 1291,	23905, 23909,	\lst@makecaption . .
1356, 4625, 4889,	25678, 25875,	. . . . . 18098, 18131
4892, 4895, 4900,	25981, 26356,	\lst@maketitle 18099,
4903, 4906, 5372,	26360, 26364,	18132, 18136, 18138
5373, 5382, 5385,	26400, 26404,	\lst@title@dropdelim
5396, 5592, 5596,	26408, 26467, 26570	. . . . . 18099
5629, 5631, 5633,	\longindentation . 11658	\lstKV@SwitchCases
5635, 5879, 5883,	\longthickrule . . . . .	. . . . . 18047, 18054
5993, 6012, 6079,	. . . . . 20981, 20987	\lstset . . . . . 4654
6095, 6107, 6116,	\loop . . . . . 4385, 4386,	\LT@chl . . . . 18172, 18174
6151, 6179, 6191,	4387, 6649, 6659,	\LT@@tabarray 18171, 18175
6192, 6566, 6568,	10103, 10313,	\LT@array 18151, 22019,
6573, 6574, 6591,	14835, 19988,	22020, 22781,
6592, 6599, 6608,	20024, 20051,	22782, 23546, 23547
6611, 6618, 6636,	20062, 20089, 23853	\LT@bchunk . . . . .
7086, 7397, 7546,	\looprepeat 6666, 6670,	. 18204, 18215, 18234
7806, 7810, 7814,	6714, 6785, 6792,	\LT@caption . . 18181,
7850, 7854, 7858,	6797, 6803, 6806,	22021, 22027,
7894, 7898, 7902,	6808, 6812, 6813, 6818	22029, 22783,
8113, 8200, 8229,	\lower . . . . . 2115,	22789, 22791,
8258, 9069, 9072,	2119, 2150, 2179,	23548, 23554, 23556
9075, 9079, 9082,	2219, 2223, 2507,	\LT@cols . . . . 18237,
9085, 9333, 9510,	4324, 4542, 20186,	22003, 22765, 23530
9652, 9945, 10792,	25672, 25882, 25889	\LT@end@open . . . . 18285
10813, 11414,	\lowercase . . . . 5459,	\LT@endpbox . . . . 18183
11511, 15581,	5467, 5475, 5483	\LT@err . . . . . 18286
16129, 16146,	\lowertitleback . . .	\LT@foot 18289, 18291,
16162, 16190,	. . 21628, 21663,	18294, 18302, 18309
16205, 16220,	21750, 22368,	\LT@head . . . 18298, 18316
16777, 16791,	22403, 22490,	\LT@hline . . . . . 18181
16800, 16846,	23141, 23176, 23263	\LT@kill . . . . . 18181
16887, 16894,	\LR 17795, 20153, 20186,	\LT@lastfoot . . . . .
17326, 17337,	25857, 25882,	. 18289, 18292, 18302
17348, 17359,	25886, 25889, 25893	\LT@LL@FM@cr 18190, 18194
17374, 17389,	\lrb . . . . . 4741, 4750	\LT@make@row . . . . 18216
17432, 17449,	\LRE . . . . . 4287, 4341,	\LT@makecaption . . .
17470, 17487,	4513, 4558, 17794,	. . 18236, 18248,
17503, 17520,	20153, 20156,	21995, 22757, 23522
17534, 17551,	25484, 25857, 25860	\LT@mcoll 18170, 18237,
17565, 17582,	\LRfootnoterule . . .	22003, 22765, 23530
18082, 18277,	. 10787, 11716, 16055	\LT@no@pgbk 18179, 18180



<code>\LT@nofcols</code> . . . . .	18215	9615, 9689, 11474,	15039, 15049,
<code>\LT@output</code> . . . . .	18283	11548, 16110,	15119, 15135,
<code>\LT@p@ftn</code> . . . . .	17427,	16298, 16301,	15183, 15248, 15263
	17430, 17434,	20635, 20741,	<code>\LTright</code> . . . . .
	17444, 17465,	20895, 20983,	18166, 18168, 18213
	17468, 17472,	21092, 21166,	<code>\LTRmarginnote</code> . . . .
	17482, 18278,	21547, 22287, 23060	8306
	18279, 18281, 18282	<code>\LTRfootnotetext</code> . .	<code>\LTRmarginpar</code> . . . .
<code>\LT@p@ftntext</code> . . . . .	18268	. . . . .	26339
<code>\LT@p@LTRftntext</code> . .		. . . . .	<code>\LTRmulticolcolumns</code>
	. . . . .	4893, 4904,	. . . . .
	17425,	9073, 9083, 16269,	19526
	17432, 18269, 18277	16271, 17428,	<code>\LTRsidenote</code> . .
<code>\LT@p@RTLftntext</code> . .		18278, 23899, 23903	8028, 8288
	. . . . .	<code>\LTRfootscript</code> . . . .	<code>\LTRthanks</code> .
	17463,	. . . . .	456, 476,
	17470, 18270, 18280	. . . . .	511, 530, 8642,
<code>\LT@rows</code> . . . . .	18207,	. . . . .	8650, 8667, 8683,
	18220, 18229, 18252	. . . . .	8694, 9615, 9635,
<code>\LT@setprevdepth</code> .	18208	. . . . .	9670, 9689, 11474,
<code>\LT@startpbox</code> . . . . .		. . . . .	11494, 11529,
	. . . . .	11808, 11848,	11548, 16267,
	18187, 18194, 18265	11965, 12138,	19021, 20635,
<code>\LT@tabularcr</code> . . . . .	18176	12163, 12240,	20675, 20721,
<code>\LT@caption</code> . . . . .	18153,	12255, 12302,	20741, 20895,
	18158, 18159,	12364, 12378,	20925, 20965,
	18250, 18254, 18255	12437, 12462,	20983, 21092,
<code>\LT@capwidth</code> . . . . .	18237	12537, 12551,	21112, 21147,
<code>\LT@chunksize</code> . . . . .	18229	12595, 12655,	21166, 21547,
<code>\LT@left</code> . . . . .	18164,	12668, 12724,	21726, 22287,
	18166, 18168, 18209	12749, 12826,	22466, 23060, 23239
<code>\LTR</code> . . . . .	20145, 25833, 25835	12841, 12888,	<code>\ltx@firstofthree</code> .
<code>\LTR@column@boxes</code> .		12950, 12964,	. . . . .
	. . . . .	13023, 13048,	15980, 16004
	19484, 19528, 19530	13125, 13140,	<code>\ltx@ifundefined</code> . .
<code>\LTR@outputdblcol</code> .		13187, 13249,	. . . . .
	. . . . .	13263, 13322,	15974, 15998
	10203, 15720,	13347, 13424,	<code>\ltx@secondofthree</code>
	16551, 19275,	13439, 13486,	. . . . .
	26239, 26283, 26285	13548, 13562,	15983, 16007
<code>\LTR@bidiuftesidenotemarginpar</code>		13621, 13646,	<code>\ltx@thirdofthree</code> .
	. . . . .	13723, 13738,	. . . . .
	7833, 8159, 8309	13785, 13847,	15976, 15993, 16000
<code>\LTR@cite</code> . . . . .		13861, 13920,	<b>M</b>
	. . . . .	13945, 14022,	<code>\m@addvipersep</code> . . . .
	8103, 8223, 8252,	14037, 14084,	. . . . .
	8281, 8303, 8312, 8321	14146, 14160,	19217, 19317
<code>\LTR@dblcol</code> . . . . .	26285	14219, 14244,	<code>\m@m@float@spacing</code> 11900
<code>\LTR@dfnmakecol</code> . . .	10945	14321, 14336,	<code>\m@m@footnote@spacing</code>
<code>\LTR@footfootmark</code> . .		14383, 14445,	. . . . .
	. . . . .	14459, 14518,	11744, 11760,
	11737, 11923,	14543, 14620,	11775, 11791,
	12302, 12595,	14635, 14682,	11806, 11821,
	12888, 13187,	14744, 14758,	11834, 11846,
	13486, 13785,	14855, 14908,	11858, 11871,
	14084, 14383,	14960, 14988,	11899, 12193,
	14682, 15183, 16338	14998, 15011,	12223, 12239,
<code>\LTR@footmarkstyle</code> .			12254, 12266,
	. . . . .		12281, 12321,
	11909, 11948		12350, 12363,
<code>\LTR@footnote</code> . . . .	456,		12377, 12390,
	530, 2450, 4827,		12404, 12415,
	4835, 8292, 8642,		12421, 12427,
			12432, 12492,



12521,	12536,	14502,	14508,	\m@make@mpthreecol@footgroup
12550,	12561,	14513,	14573,	. 12454, 12479, 12712
12575,	12614,	14603,	14619,	\m@make@mpwocol@footgroup
12642,	12654,	14634,	14646,	. 12155, 12180, 12425
12667,	12679,	14661,	14701,	\m@make@ninelcol@footgroup
12692,	12702,	14730,	14743,	. 14226, 14251, 14494
12708,	12714,	14757,	14770,	\m@make@para@footgroup
12719,	12779,	14784,	14795,	. 14863, 14916, 15301
12809,	12825,	14801,	14807,	\m@make@para@footstart
12840,	12852,	14812,	15069,	. . 14864, 14870,
12867,	12907,	15100,	15118,	14917, 14923,
12936,	12949,	15134,	15148,	14973, 15024, 15346
12963,	12976,	15164,	15203,	\m@make@sevencol@footgroup
12990,	13001,	15233,	15247,	. 13628, 13653, 13896
13007,	13013,	15262,	15276,	\m@make@sixcol@footgroup
13018,	13078,	15291,	15309,	. 13329, 13354, 13597
13108,	13124,	15320, 15334, 15343		\m@make@tencol@footgroup
13139,	13151,	\m@m@h . . . . . 12123,		. 14525, 14550, 14793
13166,	13206,	12124, 12125,		\m@make@threecol@footgroup
13235,	13248,	12127, 12128, 12133		. 12444, 12469, 12700
13262,	13275,	\m@m@k . . . . . 12123,		\m@make@twocol@footgroup
13289,	13300,	12124, 12127,		. 12145, 12170, 12413
13306,	13312,	12130, 12131, 12133		\m@doextrafeet . . .
13317,	13377,	\m@m@makecolfloats		. . 11957, 15398,
13407,	13423,	. 15353, 15404, 15411		15409, 15440, 15453
13438,	13450,	\m@m@makecolintro .		\m@doextrafeetendmini
13465,	13505,	. 15368, 15397, 15408		. . . . . 12084, 12088
13534,	13547,	\m@m@makecoltext . .		\m@doextrafeetmini
13561,	13574,	. 15357, 15405, 15416		. . . . . 12077
13588,	13599,	\m@m@singlespace . 11898		\m@mdosplits . . 12126,
13605,	13611,	\m@make@eightcol@footgroup		12129, 12130, 12131
13616,	13676,	. 13927, 13952, 14195		\m@minterparanoteglu
13706,	13722,	\m@make@fivecol@footgroup		. . . . . 14830, 14832
13737,	13749,	. 13030, 13055, 13298		\m@mipn@skip . . . . .
13764,	13804,	\m@make@footstart .		. 14822, 14829, 14831
13833,	13846,	. 12100, 12111, 12116		\m@mmakehboxofhboxes
13860,	13873,	\m@make@fourcol@footgroup		. . 14833, 15305,
13887,	13898,	. 12731, 12756, 12999		15316, 15332, 15341
13904,	13910,	\m@make@peightcol@footgroup		\m@m@prepare 11754,
13915,	13975,	. 13937, 13962, 14207		11770, 11785,
14005,	14021,	\m@make@mpfivecol@footgroup		11801, 11816,
14036,	14048,	. 13040, 13065, 13310		11904, 12201,
14063,	14103,	\m@make@mpfourcol@footgroup		12231, 12247,
14132,	14145,	. 12741, 12766, 13011		12262, 12274,
14159,	14172,	\m@make@mpninelcol@footgroup		12289, 12329,
14186,	14197,	. 14236, 14261, 14506		12358, 12371,
14203,	14209,	\m@make@mppara@footgroup		12385, 12398,
14214,	14274,	. 14877, 14930, 15328		12412, 12499,
14304,	14320,	\m@make@mpsevencol@footgroup		12528, 12543,
14335,	14347,	. 13638, 13663, 13908		12557, 12568,
14362,	14402,	\m@make@mpsixcol@footgroup		12582, 12621,
14431,	14444,	. 13339, 13364, 13609		12649, 12661,
14458,	14471,	\m@make@mptencol@footgroup		12674, 12686,
14485,	14496,	. 14535, 14560, 14805		12699, 12787,



12817,	12833,	..... 11883, 11891	5148, 5157, 5158,
12848,	12860,	\m@mold@mpRTLfootnotetext	5159, 5160, 5162,
12875,	12915,	. 11884, 11892, 14982	5166, 5181, 5185, 5210
12944,	12957,	\m@mold@RTLfootnotetext	\mainend ..... 3411
12971,	12984,	. 11881, 11889, 14968	\mainmatter ..... 8821
12998,	13086,	\m@mopfootnote ....	\makeatletter .....
13116,	13132,	..... 15369, 15402	.... 6059, 6070,
13147,	13159,	\m@mremoveboxes ..	7119, 7150, 7169, 7185
13174,	13214,	..... 14841,	\makebox ..... 11136,
13243,	13256,	14842, 15306,	11141, 11210,
13270,	13283,	15317, 15333, 15342	11213, 11216,
13297,	13385,	\m@mrigidbalance ..	11223, 11231,
13415,	13431,	. . 12124, 12418,	11238, 11279,
13446,	13458,	12429, 12705,	11283, 19800, 19818
13473,	13513,	12716, 13004,	\makefooter .....
13542,	13555,	13015, 13303,	. 10659, 10660, 10676
13569,	13582,	13314, 13602,	\MakeFramed ..... 16391
13596,	13684,	13613, 13901,	\makelabel .....
13714,	13730,	13912, 14200,	2612, 2632, 2655,
13745,	13757,	14211, 14499,	2675, 8523, 25945
13772,	13812,	14510, 14798, 14809	\MakeLineNo ..... 17993
13841,	13854,	\m@msplitoff 12130, 12132	\makeLineNumber ...
13868,	13881,	\m@mungebox .....	..... 17994, 17996
13895,	13983,	. . 14823, 15078,	\makeLineNumberLeft
14013,	14029,	15109, 15127,	..... 17999
14044,	14056,	15143, 15157,	\makeLineNumberRight
14071,	14111,	15173, 15212,	..... 18007
14140,	14153,	15242, 15256,	\maketag@@@ ... 346,
14167,	14180,	15271, 15285, 15300	11134, 11147, 18354
14194,	14282,	\m@munvxh . . 14815, 14824	\makethanksmark .. 19034
14312,	14328,	\m@ne 314, 589, 598, 5420,	\maketitle .... 110,
14343,	14355,	5436, 5638, 6386,	323, 330, 450, 478,
14370,	14410,	6393, 6645, 6650,	489, 513, 782, 827,
14439,	14452,	6660, 6741, 7801,	849, 871, 1034,
14466,	14479,	7845, 7889, 9562,	1079, 1101, 1123,
14493,	14581,	9720, 9757, 10103,	1284, 1329, 1351,
14611,	14627,	11321, 11330,	1373, 4621, 4633,
14642,	14654,	11592, 15481,	5174, 8618, 8722,
14669,	14709,	15498, 17650,	8746, 9326, 9371,
14738,	14751,	19458, 20246,	9503, 9548, 9609,
14765,	14778,	21012, 21197,	9637, 9648, 9672,
14792,	15078,	21234, 22095,	10641, 10755,
15109,	15127,	22865, 22868,	11375, 11399,
15143,	15157,	23630, 23633,	11410, 11432,
15173,	15212,	24153, 24195,	11468, 11496,
15242,	15256,	25253, 26351,	11507, 11531,
15271, 15285, 15300		26395, 26430, 26433	15542, 15566,
\m@mold@footnotetext		\m@th 394, 11137, 11142,	15577, 15599,
. 11879, 11887, 14963		11148, 15768,	17597, 17598,
\m@mold@LTRfootnotetext		15783, 18217,	17932, 19029,
..... 11880, 11888		25325, 25434,	20491, 20536,
\m@mold@mpfootnotetext		25915, 26009,	20558, 20580,
. 11882, 11890, 14977		26079, 26081, 26140	20628, 20677,
\m@mold@mpLTRfootnotetext		\maincolumnwidth ..	20699, 20723,



20889, 20927,	\marginparsep . . . . .	22417, 22431,
20938, 20967,	. . . . 4611, 5059,	22446, 23068,
21086, 21114,	7341, 7344, 7348,	23190, 23204, 23219
21125, 21149,	7500, 7507, 16914,	\mc@col@status@write
21499, 21622,	16916, 16920,	. . . . . 19488, 19509
21629, 21650,	16925, 16928,	\mc@gridwarn . . . . . 19478
21657, 21664,	16930, 26460, 26462	\mc@lastcol@status@write
21728, 22239,	\marginparwidth 4610,	. . . . . 19494, 19517
22362, 22369,	5060, 7340, 7345,	\mdf@footnotedistance@length
22390, 22397,	7357, 7455, 7725,	. . . . . 18417
22404, 22468,	7818, 7862, 7906,	\mdf@footnoteinput 18425
23012, 23135,	16914, 16916,	\mdf@footnoteoutput
23142, 23163,	16928, 16930,	. . . . . 18414
23170, 23177, 23241	26368, 26412, 26462	\mdf@frametitleaboveskip@length
\maketitledetailsnewline	\markboth . . 124, 603,	. . . . . 18409
. . 10750, 10765,	8826, 11335, 17946	\mdf@frametitlealignment
10767, 10768,	\math@cr@@@align . . 348	. . . . . 18390
10769, 10770, 10771	\mathindent 15769, 15785	\mdf@frametitlebelowskip@length
\maketitledetailwidth	\mathsurround . 426, 9835	. . . . . 18410
. . . . . 10742,	\max@poem@no . . . . .	\mdf@frametitlebox
10744, 10745,	. . . 9021, 9123, 9124	. . 18389, 18402,
10746, 10747, 10762	\maxdepth . . . . 15406,	18403, 18404,
\maketitlehookb . . 19079	15417, 16763, 16770	18405, 18407, 18408
\maketitlehookc . . 19081	\maxdimen 10144, 10145,	\mdf@frametitlefont
\maketitlenamefullwidth	10147, 10207,	. . . . . 18392
. 10736, 10737, 10739	10208, 10210,	\mdf@frametitlefontcolor
\maketitlenamemaxwidth	15074, 15105,	. . . . . 18391
. 10734, 10735, 10739	15123, 15139,	\mdf@horizontalmargin@equation
\maketitlenamewidth	15153, 15169,	. . . . . 18367
. . . . . 10738,	15208, 15238,	\mdf@ignorevbadness
10739, 10745, 10757	15252, 15267,	. . . . . 18401
\maketitlepage 8704, 8746	15281, 15296,	\mdf@lrbox . 18360, 18389
\maketitlepicturewidth	15642, 15688,	\mdf@par@local . . . 18383
. . . . . 10740,	15689, 15690,	\mdf@patchamsthm . 18361
10741, 10747, 10776	15724, 15725,	\mdfframedttitleenv 18388
\MakeUppercase . 125,	15726, 16398,	\mdfframetitleboxdepth
618, 646, 647, 662,	16559, 16560,	. . . . . 18405
753, 911, 1016,	16562, 16608,	\mdfframetitleboxheight
1163, 1266, 9214,	16609, 16611,	. . . . . 18404
9288, 9391, 9476,	19179, 19180,	\mdfframetitleboxtotalheight
9601, 9602, 9785,	19182, 19279,	. . . . . 18406
11350, 11621,	19280, 19282,	\mdfframetitleboxwidth
15525, 17947,	23846, 23885,	. . . . . 18403
20365, 20462,	25385, 25388,	\mdseries . . . . . 317,
20620, 20856,	25393, 25397,	10635, 10637,
21079, 21080, 21253	25401, 25405,	10639, 10640,
\marginline . . . . .	25409, 25413,	10727, 10728,
. 21835, 22596, 23361	25417, 25421,	10729, 10732, 10733
\marginnote . . . . . 8297	25606, 26196,	\meaning . . . . .
\marginpar . . . . .	26197, 26199,	5335, 5338, 5598,
7367, 8075, 21836,	26243, 26244, 26246	6049, 6068, 6083,
22597, 23362, 25520	\mbox . . . 16875, 21555,	6101, 6109, 6118, 6185
\marginparpush . . . . .	21677, 21691,	\mediabutton . . . . .
. . . . . 7300, 26449	21706, 22295,	. 18954, 19014, 19015



\medskip . . . . .	8928	23452, 23454,	\missingfigure . . . .	25564, 25594
\medskipamount . . . .		23455, 23456,	\mix 18448, 18449, 18456,	
. . . . 1820, 1829,		24828, 24830, 24833	18457, 18483,	
1838, 2910, 2925,		\metropolis@block . 3233	18500, 18523,	
2940, 3141, 3153,		\metropolis@blockadjust	18526, 18528,	
3165, 3234, 11660		. . . . 3253, 3254,	18551, 18583,	
\mem@makecol 15396, 15418		3255, 3259, 3260, 3261	18591, 18600,	
\memRTLleftskip . . 19052		\metropolis@blocksep	18611, 18622,	
\memRTLraggedleft 19057		. . . 3253, 3259, 3276	18624, 18629,	
\memRTLraggedright 19056		\metropolis@parskip	18630, 18632,	
\memRTLrightskip . 19053		. . . . . 3277, 3280	18633, 18635,	
\memRTLvleftskip . 19054		\metropolis@progressinheadfoot	18647, 18656,	
\memRTLvrightskip 19055		. . . 3535, 3542, 3544	18659, 18660,	
\message . . 4486, 4487,		\metropolis@progressinheadfoot@linewidth	18661, 18671,	
16399, 16407,		. . . 3540, 3542, 3544	18681, 18682,	
16411, 16416,		\metropolis@progressonsectionpage	18684, 18685,	
16424, 16430,		. . . 3220, 3226, 3228	18690, 18691,	
16440, 16445,		\metropolis@progressonsectionpage@linewidth	18707, 18709,	
16447, 16454,		. . . 3224, 3226, 3228	18711, 18716,	
16462, 16475,		\metropolis@strut .	18755, 18762,	
16483, 16488,		. . . . . 3266, 3268	18763, 18766,	
16493, 16506,		\MH 11146, 11150, 11155,	18784, 18786,	
16517, 16525, 16537		11156, 11160,	18789, 18791,	
\MessageBreak . . . . .		11164, 11165,	18794, 18801,	
. . . . . 148, 6303,		11169, 11177,	18809, 18811,	
6317, 6329, 6341,		11179, 11184,	18864, 18869,	
7381, 7477, 7704,		11196, 11204,	18880, 18881,	
7705, 7773, 8377,		11209, 11212,	18884, 18915,	
8378, 8379, 8381,		11215, 11217,	18920, 18922,	
8382, 8386, 8387,		11218, 11220,	18929, 18930,	
8388, 8390, 8391,		11221, 11224,	18933, 18948,	
19130, 19131,		11225, 11227,	18952, 18955,	
19461, 19480,		11228, 11230,	18957, 18966,	
19549, 21449,		11232, 11233,	18969, 18979,	
21622, 21629,		11235, 11236,	18980, 18982,	
21650, 21657,		11239, 11240,	19005, 19011, 19015	
21664, 21812,		11242, 11243,	\mkern . . . . . 25326,	
21819, 21851,		11245, 11250,	25327, 25435, 26141	
21860, 21924,		11251, 11252,	\mobile . . . . . 5136	
21926, 21928,		11253, 11254,	\Mobilefone . . . . . 5096	
21929, 21930,		11255, 11256,	\mobilesymbol . . . . .	
22188, 22362,		11257, 11258,	. 5096, 10669, 10767	
22369, 22390,		11267, 11269,	\mode . . . . . 18625, 18958	
22397, 22404,		11273, 11274, 11276	\modernpoem . . . . . 9176	
22573, 22580,		\MHInternalSyntaxOff	\modernpoem@obeylines	
22612, 22621,		. . . . . 11291, 18357	. . . . . 8923, 9176	
22685, 22687,		\MHInternalSyntaxOn	\modernpoem@par . . .	
22689, 22690,		. . . . . 11131, 18351	. . . 8923, 8924, 9140	
22691, 22961,		\MidFrameCommand . .	\month . . . . . 3330	
23135, 23142,		. 16387, 16431, 16499	\morefloats . . 7607, 7704	
23163, 23170,		\minrowclearance . .	\moreLRE . . . . . 4288,	
23177, 23338,		. . . 1507, 1541, 9940	4514, 20107, 25791	
23345, 23377,		\mintagvsep . . . . . 11151		
23386, 23450,				









5630, 5632, 5634,	11786,	11829,	15902,	15961,
5654, 5683, 5708,	11866,	11950,	15965,	15967,
5737, 5762, 5800,	11953,	12041,	15973,	15989,
5834, 5851, 5862,	12045,	12057,	16013,	16025,
5868, 5912, 5917,	12063,	12127,	16079,	16125,
6039, 6106, 6115,	12161,	12202,	16126,	16127,
6195, 6200, 6203,	12248,	12275,	16180,	16182,
6206, 6209, 6212,	12330,	12372,	16312,	16315,
6215, 6219, 6222,	12399,	12419,	16318,	16321,
6236, 6248, 6261,	12430,	12460,	16958,	18060,
6276, 7058, 7059,	12500,	12544,	18071,	19523,
7061, 7064, 7067,	12569,	12622,	19526,	19529,
7070, 7073, 7076,	12662,	12687,	21402,	21403,
7079, 7082, 7220,	12706,	12717,	22141,	22142,
7221, 7222, 7223,	12747,	12788,	22914,	22915,
7245, 7248, 7275,	12834,	12861,	25475,	25477,
7302, 7303, 7304,	12916,	12958,	25782,	25783,
7305, 7320, 7339,	12985,	13005,	25831,	25832,
7375, 7377, 7378,	13016,	13046,	25933,	26055,
7383, 7384, 7386,	13087,	13133,	26056,	26156,
7387, 7394, 7395,	13160,	13215,	26284, 26285, 26482	
7396, 7404, 7407,	13257,	13284,	<code>\newcount</code> . 4329, 4330,	
7495, 7513, 7723,	13304,	13315,	4379, 4548, 4549,	
7731, 7741, 7744,	13345,	13386,	4591, 4592, 5266,	
7752, 7921, 7922,	13432,	13459,	5276, 5280, 5652,	
7923, 7924, 7925,	13514,	13556,	6379, 6482, 6642,	
7926, 7927, 7928,	13583,	13603,	6703, 6783, 12023,	
7929, 7930, 7931,	13614,	13644,	12025, 12123, 26148	
7932, 7933, 7934,	13685,	13731,	<code>\newcounter</code> 8004, 9122,	
7935, 7936, 7937,	13758,	13813,	15794, 15959,	
7938, 7939, 7940,	13855,	13882,	24382, 24386, 24387	
7941, 7942, 7943,	13902,	13913,	<code>\newdimen</code> . . . . .	
7944, 7945, 7946,	13943,	13984,	8884, 8885, 8935,	
7955, 8005, 8024,	14030,	14057,	11674, 12123, 16687	
8043, 8065, 8071,	14112,	14154,	<code>\NewDocumentCommand</code>	
8096, 8097, 8131,	14181,	14201,	. . . . . 4364,	
8287, 8288, 8289,	14212,	14242,	6821, 6875, 6890,	
8297, 8306, 8315,	14283,	14329,	6908, 6931, 6959,	
8328, 8329, 8452,	14356,	14411,	6965, 6968, 6983,	
8505, 8585, 8598,	14453,	14480,	6997, 7013, 7025,	
8632, 8633, 8634,	14500,	14511,	7037, 7047, 7112,	
8635, 8636, 8637,	14541,	14582,	7126, 7131, 7140,	
8638, 8639, 8690,	14628,	14655,	7160, 7178, 7192,	
8704, 8880, 8887,	14710,	14752,	7197, 7202, 7207, 7212	
8896, 8900, 8910,	14779,	14799,	<code>\newenvironment</code> . . .	
8929, 9126, 9127,	14810,	14843,	4775, 4786, 4795,	
10750, 10944,	14906,	14959,	4804, 5239, 7354,	
10945, 10954,	15010,	15079,	7369, 7372, 7410,	
10961, 10977,	15128,	15158,	7537, 9111, 9175,	
10983, 10999,	15213,	15257,	17868, 25835,	
11006, 11678,	15286,	15323,	25845, 26011,	
11692, 11719,	15383,	15418,	26020, 26029, 26038	
11723, 11729,	15419,	15420,	<code>\newfloat@setwithin</code>	
11735, 11755,	15421,	15899,	. . . . . 19715,	



19721, 19729, 19731	\newline . . . . . 5207,	\next@tpage . . 21555,
\newfloat@Error . . 19734	7571, 21852,	21562, 21608,
\newfloat@setwithin	21861, 22613,	21684, 21698,
. . . . . 19701	22622, 23378, 23387	21713, 22295,
\newif . . . . . 4062,	\newlinechar . . . . . 4457	22302, 22348,
4063, 4064, 4065,	\newlinetospace . . .	22424, 22438,
4066, 4067, 4068,	7568, 7588, 7589,	22453, 23068,
4256, 4257, 4260,	7590, 8827, 8828, 8829	23075, 23121,
4261, 4262, 4263,	\newlistentry 24379, 24446	23197, 23211, 23226
4265, 4266, 4498,	\newpage . . . . . 503,	\NineColumnFootnotes
4499, 4500, 4501,	525, 863, 883,	. . . . . 14242
4502, 4503, 5017,	1115, 1135, 1365,	\ninecolumnfootnotes
5046, 5225, 5273,	1385, 8723, 8760,	. . . . . 14217
6548, 8807, 8995,	8761, 9662, 9684,	\no . . . . . 3416, 3441, 3461
10582, 10584,	10576, 11424,	\no@bib@break . . . . .
10586, 10588,	11444, 11521,	. 21798, 22559, 23324
10653, 10680,	11543, 15591,	\noalign . . . . . 1421,
10682, 10684,	15611, 18178,	9049, 12130,
10686, 10749,	19043, 20572,	18178, 18179,
12044, 15957,	20592, 20713,	18180, 18219,
18359, 25473, 25474	20735, 20957,	21996, 22022,
\newinsert . . . . .	20979, 21139, 21161	22024, 22758,
4293, 4519, 7610,	\newpoe@tabcr . . . . .	22784, 22786,
7611, 7612, 7613,	. . . 9139, 9148, 9149	23523, 23549, 23551
7614, 7615, 7616,	\newsavebox . . . 4774,	\nobibliography . . . 8001
7617, 7618, 7619,	7353, 7388, 7389	\nobidilogo . . . . . 4559
7620, 7621, 7622,	\newskip . . . . .	\nobreak . . 14, 16, 219,
7623, 7624, 7625,	4812, 4813, 4814,	221, 555, 573, 600,
7626, 7627, 7628,	5643, 14829, 16549	604, 701, 702, 716,
7629, 7630, 7631,	\newthought . . . . . 8526	742, 929, 930, 944,
7632, 7633, 7634,	\NewTokenList . . . . . 6589	960, 1184, 1185,
7635, 7636, 7637,	\newtoks . . . . . 4825,	1199, 1226, 2262,
7638, 7639, 7640,	5346, 5347, 6380,	2269, 2586, 2588,
7641, 7642, 7643,	6381, 6551, 6564,	2590, 3720, 7093,
7659, 7660, 7661,	6589, 6642, 8936,	8124, 8464, 8465,
7662, 7663, 7664,	15966, 20103, 25787	8949, 8951, 8957,
7665, 7666, 7667,	\newXeTeXintercharclass	9235, 9236, 9250,
7668, 7669, 7670,	. . . . . 4381, 4382	9274, 9412, 9413,
7671, 7672, 7673,	\next . . . . . 26179, 26182	9427, 9451, 9565,
7674, 7675, 7676,	\next@tdpage . . 21556,	9573, 9585, 9714,
7677, 7678, 7679,	21565, 21636,	9730, 9760, 9765,
7680, 7681, 7682,	21673, 21682,	9773, 9991, 11304,
7683, 7684, 12107,	21686, 21696,	11317, 11332,
12112, 12118, 12120	21700, 21711,	11336, 11572,
\newlength . . . . .	21715, 22296,	11595, 11600,
5144, 5145, 5146,	22305, 22376,	11609, 11653,
5148, 5149, 5150,	22413, 22422,	11654, 15475,
5152, 5153, 5236,	22426, 22436,	15491, 15500,
7336, 7337, 7338,	22440, 22451,	15504, 15512,
7392, 7409, 8197,	22455, 23069,	17923, 17925,
10734, 10736,	23078, 23149,	17970, 18316,
10738, 10740,	23186, 23195,	18416, 19422,
10742, 24414,	23199, 23209,	19433, 19434,
24416, 24417, 25130	23213, 23224, 23228	19445, 19446,



20249,	20251,	6635, 6638, 6639,	25750,	25756,
20404,	20405,	6723, 6730, 6733,	25769, 26102, 26486	
20419,	20443,	6734, 6751, 6755,	<code>\noindent</code> .. 493, 677,	
20776,	20777,	6757, 6758, 6759,	686, 984, 1236,	
20791,	20815,	6767, 6768, 6769,	1245, 2868, 2875,	
21006,	21022,	6772, 6773, 6774,	2882, 3285, 3291,	
21191,	21207,	6809, 7973, 7975,	3297, 4625, 7363,	
21236,	21240,	7983, 8376, 8379,	7556, 8147, 8165,	
21248,	21773,	8385, 8388, 9070,	8183, 8300, 8309,	
24007,	24024,	9073, 9076, 9128,	8318, 8528, 8548,	
24031,	24177,	10534, 10886,	8709, 8711, 8713,	
24180,	24208,	10938, 12031,	8904, 9284, 9472,	
24209,	24231,	12032, 15796,	9652, 9848, 11414,	
24232,	24248,	15797, 15803,	11511, 11656,	
24249,	24265,	15804, 15856,	11721, 15076,	
24266,	24282,	16700, 16710,	15107, 15125,	
24283,	24299,	17418, 17428,	15141, 15155,	
24300,	24316,	17436, 17437,	15171, 15210,	
24317,	24334,	17438, 17440,	15240, 15254,	
24335,	24353,	17466, 17474,	15269, 15283,	
24354,	24373,	17475, 17476,	15298, 15311,	
24374,	24408,	17478, 17507,	15322, 15336,	
24409,	24444,	17508, 17509,	15345, 15581,	
24606,	24607,	17511, 17538,	16778, 19107,	
24716,	24718,	17539, 17540,	20380, 20389,	
24809,	24841,	17542, 17569,	20830, 20839,	
24846,	24849,	17570, 17571,	20905, 20948,	
25318,	25323,	17573, 18209,	21129, 21439,	
25331,	25432,	18278, 18281,	21478, 21556,	
25433,	25437,	18882, 19147,	21559, 21563,	
26138, 26139, 26143		21515, 21516,	21773, 21958,	
<code>\nobreakspace</code> . . . . . 599		21517, 21518,	21969, 22178,	
<code>\node</code> . 3457, 3459, 3464,		21519, 21520,	22218, 22296,	
3465, 3467, 3468,		21795, 21796,	22299, 22303,	
25518, 25548, 25554		22255, 22256,	22719, 22730,	
<code>\noexpand</code> . 412, 4847,		22257, 22258,	22951, 22991,	
4848, 4862, 4863,		22259, 22260,	23069, 23072,	
4890, 4893, 4896,		22556, 22557,	23076, 23484,	
5301, 5342, 5351,		23028, 23029,	23495, 25496,	
5355, 5375, 5379,		23030, 23031,	25499, 25501,	
5495, 5597, 5598,		23032, 23033,	25503, 25506,	
5600, 5658, 5686,		23321, 23322,	25510, 25512,	
5712, 5740, 5766,		23716, 23788,	25568, 25630, 26071	
5769, 5803, 5806,		23825, 23826,	<code>\nointerlineskip</code> ..	
6044, 6045, 6046,		23899, 23906,	. . . . . 1950, 1963,	
6048, 6049, 6066,		24389, 24921,	2479, 2567, 2580,	
6068, 6086, 6087,		24954, 24961,	2587, 2917, 2932,	
6088, 6091, 6098,		24966, 24967,	2947, 3270, 3340,	
6099, 6100, 6102,		25053, 25457,	3345, 3361, 3395,	
6108, 6109, 6111,		25458, 25459,	3400, 3534, 3596,	
6117, 6118, 6120,		25460, 25461,	3601, 3744, 3761,	
6182, 6184, 6185,		25462, 25463,	3839, 3846, 3862,	
6399, 6545, 6550,		25464, 25465,	3935, 3941, 3956,	
6556, 6604, 6632,		25707, 25722,	10803, 10824,	



16370, 18399,	11926, 11930,	8232, 8261, 8343, 8347
19469, 26457, 26465	11932, 11938,	<code>\not@eq@if</code> . . . 5439, 5441
<code>\nopagebreak</code> . . . . .	11942, 11944,	<code>\noteqnewif</code> . . . . . 5435
. . . 9003, 9013, 18180	15497, 15510,	<code>\NR@spart</code> . . . . . 608,
<code>\nopagenumbers</code> . . . . 5226	15580, 15583,	610, 11340, 11342
<code>\normalbaselines</code> . 25915	16329, 16333,	<code>\null</code> 458, 472, 526, 675,
<code>\normalbaselineskip</code>	16335, 16341,	678, 794, 823, 884,
321, 7261, 14883,	16345, 16347,	982, 985, 1046,
14897, 14936,	16353, 16357,	1075, 1136, 1234,
14950, 14988,	16359, 17870,	1237, 1296, 1325,
15002, 15039,	17905, 17910,	1386, 8464, 9038,
15053, 18380, 20323	17956, 18392,	9282, 9285, 9338,
<code>\normalcolor</code> . . . 2228,	19033, 19447,	9367, 9470, 9473,
4992, 9952, 10165,	19802, 19815,	9515, 9544, 9617,
10230, 10462,	20562, 20564,	9631, 9685, 11381,
10481, 11265,	20703, 20705,	11395, 11445,
12092, 15377,	20899, 20906,	11476, 11490,
15390, 16259,	20942, 20949,	11544, 15548,
16379, 16584,	21128, 21131,	15562, 15612,
16631, 16732,	21233, 21246,	17837, 17854,
16742, 16749,	22076, 22839,	19423, 19433,
17956, 18418,	23604, 24434,	19434, 19445,
19447, 22076,	24439, 24440,	19446, 20378,
22839, 23604,	24848, 25193,	20381, 20503,
25193, 25216,	25216, 25222,	20532, 20593,
25222, 25438,	25438, 26144, 26585	20642, 20671,
25684, 26144,	<code>\normalfootnotes</code> . .	20736, 20828,
26217, 26266,	. . . . . 11885, 11896	20831, 20907,
26296, 26312,	<code>\normallineskip</code> . . .	20921, 20980,
26323, 26331,	. 5084, 18379, 20322	21094, 21108,
26538, 26554, 26585	<code>\normalparindent</code> 42,	21162, 21573,
<code>\normalfont</code> . . 25, 38,	56, 72, 255, 269, 284	21598, 21636,
52, 68, 85, 251,	<code>\NormalRTLParaLTRFootnotes</code>	22313, 22338,
265, 280, 298,	. . . . . 15010	22376, 23086,
492, 495, 597,	<code>\normalRTLparaLTRfootnotes</code>	23111, 23149,
853, 855, 1107,	. . . . . 14959	23741, 23747,
1355, 1357, 3143,	<code>\normalsfcodes</code> . . . .	23769, 24177,
3155, 3167, 4624,	. . . . . 15869, 26525	24208, 24231,
4627, 4737, 4742,	<code>\normalsize</code> 317, 1581,	24248, 24265,
4743, 4745, 4746,	1591, 1619, 1661,	24282, 24299,
4747, 4748, 4749,	1770, 1784, 1806,	24316, 24334,
4750, 4751, 7302,	2495, 2843, 7254,	24353, 24373,
7921, 7922, 7923,	7255, 7262, 7829,	24408, 24809,
8011, 8030, 8049,	7873, 7917, 8011,	25318, 25432, 26138
8115, 8350, 8357,	8030, 8049, 8427,	<code>\number</code> . . . . . 8, 139,
8364, 8556, 9561,	10637, 10729,	213, 4547, 5300,
9581, 9651, 9654,	15867, 19165,	5301, 5307, 5312,
9756, 9771, 11137,	20988, 21486,	5658, 5675, 5677,
11142, 11148,	21493, 22226,	5686, 5700, 5702,
11329, 11413,	22233, 22999,	5712, 5729, 5731,
11416, 11510,	23006, 24848,	5740, 5754, 5756,
11513, 11591,	26379, 26423, 26523	5766, 5769, 5786,
11607, 11914,	<code>\NOT</code> . . 7456, 7457, 7496,	5788, 5792, 5794,
11918, 11920,	7516, 7520, 8203,	5803, 5806, 5820,



5822, 5826, 5828,	\opening . . . 11641, 17958	579, 581, 583, 644,
5835, 5837, 5838,	\OptArg . . . . . 4754, 4820	649, 660, 664, 693,
5840, 5841, 5844,	\OptArg@i . . . . 4820, 4821	709, 727, 734, 770,
5845, 5852, 5854,	\OptArg@ii . . . 4820, 4822	776, 795, 909, 913,
5855, 6060, 6674,	\OptArgs . . . . . 4819	920, 936, 953, 971,
6789, 6795, 6801,	\optparams . . . . .	1006, 1008, 1011,
6804, 6810, 6814,	7430, 8287, 8288,	1013, 1047, 1161,
9021, 9115, 10356,	8289, 8291, 8292, 8293	1165, 1176, 1192,
10358, 10367,	\OR . . . . . 7424,	1210, 1218, 1250,
10371, 10435,	7496, 7516, 7520, 7772	1256, 1297, 4294,
10456, 10810,	\or . . . . . 1457,	4520, 5083, 5084,
10831, 10876,	1458, 1459, 1461,	5088, 5089, 7256,
10882, 10885,	1462, 1482, 1483,	7257, 7258, 7265,
10928, 10934,	1484, 1488, 1489,	7266, 7267, 7269,
10937, 11188,	1490, 1491, 1492,	7270, 8475, 8476,
11191, 12031,	1496, 1497, 1525,	8477, 8479, 8480,
12032, 12046,	1526, 1527, 1529,	8546, 9212, 9216,
12050, 17917, 19540	1530, 9923, 9924,	9227, 9243, 9259,
\numberline . . . . .	9925, 9927, 9928,	9266, 9305, 9311,
. . . 7549, 18116,	17262, 17266,	9339, 9389, 9393,
18121, 19159,	24421, 24424,	9404, 9420, 9436,
24105, 25228,	24427, 25371,	9443, 9458, 9464,
25446, 25449, 25452	25482, 25489,	9516, 9560, 9566,
\numberline@box . . .	25711, 25760,	9571, 9575, 9577,
. . . . . 24812, 24813	26171, 26172, 26174	9580, 9583, 9587,
\numberline@tempa 25448	\orig@footnotetext	9589, 9599, 9604,
\numberwithin . . . . . 339	. . 152, 19554, 19571	9618, 9707, 9722,
\numexpr . . . . . 5863,	\orig@LTRfootnotetext	9735, 9737, 9739,
24579, 24691, 24921	. . 156, 19559, 19575	9741, 9755, 9761,
\nxLcs . . . 4753, 4754, 4755	\orig@RTLfootnotetext	9766, 9769, 9774,
	. . 160, 19564, 19579	10008, 10018,
<b>O</b>	\origin@RaggedLeft	10031, 10041,
\obeylines . . . 9039, 9140	. 20351, 20353, 20354	10054, 10064,
\ocgbase . . . 18938, 18940	\origin@RaggedRight	10077, 10087,
\oddpaper . . . . .	. 20352, 20353, 20354	10384, 10391,
4592, 4596, 4597,	\originalHbadness .	10550, 10570,
4598, 4601, 4602, 4603	. . . . . 25544, 25562	10788, 10789,
\oddsidemargin . . . .	\othermargin . . . . . 926	11296, 11310,
. . . . 4614, 5055,	\outer . . . . . 4585	11367, 11369,
11108, 11112,	\outer@nobreak . . . .	11371, 11373,
11118, 16934,	5010, 7823, 7867,	11382, 11477,
16943, 16947,	7911, 26373, 26417	11566, 11590,
21524, 22264,	\outputpenalty 10499,	11596, 11601,
23037, 26507, 26511	10502, 10511,	11605, 11610,
\offinterlineskip .	10514, 10524,	11666, 11668,
. . . . . 2188, 2199	10527, 18284, 18285	11670, 11672,
\on@stripcols@break	\overfullrule . 5044, 5045	11717, 11718,
. . . . . 10293	\OVP@calc . . . . . 19797	15468, 15483,
\onecolumn . . . . .		15496, 15501,
. . 651, 667, 916,	<b>P</b>	15505, 15508,
1168, 5093, 9219,	\p@ . . 27, 29, 30, 31, 99,	15513, 15516,
9396, 9606, 20370,	103, 229, 233, 241,	15518, 15520,
20625, 21084, 24140	243, 244, 245, 321,	15522, 15549,
\only . . . . . 2485, 2513	459, 548, 565, 577,	15650, 16045,



16047,	16048,	2673, 5254, 9297,	\pagestretch . . . . .
16049,	16050,	9485, 9794, 11359,	. . . 10400, 16413,
16051,	16083,	11630, 15534,	16434, 16472, 25618
16805,	16812,	17871, 20471,	\pagestyle 2195, 4590,
16851,	16858,	20865, 21059,	5082, 5090, 5233,
16903,	17885,	21262, 21802,	7576, 8812, 10675
17889,	17898,	22563, 23328, 24075	\pagetotal . . . 16400,
17900,	17901,	\p@subfigure . . . . . 23799	16405, 16411,
17902,	17954,	\p@subtable . . . . . 23800	19042, 19383,
17972,	17974,	\PackageError . . . . .	19386, 19397,
17976,	17978,	. . . . . 144, 5412,	25606, 25611, 25669
19085,	19415,	5461, 5464, 5469,	\paperheight . . . 3033,
19427,	19439,	5472, 5477, 5480,	3038, 3045, 3338,
19533,	19534,	5485, 5488, 5645,	3339, 3344, 3362,
19581,	19583,	7221, 8329, 18051,	3396, 3397, 3727,
19584,	19585,	18058, 19545,	5019, 5022, 5025,
20363,	20367,	24035, 24393, 26158	5028, 5031, 5034,
20396,	20412,	\PackageInfo . . . 5648,	5037, 5038, 11071,
20428,	20435,	7223, 20334, 25468	21529, 22269, 23042
20450,	20456,	\PackageWarning . . .	\paperwidth . . . 2067,
20504,	20618,	. . . . . 138, 5646,	2205, 2527, 2544,
20622,	20643,	6256, 6373, 9117,	2558, 3089, 3429,
20768,	20784,	10591, 10689,	3431, 3433, 3434,
20800,	20807,	15798, 16504,	3447, 3454, 3455,
20873,	20879,	17986, 19479,	3459, 3467, 3468,
20908,	21000,	19539, 19695,	3485, 3488, 3491,
21014,	21030,	24384, 24735, 24826	3512, 3514, 3519,
21032,	21034,	\PackageWarningNoLine	3521, 3536, 3538,
21036,	21077,	. . . . . 5287, 5647,	3540, 3542, 3563,
21082,	21095,	5676, 5701, 5730,	3599, 3626, 3709,
21184,	21199,	5755, 5787, 5793,	3711, 3716, 3718,
21212,	21214,	5821, 5827, 12068	3729, 3753, 3766,
21216,	21218,	\page@sofar . . . 164, 19451	3769, 3775, 3780,
21232,	21237,	\pagebreak . . . . .	3802, 3810, 3822,
21241,	21244,	. . . 18179, 25614, 25623	3842, 3848, 3850,
21249,	21487,	\pagecontents . . . . . 20167	3864, 3868, 3890,
21491,	21494,	\pagedepth . . . . . 25608	3894, 3902, 3905,
21498,	22049,	\pagefillstretch . . . 25620	3911, 3914, 3921,
22067,	22227,	\pagefilstretch . . . 25619	3924, 3938, 3943,
22231,	22234,	\pagefootnoterule .	3945, 3958, 3962,
22238,	22811,	. . . . . 16081, 16089	3981, 3984, 3987,
22830,	23000,	\pagegoal 16398, 16400,	3993, 3996, 4012,
23004,	23007,	16405, 16412,	4015, 4030, 5020,
23011,	23576,	16453, 16455,	5023, 5026, 5029,
23595,	24138,	18290, 19385, 25611	5032, 5035, 5038,
24415,	24583,	\pageinwindow . . . . . 10110	5039, 11071,
24586,	24590,	\pagenumbering 5091, 8811	11078, 11088,
24695,	24698,	\pageref . . . . . 5230, 5232	21527, 22267, 23040
24702,	25114,	\pageshrink . . . 10346,	\par 5, 15, 46, 60, 76, 107,
25117,	25121,	10349, 10375,	108, 109, 110, 210,
25127,	25242,	10399, 16414,	220, 237, 238, 239,
25426, 26132, 26595		16418, 16434,	259, 273, 288, 320,
\p@enumiv 86, 299, 627,		16460, 16472, 25614	323, 427, 461, 467,
762, 1025, 1275,			469, 470, 489, 532,



538, 542, 554, 573,  
600, 603, 678, 688,  
702, 715, 742, 803,  
813, 820, 821, 849,  
888, 894, 898, 930,  
944, 959, 985, 999,  
1055, 1065, 1072,  
1073, 1101, 1140,  
1146, 1150, 1185,  
1198, 1226, 1237,  
1247, 1305, 1315,  
1322, 1323, 1351,  
1391, 1397, 1402,  
1407, 1410, 1578,  
1582, 1585, 1588,  
1593, 1613, 1616,  
1621, 1653, 1658,  
1665, 1763, 1767,  
1773, 1794, 1802,  
1809, 1820, 1829,  
1838, 1857, 2274,  
2479, 2586, 2840,  
2844, 2870, 2877,  
2884, 2899, 2910,  
2914, 2925, 2929,  
2940, 2944, 3115,  
3122, 3128, 3134,  
3141, 3153, 3165,  
3187, 3194, 3208,  
3215, 3234, 3287,  
3293, 3299, 3610,  
3612, 3660, 3681,  
3689, 3757, 3759,  
3855, 3857, 3950,  
3952, 4585, 4621,  
5008, 7450, 7458,  
7517, 7518, 7521,  
7522, 7547, 7556,  
7557, 7726, 7742,  
8466, 8581, 8582,  
8583, 8584, 8709,  
8711, 8713, 8731,  
8732, 8733, 8907,  
9014, 9028, 9039,  
9057, 9132, 9140,  
9165, 9236, 9249,  
9274, 9285, 9347,  
9357, 9364, 9365,  
9413, 9426, 9451,  
9473, 9524, 9534,  
9541, 9542, 9565,  
9573, 9585, 9620,  
9626, 9628, 9629,  
9648, 9691, 9697,

9701, 9713, 9730,  
9760, 9765, 9773,  
9850, 9991, 10796,  
10817, 11304,  
11316, 11332,  
11335, 11384,  
11390, 11392,  
11393, 11410,  
11449, 11455,  
11459, 11479,  
11485, 11487,  
11488, 11507,  
11550, 11556,  
11560, 11571,  
11595, 11600,  
11609, 11643,  
11648, 11651,  
11653, 11654,  
11664, 12086,  
12299, 12302,  
12305, 12592,  
12595, 12598,  
12885, 12888,  
12891, 13184,  
13187, 13190,  
13483, 13486,  
13489, 13782,  
13785, 13788,  
14081, 14084,  
14087, 14380,  
14383, 14386,  
14679, 14682,  
14685, 15311,  
15322, 15336,  
15345, 15474,  
15491, 15500,  
15504, 15512,  
15551, 15557,  
15559, 15560,  
15577, 15616,  
15622, 15626,  
15792, 16255,  
17893, 17894,  
17895, 17914,  
17924, 17932,  
17960, 17965,  
17968, 17970,  
18092, 18217,  
18372, 18395,  
18399, 19029,  
19101, 19107,  
19113, 19117,  
19123, 19138,  
19157, 19166,

19423, 19435,  
19448, 19608,  
19620, 19682,  
19974, 20145,  
20146, 20147,  
20148, 20241,  
20242, 20249,  
20250, 20310,  
20381, 20391,  
20405, 20418,  
20443, 20512,  
20522, 20529,  
20530, 20558,  
20597, 20603,  
20607, 20651,  
20661, 20668,  
20669, 20699,  
20743, 20749,  
20754, 20759,  
20762, 20777,  
20790, 20815,  
20831, 20841,  
20905, 20910,  
20916, 20918,  
20919, 20938,  
20948, 20986,  
20991, 20994,  
21005, 21022,  
21097, 21103,  
21105, 21106,  
21125, 21168,  
21174, 21178,  
21190, 21207,  
21236, 21240,  
21248, 21477,  
21570, 21571,  
21576, 21579,  
21581, 21588,  
21592, 21594,  
21596, 21611,  
21615, 21637,  
21645, 21773,  
21892, 21949,  
21957, 21960,  
21968, 21970,  
21981, 21988,  
22217, 22310,  
22311, 22316,  
22319, 22321,  
22328, 22332,  
22334, 22336,  
22351, 22355,  
22377, 22385,  
22653, 22710,



22718,	22721,	19630,	19632,	103, 217, 233, 255,
22729,	22731,	19633,	19634,	269, 284, 493, 551,
22742,	22749,	19635,	19636,	568, 595, 648, 663,
22990,	23083,	19637,	19638,	699, 712, 737, 789,
23084,	23089,	19639,	19640,	806, 912, 927, 939,
23092,	23094,	19641,	19643,	956, 993, 1041,
23101,	23105,	19644,	19645,	1058, 1104, 1164,
23107,	23109,	19646,	19648,	1182, 1195, 1221,
23124,	23128,	19649,	19650,	1291, 1308, 2868,
23150,	23158,	19651,	19653,	2875, 2882, 3285,
23418,	23475,	19654,	19655,	3291, 3297, 4625,
23483,	23486,	19656,	19657,	5086, 7278, 7949,
23494,	23496,	19658,	19660,	8458, 8500, 8508,
23507,	23514,	19661,	19662,	8573, 8726, 9032,
23830,	24445,	19663,	19664,	9135, 9215, 9233,
24451,	24608,	19665,	19667,	9246, 9269, 9333,
24717,	24841,	19668,	19669,	9350, 9392, 9410,
25337,	25439,	19670,	19671,	9423, 9446, 9510,
25496,	25497,	22004, 22766, 23531		9527, 9561, 9581,
25503,	25504,	\parfillskip . . . . 13,		9603, 9652, 9710,
25506,	25514,	218, 552, 569, 697,		9725, 9756, 9770,
25567,	25833,	713, 738, 924,		9874, 9905, 9996,
25834,	25843,	940, 957, 1180,		11299, 11313,
25844,	26012,	1196, 1222, 8457,		11327, 11414,
26021,	26030,	9033, 9231, 9247,		11511, 11568,
26039,	26106,	9270, 9408, 9424,		11591, 11606,
26145, 26574, 26595		9447, 9711, 9726,		11720, 12104,
\par@updaterelative		9878, 9997, 11300,		12294, 12587,
. 21567, 22307, 23080		11314, 11569,		12880, 13179,
\paragraph . . . . . 8362		15178, 15182,		13478, 13777,
\ParagraphFootnotes		15186, 15472,		14076, 14375,
. . . . . 14906		15487, 17922,		14674, 15177,
\paragraphfootnotes		18379, 19416,		15181, 15185,
. . . . . 14853		19428, 19440,		15350, 15471,
\parbox . . . . . 5179,		20264, 20277,		15486, 15497,
5181, 10663,		20290, 20301,		15509, 15581,
11659, 17063,		20400, 20416,		16777, 17889,
17065, 17069,		20439, 20772,		17921, 18375,
17071, 17102,		20788, 20811,		19417, 19429,
17103, 17106,		21003, 21018,		19441, 19675,
17107, 17164,		21188, 21203,		20265, 20278,
17165, 17168,		23986, 24015,		20291, 20302,
17169, 17193,		24045, 24169,		20366, 20402,
17195, 17199,		24200, 24223,		20415, 20438,
17201, 18237,		24240, 24257,		20498, 20515,
19095, 19124,		24274, 24291,		20621, 20637,
19606, 19608,		24308, 24326,		20654, 20774,
19609, 19611,		24345, 24365,		20787, 20810,
19613, 19614,		24400, 24595,		20905, 20948,
19616, 19618,		24707, 24775,		20985, 21002,
19620, 19621,		24777, 24841,		21017, 21081,
19623, 19625,		25311, 25313,		21129, 21187,
19626, 19627,		25427, 26050, 26133		21202, 21233,
19628, 19629,		\parindent 12, 42, 56, 72,		21245, 21439,





21478,	22178,	18375,	18384,	\pgf@picminy	19911, 19925
22218,	22951,	19980,	20313,	\pgf@picture	..... 19914
22991,	23996,	20367,	20622,	\pgf@picture@serial@count	..... 19905, 19906
24033,	24137,	20985,	21082,	\pgf@process	.....
24170,	24201,	24138,	25247,		. 19929, 19932, 19939
24224,	24241,	25605,	25609, 25949	\pgf@relevantforpicturesizefalse	..... 19928
24258,	24275,	\part	..... 23, 17908	\pgf@relevantforpicturesizetrue	..... 19912
24292,	24309,	\partname	.... 599, 11331	\pgf@remember@layerlist@globally	..... 19946
24327,	24346,	\partopsep	.....	\pgf@resetpathsizes	..... 19913
24366,	24401,		2670, 8522, 19080,	\pgf@restore@layerlist@from@global	..... 19950
24594,	24706,		19082, 19759, 19779	\pgf@shift@baseline	..... 19930
24780,	24782,	\PassOptionsToClass		\pgf@trimleft	.... 19932
25247,	25308,		8764, 8765, 8766,	\pgf@trimleft@final	. 19934, 19935, 19937
25309,	25428,		8767, 8768, 8788,	\pgf@trimright	.... 19939
25839,	25849,		8789, 8790, 8791, 8792	\pgf@trimright@final	. 19941, 19942, 19944
25950,	26050,	\PassOptionsToPackage		\pgf@x	..... 19933,
26073,	26074, 26134		..... 7781, 8611		19937, 19940, 19944
\parsep	... 996, 7270,	\pbs	..... 19823, 19841	\pgf@y	..... 19930
	7271, 8480, 8481,	\pdfencryptsetup	..	\pgfdeclarehorizontalshading	..... 3727
	8519, 8546, 25949		... 4364, 4366, 4369	\pgfdefobject	.....
\parshape	9847, 16526,	\pdflastxpos	... 5658,	\pgfmathsetmacro	.. 3428
	16534, 19765,		5686, 5766, 5803	\pgfpathcircle	.... 1608
	19785, 19980,	\pdflastypos	... 5712,	\pgfpathclose	. 2989, 3005
	20145, 20147,		5740, 5769, 5806	\pgfpathcurveto	1938,
	20904, 20947,	\pdfm@box	.... 17838,		2981, 2985, 2997, 3001
	21458, 21460,		17846, 17855, 17863	\pgfpathlineto	. 1937,
	21471, 21473,	\pdfsavepos	5668, 5670,		1944, 1945, 2980, 2996
	22197, 22199,		5693, 5695, 5722,	\pgfpathqcurveto	..
	22211, 22213,		5724, 5747, 5749,		..... 1936,
	22970, 22972,		5779, 5781, 5813, 5815	\pgfpathqlineto	2753,
	22984, 22986,	\pdfstringdefDisableCommands	... 2750, 2770, 2793		2754, 2773, 2774,
	25833, 25843,		..... 17793	\pgfpathqmoveto	... 2776, 2777, 2796, 2797
	25979, 26014,	\penalty	.. 798, 1050,		1935, 2752, 2772,
	26016, 26017,		1300, 8953, 9275,	\pgfpathrectangle	. 2775, 2795, 2977, 2993
	26018, 26023,		9342, 9452, 9519,		.... 1958, 2560,
	26025, 26026,		9731, 9835, 9841,		2573, 3769, 3775,
	26027, 26032,		10496, 10508,		3810, 3868, 3894, 3962
	26034, 26035,		10521, 14828,	\pgfpic	..... 19960
	26036, 26041,		15179, 15183,	\pgfpicture	..... 19901
	26043, 26044, 26045		15187, 15492,	\pgfpictureid	19906, 19917
\parskip	103, 233, 649,		16435, 20444,		
	664, 913, 1165,	\pgf@baseline	.... 19929		
	2199, 2914, 2929,	\pgf@insertlayers	19951		
	2944, 3235, 3280,	\pgf@nodecallback	19907		
	4618, 5087, 7279,	\pgf@oldpicture	.. 19914		
	7950, 8501, 8509,	\pgf@picmaxx	.. 19908,		
	8572, 8727, 9031,		19920, 19922, 19940		
	9134, 9169, 9216,	\pgf@picmaxy	19910, 19924		
	9393, 9604, 10500,	\pgf@picminx	.....		
	10512, 10525,		. 19909, 19923, 19933		
	11647, 11650,				
	11652, 11654,				
	17889, 17964,				
	17967, 17969,				



<code>\pgfpicturetrue</code> ...	<code>\pgfusepathqfill</code> ..	<code>\poem@startedfalse</code>
..... 1966, 19904	..... 2755,	... 9041, 9150, 9156
<code>\pgfpoint</code> ..... 1608,	2778, 2798, 2990	<code>\poem@startedtrue</code> .
1937, 1939, 1940,	<code>\pgfusepathqstroke</code> 3006	..... 8999,
1941, 1944, 1945,	<code>\pgfuseshading</code> . 1960,	9000, 9040, 9142,
1958, 1960, 2560,	3734, 3736, 3800,	9144, 9149, 9157, 9159
2566, 2573, 2579,	3843, 3888, 3939, 4046	<code>\poem@verse</code> .....
2750, 2770, 2793,	<code>\pgfutil@gobble</code> .. 19907	... 8937, 9007, 9010
2980, 2982, 2983,	<code>\pgfutil@ifnextchar</code>	<code>\poem@width</code> .....
2984, 2986, 2987,	..... 19914	8940, 8941, 8945,
2988, 2996, 2998,	<code>\phantom</code> ... 18628, 19474	9022, 9024, 9027, 9060
2999, 3000, 3002,	<code>\phantomsection</code> ... 5177	<code>\poem@write@aux</code> ...
3003, 3004, 3349,	<code>\phone</code> ..... 5137	... 9063, 9115, 9127
3356, 3769, 3775,	<code>\phonesymbol</code> .....	<code>\poemblocksep</code> .....
3810, 3868, 3894, 3962	. 5097, 10670, 10768	... 8934, 9038, 9138
<code>\pgfpointorigin</code> ... 3775	<code>\photo</code> ..... 5142	<code>\poemcolsep</code> .....
<code>\pgfsetcolor</code> ..... 1966	<code>\picbox</code> ..... 20085	..... 8925, 8954
<code>\pgfsetfading</code> .. 3770,	<code>\picinwindow</code> ..... 10130	<code>\poemextrabaselineskip</code>
3811, 3869, 3895, 3963	<code>\picwd</code> ..... 19973,	... 8927, 9015, 9050
<code>\pgfsetfillcolor</code> ..	19976, 20084, 20086	<code>\poemmarginskip</code> ...
.... 3768, 3806,	<code>\place@tag</code> . 348, 349, 351	... 8926, 8948, 8949
3808, 3867, 3893, 3961	<code>\plainauthor</code> .....	<code>\poemskip</code> 8928, 9028, 9059
<code>\pgfsetfillopacity</code> 2497	.... 7588, 8631,	<code>\postbibhook</code> ..... 19173
<code>\pgfsetlinewidth</code> .. 2976	8633, 8672, 8673, 8676	<code>\postCutedStrip</code> .. 10522
<code>\pgfsys@discardpath</code>	<code>\plainfootnotes</code> .. 11896	<code>\postdisplaypenalty</code>
..... 19953	<code>\plainpublisher</code> ...	..... 15766, 15780
<code>\pgfsys@endpicture</code> 19956	... 8634, 8699, 8700	<code>\postmath</code> ..... 9841
<code>\pgfsys@endscope</code> . 19955	<code>\plaintitle</code> 7589, 7590,	<code>\PotEndMark</code> .....
<code>\pgfsys@markposition</code>	8631, 8632, 8655,	. 11140, 11145, 11148
..... 19917	8656, 8659, 8827, 8829	<code>\preCutedStrip</code> .....
<code>\pgfsys@shadingoutsidepgfpicture</code>	<code>\plitemsep</code> ..... 8520	..... 10498, 10510
..... 19965	<code>\plparsep</code> ..... 8519	<code>\predisplaydirection</code>
<code>\pgfsys@typesetpicturebox</code>	<code>\plpartopsep</code> ..... 8522	..... 20193,
..... 19960	<code>\pLRE</code> 4287, 4288, 4513, 4514	20194, 26582, 26583
<code>\pgftext</code> .....	<code>\PLS@Rotate</code> .....	<code>\predisplaypenalty</code>
1610, 1786, 1787,	. 19845, 19847, 19849	..... 15765, 15779
1960, 2498, 2499,	<code>\pltopsep</code> ..... 8521	<code>\premath</code> ..... 9837
2559, 2567, 2572,	<code>\poem@finish</code> .....	<code>\prepare@bidi@copyins</code>
2580, 3350, 3357, 3777	... 9064, 9114, 9121	..... 16543,
<code>\pgftransformrotate</code>	<code>\poem@line</code> 8991, 8997, 9048	16576, 16625, 16783
..... 3348, 3355	<code>\poem@linebegin</code> ...	<code>\preparefootins</code> ...
<code>\pgftransformscale</code>	..... 8948, 9006	..... 16575, 16624
..... 2563, 2576	<code>\poem@lineend</code> . 8949, 9012	<code>\PrependToTokenList</code> 6592
<code>\pgftransformshift</code>	<code>\poem@lineparsebegin</code>	<code>\prepnext@tok</code> .....
..... 1960,	... 8960, 9017, 9044	.... 1454, 1464,
2566, 2579, 3349, 3356	<code>\poem@lineparseend</code>	1512, 1544, 9915, 9943
<code>\pgfuseobject</code> .....	... 8986, 8998, 9055	<code>\presetkeys</code> ..... 25596
.... 2761, 2765,	<code>\poem@lineversesep</code>	<code>\prevdepth</code> 7450, 7458,
2784, 2788, 2804, 2808	..... 8950, 9009	10417, 10866,
<code>\pgfusepath</code> ... 1609,	<code>\poem@needrun</code> .. 8942,	10920, 19085, 19476
1946, 1959, 2561,	9061, 9116, 9118	<code>\prg</code> .....
2574, 3771, 3776,	<code>\poem@obeylines</code> 9043,	6841,
3812, 3870, 3896, 3964	9112, 9152, 9176	6845, 6846, 6849,
	<code>\poem@prop</code> ... 9024, 9126	6854, 6855, 6858,
		6862, 6867, 6868, 6871



<code>\pRLE</code>	4289, 4290, 4515, 4516	12645,	12657,	.....	4151,
<code>\process@cols</code>	. 19452,	12670,	12682,	4155, 6989, 6990,	
	19485, 19499, 19505	12695,	12782,	6992, 7003, 7004, 7006	
<code>\ProcessKeyOptions</code>	4193	12812,	12828,	<code>\protected@xdef</code>	...
<code>\ProcessOptions</code>	...	12843,	12855,	....	2412, 2438,
	5049, 7246, 8337,	12870,	12910,	2464, 8211, 8240,	
	8596, 8628, 8769,	12939,	12952,	8269, 8652, 8669,	
	8793, 10593, 10691	12966,	12979,	8685, 8696, 16102,	
<code>\protect</code>	..... 423,	12993,	13081,	16111, 16268,	
	4287, 4288, 4289,	13111,	13127,	16273, 16282,	
	4290, 4456, 4513,	13142,	13154,	16288, 17437,	
	4514, 4515, 4516,	13169,	13209,	17475, 17508,	
	4829, 4835, 4841,	13238,	13251,	17539, 17570, 17633	
	4847, 4856, 4862,	13265,	13278,	<code>\providecommand</code>	...
	5921, 5922, 6550,	13292,	13380,	5094, 5095, 5096,	
	6556, 7089, 7549,	13410,	13426,	5097, 5098, 5099,	
	15856, 16269,	13441,	13453,	5110, 5111, 5112,	
	16283, 18116,	13468,	13508,	5113, 5114, 5115,	
	18121, 18200,	13537,	13550,	5116, 5117, 5118,	
	19159, 23820,	13564,	13577,	5119, 5120, 5121,	
	23821, 23825,	13591,	13679,	5122, 5123, 5124,	
	23833, 24105,	13709,	13725,	5125, 5334, 8109,	
	24451, 25776, 26486	13740,	13752,	8116, 8117, 8526,	
<code>\protected</code>	.....	13767,	13807,	10654, 10659,	
	4513, 4515, 5645,	13836,	13849,	15988, 25140,	
	5646, 5647, 5648,	13863,	13876,	25144, 25149,	
	5869, 5877, 5879,	13890,	13978,	25153, 25178,	
	5885, 6063, 6079,	14008,	14024,	25182, 25187, 25191	
	6095, 6118, 6120,	14039,	14051,	<code>\ProvidesClass</code>	....
	6173, 6228, 6243,	14066,	14106,	... 5016, 8763, 8787	
	20109, 20119,	14135,	14148,	<code>\ProvidesExplPackage</code>	..... 18435
	20129, 20137,	14162,	14175,	<code>\ProvidesFile</code>	. 1, 131,
	25684, 25793,	14189,	14277,	165, 206, 336, 354,	
	25803, 25813, 25822	14307,	14323,	359, 361, 447, 652,	
<code>\protected@edef</code>	. 43,	14338,	14350,	901, 1153, 1413,	
	57, 73, 256, 270,	14365,	14405,	1548, 1566, 1886,	
	285, 2301, 2318,	14434,	14447,	1982, 2066, 2070,	
	2335, 2351, 2367,	14461,	14474,	2477, 2600, 2686,	
	2383, 8148, 8166,	14488,	14576,	2697, 2814, 2818,	
	8184, 11749,	14606,	14622,	3017, 3020, 3087,	
	11765, 11780,	14637,	14649,	3182, 3307, 3311,	
	11796, 11811,	14664,	14704,	3316, 3406, 3478,	
	11824, 11837,	14733,	14746,	3532, 3555, 3583,	
	11849, 11861,	14760,	14773,	3703, 3726, 3793,	
	11874, 12196,	14787,	15072,	3881, 3976, 4035,	
	12226, 12242,	15103,	15121,	4045, 9204, 9381,	
	12257, 12269,	15137,	15151,	9558, 9591, 9804,	
	12284, 12324,	15167,	15206,	9859, 9901, 9903,	
	12353, 12366,	15236,	15250,	9906, 9944, 9987,	
	12380, 12393,	15265,	15279,	10002, 10100,	
	12407, 12495,	15294,	16137,	10138, 10782,	
	12524, 12539,	16154,	16170,	10947, 11066,	
	12553, 12564,	16199, 16214, 16229		11069, 11130,	
	12578, 12617,	<code>\protected@write</code>	..		



11292,	11466,	\pspicture . 20199, 20206	\quotestyle . . . . .
11640,	11673,	\psset . . . . . 20210, 20217	. 5122, 10651, 10780
15464,	15640,	\pst@hbox . . 20222, 20230	\quotewidth . . . 5144,
15669,	15683,	\pst@tempc . . . . .	5156, 10651, 10780
15760,	15790,	. 20221, 20228, 20232	
15799,	15805,	\pst@tempd . . . . .	<b>R</b>
15955,	16297,	. 20221, 20228, 20232	\R@@page . . . . . 21277,
16364,	16541,	\publisher . . . 8689, 8690	21278, 21287,
16784,	16911,	\publishers . . . . .	21289, 21320,
16953,	17254,	. 21748, 22488, 23261	21321, 21332, 21334
17867,	17953,	\put . . . . 10009, 10010,	\raggedbottom . . . . . 5092
17957,	17979,	10011, 10012,	\raggedcaption . . . .
17992,	18045,	10013, 10014,	. 21935, 22696, 23461
18149,	18318,	10019, 10020,	\raggeddictum . . . . .
18349,	18358,	10021, 10022,	. 21832, 22593, 23358
18433,	19017,	10023, 10024,	\raggeddictumauthor
19174,	19412,	10032, 10033,	. 21834, 22595, 23360
19450,	19605,	10034, 10035,	\raggeddictumtext .
19672,	19700,	10036, 10037,	. 21833, 22594, 23359
19738,	19746,	10042, 10043,	\raggedfootnote . . .
19767,	19787,	10044, 10045,	. 21423, 22162, 22935
19821,	19844,	10046, 10047,	\RaggedLeft . . 20269,
19852,	19900,	10055, 10056,	20318, 20334,
19964,	19970,	10057, 10058,	20338, 20351,
20198,	20239,	10059, 10060,	20353, 23684,
20255,	20355,	10065, 10066,	23685, 23691,
20610,	20887,	10067, 10068,	23695, 23700, 23709
21069,	21272,	10069, 10070,	\raggedleft . . . . 25,
21401,	22140,	10078, 10079,	104, 234, 595, 609,
22913,	23678,	10080, 10081,	613, 1551, 1559,
23711,	23771,	10082, 10083,	2876, 3057, 3292,
23797,	23802,	10088, 10089,	9561, 9756, 9770,
23836,	23911,	10090, 10091,	11327, 11341,
23941,	23960,	10092, 10093,	11345, 11591,
23980,	24009,	11071, 11095,	11606, 11643,
24058,	24142,	11125, 19800,	11646, 11651,
24452,	25226,	19802, 19815, 19818	11659, 15497,
25472,	25601,		15509, 15675,
25677, 25781, 26754			15680, 17890,
\ProvidesPackage . .		<b>Q</b>	17910, 17960,
4060, 4589, 4645,		\Q . . . . . 7966, 7988	17963, 17968,
4824, 5265, 5333,		\q 18523, 18526, 18755, 18809	19056, 19057,
7217, 7783, 8325,		\qauthor . . . . . 20240	20242, 20244,
8471, 8587, 8614,		\qqquad . . . . . 8402,	20250, 21233,
8852, 10580, 10678		8409, 8416, 8423,	21245, 21756,
\prune . . . . . 19990,		8430, 8465, 20242	21757, 21832,
20028, 20032,		\quad . . . . . 4342, 4558,	21833, 21834,
20037, 20041,		7588, 7589, 7590,	21836, 22496,
20053, 20064, 20091		8827, 8828, 8829,	22593, 22594,
\prw@mkboth . . 24111,		8934, 25916, 25925	22595, 22597,
24116, 24128, 24133		\quote . . . . . 5143	23269, 23358,
\ps@scalebox . . . . 20237		\quotecolour . . . . .	23359, 23360,
\ps@empty . . . . . 2214		. 5105, 10598, 10696	23362, 26051,
\ps@navigation . . . . 2110		\quote font . . . . 5114,	26053, 26055, 26056
		5122, 10638, 10731	



<code>\RaggedLeftLeftskip</code>	<code>\RaggedRightRightskip</code>	18474, 18477,
..... 20274	..... 8503, 20288	18478, 18514,
<code>\RaggedLeftParfillskip</code>	<code>\raggedsection</code> ....	18519, 18521,
..... 20277	. 21756, 22496, 23269	18565, 18566, 18578
<code>\RaggedLeftParindent</code>	<code>\raise</code> .....	<code>\reinsert@footnotes</code>
..... 20278	1762,	..... 15458
<code>\RaggedLeftRightskip</code>	1767, 1801, 1921,	<code>\relax</code> .....
..... 20275	2225, 2716, 2860,	2, 8,
<code>\raggedpart</code> .....	2861, 2862, 3372,	10, 12, 14, 28, 85,
..... 21757	3380, 3388, 4003,	103, 132, 166, 207,
<code>\RaggedRight</code> ..	4022, 15663, 17905	213, 215, 217, 219,
20320, 20335,	<code>\raisebox</code> .....	233, 242, 298, 311,
20340, 20352,	7501, 7506, 7517,	329, 423, 452, 453,
20354, 23684,	7518, 7521, 7522,	454, 475, 476, 477,
23685, 23691,	11138, 11143,	478, 483, 484, 485,
23695, 23702, 23707	11159, 11162,	486, 510, 511, 512,
<code>\raggedright</code> .	11278, 17076,	513, 514, 519, 520,
25, 104,	17078, 17082,	521, 522, 546, 649,
234, 595, 608, 609,	17084, 17111,	664, 671, 701, 707,
612, 613, 1553,	17112, 17115,	725, 778, 785, 786,
1561, 1822, 1831,	17116, 17173,	787, 791, 800, 809,
1840, 2883, 3055,	17174, 17177,	826, 827, 832, 833,
3298, 9561, 9581,	17178, 17206,	834, 835, 838, 841,
9756, 9770, 11327,	17208, 17212, 17214	845, 870, 871, 872,
11340, 11341,	<code>\rangle</code> .....	877, 878, 879, 880,
11344, 11345,	..... 4738	913, 929, 951, 969,
11591, 11606,	<code>\ratio</code> .....	978, 1012, 1037,
11643, 11646,	..... 3221, 3536	1038, 1039, 1043,
11651, 11659,	<code>\rawtext</code> .....	1052, 1061, 1078,
15497, 15509,	19986, 20008,	1079, 1084, 1085,
15673, 15678,	20009, 20090, 20094	1086, 1087, 1090,
17890, 17910,	<code>\rbrace</code> ....	1093, 1097, 1122,
17960, 17963,	..... 25905, 25914	1123, 1124, 1129,
17968, 19056,	<code>\rcb</code> .	1130, 1131, 1132,
19057, 20242,	4739, 4742, 4743, 4747	1165, 1172, 1184,
20244, 20250,	<code>\rcol@footinsskip</code> .	1190, 1208, 1258,
21233, 21245,	..... 16556, 16605	1287, 1288, 1289,
21756, 21757,	<code>\realfootnote</code> ....	1293, 1302, 1311,
21832, 21833,	..... 17630	1328, 1329, 1334,
21834, 21836,	<code>\recomputelengths</code> .	1335, 1336, 1337,
22496, 22593,	..... 5155, 5172	1340, 1343, 1347,
22594, 22595,	<code>\recomputethemelengths</code>	1372, 1373, 1374,
22597, 23269,	..... 5154,	1379, 1380, 1381,
23358, 23359,	5170, 10743, 10748	1382, 1469, 1470,
23360, 23362,	<code>\reenable@package@load</code>	1487, 1488, 1489,
24786, 24789,	..... 6961, 6976	1888, 2059, 2417,
24793, 24904,	<code>\reflectbox</code> .....	2443, 2469, 2481,
26047, 26052,	..... 16845	2488, 2522, 2524,
26054, 26055, 26056	<code>\refname</code> 617, 618, 752,	2525, 2531, 2533,
<code>\RaggedRightLeftskip</code>	753, 1015, 1016,	2535, 2536, 2548,
..... 20287	1265, 1266, 5241,	2564, 2565, 2577,
<code>\RaggedRightParfillskip</code>	8561, 11349, 11350	2578, 2622, 2702,
..... 20290	<code>\refstepcounter</code> 590,	2705, 2707, 2708,
<code>\RaggedRightParindent</code>	11322, 15781,	2709, 2920, 2935,
..... 7276,	16302, 16308,	2950, 3253, 3255,
7947, 8506, 20291	18104, 18110,	
	19150, 19756,	
	19777, 21843,	
	22604, 23369, 24102	
	<code>\regex</code> .....	
	18463,	
	18468, 18471,	



3259, 3261, 3330,	10001,	10153,	14225,	14229,
3370, 3379, 3387,	10216,	10347,	14250,	14254,
4158, 4159, 4456,	10349,	10384,	14376,	14524,
4489, 4632, 4633,	10410,	10440,	14528,	14549,
4634, 4639, 4640,	10593,	10691,	14553,	14675,
4641, 4642, 4912,	10783,	10784,	14831,	14844,
4920, 4928, 4979,	10785,	10786,	14846,	14861,
5049, 5308, 5313,	10787,	10799,	14868,	14899,
5319, 5334, 5549,	10820,	10874,	14914,	14921,
5552, 5562, 5580,	10886,	10889,	14952,	14970,
5640, 5842, 5846,	10926,	10938,	15004,	15021,
5856, 5863, 5876,	10941,	11102,	15055,	15325,
6060, 6390, 6391,	11120,	11181,	15327,	15420,
6395, 6434, 6435,	11260,	11308,	15421,	15466,
6477, 6500, 6627,	11377,	11378,	15544,	15545,
6641, 6704, 6706,	11379,	11398,	15546,	15565,
6715, 6716, 6732,	11399,	11404,	15566,	15571,
6740, 6757, 6768,	11405,	11406,	15572,	15573,
6773, 7250, 7748,	11407,	11431,	15574,	15598,
7957, 8065, 8128,	11432,	11433,	15599,	15600,
8132, 8136, 8216,	11438,	11439,	15605,	15606,
8227, 8245, 8256,	11440,	11441,	15607,	15608,
8274, 8285, 8343,	11470,	11471,	15645,	15647,
8540, 8548, 8553,	11472,	11493,	15651,	15696,
8584, 8769, 8793,	11494,	11495,	15732,	15761,
8889, 8894, 8897,	11496,	11501,	15771,	15815,
8904, 8942, 8948,	11502,	11503,	15835,	15836,
9043, 9061, 9090,	11504,	11528,	15851,	15953,
9097, 9104, 9116,	11529,	11530,	16084,	16106,
9152, 9216, 9223,	11531,	11532,	16115,	16277,
9235, 9241, 9257,	11537,	11538,	16292,	16397,
9313, 9329, 9330,	11539,	11540,	16419,	16457,
9331, 9335, 9344,	11564,	11712,	16568,	16617,
9353, 9370, 9371,	11713,	11714,	17016,	17018,
9376, 9377, 9378,	11715,	11716,	17021,	17034,
9379, 9393, 9400,	11906,	11986,	17036,	17039,
9412, 9418, 9434,	12010,	12144,	17285,	17296,
9466, 9506, 9507,	12148,	12169,	17307,	17318,
9508, 9512, 9521,	12173,	12295,	17332,	17343,
9530, 9547, 9548,	12443,	12447,	17354,	17365,
9553, 9554, 9555,	12468,	12472,	17380,	17395,
9556, 9604, 9611,	12588,	12730,	17436,	17455,
9612, 9613, 9634,	12734,	12755,	17474,	17493,
9635, 9636, 9637,	12759,	12881,	17507,	17526,
9642, 9643, 9644,	13029,	13033,	17538,	17557,
9645, 9669, 9670,	13054,	13058,	17569,	17588,
9671, 9672, 9673,	13180,	13328,	17670,	17704,
9678, 9679, 9680,	13332,	13353,	17735,	17764,
9681, 9705, 9847,	13357,	13479,	17870,	17889,
9861, 9862, 9863,	13627,	13631,	17899,	17911,
9868, 9869, 9870,	13652,	13656,	17917,	17919,
9871, 9874, 9878,	13778,	13926,	17921,	17923,
9879, 9880, 9881,	13930,	13951,	17982,	18200,
9882, 9883, 9983,	13955,	14077,	18397,	18400,



18403,	18404,	20824,	20881,	22284,	22285,
18405,	18411,	20886,	20891,	22341,	22382,
19020,	19021,	20892,	20893,	22388,	22409,
19022,	19023,	20924,	20925,	22464,	22465,
19024,	19084,	20926,	20927,	22466,	22467,
19188,	19288,	20932,	20933,	22468,	22469,
19414,	19416,	20934,	20935,	22483,	22484,
19417,	19420,	20964,	20965,	22485,	22486,
19426,	19428,	20966,	20967,	22487,	22488,
19429,	19432,	20968,	20973,	22489,	22490,
19438,	19440,	20974,	20975,	22491,	22492,
19441,	19444,	20976,	20998,	22494,	22532,
19537,	19582,	21082,	21088,	22819,	22836,
19806,	19807,	21089,	21090,	22932,	22945,
19808,	19856,	21111,	21112,	22947,	22953,
19861,	19866,	21113,	21114,	23000,	23001,
19875,	19883,	21119,	21120,	23007,	23008,
19905,	19908,	21121,	21122,	23010,	23013,
19909,	19910,	21146,	21147,	23033,	23036,
19911,	19920,	21148,	21149,	23037,	23038,
19922,	19923,	21150,	21155,	23040,	23042,
19924,	19925,	21156,	21157,	23053,	23056,
20100,	20164,	21158,	21182,	23057,	23058,
20254,	20325,	21420,	21433,	23114,	23155,
20331,	20343,	21435,	21441,	23161,	23182,
20367,	20374,	21487,	21488,	23237,	23238,
20404,	20410,	21494,	21495,	23239,	23240,
20426,	20458,	21497,	21500,	23241,	23242,
20494,	20495,	21520,	21523,	23256,	23257,
20496,	20500,	21524,	21525,	23258,	23259,
20509,	20518,	21527,	21529,	23260,	23261,
20535,	20536,	21540,	21543,	23262,	23263,
20541,	20542,	21544,	21545,	23264,	23265,
20543,	20544,	21601,	21642,	23267,	23297,
20547,	20550,	21648,	21669,	23584,	23601,
20554,	20579,	21724,	21725,	23718,	23755,
20580,	20581,	21726,	21727,	23818,	23833,
20586,	20587,	21728,	21729,	23843,	23845,
20588,	20589,	21743,	21744,	23874,	24032,
20622,	20631,	21745,	21746,	24050,	24051,
20632,	20633,	21747,	21748,	24138,	24149,
20639,	20648,	21749,	21750,	24167,	24170,
20657,	20674,	21751,	21752,	24173,	24198,
20675,	20676,	21754,	21772,	24201,	24204,
20677,	20682,	22057,	22073,	24221,	24224,
20683,	20684,	22159,	22172,	24227,	24238,
20685,	20688,	22174,	22180,	24241,	24244,
20691,	20695,	22227,	22228,	24255,	24258,
20720,	20721,	22234,	22235,	24261,	24270,
20722,	20723,	22237,	22240,	24272,	24275,
20724,	20729,	22260,	22263,	24278,	24287,
20730,	20731,	22264,	22265,	24289,	24292,
20732,	20776,	22267,	22269,	24295,	24306,
20782,	20798,	22280,	22283,	24309,	24312,



24324,	24327,	\remainxxx . . . . .	7995, 8110, 8119,
24330,	24343,	. . . 19616, 19618,	8140, 8158, 8176,
24346,	24349,	19620, 19645, 19648	8291, 8292, 8293,
24363,	24366,	\remainxxxx . . . 19623,	8375, 8384, 8436,
24369,	24381,	19625, 19627,	8444, 8468, 8473,
24396,	24398,	19629, 19655,	8484, 8485, 8486,
24401,	24404,	19657, 19660,	8487, 8488, 8489,
24418,	24448,	19664, 19667, 19669	8490, 8556, 8561,
24449,	24450,	\remainxxxxx . . . . .	8563, 8564, 8581,
24579,	24603,	. . . 19632, 19634,	8582, 8583, 8584,
24691,	24720,	19636, 19638, 19640	8641, 8642, 8643,
24732,	24744,	\remove@strip . 19196,	8645, 8649, 8650,
24749,	24752,	19226, 19296, 19326	8651, 8655, 8656,
24756,	24758,	\RemoveFromHook . . 17980	8662, 8666, 8667,
24772,	24774,	\renewcommand . . . 19,	8668, 8672, 8673,
24782,	24800,	20, 21, 22, 86, 168,	8678, 8682, 8683,
24804,	24816,	198, 201, 203, 205,	8684, 8693, 8694,
24817,	24819,	224, 225, 226, 227,	8695, 8699, 8700,
24825,	24833,	299, 339, 450, 489,	8722, 8746, 8808,
24835,	24907,	491, 545, 562, 576,	8821, 8826, 8834,
24921,	24955,	580, 584, 585, 586,	9220, 9224, 9240,
24962,	24968,	587, 628, 668, 690,	9256, 9264, 9278,
25055,	25114,	706, 724, 732, 745,	9298, 9304, 9310,
25117,	25121,	747, 748, 749, 750,	9315, 9316, 9317,
25127,	25172,	763, 769, 775, 781,	9318, 9319, 9320,
25241,	25249,	782, 792, 849, 851,	9322, 9324, 9326,
25250,	25252,	917, 934, 947, 950,	9336, 9397, 9401,
25253,	25266,	968, 975, 1001,	9417, 9433, 9441,
25277,	25281,	1002, 1003, 1004,	9455, 9457, 9463,
25286,	25291,	1005, 1010, 1026,	9486, 9492, 9493,
25299,	25303,	1033, 1034, 1044,	9494, 9495, 9496,
25312,	25313,	1101, 1103, 1169,	9497, 9499, 9501,
25324,	25332,	1173, 1189, 1207,	9503, 9513, 9609,
25343,	25349,	1216, 1229, 1249,	9648, 9650, 9704,
25353,	25357,	1255, 1260, 1261,	9719, 9734, 9738,
25374,	25378,	1262, 1263, 1276,	9742, 9744, 9746,
25427,	25428,	1283, 1284, 1294,	9748, 9749, 9750,
25431,	25479,	1351, 1353, 1557,	9751, 9752, 9753,
25487,	25628,	1887, 2071, 2244,	9776, 9795, 9860,
25711,	25760,	2291, 2308, 2325,	9865, 9887, 9894,
25775,	25868,	2342, 2358, 2374,	9904, 9988, 9993,
25935,	25947,	2398, 2424, 2450,	10005, 10028,
25998,	26076,	2620, 2674, 2815,	10051, 10074,
26079,	26081,	3233, 4621, 4623,	10101, 10117,
26133,	26134,	5041, 5042, 5043,	10594, 10634,
26137,	26157,	5079, 5080, 5085,	10635, 10636,
26166,	26170,	5134, 5138, 5169,	10637, 10638,
26205,	26252,	5174, 5255, 7254,	10639, 10640,
26589,	26590, 26591	7263, 7304, 7422,	10641, 10655,
\remainx . . . . .	19608	7425, 7426, 7430,	10660, 10692,
\remainxox . . . . .	19643, 19650	7431, 7583, 7584,	10726, 10727,
\remainxoxx . . . . .		7933, 7934, 7935,	10728, 10729,
. . . . .	19653, 19662, 19671	7936, 7937, 7938,	10730, 10731,
\remainxx . . . . .	19611, 19613	7939, 7940, 7941,	10732, 10733,





10743,	10755,	19052,	19053,	21086,	21125,
10943,	10944,	19054,	19055,	21127,	21181,
10945,	11067,	19056,	19057,	21196,	21211,
11070,	11074,	19058,	19059,	21215,	21219,
11100,	11265,	19061,	19063,	21221,	21223,
11266,	11293,	19065,	19067,	21225,	21226,
11307,	11360,	19068,	19070,	21227,	21228,
11366,	11370,	19071,	19078,	21229,	21230,
11375,	11410,	19079,	19081,	21263,	21407,
11412,	11462,	19087,	19088,	21411,	21415,
11463,	11464,	19606,	19609,	21419,	21485,
11465,	11468,	19614,	19621,	21492,	21499,
11507,	11509,	19630,	19641,	21549,	21551,
11563,	11577,	19646,	19651,	21670,	21672,
11579,	11581,	19658,	19665,	21758,	21759,
11583,	11584,	19682,	19684,	21760,	21763,
11585,	11586,	19701,	19751,	21764,	21778,
11587,	11588,	19772,	19853,	21803,	21832,
11612,	11631,	19862,	20240,	21833,	21834,
11641,	11654,	20243,	20252,	21835,	21838,
11665,	11669,	20256,	20269,	21879,	21896,
11741,	11772,	20282,	20295,	21910,	21916,
11803,	11817,	20307,	20371,	21995,	22018,
11842,	11854,	20393,	20409,	22020,	22041,
15465,	15480,	20425,	20433,	22043,	22045,
15515,	15519,	20447,	20449,	22048,	22054,
15535,	15542,	20455,	20472,	22062,	22064,
15577,	15579,	20478,	20479,	22066,	22072,
15629,	15630,	20480,	20481,	22074,	22146,
15631,	15632,	20482,	20483,	22150,	22154,
15633,	15634,	20485,	20487,	22158,	22225,
15636,	15638,	20490,	20491,	22232,	22239,
15791,	15801,	20501,	20558,	22289,	22291,
15906,	15925,	20560,	20627,	22410,	22412,
15927,	15929,	20628,	20640,	22497,	22498,
15931,	15932,	20699,	20701,	22506,	22507,
15933,	15934,	20765,	20781,	22510,	22511,
15935,	15936,	20797,	20805,	22515,	22518,
15938,	15940,	20819,	20821,	22520,	22539,
15942,	15944,	20843,	20844,	22564,	22593,
15945,	15946,	20845,	20846,	22594,	22595,
15947,	15948,	20847,	20848,	22596,	22599,
15949,	15950,	20850,	20852,	22640,	22657,
15960,	16028,	20866,	20872,	22671,	22677,
16301,	16307,	20878,	20883,	22757,	22780,
16326,	16338,	20889,	20897,	22782,	22803,
16350,	16365,	20938,	20940,	22805,	22807,
16912,	16922,	20997,	21011,	22810,	22816,
17871,	17928,	21026,	21029,	22824,	22826,
17929,	17930,	21033,	21037,	22829,	22835,
17931,	17954,	21039,	21041,	22837,	22919,
17958,	17971,	21043,	21044,	22923,	22927,
17975,	18248,	21045,	21046,	22931,	22998,
19018,	19029,	21047,	21060,	23005,	23012,



23062,	23064,	296, 616, 637, 653,	<code>\RequireXeTeX</code> . 4246, 4497
23183,	23185,	673, 680, 751, 902,	<code>\reserved@a</code> 4958, 4962,
23270,	23271,	980, 987, 1014,	4968, 4971, 4974,
23275,	23276,	1154, 1232, 1239,	4977, 5398, 5402,
23279,	23280,	1264, 1983, 2235,	5908, 5909, 5910,
23284,	23287,	2252, 2661, 7525,	7090, 7091, 24737,
23289,	23304,	7528, 7531, 7534,	24738, 24739,
23329,	23358,	8532, 8542, 8550,	24740, 24741,
23359,	23360,	8566, 8777, 9205,	24743, 24744,
23361,	23364,	9280, 9286, 9382,	24745, 24747,
23405,	23422,	9468, 9474, 9592,	24749, 24752,
23436,	23442,	9783, 9845, 9866,	24756, 24789,
23522,	23545,	10000, 11348,	24790, 24793,
23547,	23568,	11619, 15523,	24794, 25343, 25344
23570,	23572,	15778, 16382,	<code>\reserved@b</code> . . . 4938,
23575,	23581,	19169, 19673,	4939, 5398, 5402, 5403
23589,	23591,	19788, 20356,	<code>\reserved@d</code> . . 5397, 5402
23594,	23600,	20376, 20383,	<code>\reset@dir</code> . 20164, 25868
23602,	23680,	20460, 20611,	<code>\reset@font</code> . . 37, 51,
23683,	23688,	20826, 20833,	67, 250, 264, 279,
23690,	23692,	20854, 21048,	2298, 2315, 2332,
23694,	23699,	21070, 21251,	2347, 2363, 2379,
23701,	23706,	21767, 22528,	7828, 7872, 7916,
23708,	23981,	23293, 24063,	8144, 8145, 8162,
24010,	24016,	24066, 24094, 25917	8163, 8180, 8181,
24048,	24062,	<code>\renewrobustcmd</code> . . .	11745, 11761,
24076,	24088,	. 18388, 18414, 18425	11776, 11792,
24144,	24147,	<code>\renewtagform</code> . . . . 18356	11807, 11822,
24194,	24213,	<code>\repeat</code> . . . 4385, 4386,	11835, 11847,
24235,	24252,	4387, 6654, 6661,	11859, 11872,
24269,	24286,	10116, 10392,	12194, 12224,
24303,	24321,	14840, 19998,	12240, 12255,
24339,	24340,	20045, 20056,	12267, 12282,
24359,	24360,	20067, 20095, 23857	12322, 12351,
24379,	24447,	<code>\RequirePackage</code> 4245,	12364, 12378,
24728,	24793,	4247, 4248, 4249,	12391, 12405,
25106,	25108,	4250, 4392, 4646,	12493, 12522,
25110,	25126,	4647, 5051, 5052,	12537, 12551,
25133,	25135,	5053, 5054, 5061,	12562, 12576,
25137,	25157,	5062, 5077, 5130,	12615, 12643,
25171,	25176,	7219, 7281, 7283,	12655, 12668,
25196,	25199,	7290, 7311, 7315,	12680, 12693,
25200,	25215,	7351, 7352, 7575,	12780, 12810,
25221,	25227,	7785, 7786, 7787,	12826, 12841,
25347,	25454,	7788, 7992, 7993,	12853, 12868,
25476,	25494,	8108, 8327, 8502,	12908, 12937,
25516,	25528,	8513, 8565, 8591,	12950, 12964,
25564,	26053,	8599, 8616, 8771,	12977, 12991,
26054,	26283,	8772, 8773, 8774,	13079, 13109,
26284, 26285, 26595		8775, 8776, 8795,	13125, 13140,
<code>\RenewDocumentCommand</code>		8796, 8797, 8798,	13152, 13167,
..... 6988,		8799, 8800, 10004,	13207, 13236,
7002, 18621, 18954		15800, 18319,	13249, 13263,
<code>\renewenvironment</code> 83,		18350, 18434, 23679	13276, 13290,



13378,	13408,	<code>\right</code>	25905, 25914, 25916	9230, 9235, 9246,
13424,	13439,	<code>\right@cor</code>	... 19198,	9269, 9272, 9273,
13451,	13466,		19199, 19298, 19299	9400, 9406, 9407,
13506,	13535,	<code>\right@footnoterule</code>		9412, 9423, 9446,
13548,	13562,		26, 240, 452, 580,	9449, 9450, 9710,
13575,	13589,		775, 785, 1010,	9725, 9728, 9729,
13677,	13707,		1037, 1255, 1287,	9861, 9862, 9863,
13723,	13738,		2343, 2359, 9310,	9989, 9990, 9996,
13750,	13765,		9329, 9463, 9506,	11299, 11302,
13805,	13834,		9611, 9738, 11370,	11303, 11313,
13847,	13861,		11377, 11470,	11568, 12103,
13874,	13888,		11669, 15519,	15349, 15471,
13976,	14006,		15544, 16044,	15486, 15489,
14022,	14037,		16058, 16068,	15490, 17921,
14049,	14064,		16191, 16221,	17922, 18378,
14104,	14133,		17897, 17975,	19052, 19053,
14146,	14160,		18333, 18341,	19416, 19420,
14173,	14187,		19580, 20455,	19421, 19428,
14275,	14305,		20494, 20631,	19433, 19440,
14321,	14336,		20878, 20891,	19445, 20261,
14348,	14363,		21033, 21088,	20263, 20274,
14403,	14432,		21215, 21492,	20276, 20287,
14445,	14459,		21543, 22232,	20289, 20298,
14472,	14486,		22283, 23005, 23056	20300, 20374,
14574,	14604,	<code>\rightfootnoterule</code>		20387, 20398,
14620,	14635,		..... 4128,	20399, 20404,
14647,	14662,		10784, 11713,	20415, 20438,
14702,	14731,		16056, 16773, 26591	20441, 20442,
14744,	14758,	<code>\rightline</code>	. 20197, 26067	20770, 20771,
14771,	14785,	<code>\rightlinenumbers</code>	.	20776, 20787,
15070,	15101,		..... 18019, 18027	20810, 20813,
15119,	15135,	<code>\rightmargin</code>	... 995,	20814, 20824,
15149,	15165,		8518, 8537, 8545,	20837, 20886,
15204,	15234,		8551, 16519,	21002, 21017,
15248,	15263,		16523, 20250,	21020, 21021,
15277,	15292,		21433, 22172,	21026, 21027,
15867,	16131,		22945, 25940,	21187, 21202,
16132,	16148,		25951, 25957,	21205, 21206,
16149,	16164,		25963, 25971, 25975	21425, 22164,
16165,	16195,	<code>\rightskip</code>	..... 12,	22937, 23985,
16196,	16210,		13, 217, 218, 315,	23990, 24001,
16211,	16225,		319, 551, 568, 571,	24014, 24018,
16226,	18238,		572, 671, 684, 695,	24038, 24041,
26378, 26422, 26522			696, 701, 712, 737,	24046, 24050,
<code>\ResetCounterPerPage</code>			740, 741, 922, 923,	24051, 24167,
	..... 4393, 5268		929, 939, 942, 943,	24168, 24169,
<code>\resizebox</code>	..... 16866		956, 978, 1172,	24177, 24198,
<code>\restore@protect</code>	.. 5923		1178, 1179, 1184,	24199, 24200,
<code>\restoreCaptionSkip</code>			1195, 1221, 1224,	24208, 24221,
	..... 17047		1225, 1243, 2012,	24222, 24223,
<code>\restorecounters@</code>	11192		2013, 2016, 2821,	24231, 24238,
<code>\restylefloat</code>	..... 7775		2831, 3317, 3319,	24239, 24240,
<code>\resumename</code>	..... 5131		8456, 8463, 8464,	24248, 24255,
<code>\righskip</code>	..... 24449		9034, 9223, 9229,	24256, 24257,



24265,	24272,	15908,	15909,	13489,	13788,
24273,	24274,	15910,	15911,	14087,	14386,
24282,	24289,	15913,	15914,	14685,	15187, 16350
24290,	24291,	15915,	15916,	\RTLfootmarkstyle .	
24299,	24306,	15917,	15920,	.....	11910, 11949
24307,	24308,	15921, 15922, 25943		\RTLfootnote ...	457,
24316,	24324,	\rot@float@box	21280,	531, 2424, 4828,	
24325,	24326,	21281,	21282,	4841, 8293, 8643,	
24334,	24343,	21296,	21305,	9616, 9690, 11475,	
24344,	24345,	21323,	21324,	11549, 16101,	
24353,	24363,	21325,	21326,	16299, 16307,	
24364,	24365,	21327, 21343, 21354		20636, 20742,	
24373,	24398,	\rot@label .	21276, 21319	20896, 20984,	
24399,	24400,	\rot@LR ...	21287, 21332	21093, 21167,	
24408,	24448,	\rot@mess@toks	21279,	21548, 22288, 23061	
24450,	25247,	21291,	21301,	\RTLfootnotetext ..	
25309,	25310,	21310,	21322,	....	4896, 4907,
25311,	25317,	21337, 21349, 21359		9076, 9086, 16283,	
25320,	25367,	\rot@message	21310, 21359	16286, 17466,	
25427,	25432,	\rot@pageref	21277, 21320	18281, 23906, 23910	
25455,	25462,	\rotate .....	21373	\RTLfootscript ....	
25831,	25832,	\rotatebox ...	15951,	..	11910, 11938,
26048,	26073,	16979,	17028,	11942, 11944,	
26074, 26133, 26138		17241,	18320,	16353, 16357, 16359	
\RL ..	17797, 20154, 25858	18322,	18324,	\RTLfoottextfont ..	
\rlap .....	316, 492,	18447,	18455,	.....	11732,
852, 1354, 1588,		18977,	21296,	11777, 11793,	
4624, 9651, 11413,		21305, 21343, 21354		11860, 11873,	
11510,	15580,	\rotateframe	15913, 15950	11966, 12267,	
16371,	16804,	\rotFPbot ...	21297,	12282, 12305,	
16850,	16916,	21304, 21344, 21353		12391, 12405,	
16917,	16930,	\rotFPtop ...	21295,	12562, 12576,	
16931,	17955,	21306, 21342, 21355		12598, 12680,	
19474,	20183,	\rrb .....	4741, 4751	12693, 12853,	
20561,	20702,	\rsb .....	4740, 4749	12868, 12891,	
20899,	20942,	\RTL ..	20147, 25843, 25845	12977, 12991,	
21128,	21551,	\RTL@column@boxes .		13152, 13167,	
21672,	22291,	. 19498, 19525, 19530		13190, 13276,	
22412,	23064,	\RTL@outputdblcol .		13290, 13451,	
23185, 23746, 25878		.. 10140, 15684,		13466, 13489,	
\RLE .	4289, 4515, 17796,	16600, 19175,		13575, 13589,	
20154,	20155,	26192, 26283, 26284		13750, 13765,	
20159,	25481,	\RTLbidituftesidenotemarginpar		13788, 13874,	
25858, 25859, 25863		... 7877, 8177, 8318		13888, 14049,	
\rmfamily .....	781,	\RTLcases ..	25915, 25918	14064, 14087,	
1033, 1283, 8346,		\RTLcite .....		14173, 14187,	
8399, 8402, 8406,		8104, 8224, 8253,		14348, 14363,	
8409, 8413, 8416,		8282, 8304, 8313, 8322		14386, 14472,	
8420, 8423, 8427,		\RTLdblcol .....	26284	14486, 14647,	
8430, 20490, 20627		\RTLdfnmakecol ...	10944	14662, 14685,	
\romannumeral .....		\RTLfootfootmark ..		14771, 14785,	
....	6700, 6701,	..	11731, 11935,	15149, 15165,	
9063, 9126, 11200,		12305, 12598,		15187, 15277, 15292	
11203, 11249,		12891, 13190,		\RTLMarginnote ....	8315



\RTLmarginpar . . . . . 26383	\SC@FLOAT 23680, 23688, 23692, 23699, 23701, 23706, 23708	\scr@dte@tocline@numberwidth . . . . . 24815, 24818, 24820, 24823
\RTLmulticolcolumns . . . . . 19523	\SC@justify@caption . . . 23683, 23690, 23694, 23700, 23702, 23707, 23709	\scr@dte@tocline@numbox . 24814, 24816, 24830
\RTLsidenote . . 8047, 8289	\sc@wm@text . . . . . 11068	\scr@dte@undottedtocline@init . . . . . 24454
\RTLthanks . 457, 477, 512, 531, 8643, 8651, 8668, 8684, 8695, 9616, 9636, 9671, 9690, 11475, 11495, 11530, 11549, 16281, 19022, 20636, 20676, 20722, 20742, 20896, 20926, 20966, 20984, 21093, 21113, 21148, 21167, 21548, 21727, 22288, 22467, 23061, 23240	\scalebox . . . . . 16864	\scr@endstrut . 21949, 21959, 21970, 21981, 22710, 22720, 22731, 22742, 23475, 23485, 23496, 23507
\rtside . . . . . 20028, 20030, 20041, 20043, 20064, 20066	\scantokens . . 6059, 6071	\scr@ifundefinedorrelax . . 21922, 21935, 22683, 22696, 23448, 23461, 24488, 24536, 24581, 24647, 24693, 24720, 24741, 24746, 24802, 24917, 24919, 24948, 24951, 24952, 24959, 24977, 24979, 24990, 24992, 25008, 25048, 25049, 25051, 25067, 25120, 25147, 25166, 25185, 25201
\rule 46, 60, 76, 259, 273, 288, 2305, 2322, 2339, 2355, 2371, 2387, 5179, 10648, 11281, 11285, 11288, 11726, 11732, 11738, 16142, 16159, 16175, 16203, 16218, 16233, 18628	\scr@@makesinglelinecaption . . 21867, 21887, 21910, 22628, 22648, 22671, 23393, 23413, 23436	\scr@LT@array . . . . . . . 22018, 22019, 22031, 22780, 22781, 22793, 23545, 23546, 23558
\s . . . . . 18477, 18478	\scr@caption . . . . . . . 22021, 22023, 22025, 22783, 22785, 22787, 23548, 23550, 23552	\scr@makemultilinecaption . . 21869, 21874, 21916, 22630, 22635, 22677, 23395, 23400, 23442
\save@dir . . 20163, 25867	\scr@compatibility . . 21500, 21601, 21724, 22240, 22341, 22464, 23013, 23114, 23237	\scr@makesinglelinecaption . . . . . 21871, 21879, 22632, 22640, 23397, 23405
\savebox . . . . . 11206, 16976, 16978, 17058	\scr@dte@current . . . . . . . 24903, 24906	\scr@parindent . . . . . . 22133, 22906, 23671
\saveCaptionSkip . 17008	\scr@dte@def@l@largetocline . . . . . 24614	\scr@s@saved@footnotetext . . . . . 21404, 21408, 22143, 22147, 22916, 22920
\savecounters@ . . . 11189	\scr@dte@def@l@tocline . . . . . 24864	\scr@s@saved@LTRfootnotetext . . 21402, 21405, 21412, 22141,
\saved@dir . . 20163, 20164, 25867, 25868	\scr@dte@def@l@undottedtocline . . . . . 24453	
\saved@tempdimb . . . . 10314, 10397, 10406	\scr@dte@donumwidth . . . . . 25133, 25134	
\sbox . . . 11272, 17010, 17027, 18086, 18239, 18446, 18454, 18646, 18933, 18972, 18977, 19089, 19104, 19136, 19789, 24000, 24017, 24814, 26572	\scr@dte@largetocline@init . . . . . 24615	
	\scr@dte@nosub 24919, 24921, 24951, 24952, 24954, 24959, 24961, 24966, 24967, 24979, 24984, 24992, 24997, 25051, 25053, 25204	
	\scr@dte@numberline@box . . . . . 24812, 24839	
	\scr@dte@pagenumberwidth . . . . . 24850	
	\scr@dte@tocline . . . . . . . 24728, 25211	
	\scr@dte@tocline@init . . . . . 24865	

S



22144, 22151,	\selectfont ... 357,	2135, 2150, 2155,
22914, 22917, 22924	5864, 8709, 8711,	2164, 2179, 2217,
\scr@saved@RTLfootnotetext	8713, 19802, 19815	2219, 2221, 2223,
.. 21403, 21406,	\separatorcolumnwidth	2229, 2292, 2309,
21416, 22142,	..... 5146,	2326, 2344, 2360,
22145, 22155,	5147, 5158, 5164,	2376, 2487, 2507,
22915, 22918, 22928	5180, 5185, 5191,	2511, 2550, 2555,
\scr@smashdp .....	5249, 10746, 10776	2585, 2594, 2962,
.. 21941, 21972,	\SepMark ... 25927, 25928	2965, 3367, 3376,
21975, 22702,	\seq . 6839, 6844, 18709,	3384, 3753, 4001,
22733, 22736,	18710, 19833, 19836	4020, 4315, 4533,
23467, 23498, 23501	\set@color 9947, 9952,	4990, 7756, 7812,
\scr@trim@spaces . 24739	9960, 9966, 9974,	7815, 7856, 7859,
\scr@tso@figure@pagenumberformat	9981, 9986, 16378,	7900, 7903, 8962,
..... 25215	25680, 25684, 25780	8973, 9179, 9193,
\scr@tso@table@pagenumberformat	\set@split@topskip@to	9819, 9846, 9851,
..... 25221	..... 10312, 10570	9883, 9918, 9947,
\scr@v@is@ge .....	\set@typeset@protect	10104, 10105,
. 21420, 22159, 22932	..... 15862,	10109, 10112,
\scr@v@is@gt 22499, 22521	15866, 23793,	10122, 10126,
\scr@v@is@le .. 22514,	26108, 26494, 26496	10129, 10133,
22517, 23283, 23286	\SetatBoolean .....	10143, 10146,
\scriptsize ... 1688,	5474	10147, 10161,
1797, 3335, 8484	\setbaselineskip .. 5862	10178, 10194,
\scshape .....	\setbeamerfont 1688, 1797	10206, 10209,
9564	\setbeamersize .....	10210, 10224,
\secshape .. 20985, 21026	... 2071, 3089, 3669	10237, 10253,
\SectFont 676, 685, 983,	\setbeamertemplate	10278, 10279,
991, 1235, 1244,	..... 3018,	10283, 10315,
9283, 9471, 20379,	3021, 3022, 3024,	10316, 10318,
20388, 20829, 20838	3025, 3176, 3177,	10319, 10322,
\sectfont .....	3178, 3183, 3191,	10323, 10351,
20244	3219, 3284, 3290,	10357, 10360,
\section ... 617, 645,	3296, 3302, 3304,	10368, 10406,
661, 676, 682, 685,	3308, 3309, 3312,	10407, 10437,
752, 910, 983, 989,	3313, 3314, 3323,	10457, 10494,
991, 1015, 1162,	3529, 3533, 3551,	10505, 10518,
1235, 1241, 1244,	3621, 3789, 3877,	10568, 10792,
1265, 5175, 5241,	3972, 4038, 4040, 4051	10800, 10801,
8348, 8370, 8438,	\SetBoolean .....	10805, 10813,
8446, 8561, 8564,	5458	10821, 10822,
8568, 9283, 9471,	\setboolean 7225, 7226,	10826, 10841,
11349, 20379,	7228, 7230, 7235,	10844, 10849,
20385, 20388,	7236, 7240, 7241,	10853, 10861,
20829, 20835, 20838	7312, 7316, 7319,	10898, 10901,
\sectionbib .....	7324, 7326, 7330,	10906, 10910,
24088	7332, 7710, 8334,	10915, 11818,
\sectionfont ... 5115,	8335, 8336, 8593,	11831, 11843,
5123, 10639, 10732	8594, 8595, 8620, 8621	11855, 11868,
\sectionstyle . 5123, 5181	\setbox .....	11989, 11991,
\sectiontitlecolour	403,	12013, 12015,
... 5106, 10601,	1460, 1462, 1463,	12124, 12127,
10609, 10616,	1519, 1906, 1912,	12134, 12209,
10623, 10630,	1921, 1966, 1967,	12251, 12278,
10700, 10706,	1998, 2043, 2048,	
10712, 10718, 10724	2059, 2113, 2115,	
	2117, 2119, 2124,	



12307,	12336,	15333,	15342,	23943,	25385,
12360,	12374,	15361,	15369,	25388,	25393,
12387,	12401,	15384,	15400,	25397,	25401,
12507,	12547,	15410,	15659,	25405,	25409,
12572,	12600,	15687,	15690,	25413,	25417,
12628,	12651,	15703,	15723,	25421,	25672,
12664,	12676,	15726,	15740,	25680,	25785,
12689,	12795,	15791,	15832,	25837,	25847,
12837,	12864,	15837,	16192,	25877,	25878,
12893,	12922,	16207,	16222,	26070,	26096,
12946,	12960,	16242,	16433,	26195,	26198,
12973,	12987,	16442,	16446,	26199,	26213,
13094,	13136,	16470,	16484,	26242,	26245,
13163,	13192,	16554,	16561,	26246,	26260,
13221,	13245,	16562,	16578,	26289,	26291,
13259,	13272,	16603,	16610,	26305,	26307,
13286,	13393,	16611,	16627,	26318,	26362,
13435,	13462,	16678,	16690,	26365,	26406,
13491,	13520,	16724,	16726,	26409,	26437,
13544,	13558,	16737,	16762,	26451, 26469, 26535	
13571,	13585,	16787,	16796,	<code>\SetCaptionDefault</code>	
13692,	13734,	16803,	16804,	..... 1881, 1883	
13761,	13790,	16849,	16850,	<code>\setcaptionfont</code> ... 7304	
13819,	13843,	18196,	18207,	<code>\setchapterpreamble</code>	
13857,	13870,	18288,	18294,	..... 22533, 23298	
13884,	13991,	18298,	18307,	<code>\setcitationfont</code> .. 7939	
14033,	14060,	18364,	18396,	<code>\setcounter</code> ... 474,	
14089,	14118,	18402,	19178,	509, 793, 825, 869,	
14142,	14156,	19181,	19182,	1045, 1077, 1121,	
14169,	14183,	19204,	19209,	1295, 1327, 1371,	
14290,	14332,	19219,	19237,	4631, 8012, 8031,	
14359,	14388,	19242,	19278,	8050, 8082, 8332,	
14417,	14441,	19281,	19282,	8844, 9122, 9337,	
14455,	14468,	19304,	19309,	9369, 9514, 9546,	
14482,	14589,	19319,	19337,	9633, 9668, 11397,	
14631,	14658,	19342,	19373,	11430, 11492,	
14687,	14716,	19454,	19470,	11527, 15564,	
14740,	14754,	19972,	19986,	15597, 15892,	
14767,	14781,	19989,	20008,	19050, 19754,	
14816,	14817,	20009,	20015,	19775, 20502,	
14824,	14834,	20016,	20027,	20534, 20578,	
14837,	14839,	20029,	20031,	20641, 20673,	
14841,	15074,	20033,	20036,	20719, 20923,	
15086,	15105,	20038,	20040,	20963, 21110,	
15123,	15131,	20042,	20052,	21145, 21510,	
15139,	15153,	20054,	20063,	21723, 21796,	
15161,	15169,	20065,	20080,	22250, 22463,	
15189,	15208,	20082,	20090,	22557, 23023,	
15219,	15238,	20092,	20101,	23236, 23322, 24391	
15244,	15252,	20182,	20183,	<code>\setdefaultbibitems</code>	
15259,	15267,	21365,	21375,	..... 25932	
15273,	15281,	21386,	21393,	<code>\setdefaultmarginpar</code>	
15288,	15296,	23734,	23782,	..... 26473	
15306,	15317,	23823,	23873,	<code>\setDefaults</code> ..... 16965	



<code>\setfloatalignment</code>	7384				
<code>\setfootnoteLR</code>	...	16123			
<code>\setfootnoteRL</code>	...	16121			
<code>\setkeys</code>	..	1890, 1891,			
		1985, 1990, 1992,			
		1994, 2073, 2238,			
		2248, 2272, 2273,			
		2407, 2433, 2459,			
		2484, 9810, 9827,			
		11170, 11176,			
		11178, 16795,			
		16839, 16967,			
		19795, 19859,			
		21284, 21329, 25565			
<code>\setlatin</code>	.....	4253			
<code>\setlength</code>	.	549, 566,			
		711, 735, 937, 955,			
		992, 993, 994, 995,			
		996, 1194, 1219,			
		3220, 3235, 3280,			
		3535, 4815, 4816,			
		4817, 5019, 5020,			
		5022, 5023, 5025,			
		5026, 5028, 5029,			
		5031, 5032, 5034,			
		5035, 5037, 5038,			
		5039, 5044, 5045,			
		5083, 5084, 5086,			
		5087, 5088, 5089,			
		5147, 5156, 5157,			
		5160, 5162, 5165,			
		5166, 5168, 5171,			
		5237, 5247, 5248,			
		5249, 7249, 7276,			
		7277, 7278, 7279,			
		7300, 7306, 7307,			
		7340, 7343, 7347,			
		7393, 7445, 7446,			
		7947, 7948, 7949,			
		7950, 7956, 8198,			
		8491, 8492, 8493,			
		8494, 8495, 8496,			
		8497, 8498, 8500,			
		8501, 8503, 8506,			
		8507, 8508, 8509,			
		8726, 8727, 9245,			
		9267, 9422, 9444,			
		9708, 9723, 9994,			
		10735, 10739,			
		10741, 10744,			
		11152, 11297,			
		11312, 11951,			
		11954, 11968,			
		15470, 15484,			
		16240, 16781,			
		16889, 16890,			
		16896, 16897,			
		16899, 16900,			
		16969, 16970,			
		16982, 16986,			
		16988, 16990,			
		16994, 16996,			
		18271, 19794,			
		20414, 20436,			
		20786, 20808,			
		21015, 21185,			
		21200, 21452,			
		22191, 22964,			
		23989, 23990,			
		24038, 24039,			
		24041, 24415,			
		24419, 24420,			
		24422, 24423,			
		24425, 24426,			
		24428, 24429,			
		24431, 24432,			
		24592, 24704,			
		25131, 25996, 25999			
<code>\setLR</code>	.....	20189, 25896			
<code>\setLTR</code>	.....	20150,			
		20151, 20164,			
		20189, 20190,			
		25854, 25855,			
		25868, 25896, 25897			
<code>\setLTRbibitems</code>	..	25931			
<code>\setLTRcitationfont</code>		7940			
<code>\setLTRmarginnotefont</code>					
		.....	7937		
<code>\setLTRmarginpar</code>	.	26472			
<code>\setLTRsidenotefont</code>		7934			
<code>\setLTRtable</code>	.....	4259			
<code>\setmarginnotefont</code>		7936			
<code>\setnonlatin</code>	.....	4254			
<code>\setparsizes</code>	.....				
	.	21567, 22307, 23080			
<code>\setRL</code>	.....	20188, 25895			
<code>\setRTL</code>	.	20149, 20152,			
		20164, 20188,			
		25507, 25547,			
		25581, 25853,			
		25856, 25868, 25895			
<code>\setRTLbibitems</code>	..	25930			
<code>\setRTLcitationfont</code>		7941			
<code>\setRTLmain</code>	.....	4505			
<code>\setRTLmarginnotefont</code>					
		.....	7938		
<code>\setRTLmarginpar</code>	.	26471			
<code>\setRTLSidenotefont</code>		7935			
<code>\setRTLtable</code>	.....	4258			
<code>\setsidenotefont</code>	..	7933			
<code>\setSingleSpace</code>	...				
	.....	11897, 11902			
<code>\setspace@singlespace</code>					
	...	8143, 8161, 8179			
<code>\setthesection</code>	...	19067			
<code>\settodepth</code>	.....	19790			
<code>\settoheight</code>		11149, 19791			
<code>\settowidth</code>	.....				
	...	89, 302, 622,			
		757, 1020, 1270,			
		2666, 3413, 3417,			
		3420, 5151, 9292,			
		9480, 9789, 10737,			
		11194, 11354,			
		11625, 15529,			
		17874, 19793,			
		20466, 20860,			
		21054, 21257,			
		21789, 21867,			
		22550, 22628,			
		23315, 23393,			
		24070, 25350, 25352			
<code>\Setversedim</code>	.....				
	...	8857, 8861, 8887			
<code>\SetWatermarkText</code>		11067			
<code>\SevenColumnFootnotes</code>					
	.....	13644			
<code>\sevencolumnfootnotes</code>					
	.....	13619			
<code>\sf@size</code>	.....	17905			
<code>\sfcode</code>	93, 306, 633, 765,				
		1028, 1278, 2680,			
		9300, 9488, 9800,			
		11362, 11636,			
		15537, 17878,			
		19687, 20474,			
		20868, 21065,			
		21268, 21806,			
		22567, 23332, 24081			
<code>\shadowbox</code>	.....	11266			
<code>\shadowsize</code>	..	11276,			
		11280, 11281,			
		11284, 11285, 11288			
<code>\shipout</code>	.....	15862,			
		16701, 16711, 26493			
<code>\shortauthors</code>	.....				
	..	115, 116, 121,			
		17937, 17938, 17943			
<code>\shortcite</code>	.....	19689			
<code>\shorttitle</code>	.....				
	..	114, 115, 121,			
		17936, 17937, 17943			





<code>\showbox</code> . . . . .	16507	9236, 9413, 10637,	<code>\SOUL@uoverlap</code> ..	23736
<code>\showoutput</code> . . . . .	16507	10638, 10728,	<code>\SOUL@ulunderline</code>	23733
<code>\sidebarheight</code> . . . . .	2127, 2135,	10729, 10731,	<code>\SOUL@word</code> . . . . .	23725
	2145, 2158, 2164, 2174	20405, 20777, 20991	<code>\soulomit</code> . . . . .	23716
<code>\sidecaptionsep</code>	23681,	<code>\small</code> 451, 685, 784, 991,	<code>\space</code> . . . . .	4060, 4207,
	23682, 23689,	1036, 1244, 1286,		4268, 4271, 4274,
	23693, 23699,	4657, 5117, 5207,		4471, 4561, 4564,
	23701, 23706, 23708	5212, 5242, 8473,		4567, 6045, 6183,
<code>\sidenote</code> . . . . .	8009,	8474, 8539, 8547,		6297, 6311, 6325,
	8063, 8101, 8196, 8287	8552, 8571, 9328,		6335, 7565, 7570,
<code>\sidenotes</code> . . . . .	8106	9505, 9610, 11376,		7571, 7704, 7705,
<code>\sideways</code> . . . . .	21391	11469, 15543,		9564, 9759, 10332,
<code>\SixColumnFootnotes</code>		20388, 20493,		10334, 10356,
	13345	20630, 20838,		10358, 11594,
<code>\sixcolumnfootnotes</code>		20890, 21087,		15499, 16407,
	13320	21542, 22282, 23055		16415, 16416,
<code>\sixon@n</code> . . . . .	4957, 4979	<code>\smallcaps</code> 8827, 8828, 8829		16440, 16448,
<code>\size@chapter</code> . . . . .	20244	<code>\smallskip</code> . . . . .		17987, 18220,
<code>\skip</code> . . . . .	4294, 4520,	.. 19608, 19613,		18221, 18754,
	9050, 9051, 10846,	19620, 19629,		19460, 19462,
	10903, 11984,	19640, 19645,		19463, 19464,
	12008, 12091,	19650, 19657,		19465, 21235,
	12108, 12113,	19664, 19671, 20241		21278, 21321,
	12119, 12121,	<code>\smallskipamount</code> ..		21448, 21621,
	14850, 15375,	... 3149, 3161, 3173		21628, 21650,
	15388, 15427,	<code>\smash</code> . . . . .		21656, 21663,
	15435, 16258,	7501, 7506,		21811, 22187,
	16544, 16545,	7517, 7518, 7521,		22361, 22368,
	16556, 16558,	7522, 7729, 10795,		22390, 22396,
	16605, 16607,	10816, 16371,		22403, 22572,
	16661, 16666,	20186, 25882, 25889		22960, 23134,
	16729, 16740,	<code>\SOUL@apo</code> . . . . .		23141, 23163,
	16747, 16781,	23728		23169, 23176,
	19587, 20170,	<code>\SOUL@comma</code> . . . . .		23337, 23893,
	20176, 26294,	23727		23895, 23952,
	26310, 26321, 26329	<code>\SOUL@do</code> . . . . .		24832, 24834,
<code>\skip@</code> . . . . .	321, 322	23730		25469, 26160, 26442
<code>\slideentry</code> . . . . .	2698	<code>\SOUL@eventuallyexhyphen</code>		<code>\spacefactor</code> . . . . .
<code>\sloppy</code> . . . . .	42,	23717		8127, 8133, 8136
	56, 72, 92, 255,	<code>\SOUL@grave</code> . . . . .		<code>\spaceskip</code> . . . . .
	269, 284, 305, 629,	23729		23761, 23766
	764, 1027, 1277,	<code>\SOUL@ignorespacesfalse</code>		<code>\special</code> . . . . .
	2676, 5256, 9299,	23721		4416, 4429, 4442,
	9487, 9796, 11361,	<code>\SOUL@lasttoken</code> ..		4534, 4571, 4620,
	11632, 15536,	23724		20183, 20221,
	16539, 17877,	<code>\SOUL@lowerthan</code> ..		20223, 20226,
	18381, 19686,	23714		20228, 20232,
	20324, 20473,	<code>\SOUL@minus</code> . . . . .		20234, 23949,
	20867, 21061,	23726		23950, 23954,
	21264, 21805,	<code>\SOUL@postamble</code> ..		23955, 23957, 25878
	22566, 23331, 24077	23731		<code>\spinmargin</code> ..
<code>\slshape</code> . . . . .	702,	<code>\SOUL@preamble</code> . . . . .		11082, 11086, 11090
	930, 1185, 5203,	23723		<code>\split@prev</code> . . . . .
		<code>\SOUL@soeventuallyskip</code>		. 16080, 16088, 16093
		23718		<code>\splitbotmark</code> . . . . .
		<code>\SOUL@spaceskip</code> ..		16444
		23719		
		<code>\SOUL@start</code> . . . . .		
		23712		
		<code>\SOUL@ulcolor</code> . . . . .		
		23743,		
		23749, 23755, 23763		
		<code>\SOUL@uld</code> . . . . .		
		23755		
		<code>\SOUL@uleveryspace</code>		
		23757		
		<code>\SOUL@ulht</code> . . . . .		
		23755		
		<code>\SOUL@ulleaders</code> . . . . .		
		23743, 23749, 23765		



<code>\splitfirstmark ...</code>	14515, 14797,	12030, 15674,
.. 10150, 10213,	14798, 14803,	15676, 15679,
15693, 15729,	14804, 14808,	15681, 16411,
16443, 16565,	14809, 14813,	16412, 16413,
16614, 19185,	14814, 16134,	16414, 16415,
19285, 26202, 26249	16151, 16167,	16537, 16871,
<code>\SplitFootnoteRule</code>	16438, 16439, 19982	16872, 20206,
..... 4129, 16079	<code>\stepcounter ...</code> 2411,	20218, 20236,
<code>\splitfootnoterule</code>	2437, 2463, 6353,	20334, 20335,
..... 16083, 16091	6359, 6367, 6373,	21448, 21621,
<code>\splitmaxdepth ....</code>	8020, 8039, 8058,	21622, 21628,
.. 40, 54, 70, 253,	8090, 8210, 8239,	21629, 21650,
267, 282, 10144,	8268, 9020, 15891,	21656, 21657,
10207, 11973,	15962, 16031,	21663, 21664,
15688, 15724,	16101, 16110,	21811, 21813,
16135, 16152,	17632, 18158,	21819, 21851,
16168, 16559,	19749, 19753,	21852, 21860,
16608, 19179,	19770, 19774,	21861, 21924,
19279, 26196, 26243	21275, 21318,	21925, 21928,
<code>\splittopskip ...</code> 40,	21842, 21843,	21929, 22187,
54, 70, 253, 267,	22603, 22604,	22361, 22362,
282, 11972, 12125,	23368, 23369, 26565	22368, 22369,
12128, 12417,	<code>\stopbreaks ....</code> 11655	22390, 22396,
12418, 12423,	<code>\str ....</code> 6843, 6844,	22397, 22403,
12424, 12428,	18466, 18517,	22404, 22572,
12429, 12433,	18589, 18607,	22574, 22580,
12434, 12704,	18669, 18693,	22612, 22613,
12705, 12710,	18698, 18772,	22621, 22622,
12711, 12715,	18803, 18816,	22685, 22686,
12716, 12720,	18838, 18892, 18924	22689, 22690,
12721, 13003,	<code>\stretch ....</code> 1521,	22960, 23134,
13004, 13009,	1524, 9920, 9923	23135, 23141,
13010, 13014,	<code>\string .</code> 369, 610, 614,	23142, 23163,
13015, 13019,	1431, 4152, 4156,	23169, 23170,
13020, 13302,	5299, 5335, 5341,	23176, 23177,
13303, 13308,	5413, 5415, 5427,	23337, 23339,
13309, 13313,	5428, 5431, 5432,	23345, 23377,
13314, 13318,	5442, 5443, 5446,	23378, 23386,
13319, 13601,	5447, 5450, 5451,	23387, 23450,
13602, 13607,	5454, 5455, 5638,	23451, 23454,
13608, 13612,	5658, 5686, 5712,	23455, 23919,
13613, 13617,	5740, 5766, 5769,	25468, 25725,
13618, 13900,	5803, 5806, 5890,	25772, 26160, 26180
13901, 13906,	5891, 5897, 6045,	<code>\strip@prefix .</code> 6088, 6101
13907, 13911,	6067, 6088, 6091,	<code>\strip@pt ....</code> 2541,
13912, 13916,	6118, 6120, 6183,	5549, 5863, 11016,
13917, 14199,	6256, 6303, 6304,	11019, 11024,
14200, 14205,	6317, 6318, 6329,	11027, 14888,
14206, 14210,	6330, 6341, 6342,	14941, 14993, 15044
14211, 14215,	6373, 6387, 6388,	<code>\stripsep</code> 10195, 10254,
14216, 14498,	6389, 6390, 6394,	10270, 10277,
14499, 14504,	7704, 7705, 9956,	10497, 10509,
14505, 14509,	9959, 9977, 9980,	10523, 19213,
14510, 14514,	11342, 11346,	19215, 19222,



19313, 19315,	13916, 14199,	<code>\symbol</code> . . . . . 4745, 4755
19322, 19384,	14205, 14210,	<code>\sys</code> . . . . . 18687
19387, 19389, 19396	14215, 14498,	
<code>\strut</code> . 46, 60, 76, 259,	14504, 14509,	<b>T</b>
273, 288, 3110,	14514, 14797,	<code>\t@cb@bchapsec</code> . . . 24062
3435, 3439, 3445,	14803, 14808,	<code>\tabcaption</code> 17018, 17036
3448, 3457, 3459,	14813, 14895,	<code>\tabcolsep</code> 391, 1403,
3464, 3465, 3467,	14948, 15000,	18193, 20755, 25902
3468, 3610, 3612,	15051, 16135,	<code>\tablinesep</code> . . . . . 23816
3757, 3759, 3853,	16142, 16152,	<code>\tabskip</code> . . . . . 418,
3855, 3857, 3948,	16159, 16168,	9030, 18209,
3950, 3952, 4732,	16175, 16203,	18210, 18213,
11663, 12299,	16218, 16233,	23789, 23827, 26103
12302, 12305,	18182, 18198,	<code>\tabular</code> . . . . . 23888
12592, 12595,	18257, 18397,	<code>\tabularnewline</code> 427,
12598, 12885,	21892, 21894,	18177, 23791, 26105
12888, 12891,	21988, 21990,	<code>\tabularx</code> . . . . . 23879
13184, 13187,	22653, 22655,	<code>\tabularxcolumn</code> . . 23841
13190, 13483,	22749, 22751,	<code>\tagform@</code> . . . . . 346
13486, 13489,	23418, 23420,	<code>\tamark</code> . . . . . 19033
13782, 13785,	23514, 23516,	<code>\tbl</code> . 407, 410, 416, 436,
13788, 14081,	23783, 23784,	438, 18161, 18203,
14084, 14087,	23819, 26097, 26098	18205, 18212,
14380, 14383,	<code>\subfig@oldlabel</code> . .	18224, 18227, 18230
14386, 14679,	. . . . . 7435, 7437	<code>\tcb@icolorbox</code> . . 23977
14682, 14685,	<code>\subfigure</code> . . . 7434, 7441	<code>\tcb@vbox</code> . . . . . 23964
15179, 15183,	<code>\subitem</code> . . . . .	<code>\tcd</code> . . 19979, 19986, 19987
15187, 18395,	108, 238, 8582, 17894	<code>\tcdsav</code> . . . . . 19979
21911, 21940,	<code>\subjclass</code> . . . . . 334	<code>\tcl</code> . . 20003, 20004, 20010
21952, 21963,	<code>\subject</code> . . . . .	<code>\tcn</code> 19987, 19988, 20010,
21972, 22672,	. 21747, 22487, 23260	20011, 20012, 20013
22701, 22713,	<code>\subparagraph</code> . . . . .	<code>\Telefon</code> . . . . . 5097
22724, 22733,	. . . 8384, 8385, 8388	<code>\TenColumnFootnotes</code>
23437, 23466,	<code>\subsection</code> . . . . .	. . . . . 14541
23478, 23489,	. . . 5182, 8355, 8371	<code>\tencolumnfootnotes</code>
23498, 24000, 24005	<code>\subsectioncolour</code> .	. . . . . 14516
<code>\strutbox</code> 40, 54, 70, 253,	. . . 5108, 10602,	<code>\TeX</code> . . . 17798, 20165,
267, 282, 401, 405,	10610, 10617,	20166, 20187,
2305, 2322, 2339,	10624, 10631,	25869, 25870, 25883
2355, 2371, 2387,	10701, 10707,	<code>\textbf</code> . . . . .
10413, 11727,	10713, 10719, 10725	5210, 8528, 16384,
11733, 11739,	<code>\subsectionfont</code> 5116,	16386, 16388, 16390
11973, 12417,	5124, 10640, 10733	<code>\textbullet</code> 3302, 5094,
12423, 12428,	<code>\subsectionstyle</code> . .	10594, 10658, 10692
12433, 12704,	. . . . . 5124, 5183	<code>\textcolor</code> . . . . .
12710, 12715,	<code>\subsubitem</code> . . . . .	. . 11265, 11280,
12720, 13003,	109, 239, 8583, 17895	11284, 11287, 16374
13009, 13014,	<code>\subsubsection</code> . . . . .	<code>\textdef@</code> . . . . . 355
13019, 13302,	. . . 8375, 8376, 8379	<code>\textdir</code> . . . . . 18932
13308, 13313,	<code>\subtable</code> . . . . . 7441	<code>\textendash</code> 790, 1042,
13318, 13601,	<code>\supereject</code> . . . . . 4585	1105, 1292, 9334,
13607, 13612,	<code>\switchlinenumbers</code>	9511, 20499, 20638
13617, 13900,	. . . . . 18031,	<code>\textheight</code> 4605, 5058,
13906, 13911,	18033, 18038, 18040	10178, 10237,



16547,	16969,	19578,	19582,	8665, 8666, 8681,
21283,	21328,	19585,	21526,	8682, 8693, 9332,
21528,	21533,	21536,	21569,	9344, 9370, 9509,
21534,	21535,	21609,	21613,	9521, 9547, 9614,
22268,	22273,	22266,	22276,	9634, 9669, 9688,
22274,	22275,	22309,	22349,	11380, 11398,
23041,	23046,	22353,	23039,	11431, 11448,
23047, 23048, 26564		23049,	23082,	11473, 11493,
<code>\textit</code> . . . . . 24451		23122,	23126,	11528, 11547,
<code>\textsf</code> . . . . . 4341		26214,	26222,	15547, 15565,
<code>\textsl</code> . . 7588, 7589, 7590		26261, 26539, 26555		15598, 15615,
<code>\textsuperscript</code> . .		<code>\textwidth@footnoterule</code>		19020, 20497,
. . . 8135, 11947,		. . . . . 454,		20509, 20535,
11948, 11949,		787, 1039, 1289,		20546, 20547,
21484, 22224, 22997		9331, 9508, 9613,		20556, 20579,
<code>\texttt</code> . . . . . 4755,		11379, 11472,		20596, 20634,
4819, 4821, 4822, 6376		15546, 16050,		20648, 20674,
<code>\textwidth</code> 1864, 1890,		16061, 19584,		20687, 20688,
1985, 2042, 2043,		20496, 20633,		20697, 20720,
2058, 2059, 2132,		20893, 21090,		20740, 20894,
2155, 2162, 2204,		21545, 22285, 23058		20924, 20964,
2205, 2206, 2255,		<code>\textwidthfootnoterule</code>		20982, 21091,
2259, 2263, 2295,		. . . . . 4130,		21111, 21146,
2312, 2329, 3038,		10786, 11715,		21165, 21546,
3045, 3062, 3068,		16059, 16774, 26592		21725, 22286,
3074, 3221, 3224,		<code>\TeXeTOff</code> . 20098, 25783		22465, 23059, 23238
3226, 3347, 3364,		<code>\TeXeTOn</code> . . . . 20097,		<code>\thankses</code> . . . . . 333
3366, 3370, 3374,		20099, 25782, 25784		<code>\the</code> 124, 125, 1419, 1513,
3379, 3382, 3387,		<code>\TeXeTstate</code> . . 20097,		1514, 1516, 1517,
3390, 3749, 4303,		20098, 25782, 25783		2079, 2081, 2087,
4309, 4604, 5056,		<code>\TF@conlab</code> . . . . .		2089, 2483, 2974,
5147, 5156, 5157,		. 16367, 16369, 16376		2980, 2982, 2983,
5169, 5171, 7343,		<code>\TF@savecolor</code> 16373, 16378		2984, 2986, 2987,
7347, 7446, 7747,		<code>\TF@Title</code> . . . . . 16376		2988, 2996, 2998,
7748, 8888, 10162,		<code>\thanklessauthor</code> . .		2999, 3000, 3002,
10170, 10225,		. . . . . 8636,		3003, 3004, 3330,
10418, 10458,		8669, 8672, 8709		3431, 3433, 3434,
10468, 10648,		<code>\thanklesspublisher</code>		3435, 3437, 3438,
10663, 10735,		. . . . . 8637,		3439, 3444, 3445,
10744, 10858,		8696, 8699, 8713		3447, 3448, 3454,
11079, 11089,		<code>\thanklesstitle</code> 8635,		3455, 3457, 3459,
11095, 11125,		8652, 8655, 8711		3464, 3465, 3467,
15703, 15709,		<code>\thanks</code> . . . . . 333,		3468, 4221, 4327,
15741, 15832,		455, 475, 510, 529,		4485, 4545, 4596,
15837, 16245,		788, 800, 826, 837,		4598, 4601, 4603,
16579, 16628,		838, 847, 870, 887,		4888, 4890, 4893,
16636, 16917,		1040, 1052, 1078,		4896, 4901, 4904,
16920, 16925,		1089, 1090, 1099,		4907, 5012, 5348,
16931, 18369,		1122, 1139, 1290,		5350, 5351, 5372,
19243, 19251,		1302, 1328, 1339,		5374, 5375, 6060,
19343, 19374,		1340, 1349, 1372,		6389, 6484, 6539,
19534, 19569,		1390, 4632, 8635,		6567, 6569, 6576,
19570, 19573,		8636, 8637, 8638,		6578, 6580, 6582,
19574, 19577,		8641, 8648, 8649,		6583, 6584, 6595,



6602, 6604, 6609,	17465, 17466,	25642, 25663,
6613, 6614, 6619,	17472, 17474,	25664, 25666,
6624, 6632, 6635,	17505, 17507,	25788, 25789,
6639, 6645, 6729,	17536, 17538,	25943, 26000,
6730, 6731, 6756,	17567, 17569,	26166, 26168,
7977, 7987, 8122,	17946, 17947,	26180, 26201,
8133, 8939, 8946,	18220, 18221,	26203, 26248, 26250
9070, 9073, 9076,	18222, 18278,	<code>\the@cornersize</code> . . .
9080, 9083, 9086,	18281, 18882,	. . . . . 15651, 15652
9191, 9806, 9811,	19184, 19186,	<code>\thealgocf</code> . . . . . 168
9855, 9916, 10149,	19197, 19214,	<code>\theAlgoLine</code> . . . . . 198
10151, 10212,	19221, 19227,	<code>\theBackrefHyperFootnoteCounter</code>
10214, 10294,	19284, 19286,	. . . . . 16303, 16309
10314, 10320,	19297, 19314,	<code>\thechapter</code> . . . 318,
10324, 10331,	19321, 19327,	8344, 9315, 9321,
10332, 10333,	19397, 19460,	9323, 9325, 9492,
10334, 10335,	19462, 19463,	9498, 9500, 9502,
10336, 10356,	19464, 19465,	9564, 9743, 9745,
10358, 10367,	19466, 19680,	9747, 9748, 9749,
10371, 10394,	19858, 19874,	9759, 11578,
10395, 10396,	19878, 19881,	11580, 11582,
10398, 10399,	19906, 19930,	11583, 11584,
10400, 10401,	19937, 19944,	11594, 15499,
10434, 10498,	20104, 20105,	15629, 15635,
10510, 10522,	21291, 21301,	15637, 15639,
11986, 12010,	21310, 21337,	15926, 15928,
14899, 14952,	21349, 21359,	15930, 15931,
15004, 15055,	21516, 21517,	15932, 15939,
15325, 15692,	21518, 21796,	15941, 15943,
15694, 15728,	22256, 22257,	15944, 15945,
15730, 15960,	22258, 22557,	18145, 19058,
15974, 15975,	23029, 23030,	19067, 19069,
15978, 15979,	23031, 23322,	19070, 19071,
15982, 16035,	23812, 23813,	19721, 20247,
16039, 16093,	23843, 23862,	20478, 20484,
16269, 16283,	23864, 23888,	20486, 20488,
16400, 16407,	23893, 23895,	20843, 20849,
16411, 16412,	23896, 23899,	20851, 20853,
16413, 16414,	23900, 23903,	21038, 21040,
16415, 16416,	23906, 23907,	21042, 21043,
16424, 16430,	23910, 24018,	21220, 21222,
16437, 16438,	24760, 24830,	21224, 21225,
16440, 16445,	24833, 24835,	21226, 21235,
16447, 16448,	24921, 25251,	22500, 22502,
16462, 16488,	25254, 25255,	22515, 22518,
16518, 16519,	25257, 25259,	22522, 22524,
16520, 16525,	25263, 25268,	23272, 23284,
16526, 16527,	25272, 25283,	23287, 23290, 24105
16537, 16564,	25284, 25287,	<code>\thecontentspage</code> . .
16566, 16613,	25293, 25297,	. . . . . 8402,
16615, 16841,	25305, 25306,	8409, 8416, 8423, 8430
16886, 17419,	25343, 25359,	<code>\thedeat</code> . 8631, 8639, 8685
17427, 17428,	25363, 25462,	<code>\theenumiv</code> . . . . . 86,
17434, 17436,	25625, 25637,	89, 299, 302,



628, 763, 1026,	16102, 16107,	11462, 11584,
1276, 2674, 5255,	16111, 16116,	11585, 15629,
9298, 9486, 9795,	16247, 16273,	15630, 15932,
11360, 11631,	16278, 16288,	15933, 15945,
15535, 17871,	16293, 17286,	15946, 17928,
17874, 20472,	17297, 17308,	19058, 19060,
20866, 21060,	17438, 17476,	19729, 19731,
21263, 21803,	17509, 17540,	20478, 20479,
22564, 23329, 24076	17571, 17633, 18427	20843, 20844,
<code>\theequation</code> . . . . .	<code>\thempfootnote</code> . . . . .	21043, 21044,
9320, 9497, 9742,	. . . . . 16247, 18427	21226, 21227,
11577, 15634,	<code>\theorem@indent</code> 19763,	21759, 22498,
15925, 15938,	19764, 19783, 19784	22506, 23271, 23275
17956, 19068,	<code>\theorem@prework</code> . 19757	<code>\thesubparagraph</code> 22,
20483, 20852,	<code>\theorem@postskipamount</code>	227, 587, 750,
21037, 21219,	. . . . . 19758, 19778	1004, 1263, 9319,
22520, 23289, 26585	<code>\theorem@preskipamount</code>	9496, 9753, 11465,
<code>\thefigure</code> . . . . 9322,	. . . . . 19761, 19781	11588, 15633,
9499, 9744, 11579,	<code>\thepage</code> . . . . .	15936, 15949,
15636, 15927,	4594, 4599, 5232,	17931, 19065,
15940, 19070,	7476, 7588, 7589,	20482, 20847,
20485, 20848,	7590, 7599, 7600,	21047, 21230,
21039, 21221,	8815, 8816, 8827,	21764, 22511, 23280
22515, 23284, 23799	8828, 8829, 10535,	<code>\thesubsection</code> . . 19,
<code>\thefootdir@label</code> .	10553, 25669, 26442	20, 224, 225, 584,
. . 15960, 15963,	<code>\theparagraph</code> . . . 21,	585, 747, 748,
15991, 15996,	22, 226, 227, 586,	1001, 1002, 1260,
16014, 16017, 16037	587, 749, 750,	1261, 8358, 9316,
<code>\thefootnote</code> 491, 792,	1003, 1004, 1262,	9317, 9493, 9494,
851, 1044, 1103,	1263, 8365, 9318,	9750, 9751, 11462,
1294, 1353, 4623,	9319, 9495, 9496,	11463, 11585,
9336, 9513, 9650,	9752, 9753, 11464,	11586, 15630,
11412, 11509,	11465, 11587,	15631, 15933,
15579, 17319,	11588, 15632,	15934, 15946,
20501, 20560,	15633, 15935,	15947, 17928,
20640, 20701,	15936, 15948,	17929, 19059,
20897, 20940,	15949, 17930,	19062, 20479,
21127, 21549,	17931, 19063,	20480, 20844,
21670, 22289,	19066, 20481,	20845, 21044,
22410, 23062, 23183	20482, 20846,	21045, 21227,
<code>\thefootnotemark</code> . .	20847, 21046,	21228, 21759,
. 21484, 22224, 22997	21047, 21229,	21761, 22506,
<code>\theHchapter</code> . . . . . 19721	21230, 21763,	22508, 23275, 23277
<code>\theHLT@tables</code> . . . 18155	21765, 22510,	<code>\thesubsubsection</code> 20,
<code>\theHsection</code> 19729, 19731	22512, 23279, 23281	21, 225, 226,
<code>\theindex</code> . 98, 228, 17884	<code>\thepart</code> . . . . . 591,	585, 586, 748,
<code>\thelstlisting</code> 18116,	599, 11323, 11331	749, 1002, 1003,
18121, 18144, 18147	<code>\ther@tfl@t</code> . . 21276,	1261, 1262, 9317,
<code>\thempfn</code> . . . . .	21277, 21319, 21320	9318, 9494, 9495,
2401, 2427, 2453,	<code>\thesection</code> . . . . 19,	9751, 9752, 11463,
4913, 4921, 4929,	224, 584, 747,	11464, 11586,
8211, 8217, 8240,	1001, 1260, 8351,	11587, 15631,
8246, 8269, 8275,	9315, 9316, 9492,	15632, 15934,
9091, 9098, 9105,	9493, 9749, 9750,	15935, 15947,



15948,	17929,	1129, 1334, 1379,	6950, 6953, 18153,
17930,	19061,	4639, 5134, 5173,	18155, 18159,
19064,	20480,	8630, 8645, 9376,	18449, 18457,
20481,	20845,	9553, 9642, 9678,	18462, 18464,
20846,	21045,	11404, 11438,	18465, 18466,
21046,	21228,	11501, 11537,	18467, 18469,
21229,	21760,	15571, 15605,	18470, 18472,
21763,	22507,	20541, 20586,	18475, 18479,
22510, 23276, 23279		20682, 20729,	18488, 18492,
<code>\thetable</code> . . . . .	9324,	20932, 20973,	18495, 18500,
	9501, 9746, 11581,	21119, 21155,	18505, 18513,
	15638, 15929,	21744, 22484, 23257	18515, 18516,
	15942, 19071,	<code>\TitleBarFrame</code> . . . .	18517, 18518,
	20487, 20850,	. . . 16365, 16384,	18520, 18522,
	21041, 21223,	16386, 16388, 16390	18524, 18525,
	22518, 23287, 23800	<code>\titlecolour</code> . 5103, 10695	18527, 18533,
<code>\TheTokenList</code> . . . . .	6593	<code>\titlecontents</code> . 8397,	18537, 18540,
<code>\thinlines</code> . . .	10008,	8404, 8411, 8418, 8425	18541, 18544,
	10018, 10031,	<code>\TitleFont</code> . . . . 781,	18551, 18556,
	10041, 10054,	797, 888, 890, 896,	18564, 18567,
	10064, 10077, 10087	1033, 1049, 1140,	18568, 18569,
<code>\thispagestyle</code> . . . .		1142, 1148, 1283,	18570, 18571,
	. . . . . 101, 113,	1299, 1391, 1393,	18574, 18580,
	231, 507, 648, 663,	1399, 1402, 1403,	18581, 18582,
	867, 912, 1119,	1408, 9341, 9518,	18587, 18589,
	1164, 1369, 8716,	20490, 20506,	18596, 18600,
	8738, 8759, 9215,	20597, 20599,	18605, 18607,
	9392, 9603, 9666,	20605, 20627,	18609, 18611,
	11428, 11525,	20645, 20743,	18630, 18636,
	11642, 11645,	20745, 20751,	18637, 18638,
	15595, 17887,	20754, 20755, 20760	18639, 18640,
	17935, 17959,	<code>\titlefont</code> . . . . .	18652, 18655,
	17962, 19048,	. . . 5112, 5120, 10728	18658, 18660,
	20366, 20576,	<code>\titleformat</code> . . . 8341,	18684, 18685,
	20621, 20717,	8348, 8355, 8362	18687, 18696,
	20961, 21081,	<code>\titlehead</code> . . . . .	18699, 18700,
	21143, 21719,	. 21746, 22486, 23259	18701, 18702,
	22459, 23232, 24137	<code>\titlepage</code> . . . . 674,	18703, 18704,
<code>\thm@topsepadd</code>	19758,	981, 1233, 9281,	18706, 18712,
	19759, 19762,	9469, 20377, 20827	18717, 18720,
	19778, 19779, 19782	<code>\titlepage@restore</code>	18721, 18734,
<code>\thr@@</code> . 366, 382, 1428,		. . . 21514, 21520,	18736, 18737,
	1446, 1470, 1479,	21540, 21642,	18738, 18739,
	12705, 12711,	21669, 22254,	18740, 18741,
	12716, 12721,	22260, 22280,	18742, 18751,
	23719, 23916, 23936	22382, 22409,	18754, 18758,
<code>\ThreeColumnFootnotes</code>		23027, 23033,	18759, 18760,
	. . . . . 12460	23053, 23155, 23182	18763, 18777,
<code>\threecolumnfootnotes</code>		<code>\titlepagestyle</code> . . .	18783, 18796,
	. . . . . 12435	. 21719, 22459, 23232	18801, 18805,
<code>\time</code> 4331, 4335, 4550, 4554		<code>\titlespacing</code> . . . . .	18826, 18834,
<code>\tiny</code> . . . . 4671, 8113, 8485		. . . 8369, 8370, 8371	18835, 18860,
<code>\title</code> . . 330, 483, 519,		<code>\titlestyle</code> . 5120, 10759	18864, 18865,
	832, 877, 1084,	<code>\tl</code> . . . . . 6944, 6946,	18866, 18879,



18951, 18952,	\tocstyle@feature@raggedhook	10212, 10213,
18960, 18961,	..... 25248	10214, 15691,
18962, 18963,	\tocstyle@feature@spaceafternumber	1692, 15693,
18973, 18974,	..... 25349,	15694, 15727,
18975, 18980,	25353, 25374, 25378	15728, 15729,
18985, 18987,	\tocstyle@indentstyle	15730, 16563,
18990, 18991,	..... 25299, 25369	16564, 16565,
18996, 18997,	\tocstyle@l@define	16566, 16612,
19002, 19014, 19015	.. 25386, 25389,	16613, 16614,
\tmpcount .... 6783, 6809	25394, 25398,	16615, 16838,
\toaddress . 11651, 17968	25402, 25406,	16841, 16875,
\toc@headstar 24127, 24132	25410, 25414,	16877, 16881,
\tocbasic@DependOnPenaltyAndTOCLevel	25418, 25422, 25454	16883, 16886,
..... 24731	\tocstyle@macrochangewarning	17416, 17419,
\tocbasic@SetPenaltyByTOCLevel	..... 25442, 25449	17943, 17947,
..... 24859	\tocstyle@numberline	19183, 19184,
\TOCEntryStyleStartInitCode	..... 25228, 25347	19185, 19186,
.. 22040, 22053,	\tocstyle@samed@dottedtocline	19283, 19284,
22071, 22802,	..... 25444	19285, 19286,
22815, 22834,	\tocstyle@samed@numberline	23862, 23882,
23567, 23580, 23599	..... 25452	23888, 26200,
\toclevel@subfigure	\tocstyle@depth 25239,	26201, 26202,
..... 24341	25251, 25263,	26203, 26247,
\toclevel@subtable 24361	25283, 25284,	26248, 26249, 26250
\TOCLineLeaderFill	25287, 25305,	\tolerance .....
..... 22057,	25306, 25355,	.. 12295, 12588,
22073, 22819,	25357, 25359, 25363	12881, 13180,
22836, 23584,	\tocstyle@TOC .....	13479, 13778,
23601, 24881, 25172	.. 25251, 25254,	14077, 14376, 14675
\tocstyle@@numberline	25255, 25257,	\toname .... 11651, 17968
..... 25350,	25259, 25263,	\topheight .....
25352, 25370,	25264, 25266,	.. 19991, 19993,
25372, 25375, 25377	25267, 25271,	19994, 19995,
\tocstyle@activate@all@l	25275, 25276,	19997, 20003,
..... 25463	25279, 25280,	20005, 20007,
\tocstyle@activate@features	25283, 25284,	20008, 20009,
..... 25240	25287, 25289,	20072, 20073,
\tocstyle@dottedtocline	25291, 25292,	20074, 20075,
..... 25227	25296, 25301,	20079, 20080, 20084
\tocstyle@feature@dotohook	25302, 25305,	\topins .....
..... 25326	25306, 25355,	..... 20167
\tocstyle@feature@entryhook	25357, 25358, 25362	\topmargin .... 4609,
..... 25322	\today ... 4341, 4558, 8639	5057, 11121,
\tocstyle@feature@entryvskip	\toks .....	15876, 21523,
..... 25241, 25244	122,	22263, 23036, 26531
\tocstyle@feature@leaders	124, 1513, 1514,	\topmark .....
..... 25324, 25329	1516, 1517, 7970,	10148,
\tocstyle@feature@pagenumberbox	7971, 7977, 9916,	10157, 10211,
..... 25332, 25335	16443, 16444,	10220, 15691,
\tocstyle@feature@pagenumberhook	16445, 17944, 17946	15700, 15727,
..... 25333, 25335	\toks@ .....	15736, 16563,
\tocstyle@feature@parfillskip	125, 4314, 4327,	16572, 16612,
..... 25312, 25313	4532, 4545, 10148,	16621, 19183,
	10149, 10150,	19192, 19283,
	10151, 10211,	19292, 26200,
		26209, 26247, 26256





<code>\topsep</code>	2671, 4797, 4806, 5247, 7269, 8479, 8521, 19080, 19082	<code>\ttl@lselect</code>	24054, 24057	11518, 15588, 19039, 20364, 20569, 20619, 20710, 20954, 21078, 21136, 21693, 21699, 21702, 22433, 22439, 22442, 23206, 23212, 23215, 24103, 24109, 24114, 24121, 24126, 24131	
<code>\topskip</code>	..... 311, 4617, 10312, 16449, 16451, 16456, 19086, 19377, 24103, 24109, 24114, 24121, 24126, 24131	<code>\ttl@makeline</code>	23988, 24043		
<code>\TOTALHEIGHT</code>	23948, 23952	<code>\ttl@margin</code>	24042, 24048		
<code>\totalheight</code>	..... 16868	<code>\ttl@midlongest</code>	.. 24007		
<code>\tovalue</code>	..... 6667, 6754, 6762, 6793, 6806, 6812, 6813	<code>\ttl@outnblock</code>	.. 24021		
<code>\tracingmacros</code>	.... 6782	<code>\ttl@savel@chapter</code>	24056		
<code>\traditionalconverses</code>	... 8877, 8900, 8916	<code>\ttl@savel@part</code>	.. 24053		
<code>\traditionalhalfverses</code>	..... 8866, 8870, 8877, 8910	<code>\ttlh@hang</code>	..... 23987		
<code>\traditionalpoem</code>	.. 9112	<code>\turn</code>	..... 21363		
<code>\traditionalpoem@cr</code>	... 8990, 9039, 9040	<code>\turnbox</code>	..... 21384		
<code>\traditionalpoem@obeylines</code>	..... 8920, 9112	<code>\tw@</code>	365, 373, 1427, 1435, 1469, 1473, 1478, 4969, 5891, 12418, 12424, 12429, 12434, 15656, 15657, 16442, 16446, 16447, 16461, 16465, 16470, 16473, 16484, 16488, 16489, 16490, 16491, 16494, 16793, 16794, 16804, 16806, 16807, 16809, 16810, 16813, 16815, 16816, 16850, 16852, 16853, 16855, 16856, 16859, 16861, 16862, 19470, 19477, 19478, 19486, 19487, 19492, 19493, 19506, 19507, 19514, 19515, 19538, 19543, 20183, 20184, 21471, 21473, 22211, 22213, 22984, 22986, 23719, 23817, 23915, 23923, 24253, 25878, 25879, 26116, 26120, 26122	<code>\TwoColumnFootnotes</code>	..... 12161
<code>\traditionalpoem@par</code>	... 8920, 8921, 9039	<code>\twocolumnfootnotes</code>	..... 12136		
<code>\trimb</code>	..... 7972, 7979	<code>\TX@</code>	..... 23839, 23840, 23868, 23869		
<code>\trimc</code>	..... 7981	<code>\TX@align</code>	.. 23892, 23894		
<code>\trivlist</code>	..... . 15782, 19760, 19780	<code>\TX@arith</code>	..... 23854		
<code>\ttdefault</code>	. 10634, 10726	<code>\TX@ckpt</code>	... 23844, 23890		
<code>\ttfamily</code>	..... 4657, 4742, 4743, 4745, 4746, 4747, 4748, 4749, 4750, 4751	<code>\TX@col@width</code>	. 23841, 23847, 23852, 23895		
<code>\ttl@a</code>	..... 24023, 24025	<code>\TX@cols</code>	..... . 23848, 23852, 23896		
<code>\ttl@b</code>	..... 24018, 24019, 24023, 24025	<code>\TX@endtabularx</code>	17405, 17416, 17422, 23837		
<code>\ttl@beginlongest</code>	23993	<code>\TX@find@endtabularxa</code>	..... 23839, 23840		
<code>\ttl@calc</code>	.. 23988, 24000	<code>\TX@find@endtabularxb</code>	..... 23869		
<code>\ttl@changecentercr</code>	..... 23992	<code>\TX@find@endtabularxbb</code>	..... 23867		
<code>\ttl@contentsstretch</code>	..... 24030	<code>\TX@ftn</code>	. 23864, 23899, 23901, 23903, 23906, 23908, 23910		
<code>\ttl@corr</code>	..... . 24045, 24046, 24049	<code>\TX@ftntext</code>	..... 23858		
<code>\ttl@endlongest</code>	.. 24008	<code>\TX@LTRftntext</code>	..... ..... 23859, 23898		
<code>\ttl@filleft</code>	23982, 24011	<code>\TX@newcol</code>	..... 23841		
<code>\ttl@filright</code>	23983, 24012	<code>\TX@old@table</code>	... 23846		
<code>\ttl@glcmds</code>	..... 23995	<code>\TX@RTLftntext</code>	..... ..... 23860, 23905		
<code>\ttl@hmode@error</code>	. 23994	<code>\TX@target</code>	. 23847, 23861		
<code>\ttl@leaders</code>	..... 24047	<code>\TX@trial</code>	..... . 23851, 23856, 23872		
		<code>\TX@trial@ftn</code>	..... . 23875, 23876, 23877		
		<code>\TX@typeout@</code>	23849, 23891		
		<code>\TX@verb</code>	..... 23842		
		<code>\TX@vwarn</code>	..... 23878		
		<code>\TX@xftntext</code>	..... 23858		
		<code>\TX@xLTRftntext</code>	..... ..... 23859, 23902		
		<code>\two@digits</code>	... 4336, 4337, 4547, 4555, 4556		
		<code>\twocolumn</code>	.... 500, 645, 661, 860, 910, 1112, 1162, 1362, 4593, 9213, 9390, 9600, 9659, 10534, 11421,		





11961,	11992,	16208,	16223,	1641,	1657,	1664,
12016,	12094,	16261,	16266,	1671,	1694,	1715,
12099,	12135,	16436,	16446,	1736,	1789,	1852,
12216,	12252,	16473,	16561,	1868,	1879,	1893,
12279,	12314,	16610,	16682,	1898,	1908,	1969,
12343,	12361,	16684,	16728,	2001,	2004,	2049,
12375,	12388,	16733,	16739,	2136,	2165,	2605,
12402,	12514,	16743,	16750,	2614,	2627,	2636,
12548,	12573,	16766,	18288,	2650,	2727,	2734,
12607,	12635,	18294,	18302,	2739,	2894,	2992,
12652,	12665,	18309,	18402,	3031,	3041,	3047,
12677,	12690,	18420,	19181,	3110,	3115,	3116,
12802,	12838,	19210,	19212,	3122,	3128,	3134,
12865,	12900,	19220,	19238,	3143,	3145,	3155,
12929,	12947,	19240,	19281,	3157,	3167,	3169,
12961,	12974,	19310,	19312,	3204,	3210,	3287,
12988,	13101,	19320,	19338,	3293,	3299,	3336,
13137,	13164,	19340,	19395,	3350,	3357,	3497,
13199,	13228,	20029,	20033,	3598,	3610,	3612,
13246,	13260,	20038,	20042,	3633,	3680,	3687,
13273,	13287,	20054,	20065,	3696,	3720,	3757,
13400,	13436,	20085,	20088,	3759,	3774,	3857,
13463,	13498,	20093,	20167,	3952		
13527,	13545,	20168,	20172,			
13559,	13572,	20177,	26007,			
13586,	13699,	26198,	26245,			
13735,	13762,	26293,	26298,			
13797,	13826,	26309,	26313,			
13844,	13858,	26320,	26325,			
13871,	13885,	26332				
13998,	14034,	<code>\unvcopy</code> 10281, 10319,				
14061,	14096,	10323, 10351,				
14125,	14143,	10357, 10361,				
14157,	14170,	10369, 10844, 10901				
14184,	14297,	<code>\uppercase</code> . . . . 318,				
14333,	14360,	817, 837, 1069,				
14395,	14424,	1089, 1319, 1339,				
14442,	14456,	9361, 9538, 20526,				
14469,	14483,	20546, 20665, 20687				
14596,	14632,	<code>\uppercasenonmath</code> .				
14659,	14694,	. . . . . 114, 17936				
14723,	14741,	<code>\uppermargin</code> . . . . 11093				
14755,	14768,	<code>\uppertitleback</code> . . .				
14782,	14816,	. . 21621, 21656,				
15093,	15132,	21749, 22361,				
15162,	15196,	22396, 22489,				
15226,	15245,	23134, 23169, 23262				
15260,	15274,	<code>\upshape</code> . . 8402, 8409,				
15289,	15303,	8416, 8423, 8430,				
15314,	15330,	10635, 10639,				
15339,	15364,	10640, 10727,				
15372,	15379,	10732, 10733, 20242				
15386,	15392,	<code>\urlstyle</code> . . . . . 5076				
15430,	16193,	<code>\use</code> . . . . . 18580				
		<code>\usebeamerfont</code> . . . .				
		1581, 1591, 1592,				
		1604, 1619, 1620,				
		1640, 1661, 1662,				
		1670, 1693, 1714,				
		1735, 1770, 1771,				
		1788, 1806, 1807,				
		1822, 1824, 1831,				
		1833, 1840, 1842,				
		1853, 1869, 1878,				
		2603, 2613, 2625,				
		2635, 2648, 2724,				
		2843, 2844, 2860,				
		2861, 2862, 2895,				
		2912, 2918, 2927,				
		2933, 2942, 2948,				
		2956, 3040, 3046,				
		3063, 3069, 3075,				
		3115, 3116, 3122,				
		3128, 3134, 3143,				
		3155, 3167, 3205,				
		3211, 3265, 3279,				
		3336, 3350, 3357,				
		3427, 3486, 3489,				
		3493, 3498, 3516,				
		3523, 3575, 3610,				
		3612, 3676, 3688,				
		3713, 3720, 3757,				
		3759, 3832, 3841,				
		3853, 3857, 3859,				
		3908, 3917, 3927,				
		3937, 3948, 3952,				



3954, 3990, 3999, 4018	304, 626, 761,	23491, 23492,
<code>\usebeamertemplate</code>	1024, 1274, 2611,	23496, 23502,
..... 1855,	2672, 5253, 8517,	23503, 23507,
2113, 2117, 2128,	9296, 9484, 9793,	23571, 23574,
2137, 2146, 2159,	11358, 11629,	23584, 23590, 23593
2166, 2175, 2208,	15533, 17876,	<code>\UseTaggingSocket</code> .
2217, 2221, 2229,	20470, 20864,	.. 390, 395, 415,
2284, 2289, 2606,	21058, 21261,	429, 437, 18152,
2610, 2628, 2631,	21795, 21800,	18162, 18211,
2651, 2729, 2731,	22556, 22561,	18226, 18303, 18312
2736, 2741, 2897,	23321, 23326, 24074	<code>\usetobasicnumberline</code>
3207, 3499, 3697, 3720	<code>\usefontofkomafont</code>	..... 24811
<code>\usebox</code> 4782, 4792, 7367,	..... 21881,	
7499, 7501, 7506,	21918, 22642,	V
7508, 7517, 7518,	22679, 23407, 23444	<code>\vadjust</code> . 8948, 8949, 8956
7521, 7522, 7729,	<code>\usekomafont</code> .....	<code>\valign</code> .... 12126, 12129
11211, 11214,	.. 21489, 21496,	<code>\value</code> .....
11222, 11229,	21570, 21576,	3426, 8015, 8034,
11237, 11244,	21579, 21581,	8053, 8085, 15960,
11287, 16976,	21584, 21592,	15974, 15975,
16980, 17063,	21594, 21637,	15978, 15979,
17065, 17069,	21911, 21912,	15982, 21842,
17071, 17076,	21943, 21944,	22603, 23368, 23843
17078, 17082,	21949, 21954,	<code>\var@leftcolumn@badness</code>
17084, 17088,	21955, 21958,	. 10320, 10332, 10338
17090, 17094,	21965, 21966,	<code>\var@rightcolumn@badness</code>
17096, 17102,	21970, 21976,	. 10324, 10334, 10339
17103, 17106,	21977, 21981,	<code>\var@thecol@num</code> ..
17107, 17111,	22044, 22047,	..... 10264,
17112, 17115,	22057, 22063,	10266, 10535, 10553
17116, 17119,	22065, 22229,	<code>\vbadness</code> .... 10145,
17120, 17123,	22236, 22310,	10208, 12125,
17124, 17138,	22316, 22319,	12128, 15689,
17139, 17141,	22321, 22324,	15725, 15831,
17142, 17154,	22332, 22334,	16560, 16609,
17155, 17157,	22377, 22672,	19180, 19280,
17158, 17164,	22673, 22704,	19981, 26197, 26244
17165, 17168,	22705, 22710,	<code>\vbox</code> .....
17169, 17173,	22715, 22716,	316, 421,
17174, 17177,	22719, 22726,	428, 1463, 1530,
17178, 17181,	22727, 22731,	1889, 2007, 2121,
17182, 17185,	22737, 22738,	2127, 2135, 2145,
17186, 17193,	22742, 22806,	2158, 2164, 2174,
17195, 17199,	22809, 22819,	2188, 2203, 2225,
17201, 17206,	22825, 22828,	2292, 2309, 2326,
17208, 17212,	23002, 23009,	2344, 2360, 2376,
17214, 17218,	23083, 23089,	2487, 2489, 2507,
17220, 17224,	23092, 23094,	2511, 2550, 2555,
17226, 17239,	23097, 23105,	2567, 2580, 2585,
17241, 19790,	23107, 23150,	2586, 2920, 2935,
19791, 19793,	23437, 23438,	2950, 2965, 3053,
19800, 19818,	23469, 23470,	3342, 3362, 3604,
20100, 20101, 25785	23475, 23480,	3614, 3639, 3659,
<code>\usecounter</code> .... 91,	23481, 23484,	3661, 3754, 3762,
		4993, 7756, 7757,



7759, 8932, 9846,  
9851, 9929, 10109,  
10112, 10129,  
10133, 10146,  
10161, 10178,  
10194, 10209,  
10224, 10237,  
10253, 10278,  
10279, 10318,  
10319, 10322,  
10323, 10351,  
10357, 10360,  
10368, 10407,  
10437, 10457,  
10465, 10470,  
10477, 10484,  
10494, 10505,  
10518, 10568,  
10574, 10792,  
10800, 10801,  
10809, 10813,  
10821, 10822,  
10830, 10844,  
10849, 10853,  
10856, 10860,  
10861, 10878,  
10885, 10901,  
10906, 10910,  
10911, 10914,  
10915, 10930,  
10937, 11818,  
11831, 11843,  
11855, 11868,  
11989, 11991,  
12013, 12015,  
12215, 12251,  
12278, 12313,  
12342, 12360,  
12374, 12387,  
12401, 12513,  
12547, 12572,  
12606, 12634,  
12651, 12664,  
12676, 12689,  
12801, 12837,  
12864, 12899,  
12928, 12946,  
12960, 12973,  
12987, 13100,  
13136, 13163,  
13198, 13227,  
13245, 13259,  
13272, 13286,  
13399, 13435,

13462, 13497,  
13526, 13544,  
13558, 13571,  
13585, 13698,  
13734, 13761,  
13796, 13825,  
13843, 13857,  
13870, 13884,  
13997, 14033,  
14060, 14095,  
14124, 14142,  
14156, 14169,  
14183, 14296,  
14332, 14359,  
14394, 14423,  
14441, 14455,  
14468, 14482,  
14595, 14631,  
14658, 14693,  
14722, 14740,  
14754, 14767,  
14781, 14816,  
15074, 15092,  
15105, 15123,  
15131, 15139,  
15153, 15161,  
15169, 15195,  
15208, 15225,  
15238, 15244,  
15252, 15259,  
15267, 15273,  
15281, 15288,  
15296, 15361,  
15369, 15384,  
15703, 15740,  
15832, 15837,  
15862, 15877,  
15902, 16192,  
16207, 16222,  
16242, 16433,  
16446, 16470,  
16561, 16578,  
16610, 16627,  
16726, 16737,  
16762, 18207,  
18288, 18294,  
18298, 18301,  
18307, 18308,  
18364, 18402,  
18936, 19086,  
19181, 19204,  
19209, 19211,  
19219, 19237,  
19242, 19281,

19304, 19309,  
19311, 19319,  
19337, 19342,  
19373, 19839,  
20015, 20016,  
20029, 20033,  
20038, 20042,  
20054, 20065,  
20080, 20082,  
20084, 20087,  
20092, 20129,  
20136, 20137,  
20144, 20253,  
21921, 22682,  
23447, 23795,  
23829, 23834,  
25385, 25388,  
25393, 25397,  
25401, 25405,  
25409, 25413,  
25417, 25421,  
25813, 25821,  
25822, 25830,  
25997, 26002,  
26094, 26111,  
26198, 26213,  
26245, 26260,  
26291, 26307,  
26318, 26452,  
26493, 26532, 26535  
\ vboxL . . . . . 20137,  
21283, 21328, 25822  
\ vboxR . . . . . 20129, 25813  
\ vcenter . . . . .  
. 421, 1527, 9926,  
23829, 25915,  
26004, 26005, 26094  
\ veqno . . . . . 337, 338  
\ verb . . . . . 23842  
\ VerBox . . . . . 11268, 11270  
\ verse@i . . . . . 8962,  
8993, 8999, 9007, 9048  
\ verse@ii . . . . .  
8973, 8994, 9000,  
9002, 9008, 9010, 9048  
\ versewidth . . . . .  
. . . . . 8925, 8935, 9027  
\ vfil 458, 472, 675, 678,  
794, 823, 982, 985,  
1046, 1075, 1234,  
1237, 1296, 1325,  
2129, 2147, 2160,  
2176, 2491, 2551,  
3392, 3605, 3616,



8932, 9282, 9285,	19348, 19377,	9698, 9702, 9722,
9338, 9367, 9470,	19490, 19501,	9761, 9766, 9774,
9473, 9515, 9544,	23755, 23783,	10195, 10254,
9617, 9631, 10800,	23824, 26097,	10415, 10419,
10821, 11381,	26217, 26266, 26466	10497, 10500,
11395, 11476,	<code>\vsize</code> . . . . . 10543,	10509, 10512,
11490, 15548,	15852, 16398,	10523, 10525,
15562, 20173,	16449, 18297,	10865, 10919,
20378, 20381,	18315, 21518,	11337, 11382,
20503, 20532,	21535, 22258,	11385, 11391,
20642, 20671,	22275, 23031, 23048	11446, 11450,
20828, 20831,	<code>\vskip</code> . . . . . 319, 322,	11456, 11460,
20907, 20921,	459, 462, 468, 527,	11477, 11480,
21094, 21108, 26536	533, 539, 543, 605,	11486, 11545,
<code>\vfill</code> . . . . 3118, 3693,	693, 795, 804, 814,	11551, 11557,
4585, 8712, 12126,	885, 889, 895, 899,	11561, 11596,
12129, 15420,	920, 1047, 1056,	11601, 11610,
20080, 20085,	1066, 1137, 1141,	11986, 12010,
20086, 21293,	1147, 1151, 1176,	12091, 15325,
21308, 21340,	1297, 1306, 1316,	15365, 15373,
21357, 21573,	1387, 1392, 1398,	15375, 15388,
21598, 21612,	1402, 1408, 1411,	15483, 15501,
21636, 22313,	1820, 1829, 1838,	15505, 15513,
22338, 22352,	1905, 1951, 1964,	15549, 15552,
22376, 23086,	1968, 2017, 2019,	15558, 15613,
23111, 23125, 23149	2021, 2023, 2025,	15617, 15623,
<code>\vfuzz</code> . . . . . 3053,	2026, 2910, 2917,	15627, 15876,
7983, 7986, 7987	2920, 2925, 2932,	15880, 15881,
<code>\vleftskip</code> . 19054, 19055	2935, 2940, 2947,	16258, 16434,
<code>\voffset</code> . . . . . 4613	2950, 2965, 3141,	16472, 16477,
<code>\voidb@x</code> . 2594, 9819, 9883	3149, 3153, 3161,	16729, 16740,
<code>\vphantom</code> . . . . . 25548	3165, 3173, 3234,	16747, 16767,
<code>\vpic</code> . 20005, 20015, 20016	3317, 3319, 3339,	18084, 18097,
<code>\vrightskip</code> 19054, 19055	3344, 3362, 3397,	18245, 18257,
<code>\vrule</code> . . . . 403, 1542,	3399, 3502, 3525,	18417, 19080,
1644, 1650, 1658,	3563, 3603, 3615,	19082, 19085,
1665, 1674, 1683,	3662, 3677, 3682,	19126, 19135,
1697, 1706, 1718,	3690, 3698, 3722,	19143, 19212,
1727, 1739, 1748,	3745, 3754, 3785,	19213, 19215,
2067, 3372, 3373,	3801, 3817, 3819,	19222, 19239,
3380, 3381, 3388,	3840, 3845, 3852,	19312, 19313,
3389, 3600, 3636,	3860, 3863, 3889,	19315, 19322,
3643, 3647, 4003,	3900, 3930, 3936,	19339, 19384,
4022, 7758, 7759,	3947, 3957, 4046,	19396, 19415,
8931, 8933, 9941,	5008, 8988, 9015,	19427, 19439,
10165, 10230,	9051, 9052, 9058,	19980, 19997,
10462, 10481,	9168, 9170, 9227,	20018, 20084,
15705, 15746,	9266, 9339, 9348,	20170, 20176,
16584, 16631,	9358, 9404, 9443,	20396, 20435,
18196, 18274,	9516, 9525, 9535,	20504, 20513,
18664, 18926,	9566, 9571, 9575,	20523, 20594,
19007, 19214,	9577, 9583, 9587,	20598, 20604,
19221, 19246,	9589, 9618, 9621,	20608, 20643,
19314, 19321,	9627, 9686, 9692,	20652, 20662,









11045, 11059, 11063  
\xyzzzy . . . . . 7964

**Y**

\y 11033, 11037, 11041,  
11045, 11050,  
11051, 11054,  
11055, 11059,  
11060, 11063, 11064  
\year . . . . . 3330  
\ym . . . . . 11050,  
11054, 11060, 11064  
\yym . . . . . 11032,  
11036, 11042, 11046

**Z**

\z@ . . . . . 12, 24,  
46, 60, 76, 99, 103,  
111, 128, 134, 136,  
217, 229, 233, 259,  
273, 288, 316, 324,  
328, 346, 367, 371,  
374, 385, 406, 418,  
424, 425, 426, 504,  
551, 563, 568, 595,  
643, 648, 649, 659,  
663, 664, 693, 694,  
697, 699, 712, 737,  
789, 806, 864, 908,  
912, 913, 920, 921,  
924, 927, 939, 956,  
993, 996, 1041,  
1058, 1104, 1116,  
1160, 1164, 1165,  
1176, 1177, 1180,  
1182, 1195, 1221,  
1291, 1308, 1366,  
1403, 1429, 1433,  
1436, 1449, 1471,  
1479, 1497, 1507,  
1509, 1519, 1521,  
1526, 1540, 1542,  
1543, 2011, 2013,  
2014, 2019, 2021,  
2023, 2025, 2026,  
2051, 2305, 2322,  
2339, 2355, 2371,  
2387, 4315, 4320,  
4321, 4322, 4324,  
4533, 4538, 4539,  
4540, 4542, 4953,  
5008, 5268, 5278,  
5283, 5835, 5852,  
6648, 6658, 7257,

7266, 7565, 7798,  
7802, 7842, 7846,  
7886, 7890, 8476,  
8503, 8534, 8546,  
8724, 8952, 8955,  
8958, 8999, 9000,  
9002, 9008, 9022,  
9026, 9030, 9031,  
9032, 9033, 9034,  
9035, 9048, 9122,  
9134, 9135, 9142,  
9144, 9157, 9159,  
9167, 9211, 9215,  
9216, 9227, 9228,  
9231, 9233, 9246,  
9269, 9321, 9323,  
9325, 9333, 9350,  
9388, 9392, 9393,  
9404, 9405, 9408,  
9410, 9423, 9446,  
9498, 9500, 9502,  
9510, 9527, 9561,  
9581, 9598, 9603,  
9604, 9663, 9710,  
9725, 9743, 9745,  
9747, 9756, 9770,  
9821, 9822, 9833,  
9835, 9918, 9920,  
9925, 9939, 9941,  
9942, 9947, 9948,  
9949, 9950, 9951,  
9985, 9996, 10116,  
10284, 10307,  
10340, 10343,  
10346, 10354,  
10365, 10375,  
10378, 10383,  
10386, 10390,  
10417, 10420,  
10426, 10442,  
10448, 10502,  
10514, 10527,  
10546, 10549,  
10570, 10798,  
10819, 10836,  
10837, 10839,  
10840, 10848,  
10870, 10872,  
10875, 10893,  
10894, 10896,  
10897, 10905,  
10922, 10924,  
10927, 11250,  
11272, 11274,

11276, 11279,  
11281, 11283,  
11285, 11287,  
11288, 11294,  
11299, 11313,  
11327, 11425,  
11522, 11568,  
11578, 11580,  
11582, 11591,  
11606, 11726,  
11732, 11738,  
11912, 11917,  
11924, 11929,  
11936, 11941,  
12102, 12103,  
12104, 12294,  
12587, 12880,  
13179, 13478,  
13777, 14076,  
14375, 14674,  
14825, 14896,  
14949, 15001,  
15052, 15177,  
15181, 15185,  
15348, 15349,  
15350, 15425,  
15471, 15486,  
15497, 15509,  
15592, 15635,  
15637, 15639,  
15668, 15818,  
15875, 15903,  
15926, 15928,  
15930, 15939,  
15941, 15943,  
16088, 16142,  
16159, 16175,  
16203, 16218,  
16233, 16247,  
16251, 16327,  
16332, 16339,  
16344, 16351,  
16356, 16439,  
16489, 16496,  
16522, 16523,  
16524, 16545,  
16546, 16712,  
16787, 16788,  
16789, 16796,  
16803, 16804,  
16805, 16806,  
16807, 16809,  
16810, 16812,  
16813, 16815,



16849,	16850,	20654,	20714,	23727,	23728,
16851,	16852,	20755,	20768,	23729,	23734,
16853,	16855,	20769,	20772,	23735,	23739,
16856,	16858,	20774,	20787,	23751,	23785,
16859,	16861,	20810,	20849,	23808,	23820,
16933,	16939,	20851,	20853,	23824,	23917,
17885,	17889,	20906,	20949,	23921,	23928,
17905,	17909,	20958,	20985,	23939,	23985,
17921,	17933,	21002,	21017,	23986,	23996,
17950,	17994,	21038,	21040,	24000,	24001,
17996,	18050,	21042,	21076,	24002,	24005,
18057,	18062,	21081,	21082,	24014,	24015,
18073,	18145,	21140,	21187,	24017,	24018,
18164,	18166,	21202,	21220,	24020,	24028,
18199,	18207,	21222,	21224,	24033,	24048,
18210,	18233,	21233,	21245,	24137,	24138,
18237,	18274,	21280,	21281,	24214,	24304,
18288,	18293,	21282,	21325,	24322,	24415,
18294,	18298,	21326,	21327,	24594,	24706,
18302,	18354,	21365,	21369,	24770,	24777,
18375,	18377,	21370,	21375,	24780,	25127,
18399,	18428,	21379,	21380,	25131,	25242,
19042,	19045,	21381,	21386,	25247,	25252,
19069,	19194,	21387,	21388,	25300,	25426,
19198,	19208,	21393,	21397,	25612,	25619,
19269,	19294,	21398,	21443,	25620,	25638,
19298,	19308,	21458,	21471,	25654,	25657,
19366,	19383,	21479,	21488,	25666,	25667,
19392,	19394,	21495,	21497,	25669,	25673,
19415,	19427,	21567,	21593,	25680,	25681,
19439,	19459,	21638,	21951,	25682,	25683,
19470,	19476,	22004,	22084,	25778,	25783,
19675,	19680,	22093,	22096,	25785,	25833,
19721,	19731,	22102,	22112,	25837,	25838,
19789,	19790,	22122,	22182,	25843,	25847,
19791,	19793,	22197,	22211,	25848,	25877,
19795,	19800,	22219,	22228,	25878,	25879,
19818,	20101,	22235,	22237,	25940,	25941,
20145,	20147,	22307,	22333,	25942,	26019,
20182,	20183,	22378,	22712,	26028,	26037,
20184,	20193,	22766,	22846,	26046,	26050,
20194,	20222,	22849,	22855,	26068,	26069,
20230,	20253,	22869,	22875,	26099,	26110,
20298,	20299,	22885,	22895,	26118,	26123,
20316,	20362,	22955,	22970,	26132,	26348,
20366,	20367,	22984,	22992,	26352,	26392,
20396,	20397,	23001,	23008,	26396,	26437,
20400,	20402,	23010,	23080,	26441,	26444,
20415,	20438,	23106,	23151,	26454,	26455,
20484,	20486,	23477,	23531,	26459,	26466,
20488,	20498,	23611,	23614,	26503,	26529,
20515,	20573,	23620,	23634,	26542,	26582, 26583
20617,	20621,	23640,	23650,	\z@skip . . 5008, 15873,	
20622,	20637,	23660,	23726,	15874,	18375,



18378,	20313,	.....	15991, 16014	☒	
23789,	23794,			\	..... 4386
23827,	23833,	\zref@extractdefault		\	..... 4386
26049,	26050,	.....	15996, 16017		
26103,	26109,			☒	
26529		\zref@labelbyprops		\	..... 4387
\zifrefundefined ..		.....	15963, 16037	\	..... 4387

