

GAP

Release 4.4.9
6 November 2006

Index

The GAP Group

<http://www.gap-system.org>

Full Index

This index covers the five main books of the GAP manual, pages are given with respect to each manual: **Ref**, **Tut**, **Prg**, **New**, and **Ext**. A page number in *italics* refers to a whole section which is devoted to the indexed subject. Keywords are sorted with case and spaces ignored, e.g., “**PermutationCharacter**” comes before “permutation group”.

- (Near-)Additive Magma Categories, *R 555*
- (Near-)Additive Magma Generation, *R 556*
- +, *R 48*
- , *R 48*
- A, *R 30*
- B, *R 30*
- C, *R 31*
- D, *R 30*
- K, *R 29*
- L, *R 29*
- M, *R 30*
- N, *R 30*
- O, *R 30*
- P, *R 31*
 - on Macintosh, *R 31*
- R, *R 29*
- T, *R 31*
- U, *R 31*
- W, *R 31*
 - on Macintosh, *R 32*
- X, *R 31*
- Y, *R 31*
- a, *R 30*
 - on Macintosh, *R 32*
- b, *R 27*
- e, *R 27*
 - on Macintosh, *R 32*
- f, *R 27*
 - on Macintosh, *R 32*
- g, *R 28*
- g -g, *R 28*
- h, *R 27*
- i, *R 31*
- l, *R 29*
- m, *R 28*
- n, *R 28*
 - on Macintosh, *R 32*
- o, *R 28*
 - on Macintosh, *R 32*
- p, *R 31*
- q, *R 27*
- r, *R 29*
- x, *R 28*
- y, *R 28*
- z, *R 31*
 - on Macintosh, *R 31*
- ., *E 16*
- .gaprc, *R 33*
- /, *R 48*
 - for character tables, *R 731*
- %, *E 24*
- %display, *E 25*
- %enddisplay, *E 25*
- *, *R 48*
 - for character tables, *R 731*
- \', *R 250*
- \., *E 16*
- \>, *E 16*
- \Appendices, *E 13*
- \BeginningOfBook, *E 11*
- \Bibliography, *E 11*
- \C, *E 20*
- \Chapter, *E 15*
- \Chapters, *E 13*
- \Colophon, *E 12*
- \Day, *E 14*
- \Declaration, *E 27*
- \EndOfBook, *E 11*
- \F, *E 20*
- \FileHeader, *E 27*
- \FrontMatter, *E 13*
- \Index, *E 11*
- \Mailto, *E 16*
- \Month, *E 14*

`\N`, E 20
`\OneColumnTableOfContents`, E 12
`\Package`, E 16
`\PseudoInput`, E 14
`\Q`, E 20
`\R`, E 20
`\Section`, E 15
`\TableOfContents`, E 11
`\TitlePage`, E 11
`\Today`, E 14
`\URL`, E 16
`\UseGapDocReferences`, E 12
`\UseReferences`, E 12
`\XYZ`, R 250
`\Year`, E 14
`\Z`, E 20
`\`, R 250
`\`, R 250
`\accent127`, E 16
`\atindex`, E 16
`\b`, R 250
`\beginexample`, E 22
 indicating unstable output, E 23
`\beginitems`, E 20
`\beginlist`, E 21
`\beginntt`, E 22
`\c`, R 250
`\calR`, E 20
`\endexample`, E 22
`\enditems`, E 20
`\endlist`, E 21
`\endt`, E 22
`\fmark`, E 16
`\in`, operation for testing membership, R 274
`\index`, E 16
`\indextt`, E 16
`\item`, E 21
`\itemitem`, E 21
`\kernttindent`, E 16
`\lq`, E 16
`\matrix`, E 23
`\n`, R 250
`\nolabel`, use in index and label suppression, E 15
`\null`, use in index suppression, E 15
`\package`, E 16
`\pif`, E 16
`\r`, R 250
`\rq`, E 16

\sim , R 48
 for class functions, R 769
 1-Cohomology, R 377
 2-Cohomology and Extensions, R 456

A

A, Attribute mark-up, E 16
 AbelianGroup, R 509
 AbelianInvariants, for character tables, R 733
 for groups, R 366
 Abelian Invariants for Subgroups, R 476
 AbelianInvariantsMultiplier, R 380
 AbelianInvariantsNormalClosureFpGroup, R 476
 AbelianInvariantsNormalClosureFpGroupRrs,
 R 476
 AbelianInvariantsOfList, R 242
 AbelianInvariantsSubgroupFpGroup, R 476
 AbelianInvariantsSubgroupFpGroupMtc, R 476
 AbelianInvariantsSubgroupFpGroupRrs, R 476
 AbelianNumberField, R 589
 abelian number field, R 591
 abelian number fields, canonicalbasis, R 592
 abelian number fields, Galois group, R 594
 AbelianSubfactorAction, R 402
 About Functions, T 25
 About Group Actions, R 394
 AbsInt, R 127
 AbsoluteIrreducibleModules, R 750
 AbsoluteValue, R 159
 absolute value of an integer, R 127
 AbsolutIrreducibleModules, R 750
 abstract word, R 323
 AbstractWordTietzeWord, R 485
 accessing, list elements, R 174
 record elements, R 260
 Accessing a Module, R 695
 Accessing Record Elements, R 260
 Accessing Subgroups via Tables of Marks, R 716
 Accessing Weak Pointer Objects as Lists, E 53
 Acknowledgements, T 12
 AClosestVectorCombinationsMatFFFEVecFFE,
 R 218
 AClosestVectorCombinationsMatFFFEVec-
 FFFECoords, R 218
 ActingAlgebra, R 632
 ActingDomain, R 406
 Acting OnRight and OnLeft, R 432
 Action, R 401

- action, by conjugation, R 395
 - on blocks, R 395
 - on sets, R 395
- ActionHomomorphism, R 400
- Action of a group on itself, R 402
- Action on Subfactors Defined by a Pcgs, R 447
- actions, R 395
- Actions of Groups, T 47
- Actions of Matrix Groups, R 428
- ActorOfExternalSet, R 408
- Add, R 177
- add, an element to a set, R 196
- AddCoeffs, R 216
- AddGenerator, R 487
- AddGenerators, R 343
- AddGeneratorsExtendSchreierTree, R 424
- AddHashEntry, N 10
- Adding a new Attribute, P 37
- Adding a new Operation, P 36
- Adding a new Representation, P 38
- Adding new Concepts, P 39
- addition, R 48
 - list and non-list, R 185
 - matrices, R 222
 - matrix and scalar, R 222
 - operation, R 294
 - rational functions, R 668
 - scalar and matrix, R 222
 - scalar and matrix list, R 224
 - scalar and vector, R 214
 - vector and scalar, R 214
 - vectors, R 214
- Addition of a Method, P 34
- Additive Arithmetic for Lists, R 185
- AdditiveInverse, R 292
- AdditiveInverseAttr, R 292
- AdditiveInverseImmutable, R 292
- AdditiveInverseMutable, R 292
- AdditiveInverseOp, R 292
- AdditiveInverseSameMutability, R 292
- AdditiveInverseSM, R 292
- AdditiveNeutralElement, R 557
- AddRelator, R 487
- AddRowVector, R 216
- AddRule, R 343
- AddRuleReduced, R 343
- AddSet, R 196
- AdjointAssociativeAlgebra, R 649
- AdjointBasis, R 621
- AdjointMatrix, R 649
- AdjointModule, R 634
- Advanced Features of GAP, R 30
- Advanced List Manipulations, R 205
- Advanced Methods for Dixon-Schneider
 - Calculations, R 751
- AffineAction, R 447
- AffineActionLayer, R 447
- AffineOperation, R 447
- AffineOperationLayer, R 447
- A First Attempt to Implement Elements of Residue
 - Class Rings, P 44
- Agemo, R 363
- AgGroup, T 79
- Algebra, R 612
- AlgebraByStructureConstants, R 615
- AlgebraGeneralMappingByImages, R 626
- AlgebraHomomorphismByImages, R 626
- AlgebraHomomorphismByImagesNC, R 626
- AlgebraicExtension, R 689
- Algebraic Structure, T 69
- Algebras, T 61
- AlgebraWithOne, R 612
- AlgebraWithOneGeneralMappingByImages, R 627
- AlgebraWithOneHomomorphismByImages, R 627
- AlgebraWithOneHomomorphismByImagesNC, R 627
- AllBlocks, R 405
- AllIrreducibleSolvableGroups, R 527
- AllLibraryGroups, R 515
- AllPrimitiveGroups, R 515
- AllSmallGroups, R 518
- AllTransitiveGroups, R 515
- Alpha, R 821
- AlternatingGroup, R 509
- and, R 170
 - for filters, R 171
- An Example of Advanced Dixon-Schneider
 - Calculations, R 753
- An Example of a GAP Package, E 36
- ANFAutomorphism, R 594
- AntiSymmetricParts, R 786
- antisymmetric relation, R 313
- Append, R 178
- AppendTo, R 95
 - for streams, R 101
- Apple, R 838
- ApplicableMethod, R 78, T 75

- ApplicableMethod, *R* 78
- Applicable Methods and Method Selection, *P* 12
- ApplicableMethodTypes, *R* 78
- Apply, *R* 199
- ApplyFunc, *T* 79
- ApplySimpleReflection, *R* 646
- ApproximateSuborbitsStabilizerPermGroup, *R* 422
- ARCH_IS_MAC, *R* 35
- ARCH_IS_UNIX, *R* 35
- ARCH_IS_WINDOWS, *R* 35
- arg, special function argument, *R* 46
- ArithmeticElementCreator, *P* 42
- Arithmetic for External Representations of Polynomials, *R* 688
- Arithmetic for Lists, *R* 183
- Arithmetic Issues in the Implementation of New Kinds of Lists, *P* 27
- Arithmetic Operations for Class Functions, *R* 768
- Arithmetic Operations for Elements, *R* 294
- Arithmetic Operations for General Mappings, *R* 307
- Arithmetic Operators, *R* 48
- Arrangements, *R* 149
- arrow notation for functions, *R* 57
- AsAlgebra, *R* 621
- AsAlgebraWithOne, *R* 622
- AsBinaryRelationOnPoints, *R* 314
- AsBlockMatrix, *R* 238
- AscendingChain, *R* 369
- AsDivisionRing, *R* 576
- AsDuplicateFreeList, *R* 198
- A Second Attempt to Implement Elements of Residue Class Rings, *P* 46
- AsField, *R* 576
- AsFreeLeftModule, *R* 573
- AsGroup, *R* 348
- AsGroupGeneralMappingByImages, *R* 384
- AsLeftIdeal, *R* 563
- AsLeftModule, *R* 571
- AsList, *R* 269
- AsMagma, *R* 318
- AsMonoid, *R* 543
- AsPolynomial, *R* 670
- AsRightIdeal, *R* 563
- AsRing, *R* 560
- AsSemigroup, *R* 536
- Assert, *R* 81
- AssertionLevel, *R* 81
- Assertions, *R* 81
- AsSet, *R* 269
- AssignGeneratorVariables, *R* 330
- assignment, *T* 22
 - to a list, *R* 176
 - to a record, *R* 260
 - variable, *R* 50
- Assignments, *R* 50
- AssignNiceMonomorphismAutomorphismGroup, *R* 390
- AssociatedPartition, *R* 154
- AssociatedReesMatrixSemigroupOfDClass, *R* 542
- Associates, *R* 566
- associativity, *R* 48
- AssocWordByLetterRep, *R* 335
- AsSomething, *T* 70
- AsSortedList, *R* 269
- AsSSortedList, *R* 269
- AsStruct, *R* 286
- AsSubalgebra, *R* 622
- AsSubalgebraWithOne, *R* 622
- AsSubgroup, *R* 349
- AsSubgroupOfWholeGroupByQuotient, *R* 474
- AsSubmagma, *R* 319
- AsSubmonoid, *R* 543
- AsSubsemigroup, *R* 536
- AsSubspace, *R* 597
- AsSubstruct, *R* 289
- AsTransformation, *R* 553
- AsTransformationNC, *R* 553
- AsTwoSidedIdeal, *R* 563
- AsVectorSpace, *R* 596
- at exit functions, *R* 73
- ATLAS Irrationalities, *R* 161
- AtlasIrrationality, *R* 163
- atomic irrationalities, *R* 161
- Attributes, *R* 121, *T* 72
- Attributes and Operations for Algebras, *R* 620
- Attributes and Properties for (Near-)Additive Magmas, *R* 557
- Attributes and Properties for Collections, *R* 270
- Attributes and Properties for Magmas, *R* 320
- Attributes and Properties for Matrix Groups, *R* 427
- Attributes and Properties of Character Tables, *R* 731
- Attributes and Properties of Elements, *R* 290
- Attributes of and Operations on Equivalence Relations, *R* 315

Attributes of Tables of Marks, *R 706*
 Attributes vs. Record Components, *T 81*
 AttributeValueNotSet, *R 122*
 AugmentationIdeal, *R 661*
 AugmentedCosetTableInWholeGroup, *R 468*
 AugmentedCosetTableMtc, *R 468*
 AugmentedCosetTableRrs, *R 468*
 Augmented Coset Tables and Rewriting, *R 468*
 Authorship and Maintenance, *T 12*
 automatic loading of gap packages, *R 842*
 AutomorphismDomain, *R 389*
 AutomorphismGroup, *R 389*
 for groups with pcgs, *R 448*
 automorphism group, of number fields, *R 594*
 Automorphisms and Equivalence of Character
 Tables, *R 760*
 AutomorphismsOfTable, *R 734*

B

b_N , *R 161*
 backslash character, *R 250*
 backspace character, *R 250*
 Backtrace, *T 79*
 GAP3 name for Where, *R 70*
 Backtrack, *R 424*
 BANNER, *R 847*
 BaseFixedSpace, *R 229*
 BaseIntersectionIntMats, *R 239*
 BaseIntMat, *R 239*
 BaseMat, *R 232*
 BaseMatDestructive, *R 232*
 BaseOfGroup, *N 20*, *R 421*
 BaseOrthogonalSpaceMat, *R 232*
 BasePointOfSchreierTransversal, *N 17*
 Bases of Vector Spaces, *R 598*
 BaseStabChain, *R 421*
 BaseSteinitzVectors, *R 232*
 Basic Actions, *R 395*
 Basic Groups, *R 508*
 Basic Operations for Class Functions, *R 766*
 Basic Operations for Lists, *R 174*
 BasicWreathProductOrdering, *R 282*
 Basis, *R 599*
 BasisNC, *R 599*
 BasisVectors, *R 600*
 Bell, *R 148*
 Bernoulli, *R 148*
 BestQuoInt, *R 129*

BestSplittingMatrix, *R 752*
 BiAlgebraModule, *R 630*
 BiAlgebraModuleByGenerators, *R 630*
 bibtex, *E 26*
 BilinearFormMat, *R 645*
 binary relation, *R 312*
 BinaryRelationByElements, *R 312*
 BinaryRelationOnPoints, *R 314*
 BinaryRelationOnPointsNC, *R 314*
 Binary Relations on Points, *R 314*
 BinaryRelationTransformation, *R 554*
 BindGlobal, *P 31*, *R 45*
 Binomial, *R 147*
 blank, *R 41*
 BlistList, *R 209*
 Block Matrices, *R 238*
 BlockMatrix, *R 238*
 Blocks, *R 405*
 BlocksInfo, *R 739*
 Block Systems, *R 405*
 BlownUpMat, *R 234*
 BlownUpVector, *R 234*
 BlowUpIsomorphism, *R 428*
 BNF, *R 59*
 body, *R 55*
 BombieriNorm, *R 676*
 Boolean Lists Representing Subsets, *R 209*
 bound, *R 43*
 Brauer character, *R 773*
 BrauerCharacterValue, *R 796*
 BrauerTable, *R 725*
 BrauerTableOp, *R 725*
 BravaisGroup, *R 431*
 BravaisSubgroups, *R 431*
 BravaisSupergroups, *R 431*
 Break, *R 55*
 break loop message, *R 70*
 Break Loops, *R 67*
 break loops, *T 20*
 break statement, *R 55*
 browsing backwards, *R 22*
 browsing backwards one chapter, *R 23*
 browsing forward, *R 22*
 browsing forward one chapter, *R 23*
 browsing the next section browsed, *R 23*
 browsing the previous section browsed, *R 23*
 Browsing through the Sections, *R 22*
 bug reports, see If Things Go Wrong, *R 834*

Building new orderings, *R* 278
 buildman.pe, *E* 27

C

C, Category mark-up, *E* 16
 c_N , *R* 161
 Calculating with Group Automorphisms, *R* 390
 Calendar Arithmetic, *R* 257
 CallFuncList, *R* 62
 Calling a function with a list argument that is interpreted as several arguments, *R* 62
 Calling of and Communication with External Binaries, *E* 39
 Cancellation Tests for Rational Functions, *R* 688
 CanComputeIndex, *R* 381
 CanComputeIsSubset, *R* 381
 CanComputeSize, *R* 381
 CanComputeSizeAnySubgroup, *R* 381
 candidates, for permutation characters, *R* 789
 CanEasilyCompareElements, *R* 293
 CanEasilyCompareElementsFamily, *R* 293
 CanEasilyComputePcgs, *R* 434
 CanEasilySortElements, *R* 293
 CanEasilySortElementsFamily, *R* 293
 CanEasilyTestMembership, *R* 381
 CanonicalBasis, *R* 599
 canonical basis, for matrix spaces, *R* 606
 for row spaces, *R* 606
 CanonicalElt, *N* 14
 CanonicalGenerators, *R* 645
 CanonicalPcElement, *R* 436
 CanonicalPcgs, *R* 439
 CanonicalPcgsByGeneratorsWithImages, *R* 441
 CanonicalRepresentativeDeterminatorOf-ExternalSet, *R* 408
 CanonicalRepresentativeOfExternalSet, *R* 408
 CanonicalRightCosetElement, *R* 355
 Carmichael's lambda function, *R* 139
 carriage return character, *R* 250
 CartanMatrix, *R* 644
 CartanSubalgebra, *R* 641
 Cartesian, *R* 200
 Categories, *R* 118
 Categories and Properties of Algebras, *R* 619
 Categories for Streams and the StreamsFamily, *R* 97
 Categories of Associative Words, *R* 328
 Categories of Matrices, *R* 221
 CategoriesOfObject, *R* 120

Categories of Words and Nonassociative Words, *R* 323
 CategoryCollections, *P* 16, *R* 266
 CategoryFamily, *P* 16
 Catering for Plain Text and HTML Formats, *E* 25
 Center, *R* 321
 center, *R* 320
 CentralCharacter, *R* 776
 central character, *R* 776
 CentralIdempotentsOfAlgebra, *R* 624
 centraliser, *R* 320
 Centralizer, *R* 320
 for groups with pcgs, *R* 448
 CentralizerInGLnZ, *R* 431
 CentralizerModulo, *R* 370
 CentralizerSizeLimitConsiderFunction, *R* 449
 CentralNormalSeriesByPcgs, *R* 443
 Centre, *R* 321
 for groups with pcgs, *R* 448
 centre, of a character, *R* 775
 CentreOfCharacter, *R* 775
 CF, *R* 589
 ChainHomomorphicImage, *N* 20
 ChainStatistics, *N* 20
 ChainSubgroup, *N* 19
 ChainSubgroupByDirectProduct, *N* 21
 ChainSubgroupByHomomorphism, *N* 21
 ChainSubgroupByProjectionFunction, *N* 21
 ChainSubgroupByPSubgroupOfAbelian, *N* 21
 ChainSubgroupBySiftFunction, *N* 21
 ChainSubgroupByStabiliser, *N* 20
 ChainSubgroupByTrivialSubgroup, *N* 21
 ChainSubgroupQuotient, *N* 21
 ChangedBaseGroup, *N* 20
 Changed Command Line Options, *T* 77
 Changed Functionality, *T* 78
 Changed Variable Names, *T* 79
 Changes from Earlier Versions, *T* 13
 ChangeStabChain, *R* 423
 Changing Presentations, *R* 487
 Changing the Help Viewer, *R* 23
 Changing the Representation, *R* 287
 Changing the Structure, *R* 286, *T* 70
 Chapters and Sections, *E* 15
 CHAR.INT, *R* 255
 CHAR.SINT, *R* 256
 Character, *R* 771
 Character Conversion, *R* 255

- CharacterDegrees, R 731
- Character Degrees and Derived Length, *R 821*
- Characteristic, R 290
- characteristic, for class functions, R 770
- CharacteristicPolynomial, R 233
- characteristic polynomial, for field elements, R 578
- CharacterNames, R 735
- characters, R 764
 - permutation, R 792
 - symmetrizations of, R 785
- CharacterTable, R 725
- Character Table Categories, *R 727*
- CharacterTableDirectProduct, R 755
- CharacterTableFactorGroup, R 755
- CharacterTableIsoclinic, R 756
- character tables, R 724
 - access to, R 724
 - calculate, R 724
 - infix operators, R 731
 - of groups, R 724
- CharacterTableWithSortedCharacters, R 757
- CharacterTableWithSortedClasses, R 758
- CharacterTableWreathSymmetric, R 757
- character value, of group element using powering operator, R 769
- CharsFamily, R 251
- CharTable, T 79
- CheapFactorsInt, R 134
- CheckFixedPoints, R 810
- CheckForHandlingByNiceBasis, R 611
- CheckPermChar, R 817
- ChevalleyBasis, R 643
- ChiefNormalSeriesByPcgs, R 444
- ChiefSeries, R 367
- ChiefSeriesThrough, R 367
- ChiefSeriesUnderAction, R 367
- ChineseRem, R 130
- Chinese remainder, R 131
- Chomp, R 255
- CIUnivPols, R 668
- ClassElementLattice, R 372
- classes, real, R 736
- ClassesSolvableGroup, R 448
- ClassFunction, R 771
- class function, R 764
- class function objects, R 764
- class functions, R 807
 - as ring elements, R 768
- ClassFunctionSameType, R 772
- Class Fusions between Character Tables, *R 802*
- Classical Groups, *R 510*
- ClassMultiplicationCoefficient, for character tables, R 743
- class multiplication coefficient, R 744
- ClassNames, R 735
- ClassNamesTom, R 707
- ClassOrbit, R 736
- ClassPermutation, R 759
- ClassPositionsOfAgemo, R 737
- ClassPositionsOfCentre, for characters, R 775
 - for character tables, R 737
- ClassPositionsOfDerivedSubgroup, R 737
- ClassPositionsOfDirectProduct-
Decompositions, R 737
- ClassPositionsOfElementaryAbelianSeries,
R 737
- ClassPositionsOfFittingSubgroup, R 737
- ClassPositionsOfKernel, R 775
- ClassPositionsOfLowerCentralSeries, R 737
- ClassPositionsOfMaximalNormalSubgroups,
R 737
- ClassPositionsOfMinimalNormalSubgroups,
R 737
- ClassPositionsOfNormalClosure, R 738
- ClassPositionsOfNormalSubgroup, R 762
- ClassPositionsOfNormalSubgroups, R 737
- ClassPositionsOfSupersolvableResiduum, R 738
- ClassPositionsOfUpperCentralSeries, R 737
- ClassRoots, R 736
- ClassStructureCharTable, R 744
- ClassTypesTom, R 706
- CleanedTailPcElement, R 437
- ClearCacheStats, R 84
- ClearProfile, R 83
- clone, an object, R 114
- CloseMutableBasis, R 604
- CloseStream, R 98
- ClosureGroup, R 351
- ClosureGroupAddElm, R 351
- ClosureGroupCompare, R 351
- ClosureGroupDefault, R 351
- ClosureGroupIntest, R 351
- ClosureLeftModule, R 572
- ClosureNearAdditiveGroup, R 558
- Closure Operations and Other Constructors, *R 314*
- ClosureRing, R 560

- Closures of (Sub)groups, *R 351*
- ClosureSomething, *T 70*
- ClosureStruct, *R 286*
- ClosureSubgroup, *R 351*
- ClosureSubgroupNC, *R 351*
- Coboundaries, *R 654*
- Cochain, *R 653*
- CochainSpace, *R 653*
- Cocycles, *R 654*
- cocycles, *R 377*
- CodePcGroup, *R 459*
- CodePcgs, *R 459*
- Coding a Pc Presentation, *R 459*
- coefficient, binomial, *R 147*
- Coefficient List Arithmetic, *R 216*
- Coefficients, *R 600*
- coefficients, for cyclotomics, *R 159*
- CoefficientsAndMagmaElements, *R 662*
- CoefficientsFamily, *R 685*
- CoefficientsMultiadic, *R 130*
- CoefficientsOfLaurentPolynomial, *R 677*
- CoefficientsOfUnivariatePolynomial, *R 670*
- CoefficientsOfUnivariateRationalFunction, *R 670*
- CoefficientsQadic, *R 130*
- CoefficientsRing, *R 678*
- CoeffsCyc, *R 159*
- CoeffsMod, *R 217*
- cohomology, *R 377*
- COHORTS_PRIMITIVE_GROUPS, *R 525*
- cokernel, *T 55*
- CoKernelOfAdditiveGeneralMapping, *R 309*
- CoKernelOfMultiplicativeGeneralMapping, *R 308*
- CollapsedMat, *R 813*
- Collected, *R 198*
- Collection Families, *R 265*
- CollectionsFamily, *P 20, R 265*
- Coloring the Prompt and Input, *R 38*
- ColorPrompt, *R 38*
- ColumnIndexOfReesMatrixSemigroupElement, *R 542*
- ColumnIndexOfReesZeroMatrixSemigroupElement, *R 542*
- Combinations, *R 149*
- Combinations, Arrangements and Tuples, *R 149*
- CombinatorialCollector, *R 453*
- Combinatorial Numbers, *R 147*
- Comm, *R 294*
- for words, *R 332*
- Command Line Options, *R 27*
- command mark-up, *E 16*
- comments, *R 41, T 19*
- CommutativeDiagram, *R 810*
- CommutatorFactorGroup, *R 370*
- CommutatorLength, *R 361*
- for character tables, *R 733*
- CommutatorSubgroup, *R 360*
- Compacted, *R 198*
- CompanionMat, *R 235*
- CompareVersionNumbers, *R 845*
- comparison, fp semigroup elements, *R 548*
- operation, *R 293*
- rational functions, *R 668*
- Comparison of Associative Words, *R 331*
- Comparison of Class Functions, *R 767*
- Comparison of Elements of Finitely Presented Groups, *R 462*
- Comparison of Elements of Finitely Presented Semigroups, *R 548*
- Comparison of Permutations, *R 410*
- Comparison of Rational Functions, *R 668*
- Comparison of Words, *R 325*
- Comparison Operations for Elements, *R 293*
- Comparisons, *R 47*
- comparisons, of booleans, *R 169*
- of lists, *R 182*
- Comparisons of Booleans, *R 169*
- Comparisons of Cyclotomics, *R 161*
- Comparisons of Lists, *R 182*
- Comparisons of Records, *R 262*
- Comparisons of Strings, *R 252*
- Compatibility Mode, *T 87*
- Compatibility of Residue Class Rings with Prime Fields, *P 56*
- CompatibleConjugacyClasses, *R 729*
- CompatiblePairs, *R 457*
- Compilation, *R 829*
- Compiling Library Code, *R 36*
- Complementclasses, *R 360*
- ComplementclassesEA, *R 379*
- ComplementIntMat, *R 240*
- ComplementSystem, *R 363*
- CompleteSchreierTransversal, *N 17*
- Completion Files, *R 34*
- ComplexConjugate, *R 164*

- for class functions, R 770
- ComplexificationQuat, R 616
- Component Objects, *P 21*
- Components of a Dixon Record, *R 752*
- Components versus Attributes, *P 39*
- CompositionMapping, R 302
 - for Frobenius automorphisms, R 586
- CompositionMapping2, R 302
- CompositionMaps, R 807
- CompositionOfStraightLinePrograms, R 339
- CompositionSeries, R 367
 - for groups with pcgs, R 448
- ComputedBrauerTables, R 725
- ComputedClassFusions, R 803
- ComputedIndicators, R 743
- ComputedIsPSolvableCharacterTables, R 742
- ComputedPowerMaps, R 799
- ComputedPrimeBlockss, R 738
- Computing a Pcgs, *R 434*
- Computing a Permutation Representation, *R 414*
- Computing Pc Groups, *R 454*
- Computing Possible Permutation Characters, *R 792*
- Computing the Irreducible Characters of a Group, *R 748*
- Concatenation, R 197
- concatenation, of lists, R 198
- Conductor, R 159
- ConfluentRws, R 343
- Congruences, for character tables, R 815
- Congruences for semigroups, *R 539*
- ConjugacyClass, R 357
- Conjugacy Classes, *R 357*
- ConjugacyClasses, attribute, R 357
 - for character tables, R 728
 - for groups with pcgs, R 448
 - for linear groups, R 514
- ConjugacyClassesByOrbits, R 358
- ConjugacyClassesByRandomSearch, R 358
- Conjugacy Classes in Classical Groups, *R 514*
- Conjugacy Classes in Solvable Groups, *R 448*
- ConjugacyClassesMaximalSubgroups, R 371
- ConjugacyClassesPerfectSubgroups, R 374
- ConjugacyClassesSubgroups, R 371
- ConjugacyClassSubgroups, R 371
- conjugate, matrix, R 223
 - of a word, R 332
- ConjugateDominantWeight, R 646
- ConjugateDominantWeightWithWord, R 646
- ConjugateGroup, R 348
- Conjugates, R 579
- ConjugateSubgroup, R 350
- ConjugateSubgroups, R 350
- conjugation, R 395
- ConjugatorAutomorphism, R 388
- ConjugatorAutomorphismNC, R 388
- ConjugatorIsomorphism, R 387
- ConjugatorOfConjugatorIsomorphism, R 388
- ConnectGroupAndCharacterTable, R 729
- ConsiderKernels, R 815
- ConsiderSmallerPowerMaps, R 816
- ConsiderStructureConstants, R 807
- ConsiderTableAutomorphisms, R 818
- constants, T 21
- ConstantTimeAccessList, R 194
- constituent, of a group character, R 774
- ConstituentsCompositionMapping, R 303
- ConstituentsOfCharacter, R 775
- Constructing Algebras as Free Algebras, *R 613*
- Constructing Algebras by Generators, *R 612*
- Constructing Algebras by Structure Constants, *R 614*
- Constructing Character Tables from Others, *R 754*
- Constructing Domains, *R 285*
- Constructing Lie algebras, *R 638*
- Constructing Pc Groups, *R 452*
- Constructing Subdomains, *R 289*
- Constructing Tables of Marks, *R 701*
- Constructing Vector Spaces, *R 596*
- Construction of Abelian Number Fields, *R 589*
- Construction of Stabilizer Chains, *R 419*
- Constructors for Basic Groups, *R 514*
- ContainedCharacters, R 814
- ContainedDecomposables, R 814
- ContainedMaps, R 809
- ContainedPossibleCharacters, R 812
- ContainedPossibleVirtualCharacters, R 812
- ContainedSpecialVectors, R 812
- ContainedTom, R 711
- ContainingTom, R 711
- continuation, E 24
- ContinuedFractionApproximationOfRoot, R 143
- ContinuedFractionExpansionOfRoot, R 143
- Continued Fractions, *R 143*
- continue statement, R 55
- Conventions for Character Tables, *R 728*
- convert, to a string, R 251

- Converting Groups to Finitely Presented Groups, *R 470*
- ConvertToCharacterTable, *R 726*
- ConvertToCharacterTableNC, *R 726*
- ConvertToMatrixRep, *R 235*
- ConvertToMatrixRepNC, *R 235*
- ConvertToRangeRep, *R 207*
- ConvertToStringRep, *R 251*
- ConvertToTableOfMarks, *R 705*
- ConvertToVectorRep, *R 215*
- ConvertToVectorRepNC, *R 215*
- ConwayPolynomial, *R 586*
- Conway Polynomials, *R 586*
- coprime, *R 48*
- Copy, *T 80*
- copy, *R 114*
 - an object, *R 114*
- COPY_LIST_ENTRIES, *R 178*
- Copying Weak Pointer Objects, *E 53*
- CopyOptionsDefaults, *R 423*
- Copyrights, *R 841*
- CopyStabChain, *R 423*
- Core, *R 359*
- CorrespondingGeneratorsByModuloPcgs, *R 441*
- coset, *R 354*
- CosetLeadersMatFFE, *R 218*
- Cosets, *R 354*
- CosetTable, *R 464*
- CosetTableBySubgroup, *R 465*
- CosetTableDefaultLimit, *R 466*
- CosetTableDefaultMaxLimit, *R 466*
- CosetTableFromGensAndRels, *R 465*
- CosetTableInWholeGroup, *R 468*
- CosetTableOfFpSemigroup, *R 551*
- Coset Tables and Coset Enumeration, *R 464*
- Coset tables for subgroups in the whole group, *R 468*
- CosetTableStandard, *R 467*
- CRC, *R 37*
- CrcFile, *R 95*
 - example, *R 37*
- CRC Numbers, *R 37*
- CreateCompletionFiles, *R 34*
- CreateCompletionFilesPackage, *E 40*
- CreateCompletionFilesPkg, *R 846*
- Creating Attributes and Properties, *P 17*
- Creating Categories, *P 16*
- Creating Character Tables, *R 724*
- Creating Class Functions from Values Lists, *R 771*
- Creating Class Functions using Groups, *R 772*
- Creating Families, *P 18*
- Creating Finite Fields, *R 584*
- Creating Finitely Presented Groups, *R 461*
- Creating Finitely Presented Semigroups, *R 547*
- Creating Group Homomorphisms, *R 382*
- Creating Groups, *R 347*
- Creating hom cosets and quotient groups, *N 14*
- Creating Mappings, *R 302*
- Creating Objects, *P 20*
- Creating Operations, *P 18*
- Creating Other Filters, *P 18*
- Creating Own Arithmetic Objects, *P 41*
- Creating Permutations, *R 412*
- Creating Presentations, *R 479*
- Creating Representations, *P 17*
- Creating Types, *P 20*
- Creation of Algebraic Extensions, *R 689*
- Creation of Rational Functions, *R 687*
- Credit, *R 21*
- CrystGroupDefaultAction, *R 432*
- Cycle, *R 403*
- CycleLength, *R 403*
- CycleLengths, *R 403*
- Cycles, *R 403*
- CycleStructureClass, *R 776*
- CycleStructurePerm, *R 411*
- CyclicExtensionsTom, *R 711*
- CyclicGroup, *R 508*
- CyclotomicField, *R 589*
- cyclotomic field elements, *R 157*
- cyclotomic fields, canonicalbasis, *R 592*
- CyclotomicPolynomial, *R 674*
- Cyclotomic Polynomials, *R 674*
- Cyclotomics, *R 157*
- cyclotomics, defaultfield, *R 590*
- D**
- d_N , *R 161*
- Darstellungsgruppe, see *EpimorphismSchurCover*, *R 380*
- DataType, *R 125*
- data type, unknown, *R 167*
- DayDMY, *R 257*
- DaysInMonth, *R 257*
- DaysInYear, *R 257*
- Debugging, *T 86*
- Debugging Recursion, *R 85*

- DEC, R 243
- Declaration and Implementation Part, *E 38, P 33*
- DeclareAttribute, P 31
 - example, P 41
- DeclareAutoPackage, R 846
- DeclareAutoreadableVariables, E 40
- DeclareAutoreadableVariables, *E 40*
- DeclareCategory, P 31
- DeclareFilter, P 31
- DeclareGlobalFunction, P 31
- DeclareGlobalVariable, P 32
- DeclareHandlingByNiceBasis, R 610
- DeclareInfoClass, R 80
- DeclareOperation, P 31
- DeclarePackage, R 846
- DeclarePackageAutoDocumentation, R 846
- DeclarePackageDocumentation, R 846
- DeclareProperty, P 31
- DeclareRepresentation, P 31
 - belongs to implementation part, P 33
 - example, P 38
- DeclareSynonym, P 32
- DeclareSynonymAttr, P 32
- DecodeTree, R 497
- DecodeTree, *R 497*
- decompose, a group character, R 774
- DecomposedFixedPointVector, R 711
- DecomposeTensorProduct, R 655
- Decomposition, R 243
- DecompositionInt, R 244
- DecompositionMatrix, R 740
- decomposition matrix, R 243
- Decompositions, *R 243*
- Decreased, R 783
- DefaultField, R 576
 - for cyclotomics, R 160
 - for finite field elements, R 584
- DefaultFieldByGenerators, R 576
- DefaultFieldOfMatrix, R 224
- DefaultFieldOfMatrixGroup, R 427
- DefaultRing, R 559
 - for finite field elements, R 584
- DefaultRingByGenerators, R 560
- DefaultStabChainOptions, R 420
- Defining a Pcgs Yourself, *R 434*
- DefiningPolynomial, R 577
- DefiningQuotientHomomorphism, R 474
- DegreeFFE, R 583
- DegreeIndeterminate, R 672
- DegreeOfBinaryRelation, R 313
- DegreeOfCharacter, R 774
- DegreeOfLaurentPolynomial, R 671
- DegreeOfTransformation, R 552
- DegreeOfTransformationSemigroup, R 538
- DegreeOverPrimeField, R 577
- Delta, R 821
- Denominator, T 79
 - denominator, of a rational, R 146
- DenominatorCyc, R 160
- DenominatorOfModuloPcgs, R 440
- DenominatorOfRationalFunction, R 670
- DenominatorRat, R 146
- DenseHashTable, N 11
- Dense hash tables, *N 11*
- DenseIntKey, N 11
- deprecated, R 846
- DepthOfPcElement, R 436
- DepthOfUpperTriangularMatrix, R 233
- DepthVector, T 79
- Derangements, R 151
- Derivations, R 639
- Derivative, R 673
- DerivedLength, R 368
- DerivedSeriesOfGroup, R 368
- DerivedSubgroup, R 360
- DerivedSubgroupsTom, R 710
- DerivedSubgroupsTomPossible, R 710
- DerivedSubgroupsTomUnique, R 710
- DerivedSubgroupTom, R 710
- DescriptionOfRootOfUnity, R 160
- Designing new Multiplicative Objects, *P 64*
- Determinant, R 225
 - determinant character, R 776
- DeterminantIntMat, R 243
- DeterminantMat, R 225
- DeterminantMatDestructive, R 225
- DeterminantMatDivFree, R 225
- Determinant of an integer matrix, *R 243*
- DeterminantOfCharacter, R 776
- Developing rewriting systems, *R 345*
- DiagonalizeIntMat, R 241
- DiagonalizeMat, R 230
- DiagonalMat, R 226
- DiagonalOfMat, R 233
- Dictionaries, *N 9*
- DictionaryByPosition, N 10

- Difference, R 273
 - DifferenceBlist, R 210
 - Different Notions of Generation, *T* 81
 - DihedralGroup, R 509
 - Dimension, R 573
 - DimensionOfHighestWeightModule, R 655
 - DimensionOfMatrixGroup, R 427
 - DimensionOfVectors, R 605
 - DimensionsLoewyFactors, R 369
 - DimensionsMat, R 224
 - Directories, *R* 91
 - DirectoriesLibrary, R 91
 - DirectoriesPackageLibrary, R 844
 - DirectoriesPackagePrograms, R 845
 - DirectoriesSystemPrograms, R 92
 - Directory, R 91
 - DirectoryContents, R 92
 - DirectoryCurrent, R 91
 - DirectoryTemporary, R 91
 - DirectProduct, R 502
 - Direct product chain subgroups, *N* 21
 - DirectProductOp, R 502
 - Direct Products, *R* 502
 - DirectSumDecomposition, R 624
 - for Lie algebras, R 643
 - Direct Sum Decompositions, *R* 643
 - DirectSumOfAlgebraModules, R 635
 - for Lie algebras, R 658
 - DirectSumOfAlgebras, R 623
 - DisableAttributeValueStoring, R 123
 - disable automatic loading, R 842
 - Discriminant, R 673
 - Display, R 67
 - for character tables, R 771
 - for tables of marks, R 703
 - DisplayCacheStats, R 84
 - DisplayCompositionSeries, R 367
 - DisplayEggBoxOfDCClass, R 540
 - DisplayImfInvariants, R 529
 - DisplayInformationPerfectGroups, R 522
 - DisplayOptions, R 746
 - DisplayOptionsStack, R 89
 - DisplayProfile, R 83
 - DisplayRevision, R 84
 - DistancesDistributionMatFFESVecFFE, R 218
 - DistancesDistributionVecFFESVecFFE, R 218
 - DistanceVecFFE, R 218
 - Distinguished Subalgebras, *R* 640
 - division, R 48
 - operation, R 294
 - DivisionRingByGenerators, R 576
 - division rings, R 575
 - divisors, of an integer, R 134
 - DivisorsInt, R 134
 - Dixon-Schneider algorithm, R 751
 - DixonInit, R 751
 - DixonRecord, R 751
 - DixonSplit, R 752
 - DixontinI, R 751
 - DMYDay, R 257
 - DMYhmsSeconds, R 258
 - DnLattice, R 784
 - DnLatticeIterative, R 785
 - do, R 53
 - document formats, for help books, *E* 43
 - document formats (text, dvi, ps, pdf, html), *R* 23
 - Domain, R 290
 - DomainByGenerators, R 290
 - Domain Categories, *R* 287
 - Domain Constructors, *T* 70
 - Domains, *R* 111
 - Domains as Sets, *T* 68
 - Domains Generated by Class Functions, *R* 797
 - Domains of Subspaces of Vector Spaces, *R* 598
 - DominantCharacter, R 654
 - DominantWeights, R 654
 - DoubleCoset, R 356
 - DoubleCosetRepsAndSizes, R 357
 - Double Cosets, *R* 356
 - DoubleCosets, operation, R 356
 - DoubleCosetsNC, operation, R 356
 - DoubleHashArraySize, *N* 11
 - doublequote character, R 250
 - doublequotes, R 248
 - DownEnv, R 71, *T* 86
 - Dummy Streams, *R* 106
 - duplicate free, R 193
 - DuplicateFreeList, R 198
 - Duplication of Lists, *R* 180
 - Duplication of Objects, *R* 114
 - DxIncludeIrreducibles, R 752
- E**
- E*, R 157
 - e_N , R 161
 - EANormalSeriesByPcgs, R 442

- Earns, R 404
- EB, R 161
- EC, R 161
- Echelonized Matrices, *R 230*
- ED, R 161
- Edit, R 75
- Editing Files, *R 75*
- Editor Support, *R 75*
- EE, R 161
- EF, R 161
- Efficiency of Homomorphisms, *R 385*
- EG, R 161
- EggBoxOfDClass, R 540
- EH, R 161
- EI, R 162
- Eigenspaces, R 229
- Eigenvalues, R 229
- EigenvaluesChar, R 777
- Eigenvectors, R 229
- Eigenvectors and eigenvalues, *R 229*
- EJ, R 162
- EK, R 162
- EL, R 162
- ElementaryAbelianGroup, R 509
- ElementaryAbelianSeries, R 368
- ElementaryAbelianSeriesLargeSteps, R 368
- Elementary Divisors, *R 230*
- ElementaryDivisorsMat, R 230
- ElementaryDivisorsMatDestructive, R 230
- Elementary Operations for a Pcgs, *R 435*
- Elementary Operations for a Pcgs and an Element, *R 436*
- Elementary Operations for Integers, *R 127*
- Elementary Operations for Rationals, *R 145*
- Elementary Tietze Transformations, *R 490*
- ElementOfFpGroup, R 463
- ElementOfFpSemigroup, R 549
- ElementOfMagmaRing, R 662
- ElementOrdersPowerMap, R 800
- ElementProperty, R 424
- Elements, R 270, T 79
- elements, T 24
 - definition, R 110
 - of a list or collection, R 270
- Elements as equivalence classes, *R 110*
- ElementsFamily, P 20, R 265
- Elements in Algebraic Extensions, *R 689*
- Elements of Finitely Presented Groups, *T 84*
- Elements of Free Magma Rings, *R 662*
- Elements of pc groups, *R 451*
- ElementsStabChain, R 422
- Elements with Prescribed Images, *R 400*
- element test, for lists, R 182
- elif, R 51
- EliminatedWord, R 333
- EliminationOrdering, R 682
- ElmWPObj, E 52
- else, R 51
- EM, R 162
- emacs, R 75
- email addresses, T 16
- Embedding, R 303
 - example for direct products, R 502
 - example for semidirect products, R 504
 - example for wreath products, R 505
 - for group products, R 507
 - for Lie algebras, R 638
 - for magma rings, R 662
- embeddings, find all, R 391
- Embeddings and Projections for Group Products, *R 507*
- EmptyBinaryRelation, R 312
- EmptyMatrix, R 226
- EmptySCTable, R 614
- EmptyStabChain, R 423
- EnableAttributeValueStoring, R 123
- End, R 608
- end, R 55
- Enforcing Property Tests, *P 36*
- Enlarging Internally Represented Lists, *R 182*
- Enumerator, R 266
- enumerator, T 49
- EnumeratorByBasis, R 601
- EnumeratorByFunctions, R 267
- Enumerators, *R 208*
- EnumeratorSorted, R 266
- environment, R 55
- Epicentre, R 380
- EpimorphismFromFreeGroup, R 351
- EpimorphismNilpotentQuotient, R 475
- EpimorphismNonabelianExteriorSquare, R 380
- EpimorphismPGroup, R 475
- EpimorphismQuotientSystem, R 475
- epimorphisms, find all, R 391
- EpimorphismSchurCover, R 380
- equality, associative words, R 331

- elements of finitely presented groups, R 462
- nonassociative words, R 325
- of records, R 262
- operation, R 293
- pcwords, R 451
- Equality and Comparison of Domains, *R 285*
- equality test, R 47
 - for permutations, R 410
- equivalence class, R 316
- Equivalence Classes, *R 316*
- EquivalenceClasses, attribute, R 316
- EquivalenceClassOfElement, R 316
- EquivalenceClassOfElementNC, R 316
- EquivalenceClassRelation, R 316
- equivalence relation, R 315
- EquivalenceRelationByPairs, R 315
- EquivalenceRelationByPairsNC, R 315
- EquivalenceRelationByPartition, R 315
- EquivalenceRelationByPartitionNC, R 315
- EquivalenceRelationByProperty, R 315
- EquivalenceRelationByRelation, R 315
- EquivalenceRelationPartition, R 315
- Equivalence Relations, *R 315*
- ER, R 162
- Error, R 73
- Error, *R 73*
- ErrorCount, R 73
- ErrorCount, *R 73*
- ErrorNoTraceBack, R 69
- errors, syntax, R 64
- ES, R 162
- escaped characters, R 250
- escaping non-special characters, R 250
- ET, R 162
- EU, R 162
- EuclideanDegree, R 567
- EuclideanQuotient, R 567
- EuclideanRemainder, R 568
- Euclidean Rings, *R 567*
- Euler's totient function, R 138
- EulerianFunction, R 366
- EulerianFunctionByTom, R 712
- EV, R 162
- EvalStraightLineProgElm, R 341
- EvalString, R 257
- evaluation, R 42
 - strings, R 256
- EW, R 162
- EX, R 162
- ExactSizeConsiderFunction, R 376
- Example – Constructing Enumerators, *P 24*
- Example – Constructing Iterators, *P 26*
- Example: Groups with a decomposition as semidirect product, *P 41*
- Example: Groups with a word length, *P 41*
- Example: M-groups, *P 40*
- Examples, Lists, and Verbatim, *E 20*
- Exec, R 109
- Exec, *R 109*
- execution, R 49
- exit, R 73
- expanded form of monomials, R 686
- Expert Windows installation, *R 840*
- Exponent, R 366
 - for character tables, R 733
- exponent, of the prime residue group, R 139
- exponentiation, operation, R 294
- ExponentOfPcElement, R 436
- ExponentsConjugateLayer, R 437
- ExponentsOfCommutator, R 437
- ExponentsOfConjugate, R 437
- ExponentsOfPcElement, R 436
- ExponentsOfRelativePower, R 437
- Exponents of Special Products, *R 437*
- ExponentSumWord, R 332
- ExponentSyllable, R 334
- Expressing Group Elements as Words in Generators, *R 351*
- Expressions, *R 42*
- ExtendedGroup, N 20
- ExtendedPcgs, R 439
- Extending the Range of Definition of an Existing Operation, *P 35*
- ExtendSchreierTransversal, N 17
- ExtendSchreierTransversalShortCube, N 17
- ExtendSchreierTransversalShortTree, N 17
- ExtendStabChain, R 423
- Extension, R 456
- ExtensionNC, R 456
- ExtensionRepresentatives, R 457
- Extensions, R 456
- Extensions of the p-adic Numbers, *R 692*
- ExteriorCentre, R 380
- ExteriorPowerOfAlgebraModule, R 658
- ExternalOrbit, R 407
- ExternalOrbits, R 407

- ExternalOrbitsStabilizers, R 407
- External Representation, *P* 28
- External Representation for Nonassociative Words, *R* 327
- external representation of polynomials, R 686
- ExternalSet, E 48, R 406
- external set, T 48
- External Sets, *R* 406
- ExternalSubset, R 407
- Extract, R 781
- ExtraspecialGroup, R 509
- ExtRepDenominatorRatFun, R 686
- ExtRepNumeratorRatFun, R 686
- ExtRepOfObj, P 29
 - external representation, for cyclotomics, R 160
- ExtRepPolynomialRatFun, R 686
- EY, R 162
- F**
- F, Function mark-up, E 16
- f_N , R 161
- FactorCosetAction, R 402
 - for fp groups, R 465
- FactorCosetOperation, R 465
- FactorFreeSemigroupByRelations, R 547
- FactorGroup, R 370
- FactorGroupFpGroupByRels, R 461
- FactorGroupNC, R 370
- FactorGroupNormalSubgroupClasses, R 762
- Factor Groups, *R* 370
- Factor Groups of Polycyclic Groups - Modulo PcgS, *R* 440
- Factor Groups of Polycyclic Groups in their Own Representation, *R* 441
- FactorGroupTom, R 712
- Factorial, R 147
- Factorization, R 352
- factorization, R 351
- Factors, R 567
 - of univariate polynomial, R 675
- FactorsInt, R 132
- FactorsOfDirectProduct, R 755
- FactorsSquarefree, R 675
- Fail, *R* 169, *T* 77
- fail, R 169
- fail instead of false, T 77
- FaithfulModule, R 634
 - for Lie algebras, R 652
- Families, *R* 116
- FamiliesOfGeneralMappingsAndRanges, R 311
- FamiliesOfRows, R 761
- family, T 31
- FamilyForOrdering, R 279
- FamilyObj, R 116
- FamilyPcgs, R 451
- FamilyRange, R 311
- FamilySource, R 311
- FAQ, R 833
- Fast access to last hash index, *N* 12
- features, under UNIX, R 27
- fi, R 51
- Fibonacci, R 155
- Fibonacci and Lucas Sequences, *R* 155
- Field, R 575
- FieldExtension, R 577
- field homomorphisms, Frobenius, R 586
- FieldOfMatrixGroup, R 427
- FieldOverItselfByGenerators, R 577
- fields, R 575
- File Access, *R* 93
- FileDescriptorOfStream, R 98
- Filename, R 92
- Filename, *R* 92
- File Operations, *R* 94
- File Streams, *R* 103
- File Structure, *E* 32
- File Types, *E* 32
- Filtered, R 201
- Filters, *R* 117
- filters, *T* 73
- Filters Controlling the Arithmetic Behaviour of Lists, *R* 184
- Finding Implementations in the Library, *E* 33
- Finding Positions in Lists, *R* 190
- Finding Submodules, *R* 695
- FindS12, R 650
- Finish Installation and Cleanup, *R* 831
- Finite Field Elements, *R* 581
- Finitely Presented Lie Algebras, *R* 650
- Finitely presented monoids, *R* 549
- finiteness test, for a list or collection, R 270
- Finite Perfect Groups, *R* 520
- First, R 202
- FittingSubgroup, R 361
- Flat, R 198
- FlushCaches, P 33

- flush character, R 250
 - foa triples, E 46
 - For, *R 53*
 - ForAll, R 203
 - For and While Loops, *T 33*
 - ForAny, R 203
 - for loop, R 53
 - Forming Closures of Domains, *T 70*
 - FpElmComparisonMethod, R 462
 - FpGroupPresentation, R 480
 - FpGrpMonSmgOfFpGrpMonSmgElement, R 547
 - FpLieAlgebraByCartanMatrix, R 651
 - frame, R 787
 - FrattiniSubgroup, R 361
 - for groups with pcgs, R 448
 - FreeAlgebra, R 613
 - FreeAlgebraWithOne, R 613
 - FreeAssociativeAlgebra, R 613
 - FreeAssociativeAlgebraWithOne, R 613
 - FreeGeneratorsOfFpGroup, R 462
 - FreeGeneratorsOfFpSemigroup, R 548
 - FreeGeneratorsOfWholeGroup, R 462
 - FreeGroup, R 329
 - FreeGroupOfFpGroup, R 462
 - Free Groups, Monoids and Semigroups, *R 329*
 - FreeLeftModule, R 573
 - FreeLieAlgebra, R 639
 - FreeMagma, R 326
 - FreeMagmaRing, R 661
 - Free Magma Rings, *R 661*
 - Free Magmas, *R 326*
 - FreeMagmaWithOne, R 326
 - Free Modules, *R 573*
 - FreeMonoid, R 544
 - with example, R 329
 - FreeMonoidOfRewritingSystem, R 551
 - FreeProduct, R 507
 - Free Products, *R 507*
 - FreeSemigroup, R 329
 - with examples, R 537
 - FreeSemigroupOfFpSemigroup, R 548
 - FreeSemigroupOfRewritingSystem, R 551
 - Frobenius automorphism, R 586
 - FrobeniusAutomorphism, R 586
 - FrobeniusAutomorphism, *R 586*
 - FrobeniusCharacterValue, R 796
 - FullMatrixAlgebra, R 616
 - FullMatrixAlgebraCentralizer, R 624
 - FullMatrixLieAlgebra, R 639
 - FullMatrixModule, R 574
 - FullMatrixSpace, R 605
 - FullRowModule, R 574
 - FullRowSpace, R 605
 - FullTransformationSemigroup, R 538
 - Function, *R 55*
 - function, R 55
 - FunctionAction, R 406
 - function call, R 46
 - with arguments, R 46
 - with options, R 47
 - Function Calls, *R 46*
 - FunctionOperation, R 846
 - functions, R 61
 - definition by arrow notation, R 57
 - definition of, R 55
 - recursive, R 55
 - with a variable number of arguments, R 46
 - FunctionsFamily, R 63
 - Functions for Coding Theory, *R 218*
 - Functions for GAP Packages, *R 843*
 - Functions that do nothing, *R 63*
 - Function that Modify Boolean Lists, *R 211*
 - Function Types, *R 63*
 - Further Improvements in Implementing Residue Class Rings, *P 61*
 - Further Information about Domains, *T 71*
 - Further Information about Functions, *T 43*
 - Further Information about GAP, *T 16*
 - Further Information about Groups and Homomorphisms, *T 58*
 - Further Information about Lists, *T 39*
 - Further Information about Vector Spaces and Algebras, *T 67*
 - Further Information introducing the System, *T 26*
 - FusionCharTableTom, R 718
 - FusionConjugacyClasses, R 803
 - FusionConjugacyClassesOp, R 803
 - fusions, R 802
 - FusionsAllowedByRestrictions, R 818
 - FusionsTom, R 707
- G**
- G*-sets, E 48, R 406
 - g_N , R 161
 - gac, R 35
 - Galois Action, *R 577*

- Galois Conjugacy of Cyclotomics, *R 164*
- GaloisCyc, *R 164*
 - for class functions, *R 770*
- GaloisField, *R 585*
- GaloisGroup, of field, *R 578*
 - of rational class of a group, *R 359*
- Galois Groups of Abelian Number Fields, *R 594*
- GaloisMat, *R 165*
- GaloisStabilizer, *R 591*
- GaloisType, *R 676*
- gap.rc, *R 33*
- GAP3, *R 34*
- Gap3CatalogueIdGroup, *R 518*
- GAPDocManualLab, *E 41*
- GAP for Macintosh OS X, *R 837*
- GAP for MacOS, *R 838*
- GAPInfo, *R 847*
- GAPInfo.RootPaths, *R 29*
- GAPInfo.Version, *E 40*
- GapInputPcGroup, *R 455*
- GapInputSCTable, *R 614*
- GAPKB_REW, *R 550*
- gapmacro.tex, *E 11*
- GAP Root Directory, *R 90*
- GasmanLimits, *R 87*
- GasmanMessageStatus, *R 87*
- GasmanStatistics, *R 87*
- Gaussian algorithm, *R 228*
- GaussianIntegers, *R 595*
- GaussianRationals, *R 590*
- Gaussians, *R 595*
- Gcd, *R 568*
- Gcd and Lcm, *R 568*
- Gcdex, *R 130*
- GcdInt, *R 129*
- GcdOp, *R 568*
- GcdRepresentation, *R 568*
- GcdRepresentationOp, *R 569*
- General Binary Relations, *R 312*
- General hash table definitions and operations, *N 10*
- General Hash Tables, *N 10*
- GeneralisedEigenspaces, *R 229*
- GeneralisedEigenvalues, *R 229*
- generalized characters, *R 764*
- Generalized Conjugation Technique, *E 54*
- generalized conjugation technique, *E 54*
- GeneralizedEigenspaces, *R 229*
- GeneralizedEigenvalues, *R 229*
- GeneralLinearGroup, *R 511*
- GeneralMappingByElements, *R 302*
- General Mappings, *R 310*
- GeneralMappingsFamily, *R 311*
- General operations on transversals, *N 16*
- GeneralOrthogonalGroup, *R 512*
- GeneralUnitaryGroup, *R 511*
- Generating Fields, *R 575*
- Generating modules, *R 571*
- Generating Rings, *R 559*
- GeneratingSetIsComplete, *N 19*
- generator, of the prime residue group, *R 140*
- GeneratorsOfAdditiveGroup, *R 557*
- GeneratorsOfAdditiveMagma, *R 557*
- GeneratorsOfAdditiveMagmaWithZero, *R 557*
- GeneratorsOfAlgebra, *R 620*
- GeneratorsOfAlgebraModule, *R 631*
- GeneratorsOfAlgebraWithOne, *R 620*
- GeneratorsOfDivisionRing, *R 576*
- GeneratorsOfDomain, *R 290*
- GeneratorsOfEquivalenceRelationPartition, *R 315*
- GeneratorsOfField, *R 576*
- GeneratorsOfGroup, *R 348*
- GeneratorsOfIdeal, *R 562*
- GeneratorsOfLeftIdeal, *R 563*
- GeneratorsOfLeftModule, *R 571*
- GeneratorsOfLeftOperatorAdditiveGroup, *R 571*
- GeneratorsOfLeftVectorSpace, *R 597*
- GeneratorsOfMagma, *R 320*
- GeneratorsOfMagmaWithInverses, *R 320*
- GeneratorsOfMagmaWithOne, *R 320*
- GeneratorsOfMonoid, *R 543*
- GeneratorsOfNearAdditiveGroup, *R 557*
- GeneratorsOfNearAdditiveMagma, *R 557*
- GeneratorsOfNearAdditiveMagmaWithZero, *R 557*
- GeneratorsOfPresentation, *R 479*
- GeneratorsOfRightIdeal, *R 563*
- GeneratorsOfRightModule, *R 572*
- GeneratorsOfRightOperatorAdditiveGroup, *R 572*
- GeneratorsOfRing, *R 560*
- GeneratorsOfRingWithOne, *R 564*
- GeneratorsOfRws, *R 343*
- GeneratorsOfSemigroup, *R 537*
- GeneratorsOfSomething, *T 69*
- GeneratorsOf Struct, *R 286*
- GeneratorsOfTwoSidedIdeal, *R 562*

GeneratorsOfVectorSpace, R 597
 GeneratorsPrimeResidues, R 139
 GeneratorsSmallest, R 377
 GeneratorsSubgroupsTom, R 716
 GeneratorSyllable, R 334
 Generic Construction of Tables of Marks, *R 720*
 GetFusionMap, R 804
 GetHashEntry, N 10
 GetHashEntryAtLastIndex, N 12
 GetHashEntryIndex, N 11
 getter, of an attribute, T 72
 Get the Archives, *R 828*
 getting help, R 22
 GF, R 585
 GL, R 511
 GL and SL, *R 428*
 Global Memory Information, *R 87*
 GlobalMersenneTwister, R 136
 GlobalRandomSource, R 136
 Global Variables in the Library, *P 31*
 GModuleByMats, R 694
 GO, R 512
 GQuotients, R 391
 Grading, R 625
 Green's Relations, *R 539*
 GreensDClasses, R 541
 GreensDClassOfElement, R 540
 GreensDRelation, R 540
 GreensHClasses, R 541
 GreensHClassOfElement, R 540
 GreensHRelation, R 540
 GreensJClasses, R 541
 GreensJClassOfElement, R 540
 GreensJRelation, R 540
 GreensLClasses, R 541
 GreensLClassOfElement, R 540
 GreensLRelation, R 540
 GreensRClasses, R 541
 GreensRClassOfElement, R 540
 GreensRRelation, R 540
 Groebner Bases, *R 683*
 GroebnerBasis, R 683
 GroebnerBasisNC, R 683
 Group, R 347
 group actions, R 394
 operations syntax, R 394
 Group Actions - Name Changes, *R 846*
 group algebra, R 660

Group Automorphisms, *R 387*
 GroupByRws, R 453
 GroupByRwsNC, R 453
 group characters, R 764
 Group Elements, *R 347*
 group general mapping, T 55
 single-valued, T 55
 total, T 55
 GroupGeneralMappingByImages, R 383
 GroupHClassOfGreensDClass, R 541
 GroupHomomorphismByFunction, R 383
 GroupHomomorphismByImages, R 382
 GroupHomomorphismByImagesNC, R 382
 GroupHomomorphismByImages vs. GroupGeneralMappingByImages, T 55
 Group Homomorphisms, Group Homomorphisms, by Images, *T 54*
 GroupOfPcgs, R 435
 group operations, R 395
 Group Properties, *R 364*
 GroupRing, R 661
 group ring, R 660
 Groups of Automorphisms, *R 389*
 GroupStabChain, R 422
 GroupWithGenerators, R 348
 GU, R 511

H

h_N , R 161
 HallSubgroup, R 362
 HallSystem, R 363
 for groups with pcgs, R 448
 Handling of Streams in the Background, *R 106*
 HasAbelianFactorGroup, R 370
 HasChainHomomorphicImage, N 20
 HasElementaryAbelianFactorGroup, R 370
 HashFunct, N 11
 HashKeyEnumerator, N 10
 Hash keys, *N 11*
 HasIndeterminateName, R 667
 HasParent, R 288
 HasseDiagramBinaryRelation, R 314
 HeadPcElementByNumber, R 437
 Help, *T 25*
 HELP_ADD_BOOK, E 42
 HenselBound, R 676
 hermite normal form, R 847
 HermiteNormalFormIntegerMat, R 241

- HermiteNormalFormIntegerMatTransform, R 241
- HeuristicCancelPolynomials, R 688
- HexStringInt, R 253
- HighestWeightModule, R 657
- History of Character Theory Stuff in GAP, *R 723*
- HMSMSec, R 258
- Hom, R 608
- HomCoset, N 14
- Hom coset chain subgroups, *N 21*
- HomCosetWithImage, N 14
- HomeEnumerator, R 406
- Homomorphism, for quotient groups by
 - homomorphisms, N 14
 - for subgroup transversals, N 17
- homomorphism, action, T 48
 - natural, T 45
 - operation, T 48
- Homomorphism for very large groups, *R 386*
- HomomorphismQuotientSemigroup, R 539
- homomorphisms, find all, R 391
- homomorphisms, Frobenius, field, R 586
- Homomorphisms of Algebras, *R 626*
- Homomorphisms vs. Factor Structures, *T 83*
- Homomorphisms vs. General Mappings, *T 83*
- HomomorphismTransformationSemigroup, R 538
- HomTransversal, N 17
- How to Implement New Kinds of Vector Spaces, *R 610*
- HumanReadableDefinition, R 714
- I**
- i_N , R 162
- Ideal, R 561
- IdealByGenerators, R 562
- IdealNC, R 562
- Ideals, *R 618*
- Ideals in Rings, *R 561*
- Ideals of semigroups, *R 538*
- Idempotents, R 321
- IdempotentsTom, R 707
- IdempotentsTomInfo, R 707
- Identical Lists, *R 179, T 29*
- Identical Objects, *R 111*
- Identical Records, *R 261*
- IdentificationOfConjugacyClasses, R 729
- Identifier, for character tables, R 735
 - for tables of marks, R 708
- identifier, T 22
- Identifiers, *R 42*
- Identity, R 290
- IdentityBinaryRelation, R 312
- IdentityFromSCTable, R 615
- IdentityMapping, R 303
- IdentityMat, R 226
- IdentityTransformation, R 552
- IdFunc, R 63
- IdGap3SolvableGroup, R 518
- IdGroup, R 518
- IdSmallGroup, R 518
- IdsOfAllSmallGroups, R 518
- If, *R 51*
- if statement, R 51
- If Statements, *T 41*
- If Things Go Wrong, *R 833*
- Image, R 305
 - for Frobenius automorphisms, R 586
- image, vector under matrix, R 223
- ImageElm, R 305
- ImageElt, N 14
- ImageGroup, N 18
- ImageListOfTransformation, R 553
- Images, R 305
- ImagesElm, R 304
- ImageSetOfTransformation, R 553
- ImagesRepresentative, R 304
- ImagesSet, R 304
- ImagesSmallestGenerators, R 386
- ImagesSource, N 15, R 304
- Images under Mappings, *R 304*
- ImfInvariants, R 531
- ImfMatrixGroup, R 532
- ImfNumberQClasses, R 529
- ImfNumberQQClasses, R 529
- ImfNumberZClasses, R 529
- Immediate Methods, *P 13*
- Immutability, *T 30*
- Immutable, R 113
- ImmutableBasis, R 604
- ImmutableMatrix, R 235
- Immutable Objects, *T 80*
- Implementing New List Objects, *P 23*
- in, for collections, R 274
 - for lists, R 182
 - for strictly sorted lists, R 195
 - operation for, R 274
- IndependentGeneratorsOfAbelianGroup, R 377

- Indeterminate, R 666
- IndeterminateName, R 667
- Indeterminateness, R 812
- IndeterminateNumberOfLaurentPolynomial, R 677
- IndeterminateNumberOfUnivariateRationalFunction, R 667
- IndeterminateOfUnivariateRationalFunction, R 667
- Indeterminates, *R 666*
- IndeterminatesOfPolynomialRing, R 678
- Index, R 349
- indexing commands, E 16
- IndexInWholeGroup, R 349
- IndexNC, R 349
- Index numbers of primitive groups, *R 526*
- Indicator, R 743
- IndicatorOp, R 743
- IndicesCentralNormalSteps, R 442
- IndicesChiefNormalSteps, R 443
- IndicesEANormalSteps, R 442
- IndicesInvolutoryGenerators, R 467
- IndicesNormalSteps, R 444
- IndicesOfAdjointBasis, R 621
- IndicesPCentralNormalStepsPGroup, R 443
- IndicesStabChain, R 422
- Indirected, R 808
- Induced Actions, *R 696*
- InducedAutomorphism, R 390
- InducedClassFunction, R 778
- InducedClassFunctions, R 778
- InducedCyclic, R 779
- InducedPcgs, R 438
- InducedPcgsByGenerators, R 438
- InducedPcgsByGeneratorsNC, R 438
- InducedPcgsByPcSequence, R 438
- InducedPcgsByPcSequenceAndGenerators, R 439
- InducedPcgsByPcSequenceNC, R 438
- InducedPcgsWrtFamilyPcgs, R 451
- InducedPcgsWrtSpecialPcgs, R 446
- Inequalities, R 795
- inequality, of records, R 262
- inequality test, R 47
- InertiaSubgroup, R 776
- Infinity, *R 160*
- infinity, R 160
- inflated class functions, R 777
- Info, R 80
- InfoAlgebra, R 612
- InfoAttributes, R 123
- InfoBckt, R 424
- InfoCharacterTable, R 728
- InfoCoh, R 379
- InfoComplement, R 360
- InfoCoset, R 357
- InfoFpGroup, R 461
- Info Functions, *R 80*
- InfoGroebner, R 684
- InfoGroup, R 348
- InfoLattice, R 374
- InfoLevel, R 80
- InfoMatrix, R 221
- InfoMonomial, R 820
- InfoNumtheor, R 138
- InfoOptions, R 89
- InfoPcSubgroup, R 377
- Information about a function, *R 61*
- Information about the version used, *R 84*
- InfoText, R 736
- InfoTom, R 705
- InfoWarning, R 81
- Init, R 136
- init.g, for a GAP package, E 38
- InitFusion, R 817
- InitPowerMap, R 815
- Injection, N 18
- InjectionZeroMagma, R 319
- InnerAutomorphism, R 388
- InnerAutomorphismNC, R 388
- InnerAutomorphismsAutomorphismGroup, R 389
- inner product, of group characters, R 774
- In Parent Attributes, *E 47*
- InParentFOA, E 48
- Input-Output Streams, *R 105*
- InputLogTo, R 95
 - for streams, R 102
 - stop logging input, R 95
- InputOutputLocalProcess, R 105
- InputTextFile, R 103
- InputTextNone, R 106
- InputTextString, R 104
- InputTextUser, R 104
- InsertTrivialStabilizer, R 423
- InstallAtExit, R 73
- installation, R 827
- Installation of GAP for MacOS, *R 838*

- Installation of GAP Package Binaries, *E 38*
- Installation Overview, *R 827*
- InstallCharReadHookFunc, *R 106*
- InstalledPackageVersion, *R 844*
- InstallFactorMaintenance, *R 296*
- InstallFlushableValue, *P 32*
- InstallGlobalFunction, *P 32*
- InstallHandlingByNiceBasis, *R 610*
- InstallImmediateMethod, *P 14*
- Installing a GAP Package, *R 842*
- Installing a Help Book, *E 42*
- InstallIsomorphismMaintenance, *R 296*
- InstallMethod, *P 11*
- InstallOtherMethod, *P 12*
- InstallSubsetMaintenance, *R 296*
- InstallTrueMethod, *P 14*
- InstallValue, *P 32*
- Int, *R 127*
 - for cyclotomics, *R 158*
 - for strings, *R 256*
- INT_CHAR, *R 255*
- integer part of a quotient, *R 129*
- Integers, *R 126*
- Integral Bases of Abelian Number Fields, *R 592*
- IntegralizedMat, *R 244*
- IntegratedStraightLineProgram, *R 339*
- IntermediateGroup, *R 369*
- IntermediateResultOfSLP, *R 340*
- IntermediateResultOfSLPWithoutOverwrite, *R 340*
- IntermediateResultsOfSLPWithoutOverwrite, *R 340*
- IntermediateSubgroups, *R 369*
- Internally Represented Cyclotomics, *R 166*
- Internally Represented Strings, *R 251*
- InterpolatedPolynomial, *R 570*
- IntersectBlist, *R 211*
- Intersection, *R 272*
 - for groups with pcgs, *R 448*
- intersection, of collections, *R 272*
 - of sets, *R 197*
- Intersection2, *R 272*
- IntersectionBlist, *R 210*
- IntersectionsTom, *R 712*
- IntersectSet, *R 197*
- IntFFE, *R 584*
- IntFFESymm, *R 584*
- IntHexString, *R 256*
- Introducing new Viewer for the Online Help, *E 45*
- IntScalarProducts, *R 813*
- IntVecFFE, *R 584*
- InvariantBilinearForm, *R 429*
- InvariantElementaryAbelianSeries, *R 368*
- Invariant Forms, *R 429*
- InvariantLattice, *R 431*
- InvariantQuadraticForm, *R 429*
- InvariantSesquilinearForm, *R 429*
- InvariantSubgroupsElementaryAbelianGroup, *R 375*
- Inverse, *R 292*
- inverse, group homomorphism, *R 384*
 - matrix, *R 223*
 - of class function, *R 769*
- InverseAttr, *R 292*
- InverseClasses, *R 736*
- InverseGeneralMapping, *R 302*
- InverseImmutable, *R 292*
- InverseMap, *R 808*
- InverseMatMod, *R 237*
- InverseMutable, *R 292*
- InverseOp, *R 292*
- InverseRepresentative, *R 422*
- InverseSameMutability, *R 292*
- InverseSM, *R 292*
- Invoking the Help, *R 22*
- Irr, *R 731*
- irrationalities, *R 157*
- IrrBaumClausen, *R 748*
- IrrConlon, *R 748*
- IrrDixonSchneider, *R 748*
- Irreducibility Tests, *R 695*
- irreducible character, *R 773*
- irreducible characters, computation, *R 751*
- IrreducibleDifferences, *R 780*
- Irreducible Maximal Finite Integral Matrix Groups, *R 528*
- IrreducibleModules, *R 750*
 - for groups with pcgs, *R 448*
- IrreducibleRepresentations, *R 749*
- IrreducibleRepresentationsDixon, *R 750*
- IrreducibleSolvableGroup, *R 527*
- IrreducibleSolvableGroupMS, *R 527*
- Irreducible Solvable Matrix Groups, *R 527*
- Is16BitsFamily, *R 335*
- Is32BitsFamily, *R 335*
- Is8BitsFamily, *R 335*

- IsAbelian, R 321
 - for character tables, R 733
- IsAbelianNumberField, R 591
- IsAbelianNumberFieldPolynomialRing, R 679
- IsAbelianTom, R 709
- IsAdditiveElement, R 297
- IsAdditiveElementWithInverse, R 297
- IsAdditiveElementWithZero, R 297
- IsAdditiveGroup, R 556
- IsAdditiveGroupGeneralMapping, R 309
- IsAdditiveGroupHomomorphism, R 309
- IsAdditivelyCommutative, R 557
- IsAdditivelyCommutativeElement, R 299
- IsAdditivelyCommutativeElementCollColl, R 299
- IsAdditivelyCommutativeElementCollection, R 299
- IsAdditivelyCommutativeElementFamily, R 299
- IsAdditiveMagma, R 555
- IsAdditiveMagmaWithInverses, R 556
- IsAdditiveMagmaWithZero, R 555
- IsAlgebra, R 619
- IsAlgebraGeneralMapping, R 310
- IsAlgebraHomomorphism, R 310
- IsAlgebraicElement, R 690
- IsAlgebraicExtension, R 689
- IsAlgebraModuleElement, R 631
- IsAlgebraModuleElementCollection, R 631
- IsAlgebraModuleElementFamily, R 631
- IsAlgebraWithOne, R 619
- IsAlgebraWithOneGeneralMapping, R 310
- IsAlgebraWithOneHomomorphism, R 310
- IsAlphaChar, R 252
- IsAlternatingGroup, R 415
- IsAnticommutative, R 565
- IsAntisymmetricBinaryRelation, R 313
- IsAssociated, R 566
- IsAssociative, R 321
- IsAssociativeElement, R 299
- IsAssociativeElementCollColl, R 299
- IsAssociativeElementCollection, R 299
- IsAssocWord, R 328
- IsAssocWordWithInverse, R 328
- IsAssocWordWithOne, R 328
- IsAttributeStoringRep, P 38
- IsAutomorphismGroup, R 389
- IsBasicWreathLessThanOrEqual, R 331
- IsBasicWreathProductOrdering, R 283
- IsBasis, R 599
- IsBasisByNiceBasis, R 610
- IsBasisOfAlgebraModuleElementSpace, R 632
- IsBergerCondition, R 821
- IsBijection, T 79
- IsBijective, R 304
- IsBinaryRelation, R 312
 - same as IsEndoGeneralMapping, R 312
- IsBLetterAssocWordRep, R 335
- IsBLetterWordsFamily, R 335
- IsBlist, R 209
- IsBlockMatrixRep, R 238
- IsBool, R 169
- IsBound, for lists, R 178
- IsBound and Unbind for Lists, *R 178*
- IsBound and Unbind for Records, *R 263*
- IsBOundElmWPObj, E 52
- IsBoundGlobal, R 45
- IsBrauerTable, R 727
- IsBravaisGroup, R 431
- IsBuiltFromAdditiveMagmaWithInverses, R 344
- IsBuiltFromGroup, R 344
- IsBuiltFromMagma, R 344
- IsBuiltFromMagmaWithInverses, R 344
- IsBuiltFromMagmaWithOne, R 344
- IsBuiltFromSemigroup, R 344
- IsCanonicalBasis, R 602
- IsCanonicalBasisFullMatrixModule, R 606
- IsCanonicalBasisFullRowModule, R 606
- IsCanonicalNiceMonomorphism, R 387
- IsCanonicalPcgs, R 439
- IsCentral, R 321
- IsCentralFactor, R 380
- IsChainTypeGroup, N 19
- IsChar, R 248
- IsCharacter, R 773
- IsCharacteristicSubgroup, R 350
- IsCharacterTable, R 727
- IsCharacterTableInProgress, R 727
- IsCharCollection, R 248
- IsCheapConwayPolynomial, R 587
- IsClassFunction, R 764
- IsClassFusionOfNormalSubgroup, R 742
- IsClosedStream, R 97
- IsCochain, R 653
- IsCochainCollection, R 653
- IsCollection, R 265
- IsCollectionFamily, R 265

- IsCommutative, R 321
- IsCommutativeElement, R 299
- IsCommutativeElementCollColl, R 299
- IsCommutativeElementCollection, R 299
- IsComponentObjectRep, P 38
- IsCompositionMappingRep, R 302
- IsConfluent, R 342
 - for pc groups, R 453
- IsConjugacyClassSubgroupsByStabilizerRep, R 371
- IsConjugacyClassSubgroupsRep, R 371
- IsConjugate, R 359
- IsConjugatorAutomorphism, R 388
- IsConjugatorIsomorphism, R 388
- IsConstantRationalFunction, R 671
- IsConstantTimeAccessGeneralMapping, R 310
- IsConstantTimeAccessList, R 173
- IsContainedInSpan, R 604
- IsCopyable, R 113
- IsCyc, R 158
- IsCyclic, R 364
 - for character tables, R 733
- IsCyclicTom, R 709
- IsCyclotomic, R 158
- IsCyclotomicField, R 591
- IsCyclotomicMatrixGroup, R 430
- IsDenseList, R 172
- IsDiagonalMat, R 225
- IsDictionary, N 9
- IsDigitChar, R 252
- IsDirectoryPath, R 93
- IsDistributive, R 565
- IsDivisionRing, R 575
- IsDomain, R 289
- IsDoneIterator, R 276
- IsDoubleCoset, R 357
- IsDuplicateFree, R 193
- IsDuplicateFreeList, R 193
- IsDxLargeGroup, R 752
- IsElementaryAbelian, R 364
 - for character tables, R 733
- IsElementOfFpMonoid, R 547
- IsElementOfFpSemigroup, R 547
- IsElementOfFreeMagmaRing, R 662
- IsElementOfFreeMagmaRingCollection, R 662
- IsElementOfFreeMagmaRingFamily, R 662
- IsElementOfMagmaRingModuloRelations, R 663
- IsElementOfMagmaRingModuloRelations-Collection, R 663
- IsElementOfMagmaRingModuloRelationsFamily, R 663
- IsElementOfMagmaRingModuloSpanOfZeroFamily, R 664
- IsEmpty, R 270
- IsEmptyString, R 251
- IsEndOfStream, R 100
- IsEndoGeneralMapping, R 310
 - same as IsBinaryRelation, R 312
- IsEqualSet, R 196
- IsEquivalenceClass, R 316
- IsEquivalenceRelation, R 313
- IsEuclideanRing, R 567
- IsEvenInt, R 127
- IsExecutableFile, R 93
- IsExistingFile, R 93
- IsExtAElement, R 297
- IsExternalOrbit, R 407
- IsExternalSet, R 406
- IsExternalSubset, R 407
- IsExtLElement, R 297
- IsExtRElement, R 297
- IsFamilyPcgs, R 451
- IsFFE, R 581
- IsFFECollColl, R 581
- IsFFECollection, R 581
- IsField, R 575
- IsFieldControlledByGaloisGroup, R 578
- IsFieldHomomorphism, R 310
- IsFinite, R 270
 - for character tables, R 733
- IsFiniteDimensional, R 573
 - for matrix algebras, R 620
- IsFiniteFieldPolynomialRing, R 679
- IsFinitelyGeneratedGroup, R 365
- IsFiniteOrderElement, R 299
- IsFiniteOrderElementCollColl, R 299
- IsFiniteOrderElementCollection, R 299
- IsFiniteOrdersPcgs, R 435
- IsFixedStabilizer, R 424
- IsFLMLOR, R 619
- IsFLMLORWithOne, R 619
- IsFpGroup, R 461
- IsFpMonoid, R 547
- IsFpSemigroup, R 547
- IsFreeGroup, R 329

- IsFreeLeftModule, R 573
- IsFreeMagmaRing, R 661
- IsFreeMagmaRingWithOne, R 661
- IsFromFpGroupGeneralMappingByImages, R 393
- IsFromFpGroupHomomorphismByImages, R 393
- IsFromFpGroupStdGensGeneralMappingByImages, R 393
- IsFromFpGroupStdGensHomomorphismByImages, R 393
- IsFullHomModule, R 609
- IsFullMatrixModule, R 574
- IsFullRowModule, R 574
- IsFullSubgroupGLorSLRespectingBilinearForm, R 429
- IsFullSubgroupGLorSLRespectingQuadraticForm, R 430
- IsFullSubgroupGLorSLRespectingSesquilinearForm, R 429
- IsFullTransformationSemigroup, R 538
- IsFunc, T 79
- IsFunction, R 63
- IsGAPRandomSource, R 136
- IsGaussianIntegers, R 595
- IsGaussianRationals, R 590
- IsGaussianSpace, R 604
- IsGaussInt, R 160
- IsGaussRat, R 160
- IsGeneralizedDomain, R 289
- IsGeneralizedRowVector, R 184
- IsGeneralLinearGroup, R 428
- IsGeneralMapping, R 310
- IsGeneralMappingFamily, R 311
- IsGeneratorsOf *Struct*, R 286
- IsGL, R 428
- IsGlobalRandomSource, R 136
- IsGreensClass, R 540
- IsGreensDClass, R 540
- IsGreensDRelation, R 540
- IsGreensHClass, R 540
- IsGreensHRelation, R 540
- IsGreensJClass, R 540
- IsGreensJRelation, R 540
- IsGreensLClass, R 540
- IsGreensLessThanOrEqual, R 540
- IsGreensLRelation, R 540
- IsGreensRClass, R 540
- IsGreensRelation, R 540
- IsGreensRRelation, R 540
- IsGroup, R 348
- IsGroupGeneralMapping, R 308
- IsGroupGeneralMappingByAsGroupGeneralMappingByImages, R 393
- IsGroupGeneralMappingByImages, R 393
- IsGroupGeneralMappingByPcgs, R 393
- IsGroupHClass, R 541
- IsGroupHomomorphism, R 308
- IsGroupOfAutomorphisms, R 389
- IsGroupRing, R 661
- IsHandledByNiceBasis, R 574
 - for vector spaces, R 610
- IsHandledByNiceMonomorphism, R 387
- IsHash, N 10
- IsHasseDiagram, R 313
- IsHomCoset, N 13
- IsHomCosetOfAdditiveElt, N 14
- IsHomCosetOfFp, N 14
- IsHomCosetOfMatrix, N 14
- IsHomCosetOfPerm, N 14
- IsHomCosetOfTuple, N 14
- IsHomCosetToAdditiveElt, N 13
- IsHomCosetToAdditiveEltRep, N 13
- IsHomCosetToFp, N 13
- IsHomCosetToFpRep, N 13
- IsHomCosetToMatrix, N 13
- IsHomCosetToMatrixRep, N 13
- IsHomCosetToObjectRep, N 13
- IsHomCosetToPerm, N 13
- IsHomCosetToPermRep, N 13
- IsHomCosetToTuple, N 13
- IsHomCosetToTupleRep, N 13
- IsHomogeneousList, R 173
- IsIdempotent, R 292
- IsIdenticalObj, R 111, T 24
- IsInChain, N 19
- IsIncomparableUnder, R 279
- IsInducedFromNormalSubgroup, R 823
- IsInducedPcgs, R 438
- IsInducedPcgsWrtSpecialPcgs, R 446
- IsInfBitsFamily, R 335
- IsInfinity, R 160
- IsInjective, R 304
- IsInnerAutomorphism, R 388
- IsInputOutputStream, R 105
- IsInputStream, R 97
- IsInputTextNone, R 97
- IsInputTextStream, R 97

- IsInt, R 127
- IsIntegerMatrixGroup, R 431
- IsIntegers, R 126
- IsIntegralBasis, R 602
- IsIntegralCyclotomic, R 158
- IsIntegralRing, R 564
- IsInternallyConsistent, R 115
 - for character tables, R 742
 - for tables of marks, R 710
- IsIrreducibleCharacter, R 773
- IsIrreducibleRingElement, R 566
- IsIterator, R 276
- IsJacobianElement, R 299
- IsJacobianElementCollColl, R 299
- IsJacobianElementCollection, R 299
- IsJacobianRing, R 565
- IsLaurentPolynomial, R 670
- IsLaurentPolynomialDefaultRep, R 686
- IsLDDistributive, R 565
- IsLeftAlgebraModuleElement, R 631
- IsLeftAlgebraModuleElementCollection, R 631
- IsLeftIdeal, R 562
- IsLeftIdealInParent, R 562
- IsLeftModule, R 571
- IsLeftModuleGeneralMapping, R 309
- IsLeftModuleHomomorphism, R 309
- IsLeftOperatorAdditiveGroup, R 571
- IsLeftSemigroupIdeal, R 538
- IsLeftVectorSpace, R 596
- IsLessThanOrEqualUnder, R 279
- IsLessThanUnder, R 279
- IsLetterAssocWordRep, R 334
- IsLetterWordsFamily, R 334
- IsLexicographicallyLess, R 199
- IsLexOrderedFFE, R 582
- IsLieAbelian, R 642
- IsLieAlgebra, R 619
- IsLieMatrix, R 222
- IsLieNilpotent, R 642
- IsLieObject, R 637
- IsLieObjectCollection, R 637
- IsLieSolvable, R 642
- IsLinearMapping, R 309
- IsLinearMappingsModule, R 609
- IsList, R 172
- IsListDefault, R 184
- IsListOrCollection, R 266
- IsLogOrderedFFE, R 582
- IsLookupDictionary, N 9
- IsLowerAlphaChar, R 252
- IsLowerTriangularMat, R 225
- IsMagma, R 317
- IsMagmaHomomorphism, R 307
- IsMagmaRingModuloRelations, R 663
- IsMagmaRingModuloSpanOfZero, R 664
- IsMagmaWithInverses, R 317
- IsMagmaWithInversesIfNonzero, R 317
- IsMagmaWithOne, R 317
- IsMapping, R 303
- IsMat, T 79
- IsMatchingSublist, R 193
- IsMatrix, R 221
- IsMatrixGroup, R 427
- IsMatrixModule, R 574
- IsMatrixSpace, R 604
- IsMersenneTwister, R 136
- IsMinimalNonmonomial, R 826
- IsModuloPcgs, R 440
- IsMonoid, R 543
- IsMonomial, for characters, R 823
 - for character tables, R 733
 - for groups, R 823
 - for positive integers, R 824
- IsMonomialGroup, R 364
- IsMonomialMatrix, R 225
- IsMonomialNumber, R 824
- IsMonomialOrdering, R 680
- IsMultiplicativeElement, R 297
- IsMultiplicativeElementWithInverse, R 298
- IsMultiplicativeElementWithOne, R 298
- IsMultiplicativeElementWithZero, R 298
- IsMultiplicativeGeneralizedRowVector, R 184
- IsMultiplicativeZero, R 321
- IsMutable, R 113
- IsMutableBasis, R 603
- IsNaturalAlternatingGroup, R 414
- IsNaturalGL, R 429
- IsNaturalGLnZ, R 431
- IsNaturalSL, R 429
- IsNaturalSLnZ, R 431
- IsNaturalSymmetricGroup, R 414
- IsNearAdditiveElement, R 297
- IsNearAdditiveElementWithInverse, R 297
- IsNearAdditiveElementWithZero, R 297
- IsNearAdditiveGroup, R 555
- IsNearAdditiveMagma, R 555

- IsNearAdditiveMagmaWithInverses, R 555
- IsNearAdditiveMagmaWithZero, R 555
- IsNearlyCharacterTable, R 727
- IsNearRingElement, R 298
- IsNearRingElementWithInverse, R 298
- IsNearRingElementWithOne, R 298
- IsNegRat, R 146
- IsNilpotent, for character tables, R 733
 - for groups with pcgs, R 448
- IsNilpotentElement, R 649
- IsNilpotentGroup, R 364
- IsNilpotentTom, R 709
- IsNonassocWord, R 324
- IsNonassocWordCollection, R 324
- IsNonassocWordWithOne, R 324
- IsNonassocWordWithOneCollection, R 324
- IsNonnegativeIntegers, R 126
- IsNonSPGeneralMapping, R 311
- IsNonTrivial, R 270
- IsNormal, R 349
- IsNormalBasis, R 602
- IsNotIdenticalObj, R 112
- IsNumberField, R 591
- IsObject, R 110
- IsOddInt, R 127
- isomorphic, pc group, R 454
- IsomorphicSubgroups, R 391
- IsomorphismFpAlgebra, R 628
- IsomorphismFpGroup, R 470
 - for subgroups of fp groups, R 472
- IsomorphismFpGroupByGenerators, R 470
- IsomorphismFpGroupByGeneratorsNC, R 470
- IsomorphismFpGroupByPcgs, R 452
- IsomorphismFpSemigroup, R 548
- IsomorphismGroups, R 391
- IsomorphismMatrixAlgebra, R 628
- IsomorphismPcGroup, R 455
- IsomorphismPermGroup, R 414
 - for Imf matrix groups, R 534
- IsomorphismPermGroupImfGroup, R 535
- IsomorphismReesMatrixSemigroup, R 542
- IsomorphismRefinedPcGroup, R 454
- IsomorphismRepStruct, R 287
- isomorphisms, find all, R 391
- IsomorphismSCAlgebra, R 629
- IsomorphismSimplifiedFpGroup, R 473
- IsomorphismSpecialPcGroup, R 455
- Isomorphisms vs. Isomorphic Structures, *T* 84
- IsomorphismTransformationSemigroup, R 538
- IsomorphismTypeInfoFiniteSimpleGroup, R 365
- IsOne, R 292
- IsOperation, R 63
- IsOrdering, R 278
- IsOrderingOnFamilyOfAssocWords, R 280
- IsOrdinaryMatrix, R 221
- IsOrdinaryTable, R 727
- IsOutputStream, R 98
- IsOutputTextNone, R 98
- IsOutputTextStream, R 98
- IsPadicExtensionNumber, R 693
- IsPadicExtensionNumberFamily, R 693
- IsParentPcgsFamilyPcgs, R 451
- IsPartialOrderBinaryRelation, R 313
- IsPcGroup, R 452
- IsPcGroupGeneralMappingByImages, R 393
- IsPcGroupHomomorphismByImages, R 393
- IsPcgs, R 434
- IsPcgsCentralSeries, R 442
- IsPcgsChiefSeries, R 443
- IsPcgsElementaryAbelianSeries, R 442
- IsPcgsPCentralSeriesPGroup, R 443
- IsPerfect, for character tables, R 733
- IsPerfectGroup, R 364
- IsPerfectTom, R 709
- IsPerm, R 409
- IsPermCollColl, R 409
- IsPermCollection, R 409
- IsPermGroup, R 413
- IsPermGroupGeneralMappingByImages, R 393
- IsPermGroupHomomorphismByImages, R 393
- IsPGroup, R 365
- IsPNilpotent, R 366
- IsPolycyclicGroup, R 364
- IsPolynomial, R 670
- IsPolynomialDefaultRep, R 686
- IsPolynomialFunction, R 669
- IsPolynomialFunctionsFamily, R 684
- IsPolynomialRing, R 679
- IsPosInt, R 127
- IsPositiveIntegers, R 126
- IsPosRat, R 146
- IsPreimagesByAsGroupGeneralMappingByImages, R 393
- IsPreOrderBinaryRelation, R 313
- IsPrime, R 566
- IsPrimeField, R 577

- IsPrimeInt, R 131
- IsPrimeOrdersPcgs, R 435
- IsPrimePowerInt, R 132
- IsPrimitive, R 405
- IsPrimitiveCharacter, R 822
- IsPrimitivePolynomial, R 671
- IsPrimitiveRootMod, R 140
- IsProbablyPrimeInt, R 131
- IsPseudoCanonicalBasisFullHomModule, R 609
- IsPSolvable, R 366
- IsPSolvableCharacterTable, R 742
- IsPSolvableCharacterTableOp, R 742
- IsPurePadicNumber, R 692
- IsPurePadicNumberFamily, R 692
- IsQuasiPrimitive, R 822
- IsQuaternion, R 620
- IsQuaternionCollColl, R 620
- IsQuaternionCollection, R 620
- IsQuickPositionList, R 208
- IsQuotientSemigroup, R 539
- IsRandomSource, R 136
- IsRange, R 207
- IsRat, R 145
- IsRationalFunction, R 669
- IsRationalFunctionDefaultRep, R 686
- IsRationalFunctionsFamily, R 684
- IsRationalMatrixGroup, R 430
- IsRationals, R 145
- IsRationalsPolynomialRing, R 679
- IsRDBistributive, R 565
- IsReadableFile, R 93
- IsReadOnlyGlobal, R 44
- IsRec, T 79
- IsRecord, R 259
- IsRecordCollColl, R 259
- IsRecordCollection, R 259
- IsReduced, R 343
- IsReductionOrdering, R 280
- IsReesCongruence, R 539
- IsReesCongruenceSemigroup, R 538
- IsReesMatrixSemigroup, R 541
- IsReesMatrixSemigroupElement, R 542
- IsReesZeroMatrixSemigroup, R 541
- IsReesZeroMatrixSemigroupElement, R 542
- IsReflexiveBinaryRelation, R 312
- IsRegular, R 404
- IsRegularDClass, R 541
- IsRegularSemigroup, R 537
- IsRegularSemigroupElement, R 537
- IsRelativelySM, R 825
- IsRestrictedLieAlgebra, R 647
- IsRewritingSystem, R 342
- IsRightAlgebraModuleElement, R 631
- IsRightAlgebraModuleElementCollection, R 631
- IsRightCoset, R 355
- IsRightIdeal, R 562
- IsRightIdealInParent, R 562
- IsRightModule, R 572
- IsRightOperatorAdditiveGroup, R 571
- IsRightSemigroupIdeal, R 538
- IsRing, R 559
- IsRingElement, R 298
- IsRingElementWithInverse, R 298
- IsRingElementWithOne, R 298
- IsRingGeneralMapping, R 310
- IsRingHomomorphism, R 310
- IsRingWithOne, R 563
- IsRingWithOneGeneralMapping, R 310
- IsRingWithOneHomomorphism, R 310
- IsRootSystem, R 644
- IsRootSystemFromLieAlgebra, R 644
- IsRowModule, R 574
- IsRowSpace, R 604
- IsRowVector, R 213
- IsScalar, R 298
- IsSemiEchelonized, R 605
- IsSemigroup, R 536
- IsSemigroupCongruence, R 539
- IsSemigroupIdeal, R 538
- IsSemiRegular, R 404
- IsSet, R 193, T 79
- IsShortLexLessThanOrEqual, R 331
- IsShortLexOrdering, R 281
- IsSimple, for character tables, R 733
- IsSimpleAlgebra, R 620
- IsSimpleGroup, R 364
- IsSimpleSemigroup, R 537
- IsSingleValued, R 303
- IsSL, R 429
- IsSolvable, for character tables, R 733
- IsSolvableGroup, R 364
- IsSolvableTom, R 709
- IsSortedList, R 193
- IsSpecialLinearGroup, R 429
- IsSpecialPcgs, R 445
- IsSPGeneralMapping, R 311

- IsSporadicSimple, for character tables, R 733
- IsSSortedList, R 193
- IsStandardGeneratorsOfGroup, R 715
- IsStraightLineProgElm, R 340
- IsStraightLineProgram, R 336
- IsStream, R 97
- IsString, R 248
- IsStringRep, R 251
- IsStruct, R 287
- IsSubgroup, R 349
- IsSubgroupFpGroup, R 461
- IsSubgroupOfWholeGroupByQuotientRep, R 474
- IsSubgroupSL, R 429
- IsSubmonoidFpMonoid, R 546
- IsSubnormal, R 350
- IsSubnormallyMonomial, R 825
- IsSubsemigroupFpSemigroup, R 546
- IsSubset, R 272
- IsSubsetBlist, R 210
- IsSubsetLocallyFiniteGroup, R 365
- IsSubsetSet, R 196
- IsSubspacesVectorSpace, R 598
- IsSubstruct, R 289
- IsSupersolvable, for character tables, R 733
 - for groups with pcgs, R 448
- IsSupersolvableGroup, R 364
- IsSurjective, R 304
- IsSyllableAssocWordRep, R 335
- IsSyllableWordsFamily, R 335
- IsSymmetricBinaryRelation, R 313
- IsSymmetricGroup, R 415
- IsTable, R 173
- IsTableOfMarks, R 705
- IsTableOfMarksWithGens, R 716
- IsToPcGroupGeneralMappingByImages, R 393
- IsToPcGroupHomomorphismByImages, R 393
- IsToPermGroupGeneralMappingByImages, R 393
- IsToPermGroupHomomorphismByImages, R 393
- IsTotal, R 303
- IsTotalOrdering, R 279
- IsTransformation, R 552
- IsTransformationCollection, R 552
- IsTransformationMonoid, R 538
- IsTransformationSemigroup, R 538
- IsTransitive, for characters, R 776
 - for class functions, R 776
 - for group actions, R 404
- IsTransitiveBinaryRelation, R 313
- IsTranslationInvariantOrdering, R 280
- IsTrivial, R 270
- IsTuple, R 301
- IsTwoSidedIdeal, R 562
- IsTwoSidedIdealInParent, R 562
- IsUEALatticeElement, R 656
- IsUEALatticeElementCollection, R 656
- IsUEALatticeElementFamily, R 656
- IsUniqueFactorizationRing, R 564
- IsUnit, R 565
- IsUnivariatePolynomial, R 670
- IsUnivariatePolynomialRing, R 680
- IsUnivariateRationalFunction, R 670
- IsUnknown, R 167
- IsUpperAlphaChar, R 252
- IsUpperTriangularMat, R 225
- IsValidIdentifier, R 42
- IsVector, R 298
- IsVectorSpace, R 596
- IsVirtualCharacter, R 773
- IsWeightLexOrdering, R 282
- IsWeightRepElement, R 657
- IsWeightRepElementCollection, R 657
- IsWeightRepElementFamily, R 657
- IsWellFoundedOrdering, R 279
- IsWeylGroup, R 645
- IsWholeFamily, R 271
- IsWLetterAssocWordRep, R 335
- IsWLetterWordsFamily, R 335
- IsWord, R 323
- IsWordCollection, R 324
- IsWordWithInverse, R 323
- IsWordWithOne, R 323
- IsWreathProductOrdering, R 283
- IsWritableFile, R 93
- IsZero, R 292
- IsZeroGroup, R 538
- IsZeroSimpleSemigroup, R 537
- IsZeroSquaredElement, R 300
- IsZeroSquaredElementCollColl, R 300
- IsZeroSquaredElementCollection, R 300
- IsZeroSquaredRing, R 565
- IsZmodnZObj, R 135
- IsZmodnZObjNonprime, R 135
- IsZmodpZObj, R 135
- IsZmodpZObjLarge, R 135
- IsZmodpZObjSmall, R 135
- Iterated, R 204

Iterator, R 275
 iterator, for low index subgroups, R 469
 IteratorByBasis, R 601
 IteratorByFunctions, R 277
 IteratorList, R 277
 Iterators, *R 275*
 IteratorSorted, R 276

J

j_N , R 162
 Jacobi, R 140
 JenningsLieAlgebra, R 648
 JenningsSeries, R 369
 JoinEquivalenceRelations, R 315
 JoinStringsWithSeparator, R 254
 JordanDecomposition, R 234

K

k_N , R 162
 KappaPerp, R 649
 KB_REW, R 550
 kernel, T 55
 KernelOfAdditiveGeneralMapping, R 309
 KernelOfCharacter, R 775
 KernelOfMultiplicativeGeneralMapping, R 308
 KernelOfTransformation, R 553
 KeyDependentOperation, E 46
 Key Dependent Operations, *E 46*
 Keywords, *R 41*
 KillingMatrix, R 649
 KnownAttributesOfObject, R 121, T 75
 Known Problems of the Configure Process, *R 834*
 KnownPropertiesOfObject, R 124, T 75
 KnownTruePropertiesOfObject, R 124, T 75
 KnowsDictionary, N 9
 KnowsHowToDecompose, R 381
 KnuthBendixRewritingSystem, R 551
 Krasner-Kaloujnine theorem, R 506
 KroneckerProduct, R 227
 KuKGenerators, R 506

L

l_N , R 162
 Labels and References, *E 15*
 Lambda, R 138
 Language Overview, *R 39*
 larger or equal, R 47
 larger test, R 47
 LargestElementGroup, R 377

LargestElementStabChain, R 422
 LargestMovedPoint, R 410
 LargestUnknown, R 167
 last, R 64, T 24
 last2, T 24
 last3, T 24
 LastSystemError, R 90
 LaTeXStringDecompositionMatrix, R 740
 lattice base reduction, R 245
 lattice basis reduction, for virtual characters, R 780
 LatticeByCyclicExtension, R 374
 LatticeGeneratorsInUEA, R 656
 Lattice Reduction, *R 244*
 LatticeSubgroups, R 372
 LatticeSubgroupsByTom, R 703
 LaurentPolynomialByCoefficients, R 677
 LaurentPolynomialByExtRep, R 687
 LaurentPolynomialByExtRepNC, R 687
 Laurent Polynomials, *R 677*
 LClassOfHClass, R 540
 Lcm, R 569
 LcmInt, R 130
 LcmOp, R 569
 LeadCoeffsIGS, R 439
 LeadingCoefficient, R 672
 LeadingCoefficientOfPolynomial, R 681
 LeadingExponentOfPcElement, R 436
 LeadingMonomial, R 673
 LeadingMonomialOfPolynomial, R 680
 LeadingTermOfPolynomial, R 680
 Leaving GAP, *R 73*
 leaving GAP, T 18
 LeftActingAlgebra, R 632
 LeftActingDomain, R 572
 LeftActingRingOfIdeal, R 563
 LeftAlgebraModule, R 630
 LeftAlgebraModuleByGenerators, R 630
 left cosets, R 355
 LeftDerivations, R 639
 LeftIdeal, R 561
 LeftIdealByGenerators, R 562
 LeftIdealNC, R 562
 LeftModuleByGenerators, R 572
 LeftModuleByHomomorphismToMatAlg, R 633
 LeftModuleGeneralMappingByImages, R 607
 LeftModuleHomomorphismByImages, R 607
 LeftModuleHomomorphismByImagesNC, R 607
 LeftModuleHomomorphismByMatrix, R 608

- LeftQuotient, R 294
 - for words, R 332
- LeftShiftRowVector, R 217
- legacy, R 846
- Legendre, R 141
- Length, R 194
 - of an associative word, R 332
- length, of a word, R 332
- LengthsTom, R 706
- LengthWord, T 79
- LengthWPObj, E 52
- LenstraBase, R 593
- LessThanFunction, R 279
- LessThanOrEqualFunction, R 279
- LetterRepAssocWord, R 335
- LevelsOfGenerators, R 283
- LeviMalcevDecomposition, R 625
 - for Lie algebras, R 643
- Lexical Structure, R 40
- LexicographicOrdering, R 280
- LGFirst, R 446
- LGLayers, R 446
- LGLength, R 446
- LGWeights, R 445
- library tables, R 724
- LieAlgebra, R 638
- LieAlgebraByStructureConstants, R 638
- LieBracket, R 294
- LieCenter, R 640
- LieCentralizer, R 640
- LieCentre, R 640
- LieCoboundaryOperator, R 653
- LieDerivedSeries, R 641
- LieDerivedSubalgebra, R 641
- LieFamily, R 638
- LieLowerCentralSeries, R 642
- LieNilRadical, R 641
- LieNormalizer, R 640
- LieObject, R 637
- Lie objects, R 637
- LieSolvableRadical, R 641
- LieUpperCentralSeries, R 642
- LiftedInducedPcgs, R 441
- LiftedPcElement, R 441
- LinearAction, R 447
- LinearActionLayer, R 447
- LinearCharacters, R 732
- LinearCombination, R 601
- LinearCombinationPcgs, R 436
- Linear equations over the integers and Integral Matrices, R 239
- LinearIndependentColumns, R 244
- Linear Mappings, R 309
- LinearOperation, R 447
- LinearOperationLayer, R 447
- Line Editing, R 74
- line editing, T 20
- LinesOfStraightLineProgram, R 337
- List, R 201
- list and non-list, difference, R 186
 - left quotient, R 188
 - mod, R 188
 - product, R 187
 - quotient, R 188
- List Assignment, R 176
- list assignment, operation, R 174
- ListBlist, R 210
- list boundedness test, operation, R 174
- List Categories, R 172
- list element, access, R 174
 - assignment, R 176
 - operation, R 174
- List Elements, R 174
- list environment, compact description, E 21
 - description, E 20
 - ordered, E 21
 - unordered, E 21
- list equal, comparison, R 182
- ListN, R 204
- list of available books, R 23
- List Operations, T 35
- ListPerm, R 412
- lists, dense, T 29
 - strictly sorted, T 31
- lists, identical, T 29
 - plain, T 27
- Lists and Collections, R 266
- list smaller, comparison, R 183
- ListStabChain, R 422
- list unbind, operation, R 174
- ListWithIdenticalEntries, R 189
- ListX, R 205
- LLL, R 780
- LLL algorithm, for Gram matrices, R 245
 - for vectors, R 244
 - for virtual characters, R 780

LLLReducedBasis, R 244
 LLLReducedGramMat, R 245
 LoadDynamicModule, R 35
 Loading a GAP Package, *R 842*
 loading a saved workspace, R 37
 loading source code from a file, T 19
 LoadPackage, R 842
 local, R 55
 Local Variables, *T 41*
 logarithm, discrete, R 140
 of a root of unity, R 160
 LogFFE, R 583
 logical, R 169
 Logical Implications, *P 14*
 logical operations, R 170
 LogInt, R 128
 LogMod, R 139
 LogModShanks, R 139
 LogTo, R 95
 for streams, R 102
 stop logging, R 95
 LongestWeylWordPerm, R 646
 LookupDictionary, N 9
 loop, read eval print, R 64
 loop, for, R 53
 repeat, R 52
 while, R 52
 loop over iterator, R 54
 loop over object, R 54
 loop over range, R 53
 loops, leaving, R 55
 restarting, R 55
 loops, for, *T 33*
 while, *T 33*
 LowercaseString, R 253
 LowerCentralSeriesOfGroup, R 368
 Low Index Subgroups, *R 469*
 LowIndexSubgroupsFpGroup, R 469
 LowIndexSubgroupsFpGroupIterator, R 469
 Low Level Access Functions for Weak Pointer
 Objects, *E 52*
 Low Level Routines to Modify and Create Stabilizer
 Chains, *R 423*
 Lucas, R 155

M

m_N , R 162
 Macintosh, R 837

MacOS, R 838
 Magma, R 318
 MagmaByGenerators, R 318
 MagmaByMultiplicationTable, R 319
 Magma Categories, *R 317*
 MagmaElement, R 319
 Magma Generation, *R 318*
 MagmaHomomorphismByFunctionNC, R 307
 Magma Homomorphisms, *R 307*
 MagmaRingModuloSpanOfZero, R 664
 Magma Rings modulo Relations, *R 663*
 Magma Rings modulo the Span of a Zero Element,
 R 664
 Magmas Defined by Multiplication Tables, *R 319*
 MagmaWithInverses, R 318
 MagmaWithInversesByGenerators, R 318
 MagmaWithInversesByMultiplicationTable,
 R 319
 MagmaWithOne, R 318
 MagmaWithOneByGenerators, R 318
 MagmaWithOneByMultiplicationTable, R 319
 Main Loop, *R 64*
 MakeConfluent, R 343
 MakeHomChain, N 21
 MakeImmutable, R 113
 makeindex, E 26
 MakeReadOnlyGlobal, R 44
 MakeReadWriteGlobal, R 44
 Making transformation semigroups, *R 538*
 manual.bbl, E 26
 manual.bib, E 26
 manual.dvi, E 26
 manual.lab, E 26
 manual.mst, E 26
 manual.six, E 26
 manual.tex, E 26
 Manual Conventions, *R 20*
 manualindex, E 26
 map, parametrized, R 807
 MappedWord, R 325
 MappingByFunction, R 302
 MappingPermListList, R 412
 Mappings that Respect Addition, *R 309*
 Mappings that Respect Multiplication, *R 308*
 Mappings which are Compatible with Algebraic
 Structures, *R 307*
 maps, R 798
 maps-to operator, T 25

- MarksTom, R 706
- MatAlgebra, R 616
- MatClassMultCoeffsCharTable, R 744
- mathematics alignments, E 23
- mathematics displays, E 23
- MathieuGroup, R 510
- MatLieAlgebra, R 639
- matrices, T 36
 - commutator, R 224
- Matrices as Basis of a Row Space, *R 232*
- Matrices as Linear Mappings, *R 233*
- Matrices over Finite Fields, *R 235*
- Matrices Representing Linear Equations and the Gaussian Algorithm, *R 228*
- MatrixAlgebra, R 616
- MatrixAutomorphisms, R 760
- matrix automorphisms, R 801
- MatrixByBlockMatrix, R 238
- Matrix Constructions, *R 226*
- Matrix Groups in Characteristic 0, *R 430*
- MatrixLieAlgebra, R 639
- MatrixOfAction, R 632
- matrix spaces, R 604
- MatScalarProducts, R 774
- MatTom, R 708
- MaximalAbelianQuotient, R 370
- MaximalBlocks, R 405
- MaximalNormalSubgroups, R 372
- MaximalSubgroupClassReps, R 371
- MaximalSubgroups, R 371
 - for groups with pcgs, R 448
- MaximalSubgroupsLattice, R 373
- MaximalSubgroupsTom, R 712
- Maximum, R 199
- MaximumList, R 200
- MeatAxe Modules, *R 694*
- MeetEquivalenceRelations, R 315
- MeetMaps, R 810
- MeetPartitionStrat, E 59
- meet strategy, E 59
- Membership Test for Collections, *R 274*
- Membership Test for Lists, *R 182*
- method, P 11
- Method Installation, *P 11*
- methods, T 72
 - immediate, T 74
 - selection, T 73
 - true, T 74
- MinimalElementCosetStabChain, R 422
- MinimalGeneratingSet, R 377
 - for groups with pcgs, R 448
- MinimalNonmonomialGroup, R 826
- Minimal Nonmonomial Groups, *R 826*
- MinimalNormalSubgroups, R 372
- MinimalPolynomial, R 674
 - over a field, R 578
 - over a ring, R 674
- Minimal Polynomials, *R 674*
- MinimalStabChain, R 420
- MinimalSupergroupsLattice, R 373
- MinimalSupergroupsTom, R 713
- MinimizedBombieriNorm, R 676
- Minimum, R 200
- MinimumList, R 200
- MinusCharacter, R 816
- Miscellaneous, *R 144*
- Miscellaneous Name Changes or Removed Names, *R 847*
- mod, integers, R 135
 - laurent polynomials, R 668
 - lists, R 188
 - rational, R 48
- mod, R 48
 - arithmetic operators, R 48
 - for character tables, R 731
 - residue class rings, R 134
- modular inverse, R 48
- modular remainder, R 48
- modular roots, R 142
- ModuleByRestriction, R 634
- Module Constructions, *R 694*
- Module Homomorphisms, *R 697*
- ModuleOfExtension, R 457
- Modules over Lie Algebras and Their Cohomology, *R 652*
- Modules over Semisimple Lie Algebras, *R 654*
- modulo, R 48
 - arithmetic operators, R 48
 - for pcgs, R 440
 - residue class rings, R 134
- ModuloPcgs, R 440
- MoebiusMu, R 143
- MoebiusTom, R 708
- Molien Series, *R 787*
- MolienSeries, R 787
- MolienSeriesInfo, R 788

- MolienSeriesWithGivenDenominator, R 789
- Monoid, R 543
- MonoidByGenerators, R 543
- MonoidByMultiplicationTable, R 544
- MonoidOfRewritingSystem, R 551
- MonomialComparisonFunction, R 681
- MonomialExtGrlexLess, R 683
- MonomialExtrepComparisonFun, R 681
- MonomialGrevlexOrdering, R 682
- MonomialGrlexOrdering, R 682
- MonomialLexOrdering, R 681
- Monomial Orderings, *R 680*
- MonomialTotalDegreeLess, R 847
- monomorphisms, find all, R 391
- MorClassLoop, R 391
- More about Boolean Lists, *R 212*
- More About Global Variables, *R 44*
- More about Tables of Marks, *R 700*
- MostFrequentGeneratorFpGroup, R 467
- MovedPoints, R 411
- Moved Points of Permutations, *R 410*
- MTX.BasesCompositionSeries, R 696
- MTX.BasesMaximalSubmodules, R 696
- MTX.BasesMinimalSubmodules, R 695
- MTX.BasesMinimalSupermodules, R 696
- MTX.BasesSubmodules, R 695
- MTX.BasisInOrbit, R 697
- MTX.BasisRadical, R 696
- MTX.BasisSocle, R 696
- MTX.CollectedExceptions, R 696
- MTX.CompositionFactors, R 696
- MTX.DegreeSplittingField, R 695
- MTX.Dimension, R 695
- MTX.Distinguish, R 697
- MTX.Field, R 695
- MTX.Generators, R 695
- MTX.Homomorphism, R 697
- MTX.Homomorphisms, R 697
- MTX.InducedAction, R 696
- MTX.InducedActionFactorMatrix, R 696
- MTX.InducedActionFactorModule, R 696
- MTX.InducedActionMatrix, R 696
- MTX.InducedActionMatrixNB, R 696
- MTX.InducedActionSubmodule, R 696
- MTX.InducedActionSubmoduleNB, R 696
- MTX.InvariantBilinearForm, R 697
- MTX.InvariantQuadraticForm, R 697
- MTX.InvariantSesquilinearForm, R 697
- MTX.IsAbsolutelyIrreducible, R 695
- MTX.IsEquivalent, R 697
- MTX.IsIrreducible, R 695
- MTX.Isomorphism, R 697
- MTX.NormedBasisAndBaseChange, R 696
- MTX.OrthogonalSign, R 697
- MTX.ProperSubmoduleBasis, R 695
- MTX.SubGModule, R 695
- MTX.SubmoduleGModule, R 695
- multiplication, R 48
 - matrices, R 223
 - matrix and matrix list, R 224
 - matrix and scalar, R 222
 - matrix and vector, R 223
 - operation, R 294
 - scalar and matrix, R 222
 - scalar and matrix list, R 224
 - scalar and vector, R 214
 - vector and matrix, R 223
 - vector and matrix list, R 224
 - vector and scalar, R 214
 - vectors, R 214
- MultiplicationTable, R 319
- Multiplicative Arithmetic for Lists, *R 186*
- Multiplicative Arithmetic Functions, *R 142*
- MultiplicativeNeutralElement, R 321
- multiplicative order of an integer, R 139
- MultiplicativeZero, R 321
- MultiplicativeZeroOp, R 291
- multiplicity, of constituents of a group character, R 774
- multiplier, R 380
- multisets, R 195
- Multivariate Polynomials, *R 674*
- MultRowVector, R 217
- Murnaghan components, R 787
- Mutability and Copyability, *R 112*
- Mutability and Copying, *P 29*
- Mutability Status and List Arithmetic, *R 189*
- Mutable Bases, *R 603*
- MutableBasis, R 603
- MutableBasisOfClosureUnderAction, R 622
- MutableBasisOfIdealInNonassociativeAlgebra, R 623
- MutableBasisOfNonassociativeAlgebra, R 623
- MutableCopyMat, R 227
- MutableIdentityMat, R 227
- MutableNullMat, R 227

N

- n_k , R 163
- Name, R 115
- NameFunction, R 61
- NameRNam, R 264
- NamesFilter, R 118
- NamesGVars, R 45
- NamesLocalVariablesFunction, R 61
- NamesOfComponents, P 21
- NamesOfFusionSources, R 805
- NamesSystemGVars, R 45
- NamesUserGVars, R 45
- Naming Conventions, *T* 79
- NaturalCharacter, R 772
- Natural Embeddings related to Magma Rings, *R* 662
- NaturalHomomorphismByGenerators, R 307
- NaturalHomomorphismByIdeal, R 628
- NaturalHomomorphismByNormalSubgroup, R 370
- NaturalHomomorphismByNormalSubgroupNC, R 370
- NaturalHomomorphismBySubAlgebraModule, R 635
- NaturalHomomorphismBySubspace, R 608
- NearAdditiveGroup, R 556
- NearAdditiveGroupByGenerators, R 556
- NearAdditiveMagma, R 556
- NearAdditiveMagmaByGenerators, R 556
- NearAdditiveMagmaWithZero, R 556
- NearAdditiveMagmaWithZeroByGenerators, R 556
- NearlyCharacterTablesFamily, R 728
- negative number, R 48
- NegativeRoots, R 644
- NegativeRootVectors, R 644
- NestingDepthA, R 184
- NestingDepthM, R 185
- New Arithmetic Operations vs. New Objects, *P* 63
- NewAttribute, P 17
 - example, P 37
 - mutable, P 17
- NewCategory, P 16
- NewDictionary, N 9
- NewFamily, P 19
- NewFilter, P 18
- NewInfoClass, R 80
- newline, R 41
- newline character, R 250
- NewmanInfinityCriterion, R 477
- NewOperation, P 18
- New Presentations and Presentations for Subgroups, *R* 472
- NewProperty, P 17
- NewRepresentation, P 17
 - example, P 38
- NewType, P 20
- NextIterator, R 276
- NextPrimeInt, R 132
- NF, R 590
- NiceBasis, R 610
- NiceBasisFiltersInfo, R 611
- NiceFreeLeftModule, R 610
- NiceFreeLeftModuleInfo, R 610
- NiceMonomorphism, R 387
- NiceMonomorphismAutomGroup, R 390
- Nice Monomorphisms, *R* 387, *T* 56
- NiceObject, R 387
- NiceVector, R 610
- NilpotencyClassOfGroup, R 364
- NilpotentQuotientOfFpLieAlgebra, R 651
- NK, R 163
- NOAUTO, R 843
- NOfCyc, *T* 79
- NonabelianExteriorSquare, R 380
- NonnegativeIntegers, R 126
- NonnegIntScalarProducts, R 813
- NonNilpotentElement, R 649
- Norm, R 578
 - of character, R 774
- NormalBase, R 580
- NormalClosure, R 360
- NormalFormIntMat, R 242
- Normal Forms of Integer Matrices - Name Changes, *R* 847
- Normal Forms over the Integers, *R* 240
- NormalIntersection, R 360
- NormalizedElementOfMagmaRingModulo-Relations, R 663
- NormalizedWhitespace, R 254
- Normalizer, R 359
- normalizer, R 359
- NormalizerInGLnZ, R 431
- NormalizerInGLnZBravaisGroup, R 431
- NormalizersTom, R 710
- NormalizerTom, R 710
- NormalizeWhitespace, R 254
- NormalSeriesByPcgs, R 444
- Normal Structure, *R* 359
- NormalSubgroupClasses, R 762
- NormalSubgroupClassesInfo, R 762

NormalSubgroups, R 372
 NormedRowVector, R 215
 NormedRowVectors, R 607
 NormedVectors, R 847
 not, R 171
 Notions of Generation, *T* 69
 NrArrangements, R 150
 NrBasisVectors, R 603
 NrCombinations, R 149
 NrConjugacyClasses, R 358
 for character tables, R 733
 NrConjugacyClassesGL, R 514
 NrConjugacyClassesGU, R 514
 NrConjugacyClassesPGL, R 514
 NrConjugacyClassesPGU, R 514
 NrConjugacyClassesPSL, R 514
 NrConjugacyClassesPSU, R 514
 NrConjugacyClassesSL, R 514
 NrConjugacyClassesSLIsogeneous, R 514
 NrConjugacyClassesSU, R 514
 NrConjugacyClassesSUIsogeneous, R 514
 NrDerangements, R 152
 NrInputsOfStraightLineProgram, R 337
 NrMovedPoints, R 411
 NrOrderedPartitions, R 154
 NrPartitions, R 153
 NrPartitionsSet, R 152
 NrPartitionTuples, R 155
 NrPermutationsList, R 151
 NrPolyhedralSubgroups, R 743
 NrPrimitiveGroups, R 525
 NrRestrictedPartitions, R 154
 NrSubsTom, R 706
 NrTransitiveGroups, R 516
 NrTuples, R 151
 NrUnorderedTuples, R 150
 NullAlgebra, R 617
 NullMat, R 226
 NullspaceIntMat, R 239
 NullspaceMat, R 228
 NullspaceMatDestructive, R 228
 NullspaceModQ, R 237
 Number, R 202
 number, Bell, R 148
 binomial, R 147
 Stirling, of the first kind, R 148
 Stirling, of the second kind, R 149
 NumberArgumentsFunction, R 61

NumberFFVector, R 216
 number field, R 591
 number fields, Galois group, R 594
 NumberIrreducibleSolvableGroups, R 527
 NumberPerfectGroups, R 521
 NumberPerfectLibraryGroups, R 521
 NumberSmallGroups, R 518
 NumberSyllables, R 333
 Numerator, T 79
 numerator, of a rational, R 146
 NumeratorOfModuloPcgs, R 440
 NumeratorOfRationalFunction, R 669
 NumeratorRat, R 146
 Numerical Group Attributes, *R* 366

O

O, Operation mark-up, E 16
 $O_p(G)$, see PCore, R 359
 ObjByExtRep, P 29, R 656
 Objectify, P 20
 ObjectifyWithAttributes, P 20
 Objects, *R* 110
 objects, T 22
 objects, vs. elements, *T* 24
 vs. variables, *T* 22
 obsolete, R 846
 OCOneCocycles, R 379
 octal character codes, R 250
 OctaveAlgebra, R 616
 od, R 53
 OldGeneratorsOfPresentation, R 495
 Omega, R 363
 ONanScottType, R 415
 OnBreak, R 68
 OnBreakMessage, R 70
 One, N 17, R 290
 OneAttr, R 290
 OneCoboundaries, R 378
 OneCocycles, R 378
 one cohomology, R 377
 OneFactorBound, R 676
 OneImmutable, R 290
 OneIrreducibleSolvableGroup, R 527
 OneLibraryGroup, R 516
 OneMutable, R 290
 OneOfPcgs, R 435
 OneOp, R 290
 OnePrimitiveGroup, R 516

- OneSameMutability, R 290
- OneSM, R 290
- OneSmallGroup, R 518
- OneTransitiveGroup, R 516
- OnIndeterminates, R 674
 - as a permutation action, R 396
- OnLeftInverse, R 395
- OnLines, R 396
 - example, R 511
- OnPairs, R 395
- OnPoints, R 395
- OnRight, R 395
- OnSets, R 395
- OnSetsDisjointSets, R 396
- OnSetsSets, R 395
- OnSetsTuples, R 396
- OnSubspacesByCanonicalBasis, R 397
- OnTuples, R 395
- OnTuplesSets, R 396
- OnTuplesTuples, R 396
- Operation, R 846
- operation, P 11
- OperationAlgebraHomomorphism, R 628
- Operational Structure of Domains, R 284
- Operation Functions, E 48
- OperationHomomorphism, R 846
- operations, T 75
 - for booleans, R 170
- Operations and Attributes for Vector Spaces, R 597
- Operations and Mathematical Terms, P 14
- Operations and Methods, P 11
- Operations applicable to All Streams, R 98
- Operations Concerning Blocks, R 738
- Operations for (Near-)Additive Magmas, R 558
- Operations for Abelian Number Fields, R 590
- operations for algebraic elements, R 689
- Operations for Associative Words, R 332
- Operations for Associative Words by their Syllables, R 333
- Operations for Booleans, R 170
- Operations for Brauer Characters, R 796
- Operations for Class Functions, R 773
- Operations for Collections, R 272
- Operations for Cyclotomics, R 157
- Operations for Domains, R 289
- Operations for Finite Field Elements, R 583
- Operations for Finitely Presented Groups, R 463
- Operations for Group Homomorphisms, R 384
- Operations for Input Streams, R 99
- Operations for Lists, R 197
- Operations for Output Streams, R 101
- Operations for Pc Groups, R 455
- Operations for Rational Functions, R 668
- Operations for Special Kinds of Bases, R 602
- Operations for Stabilizer Chains, R 421
- Operations for Vector Space Bases, R 600
- Operations for Words, R 325
- Operations on elements of the algebra, R 343
- Operations on hom cosets, N 14
- Operations on rewriting systems, R 342
- Operations Records, T 82
- Operations to Evaluate Strings, R 256
- Operations to Produce or Manipulate Strings, R 253
- Operations vs. Dispatcher Functions, T 82
- Operations which have Special Methods for Groups
 - with PcgS, R 448
- operators, R 42, T 21
 - arithmetic, R 48
 - associativity, R 49
 - for cyclotomics, R 161
 - for lists, R 183
 - precedence, R 48
- Operators for Character Tables, R 731
- Operators for Matrices, R 222
- Operators for Row Vectors, R 213
- Optimization and Compiler Options, R 835
- options, R 827
 - command line, filenames, R 29
 - command line, internal, R 31
- options, under UNIX, R 27
- or, R 170
- Orbit, R 397, T 78
- OrbitFusions, R 806
- OrbitGenerators, N 16
- OrbitGeneratorsInv, N 17
- OrbitGeneratorsOfGroup, N 20
- OrbitishF0, E 49
- OrbitLength, R 398
- OrbitLengths, R 398
- OrbitLengthsDomain, R 398
- OrbitPerms, R 413
- OrbitPowerMaps, R 801
- Orbits, E 48
 - operation/attribute, R 398
- Orbits, R 397
- OrbitsDomain, R 398

OrbitsishOperation, E 48
 OrbitsPerms, R 413
 OrbitStabChain, R 422
 OrbitStabilizer, R 399
 OrbitStabilizerAlgorithm, R 399
 Orbit Stabilizer Methods for Polycyclic Groups,
 R 448
 Order, R 293, T 78
 of a class function, R 770
 order, of a group, R 347
 of a list, collection or domain, R 271
 of the prime residue group, R 138
 OrderedPartitions, R 153
 ordered partitions, *E 55*
 ordering, booleans, R 170
 of records, R 263
 OrderingByLessThanFunctionNC, R 278
 OrderingByLessThanOrEqualFunctionNC, R 278
 OrderingOfRewritingSystem, R 342
 OrderingOnGenerators, R 280
 OrderingsFamily, R 278
 Orderings on families of associative words, *R 280*
 OrderMod, R 139
 OrderOfRewritingSystem, R 342
 OrdersClassRepresentatives, R 734
 OrdersTom, R 706
 Ordinal, R 256
 ordinary character, R 773
 OrdinaryCharacterTable, R 733
 OrthogonalComponents, R 786
 Orthogonal Embeddings, *R 246*
 OrthogonalEmbeddings, R 246
 OrthogonalEmbeddingsSpecialDimension, R 782
 OSX, R 837
 Other Filters, *R 125*
 Other Operations Applicable to any Object, *R 115*
 Other Operations for Character Tables, *R 742*
 Other Operations for Tables of Marks, *R 710*
 output, suppressing, R 64
 OutputLogTo, R 95
 for streams, R 102
 stop logging output, R 95
 OutputTextFile, R 103
 OutputTextNone, R 106
 OutputTextString, R 104
 OutputTextUser, R 104
 overload, P 14

P

P, Property mark-up, E 16
 p -group, R 365
 package, R 842
 Package Completion, *E 40*
 Package Interface - Obsolete Functions and Name
 Changes, *R 846*
 Packages, *R 831*
 PadicCoefficients, R 244
 PadicExtensionNumberFamily, R 692
 PadicNumber, R 692
 for pure padics, R 691
 PadicValuation, R 567
 Pager, R 25
 Parametrized, R 809
 Parametrized Maps, *R 807*
 parametrized maps, R 798
 Parent, R 288
 ParentPcgs, R 438
 Parents, *R 288*
 Parents and Subgroups, *T 83*
 PartialFactorization, R 133
 Partial Methods, *P 13*
 partial order, R 313
 PartialOrderByOrderingFunction, R 314
 PartialOrderOfHasseDiagram, R 313
 Partitions, R 153
 partitions, improper, of an integer, R 154
 ordered, of an integer, R 154
 restricted, of an integer, R 154
 PartitionsGreatestEQ, R 154
 PartitionsGreatestLE, R 154
 PartitionsSet, R 152
 PartitionTuples, R 155
 PcElementByExponents, R 436
 PcElementByExponentsNC, R 436
 PCentralLieAlgebra, R 648
 PCentralNormalSeriesByPcgsPGroup, R 443
 PCentralSeries, R 369
 PcGroupCode, R 459
 PcGroupCodeRec, R 459
 PcGroupFpGroup, R 452
 Pc groups versus fp groups, *R 452*
 PcGroupWithPcgs, R 454
 Pcgs, R 434
 Pcgs.OrbitStabilizer, R 448
 Pcgs and Normal Series, *R 442*
 PcgsByPcSequence, R 434

- PcgsByPcSequenceNC, R 434
- PcgsCentralSeries, R 442
- PcgsChiefSeries, R 443
- PcgsElementaryAbelianSeries, R 442
- PcgsPCentralSeriesPGroup, R 443
- PClassPGroup, R 366
- PCore, R 359
- PcSeries, R 435
- PerfectGroup, R 520
- perfect groups, R 520
- PerfectIdentification, R 521
- PerfectResiduum, R 361
- Perform, R 199
- Permanent, R 156
- Permanent of a Matrix, *R 156*
- PermBounds, R 795
- PermCharInfo, R 790
- PermCharInfoRelative, R 791
- PermChars, R 792
- PermCharsTom, R 719
- PermComb, R 795
- PermGroupOps.ElementProperty, T 78
- PermLeftQuoTransformation, R 554
- PermList, R 412
- PermListList, R 199
- Permutation, R 403
- PermutationCharacter, R 773
- permutation character, R 818
- permutation characters, possible, R 792
- PermutationCycle, R 403
- PermutationCycleOp, R 403
- Permutation groups, *T 44*
- PermutationMat, R 226
- PermutationsFamily, R 409
- Permutations Induced by Elements and Cycles,
R 403
- PermutationsList, R 151
- PermutationTom, R 705
- Permuted, R 201
 - as a permutation action, R 397
 - for class functions, R 770
- PGL, R 513
- PGU, R 513
- Phi, R 138
- Plain Lists, *T 27*
- Plain Records, *T 38*
- point stabilizer, R 399
- Polycyclic Generating Systems, *R 433*
- PolynomialByExtRep, R 687
- PolynomialByExtRepNC, R 687
- PolynomialCoefficientsOfPolynomial, R 672
- PolynomialDivisionAlgorithm, R 683
- Polynomial Factorization, *R 675*
- PolynomialModP, R 675
- PolynomialReducedRemainder, R 683
- PolynomialReduction, R 682
- PolynomialRing, R 678
- Polynomial Rings, *R 678*
- Polynomials, *T 85*
- Polynomials as Univariate Polynomials in one
Indeterminate, *R 672*
- polynomials over abelian number fields, factors,
R 590
- Polynomials over the Rationals, *R 675*
- PopOptions, R 88
- Portability, *R 90*
- Porting GAP, *R 836*
- Position, R 190, T 78
- Positional Objects, *P 22*
- PositionBound, R 192
- PositionCanonical, R 190
- PositionFirstComponent, R 192
- PositionNonZero, R 192
- PositionNot, R 192
- PositionNthOccurrence, R 190
- PositionProperty, R 192
- Positions, R 190
- PositionSet, R 191
- PositionsOp, R 190
- PositionSorted, R 191
- PositionStream, R 100
- PositionSublist, R 192
- Position vs. PositionCanonical, T 49
- PositionWord, R 332
- PositiveIntegers, R 126
- positive number, R 48
- PositiveRoots, R 644
- PositiveRootVectors, R 644
- PossibleClassFusions, R 805
- PossibleFusionsCharTableTom, R 718
- Possible Permutation Characters, *R 789*
- possible permutation characters, R 792
- PossiblePowerMaps, R 799
- power, R 48
 - matrix, R 223
 - meaning for class functions, R 769

- of words, R 332
- PowerMap, R 799
- PowerMapByComposition, R 801
- PowerMapOp, R 799
- Power Maps, *R 798*
- PowerMapsAllowedBySymmetrizations, R 816
- PowerMod, R 569
- PowerModCoeffs, R 219
- PowerModInt, R 131
- PowerPartition, R 155
- powerset, R 149
- PowerSubalgebraSeries, R 621
- PQuotient, R 474
- precedence, R 48
- precedence test, for permutations, R 410
- PreferredGenerators, N 17
- PrefrattiniSubgroup, R 361
 - for groups with pcgs, R 448
- PreImage, R 306
- PreImageElm, R 306
- PreImages, R 306
- PreImagesElm, R 305
- Preimages in the Free Group, *R 462*
- Preimages in the Free Semigroup, *R 548*
- PreimagesOfTransformation, R 553
- PreImagesRange, R 305
- PreImagesRepresentative, R 306
- PreImagesSet, R 306
- Preimages under Homomorphisms from an FpGroup, *R 473*
- Preimages under Mappings, *R 305*
- preorder, R 313
- PresentationFpGroup, R 479
- PresentationNormalClosure, R 484
- PresentationNormalClosureRrs, R 484
- PresentationSubgroup, R 482
- PresentationSubgroupMtc, R 483
- PresentationSubgroupRrs, R 482
- PresentationViaCosetTable, R 480
- previous result, R 64
- PrevPrimeInt, R 132
- PrimaryGeneratorWords, R 483
- primary subgroup generators, R 497
- PrimeBlocks, R 738
- PrimeBlocksOp, R 738
- PrimeField, R 577
- Prime Integers and Factorization, *R 131*
- PrimePGroup, R 366
- PrimePowersInt, R 134
- prime residue group, R 138
 - exponent, R 139
 - generator, R 140
 - order, R 138
- Prime Residues, *R 138*
- PrimeResidues, function, R 138
- Primes, R 131
- primitive, R 405
- PRIMITIVE_INDICES_MAGMA, R 526
- PrimitiveElement, R 577
- PrimitiveGroup, R 525
- Primitive Groups, *R 415*
- PrimitiveGroupsIterator, R 525
- PrimitiveIdentification, R 526
- PrimitiveIndexIrreducibleSolvableGroup, R 527
- Primitive Permutation Groups, *R 524*
- PrimitivePolynomial, R 675
- PrimitiveRoot, R 585
- PrimitiveRootMod, R 140
- primitive root modulo an integer, R 140
- Primitive Roots and Discrete Logarithms, *R 139*
- Primitivity of Characters, *R 821*
- Print, R 66, T 78
- PrintAmbiguity, R 812
- PrintArray, R 227
- PrintCharacterTable, R 747
- PrintFactorsInt, R 134
- PrintFormattingStatus, R 102
- PrintHashWithNames, N 10
- Printing, Viewing and Displaying Finite Field Elements, *R 587*
- Printing Character Tables, *R 744*
- Printing Class Functions, *R 770*
- Printing Presentations, *R 485*
- Printing Tables of Marks, *R 703*
- PrintObj, R 67
 - for character tables, R 744
 - for tables of marks, R 703
- PrintTo, R 95, T 78
 - for streams, R 101
- ProbabilityShapes, R 676
- problems, R 833
- Problems on Particular Systems, *R 835*
- procedure call, R 50
- Procedure Calls, *R 50*
- procedure call with arguments, R 50

- Process, R 108
- Process, *R 108*
- PROD_GF2MAT_GF2MAT_ADVANCED, R 237
- PROD_GF2MAT_GF2MAT_SIMPLE, R 237
- Producing a Manual, *E 26*
- Product, R 203
- product, of words, R 332
 - rational functions, R 668
- ProductCoeffs, R 219
- ProductOfStraightLinePrograms, R 340
- ProductSpace, R 621
- ProductX, R 206
- ProfileFunctions, R 83
- ProfileGlobalFunctions, R 83
- ProfileMethods, R 82
- ProfileOperations, R 82
- ProfileOperationsAndMethods, R 82
- PROFILETHRESHOLD, R 83
- Profiling, *R 82*
- ProjectedInducedPcgs, R 441
- ProjectedPcElement, R 441
- Projection, N 18, R 303
 - example for direct products, R 502
 - example for semidirect products, R 504
 - example for subdirect products, R 505
 - example for wreath products, R 505
 - for group products, R 507
- ProjectionMap, R 808
- projections, find all, R 391
- ProjectiveActionHomomorphismMatrixGroup, R 428
- ProjectiveActionOnFullSpace, R 428
- ProjectiveGeneralLinearGroup, R 513
- ProjectiveGeneralUnitaryGroup, R 513
- ProjectiveOrder, R 236
- ProjectiveSpecialLinearGroup, R 513
- ProjectiveSpecialUnitaryGroup, R 513
- ProjectiveSymplecticGroup, R 513
- prompt, R 64
 - partial, R 64
- Properties, *R 124*
- Properties and Attributes for Lists, *R 193*
- Properties and Attributes of (General) Mappings, *R 303*
- Properties and Attributes of Binary Relations, *R 312*
- Properties and Attributes of Matrices, *R 224*
- Properties and Attributes of Rational Functions, *R 669*
- Properties and basic functionality, *R 279*
- Properties and Filters, *T 73*
- Properties of a Lie Algebra, *R 642*
- Properties of rewriting systems, *R 344*
- Properties of Rings, *R 564*
- Properties of Tables of Marks, *R 709*
- PRump, R 362
- PseudoRandom, R 275
- PSL, R 513
- PSP, R 513
- PSP, R 513
- PSU, R 513
- PthPowerImage, R 648
- PthPowerImages, R 648
- Pure p-adic Numbers, *R 691*
- PurePadicNumberFamily, R 691
- PushOptions, R 88
- Q**
- Quadratic, R 164
- quadratic residue, R 141
- QuaternionAlgebra, R 616
- QUIET, R 847
- QUIT, emergency quit, R 73
- quit, in emergency, R 73
- quit, R 68, T 18
- QUITTING, R 73
- QuoInt, R 129
- Quotient, R 560
- quotient, for finitely presented groups, R 461
 - matrices, R 223
 - matrix and matrix list, R 224
 - matrix and scalar, R 223
 - of free monoid, R 549
 - of free semigroup, R 547
 - of words, R 332
 - rational functions, R 668
 - scalar and matrix, R 223
 - scalar and matrix list, R 224
 - vector and matrix, R 223
- QuotientFromSCTable, R 615
- QuotientGroup, N 18
- QuotientGroupByChainHomomorphicImage, N 21
- QuotientGroupByHomomorphism, N 14
- QuotientGroupByImages, N 14
- QuotientGroupByImagesNC, N 14
- QuotientGroupHom, N 14
- Quotient Methods, *R 474*

QuotientMod, R 569
 QuotientPolynomialsExtRep, R 688
 QuotientRemainder, R 568
 Quotients, *R 539*
 Quotients and Remainders, *R 129*
 QuotientSemigroupCongruence, R 539
 QuotientSemigroupHomomorphism, R 539
 QuotientSemigroupPreimage, R 539
 QuotRemLaurpols, R 677
R
 R, Representation mark-up, E 16
 r_N , R 162
 RadicalGroup, R 361
 RadicalOfAlgebra, R 624
 Random, R 136
 [coll], R 274
 for integers, R 129
 for rationals, R 146
 RandomBinaryRelationOnPoints, R 314
 random element, of a list or collection, R 274
 Random Elements, *R 274*
 RandomHashKey, N 10
 RandomInvertableMat, T 79
 RandomInvertibleMat, R 228
 RandomIsomorphismTest, R 459
 Random Isomorphism Testing, *R 459*
 Randomized Methods for Permutation Groups,
 R 417
 RandomList, R 275
 RandomMat, R 228
 Random Matrices, *R 228*
 RandomPrimitivePolynomial, R 587
 RandomSchreierSims, N 20
 random seed, R 275
 RandomSource, R 137
 Random Sources, *R 136*
 RandomTransformation, R 552
 RandomUnimodularMat, R 228
 Range, N 15, R 304
 range, R 206
 Ranges, *R 206, T 32*
 RankAction, R 404
 RankFilter, R 117
 RankMat, R 228
 RankOfTransformation, R 553
 RankPGroup, R 366
 Rat, R 146

 for strings, R 256
 RationalClass, R 358
 RationalClasses, R 359
 RationalFunctionByExtRep, R 687
 RationalFunctionByExtRepNC, R 687
 RationalFunctionByExtRepWithCancellation,
 R 688
 Rational Function Families, *R 684*
 RationalFunctionsFamily, R 684
 RationalizedMat, R 165
 Rationals, R 145
 RClassOfHClass, R 540
 Read, R 94, T 19
 for streams, R 99
 read.g, for a GAP package, E 38
 ReadAll, R 100
 ReadAllLine, R 106
 ReadAsFunction, R 94
 for streams, R 99
 ReadByte, R 99
 read eval print loop, R 64
 read evaluate print loop, *T 19*
 reading source code from a file, T 19
 ReadLine, R 99
 README, for a GAP package, E 36
 ReadPackage, R 843
 ReadPkg, R 846
 ReadTest, R 84
 for streams, R 99
 RealClasses, R 736
 RealizableBrauerCharacters, R 796
 RecFields, T 79
 RecNames, R 259
 Recognizing Characters, *R 252*
 record, component access, R 260
 component assignment, R 260
 component variable, R 260
 component variable assignment, R 261
 Record Access Operations, *R 264*
 Record Assignment, *R 260*
 record assignment, operation, R 264
 record boundness test, operation, R 264
 record component, operation, R 264
 record unbind, operation, R 264
 Recovery from NoMethodFound-Errors, *R 77*
 Recursion, *T 42*
 recursion, R 55
 Redispatching, *P 13*

- RedispatchOnCondition, P 13
- redisplay a help section, R 23
- redisplay with next help viewer, R 23
- ReduceCoeffs, R 219
- ReduceCoeffsMod, R 219
- ReducedAdditiveInverse, R 343
- ReducedCharacters, R 780
- ReducedClassFunctions, R 779
- ReducedComm, R 343
- ReducedConfluentRewritingSystem, R 550
- ReducedConjugate, R 343
- ReducedDifference, R 343
- ReducedForm, R 342
- ReducedGroebnerBasis, R 684
- ReducedInverse, R 343
- ReducedLeftQuotient, R 343
- ReducedOne, R 343
- ReducedPcElement, R 436
- ReducedPower, R 343
- ReducedProduct, R 343
- ReducedQuotient, R 343
- ReducedScalarProduct, R 343
- ReducedSum, R 343
- ReducedZero, R 343
- ReduceRules, R 343
- ReduceStabChain, R 423
- Reducing Virtual Characters, *R 779*
- Ree, R 510
- ReeGroup, R 510
- ReesCongruenceOfSemigroupIdeal, R 538
- ReesMatrixSemigroup, R 541
- ReesMatrixSemigroupElement, R 542
- Rees Matrix Semigroups, *R 541*
- ReesZeroMatrixSemigroup, R 541
- ReesZeroMatrixSemigroupElement, R 542
- ReesZeroMatrixSemigroupElementIsZero, R 542
- reference to a label, E 15
- RefinedPcGroup, R 454
- ReflectionMat, R 227
- ReflexiveClosureBinaryRelation, R 314
- reflexive relation, R 312
- regular, R 404
- regular action, R 401
- RegularActionHomomorphism, R 402
- RegularModule, R 750
- relations, R 301
- Relations Between Domains, *R 295*
- RelationsOfFpSemigroup, R 548
- RelativeBasis, R 600
- RelativeBasisNC, R 600
- relatively prime, R 48
- RelativeOrderOfPcElement, R 436
- RelativeOrders, of a pcgs, R 435
- Relators in a Presentation, *R 485*
- RelatorsOfFpGroup, R 462
- remainder, operation, R 294
- remainder of a quotient, R 129
- RemInt, R 129
- Remove, R 177
- remove, an element from a set, R 196
- RemoveFile, R 96
- RemoveOuterCoeffs, R 217
- RemoveRelator, R 487
- RemoveSet, R 196
- RemoveStabChain, R 423
- Repeat, *R 52*
- repeat loop, R 52
- ReplacedString, R 254
- Representation, *R 120*
- representation, as a sum of two squares, R 144
- Representations for Associative Words, *R 334*
- Representations for Group Homomorphisms, *R 393*
- Representations given by modules, *R 750*
- Representations of Algebras, *R 629*
- RepresentationsOfObject, R 121
- Representative, R 271
- representative, of a list or collection, R 272
- RepresentativeAction, R 400
- RepresentativeLinearOperation, R 629
- RepresentativeOperation, R 846
- RepresentativesContainedRightCosets, R 356
- RepresentativesFusions, R 806
- RepresentativeSmallest, R 272
- RepresentativesMinimalBlocks, R 405
- RepresentativesPerfectSubgroups, R 374
- RepresentativesPowerMaps, R 801
- RepresentativesSimpleSubgroups, R 374
- RepresentativeTom, R 717
- RepresentativeTomByGenerators, R 717
- RepresentativeTomByGeneratorsNC, R 717
- Requesting one GAP Package from within Another, *E 37*
- RequirePackage, R 846
- Reread, R 96
- REREADING, R 96
- RereadPackage, R 843

- RereadPkg, R 846
 - Reset, R 136
 - ResetFilterObj, P 18
 - ResetOptionsStack, R 88
 - residue, quadratic, R 141
 - Residue Class Rings, *R 134*
 - RespectsAddition, R 309
 - RespectsAdditiveInverses, R 309
 - RespectsInverses, R 308
 - RespectsMultiplication, R 308
 - RespectsOne, R 308
 - RespectsScalarMultiplication, R 309
 - RespectsZero, R 309
 - RestoreStateRandom, R 274
 - Restricted and Induced Class Functions, *R 777*
 - RestrictedClassFunction, R 778
 - RestrictedClassFunctions, R 778
 - Restricted Lie algebras, *R 647*
 - RestrictedMapping, R 303
 - RestrictedPartitions, R 154
 - RestrictedPerm, R 412
 - RestrictedPermNC, R 412
 - RestrictedTransformation, R 553
 - RestrictOutputsOfSLP, R 339
 - Resultant, R 673
 - ResultOfStraightLineProgram, R 337
 - Return, *R 58*
 - return, R 68
 - no value, R 58
 - with value, R 58
 - ReturnFail, R 63
 - ReturnFalse, R 63
 - return from break loop, R 68
 - ReturnTrue, R 63
 - Reversed, R 199
 - RewindStream, R 101
 - RewriteWord, R 468
 - Rewriting in Groups and Monoids, *R 344*
 - Rewriting Systems and the Knuth-Bendix Procedure, *R 550*
 - RightActingAlgebra, R 632
 - RightActingRingOfIdeal, R 563
 - RightAlgebraModule, R 630
 - RightAlgebraModuleByGenerators, R 630
 - RightCoset, R 354
 - RightCosets, R 355
 - right cosets, R 354
 - RightCosetsNC, R 355
 - RightDerivations, R 639
 - RightIdeal, R 561
 - RightIdealByGenerators, R 562
 - RightIdealNC, R 562
 - RightModuleByHomomorphismToMatAlg, R 633
 - RightShiftRowVector, R 217
 - RightTransversal, R 355
 - right transversal, T 48
 - Ring, R 559
 - RingByGenerators, R 560
 - Ring Homomorphisms, *R 310*
 - Rings With One, *R 563*
 - RingWithOne, R 563
 - RingWithOneByGenerators, R 564
 - RNameObj, R 264
 - root, of 1 modulo an integer, R 142
 - of an integer, R 128
 - of an integer, smallest, R 128
 - of an integer modulo another, R 141
 - RootInt, R 128
 - RootMod, R 141
 - RootOfDefiningPolynomial, R 577
 - RootsMod, R 141
 - Roots Modulo Integers, *R 140*
 - roots of unity, R 157
 - RootsOfUPol, R 672
 - RootsUnityMod, R 142
 - RootSystem, R 644
 - RoundCyc, R 159
 - Row and Matrix Spaces, *R 604*
 - RowIndexOfReesMatrixSemigroupElement, R 542
 - RowIndexOfReesZeroMatrixSemigroupElement, R 542
 - row spaces, R 604
 - Row Vectors over Finite Fields, *R 215*
 - Rules, R 342
 - Running GAP under MacOS, *R 31*
 - Runtime, R 82
 - Runtimes, R 81
- S**
- s_N , R 162
 - SameBlock, R 739
 - SandwichMatrixOfReesMatrixSemigroup, R 542
 - SandwichMatrixOfReesZeroMatrixSemigroup, R 542
 - save, R 37
 - SaveOnExitFile, R 73

- SaveWorkspace, R 37
- Saving and Loading a Workspace, *R 37*
- Saving a Pc Group, *R 455*
- saving on exit, R 73
- ScalarProduct, for characters, R 774
- Schreier, R 482
- Schreier-Sims, random, R 417
- SchreierTransversal, N 16
- SchreierTreeDepth, N 17
- SchurCover, R 380
- Schur Covers and Multipliers, *R 380*
- Schur multiplier, R 380
- scope, R 43
- ScriptFromString, R 714
- Searching for Homomorphisms, *R 391*
- SecHMSM, R 258
- secondary subgroup generators, R 497
- SecondsDMYhms, R 258
- SeekPositionStream, R 101
- Selecting a Different MeatAxe, *R 695*
- Selection Functions, *R 515*
- SemidirectProduct, R 503
- Semidirect Products, *R 503*
- SemiEchelonBasis, R 606
- SemiEchelonBasisNC, R 606
- SemiEchelonMat, R 230
- SemiEchelonMatDestructive, R 231
- SemiEchelonMats, R 231
- SemiEchelonMatsDestructive, R 231
- SemiEchelonMatTransformation, R 231
- Semigroup, R 536
- semigroup, R 536
- SemigroupByGenerators, R 536
- SemigroupByMultiplicationTable, R 537
- SemigroupIdealByGenerators, R 538
- SemigroupOfRewritingSystem, R 551
- semiregular, R 404
- Semisimple Lie Algebras and Root Systems, *R 643*
- SemiSimpleType, R 643
- sequence, Bernoulli, R 148
 - Fibonacci, R 155
 - Lucas, R 156
- Series of Ideals, *R 641*
- Set, R 268
- SetAssertionLevel, R 81
- SetCommutator, R 453
- SetConjugate, R 453
- SetCrystGroupDefaultAction, R 432
- set difference, of collections, R 273
- SetElmWPObj, E 52
- SetEntrySCTable, R 614
- SetFilterObj, P 18
- SetGasmanMessageStatus, R 87
- SetHashEntry, N 12
- SetHashEntryAtLastIndex, N 12
- SetHelpViewer, R 24
- SetIndeterminateName, R 667
- SetInfoLevel, R 80
- SetName, R 115
- Set Operations via Boolean Lists, *R 210*
- SetParent, R 288
- SetPower, R 453
- SetPrintFormattingStatus, R 102
- SetRecursionTrapInterval, R 86
- SetReducedMultiplication, R 462
- Sets, *R 111, T 31*
- sets, R 195
- Sets of Subgroups, *R 371*
- set stabilizer, R 399
- Setter, R 122
- setter, R 122
 - of an attribute, T 72
- Setter and Tester for Attributes, *R 122*
- SetX, R 206
- ShallowCopy, R 114, T 80
 - for lists, R 180
- ShiftedCoeffs, R 219
- ShiftedPadicNumber, R 691
- Shifting and Trimming Coefficient Lists, *R 217*
- ShortestVectors, R 246
- ShortLexOrdering, R 281
- short vectors spanning a lattice, R 244
- ShowArgument, R 77
- ShowArguments, R 77
- ShowDetails, R 77
- ShowImpliedFilters, R 118
- ShowMethods, R 78
- ShowOtherMethods, R 78
- ShrinkCoeffs, R 220
- ShrinkRowVector, R 217
- Sift, for chains of subgroups, N 19
- SiftedPcElement, R 436
- SiftedPermutation, R 422
- SiftedVector, R 607
- SiftOneLevel, for chains of subgroups, N 19
 - for subgroup transversals, N 16

- Sigma, R 142
- sign, of an integer, R 127
- Sign and Cycle Structure, *R 411*
- SignInt, R 127
- SignPartition, R 154
- SignPerm, R 411
- SimpleLieAlgebra, R 639
- SimpleSystem, R 644
- SimplifiedFpGroup, R 481
- SimplifiedFpGroup, *R 481*
- SimplifyPresentation, R 488
- SimsNo, R 526
- SimultaneousEigenvalues, R 237
- SingleCollector, R 453
- singlequote character, R 250
- singlequotes, R 248
- SINT_CHAR, R 255
- Size, R 271
 - for character tables, R 733
 - for groups with pcgs, R 448
- size, of a list or collection, R 271
- SizeBlist, R 210
- SizeConsiderFunction, R 376
- SizeNumbersPerfectGroups, R 521
- SizeOfChainOfGroup, N 20
- SizeOfFieldOfDefinition, R 796
- SizesCentralizers, R 734
- SizesConjugacyClasses, R 734
- SizeScreen, R 76
- SizeScreen, *R 76*
- SizesPerfectGroups, R 520
- SizeStabChain, R 421
- SL, R 511
- smaller, associative words, R 331
 - elements of finitely presented groups, R 462
 - nonassociative words, R 325
 - pcwords, R 451
 - rational functions, R 669
- SmallerDegreePermutationRepresentation, R 414
- smaller or equal, R 47
- smaller test, R 47
- SmallestGeneratorPerm, R 410
- SmallestMovedPoint, R 410
- SmallestRootInt, R 128
- SmallGeneratingSet, R 377
- SmallGroup, R 518
- Small Groups, *R 517*
- SmallGroupsInformation, R 518
- Smash MeatAxe Flags, *R 699*
- smith normal form, R 847
- SmithNormalFormIntegerMat, R 241
- SmithNormalFormIntegerMatTransforms, R 241
- SMTX.AbsoluteIrreducibilityTest, R 698
- SMTX.AlgEl, R 699
- SMTX.AlgElCharPol, R 699
- SMTX.AlgElCharPolFac, R 699
- SMTX.AlgElMat, R 699
- SMTX.AlgElNullspaceDimension, R 699
- SMTX.AlgElNullspaceVec, R 699
- SMTX.CentMat, R 699
- SMTX.CentMatMinPoly, R 699
- SMTX.CompleteBasis, R 698
- SMTX.Getter, R 698
- SMTX.GoodElementGModule, R 698
- SMTX.IrreducibilityTest, R 698
- SMTX.MatrixSum, R 698
- SMTX.MinimalSubGModule, R 698
- SMTX.MinimalSubGModules, R 698
- SMTX.RandomIrreducibleSubGModule, R 698
- SMTX.Setter, R 698
- SMTX.SortHomGModule, R 698
- SMTX.Subbasis, R 699
- S0, R 512
- Socle, R 362
- SocleTypePrimitiveGroup, R 415
- SolutionIntMat, R 239
- SolutionMat, R 229
- SolutionMatDestructive, R 229
- SolutionNullspaceIntMat, R 239
- Some Remarks about Character Theory in GAP, *R 722*
- Some Special Algebras, *R 616*
- Something, T 70
- Sort, R 194
- SortedCharacters, R 758
- SortedCharacterTable, R 758
- Sorted Character Tables, *R 757*
- SortedList, R 268
- sorted list, R 193
- Sorted Lists and Sets, *R 195*
- sorted lists as collections, R 266
- SortedSparseActionHomomorphism, R 401
- SortedTom, R 704
- Sortex, R 194
- Sorting Lists, *R 194*

- SortingPerm, R 195
- Sorting Tables of Marks, *R 704*
- SortParallel, R 194
- Source, N 15, R 304
- SourceElt, N 14
- SourceOfIsoclinicTable, R 756
- SP, R 512
- Sp, R 512
- space, R 41
- SparseActionHomomorphism, R 401
- SparseCartanMatrix, R 645
- SparseHashTable, N 11
- Sparse hash tables, *N 11*
- SparseIntKey, N 11
- Special Characters, *R 250*
- special character sequences, R 250
- Special Filenames, *R 93*
- Special Generating Sets, *R 377*
- SpecialLinearGroup, R 511
- Special Multiplication Algorithms for Matrices over $\text{GF}(2)$, *R 237*
- SpecialOrthogonalGroup, R 512
- Special Pcgs, *R 445*
- SpecialPcgs, attribute, R 445
- Special Rules for Input Lines, *R 65*
- SpecialUnitaryGroup, R 512
- Specific and Parametrized Subgroups, *R 360*
- Specific Methods for Subgroup Lattice Computations, *R 374*
- SplitCharacters, R 752
- SplitExtension, R 457
- SplitExtensions, R 458
- SplitString, R 253
- SplittingField, R 671
- Sqrt, R 294
- square root, of an integer, R 128
- SquareRoots, R 322
- SSortedList, R 268
- StabChain, R 419
- StabChainBaseStrongGenerators, R 420
- StabChainImmutable, R 419
- StabChainMutable, R 419
- StabChainOp, R 419
- StabChainOptions, R 420
- Stabiliser chain subgroups, *N 20*
- Stabilizer, R 399
- Stabilizer Chain Records, *R 420*
- Stabilizer Chains, *R 416*
- Stabilizer Chains for Automorphisms Acting on Enumerators, *E 61*
- StabilizerOfExternalSet, R 407
- StabilizerPcgs, R 448
- Stabilizers, *R 399*
- Standalone Programs in a GAP Package, *E 38*
- StandardAssociate, R 566
- StandardGeneratorsFunctions, R 714
- StandardGeneratorsInfo, for groups, R 713
for tables of marks, R 718
- StandardGeneratorsOfGroup, R 715
- Standard Generators of Groups, *R 713*
- Standardization of coset tables, *R 467*
- StandardizeTable, R 467
- StarCyc, R 164
- Starting and Leaving GAP, *T 18*
- starting GAP, *T 18*
- State, R 136
- Statements, *R 49*
- StateRandom, R 274
- Stirling1, R 148
- Stirling2, R 149
- Stirling number of the first kind, R 148
- Stirling number of the second kind, R 149
- StoredGroebnerBasis, R 684
- StoreFusion, R 804
- Storing Normal Subgroup Information, *R 762*
- StraightLineProgElm, R 340
- StraightLineProgGens, R 341
- StraightLineProgram, R 336
- Straight Line Program Elements, *R 340*
- StraightLineProgramNC, R 336
- Straight Line Programs, *R 336*
- StraightLineProgramsTom, R 716
- StratMeetPartition, *E 59*
- StreamsFamily, R 98
- StretchImportantSLPElement, R 341
- strictly sorted list, R 193
- String, R 253
for cyclotomics, R 159
- StringDate, R 257
- StringOfResultOfStraightLineProgram, R 338
- StringPP, R 253
- strings, *T 29*
equality of, R 252
inequality of, R 252
lexicographic ordering of, R 252
- String Streams, *R 104*

- StringTime, R 258
- StrongGeneratorsStabChain, R 421
- StrongGens, N 20
- StronglyConnectedComponents, R 314
- Struct, R 285
- StructByGenerators, R 286
- StructuralCopy, R 114, T 80
 - for lists, R 180
- structure constant, R 744
- StructureConstantsTable, R 602
- StructureDescription, R 352
- Structure Descriptions, *R 352*
- StructWithGenerators, R 286
- SU, R 512
- Subalgebra, R 617
- SubAlgebraModule, R 633
- SubalgebraNC, R 617
- Subalgebras, *R 617*
- SubalgebraWithOne, R 617
- SubalgebraWithOneNC, R 618
- SubdirectProduct, R 505
- Subdirect Products, *R 505*
- SubdirectProducts, R 505
- Subdomains, *T 71*
- subdomains, R 289
- Subfield, R 577
- SubfieldNC, R 577
- Subfields, R 577
- Subfields of Fields, *R 577*
- Subgroup, R 349
- SubgroupByPcgs, R 439
- SubgroupByProperty, R 350
- subgroup fusions, R 802
- subgroup generators tree, R 497
- Subgroup Lattice, *R 372*
- SubgroupNC, R 349
- SubgroupOfWholeGroupByCosetTable, R 468
- SubgroupOfWholeGroupByQuotientSubgroup, R 473
- Subgroup Presentations, *R 482*
- SubgroupProperty, R 424
- Subgroups, Subgroups, as Stabilizers, *T 50*
- Subgroups, *R 349*
- subgroups, polyhedral, R 743
- Subgroups characterized by prime powers, *R 363*
- Subgroup Series, *R 367*
- SubgroupShell, R 350
- Subgroups of Polycyclic Groups - Canonical Pcgs, *R 439*
- Subgroups of Polycyclic Groups - Induced Pcgs, *R 438*
- SubgroupsSolvableGroup, R 375
- sublist, R 174
 - access, R 174
 - assignment, R 176
 - operation, R 175
- sublist assignment, operation, R 177
- Submagma, R 318
- SubmagmaNC, R 318
- SubmagmaWithInverses, R 318
- SubmagmaWithInversesNC, R 318
- SubmagmaWithOne, R 318
- SubmagmaWithOneNC, R 318
- Submodule, R 572
- SubmoduleNC, R 572
- Submodules, *R 572*
- Submonoid, R 543
- SubmonoidNC, R 543
- SubnearAdditiveGroup, R 557
- SubnearAdditiveGroupNC, R 557
- SubnearAdditiveMagma, R 557
- SubnearAdditiveMagmaNC, R 557
- SubnearAdditiveMagmaWithZero, R 557
- SubnearAdditiveMagmaWithZeroNC, R 557
- SubnormalSeries, R 367
- Subring, R 560
- SubringNC, R 560
- SubringWithOne, R 564
- SubringWithOneNC, R 564
- Subroutines for the Construction of Class Fusions, *R 817*
- Subroutines for the Construction of Power Maps, *R 815*
- subsection mark-up, E 16
- Subsemigroup, R 536
- SubsemigroupNC, R 536
- subsets, R 149
- subset test, for collections, R 272
- Subsomething, T 71
- SubsomethingNC, T 71
- Subspace, R 596
- SubspaceNC, R 596
- Subspaces, R 598
- SubstitutedWord, R 333
- SubsTom, R 706

- Substruct**, R 289
- SubstructNC**, R 289
- SubSyllables**, R 334
- subtract, a set from another, R 197
- SubtractBlist**, R 211
- subtraction, R 48
 - matrices, R 222
 - matrix and scalar, R 222
 - rational functions, R 668
 - scalar and matrix, R 222
 - scalar and matrix list, R 224
 - scalar and vector, R 214
 - vector and scalar, R 214
 - vectors, R 214
- SubtractSet**, R 197
- Subword**, R 332
- Successors**, R 313
- Suitability for Compilation, *R 36*
- Sum**, R 204
- Sum and Intersection of Pcgs, *R 444*
- SumFactorizationFunctionPcgs**, R 444
- SumIntersectionMat**, R 232
- SumX**, R 206
- SupersolvableResiduum**, R 362
- support, email address, R 834, T 16
- SupportedCharacterTableInfo**, R 726
- Suppressing Indexing and Labelling of a Section and Resolving Label Clashes, *E 15*
- SurjectiveActionHomomorphismAttr**, R 408
- SuzukiGroup**, R 510
- SylowComplement**, R 362
- SylowSubgroup**, R 362
- Sylow Subgroups and Hall Subgroups, *R 362*
- SylowSystem**, R 363
- Symbols, *R 40*
- Symmetric and Alternating Groups, *R 414*
- SymmetricClosureBinaryRelation**, R 314
- SymmetricGroup**, R 510
- symmetric group, powermap, R 155
- SymmetricParentGroup**, R 415
- SymmetricParts**, R 786
- SymmetricPowerOfAlgebraModule**, R 658
- symmetric relation, R 313
- Symmetrizations**, R 785
- symmetrizations, orthogonal, R 787
 - symplectic, R 787
- Symmetrizations of Class Functions, *R 785*
- SymplecticComponents**, R 787
- SymplecticGroup**, R 512
- syntax errors, R 64
- system getter, R 121
- system setter, R 121
- Sz**, R 510
- T**
 - t_N , R 162
 - TableAutomorphisms**, R 760
 - table automorphisms, R 806
 - TableHasIntKeyFun**, N 11
 - table of chapters for help books, R 23
 - TableOfMarks**, R 701
 - TableOfMarksByLattice**, R 702
 - TableOfMarksComponents**, R 705
 - TableOfMarksCyclic**, R 720
 - TableOfMarksDihedral**, R 720
 - TableOfMarksFamily**, R 705
 - TableOfMarksFrobenius**, R 720
 - Table of Marks Objects in GAP, *R 701*
 - table of sections for help books, R 23
 - tables, E 23, R 722
 - Tables, Displayed Mathematics and Mathematics Alignments, *E 23*
 - tabulator, R 41
 - Tau**, R 142
 - Technical Details about Tables of Marks, *R 705*
 - Technical Details about the Implementation of Magma Rings, *R 664*
 - Technical Matters Concerning General Mappings, *R 310*
 - TemporaryGlobalVarName**, R 46
 - Tensored**, R 777
 - TensorProductGModule**, R 694
 - TensorProductOfAlgebraModules**, R 657
 - Tensor Products and Exterior and Symmetric Powers, *R 657*
 - test, for a primitive root, R 140
 - for a rational, R 145
 - for records, R 259
 - for set equality, R 196
 - TestConsistencyMaps**, R 811
 - Tester**, R 122
 - tester, R 122
 - of an attribute, T 72
 - Test Files, *R 84*
 - Test for the Existence of GAP Package Binaries, *E 39*

- TestHomogeneous, R 821
- TestInducedFromNormalSubgroup, R 823
- Testing Finiteness of Finitely Presented Groups, R 477
- Testing for the System Architecture, R 35
- Testing Monomiality, R 823
- Testing the Examples, E 24
- TestJacobi, R 614
- TestMonomial, R 823
- TestMonomialQuick, R 824
- TestMonomialUseLattice, R 824
- Test of the installation, R 830
- TestPackageAvailability, R 844
- TestPerm1, R 793
- TestPerm2, R 793
- TestPerm3, R 793
- TestPerm4, R 793
- TestPerm5, R 793
- TestQuasiPrimitive, R 822
- TestRelativelySM, R 825
- Tests for Actions, R 404
- Tests for the Availability of Methods, R 381
- TestSubnormallyMonomial, R 825
- TeX Macros, E 16
- TeX Macros for Domains, E 20
- The .gaprc file, R 33
- The Adjoint Representation, R 649
- The Compiler, R 35
- The Defining Attributes of Rational Functions, R 686
- The Dixon-Schneider Algorithm, R 751
- The Documentation, R 832
- The External Representation for Associative Words, R 336
- The family pcgs, R 451
- The Files of a GAP Package, E 35
- The GAP System, T 10
- The GASMAN Interface for Weak Pointer Objects, E 53
- The General Backtrack Algorithm with Ordered Partitions, E 55
- The Help Book Handler, E 43
- The Info Mechanism, T 85
- The Interface between Character Tables and Groups, R 728
- The Interface between Tables of Marks and Character Tables, R 718
- The Library of Tables of Marks, R 721
- The Main File, E 11
- The manual.six File, E 43
- then, R 51
- The Natural Action, R 413
- The PackageInfo.g File, E 37
- The Pager Command, R 25
- The Permutation Image of an Action, R 400
- The Representations of Rational Functions, R 685
- The Smash MeatAxe, R 698
- The Syntax in BNF, R 59
- The WWW Homepage of a Package, E 37
- ThreeGroup library, R 518
- Tietze Options, R 500
- Tietze Transformations, R 487
- Tietze Transformations that introduce new Generators, R 492
- TietzeWordAbstractWord, R 485
- time, R 82
- Timing, R 81
- Todd-Coxeter Procedure, R 551
- Trace, R 225
 - for field elements, R 579
 - of a matrix, R 225
- TracedCosetFpGroup, R 465
- TraceImmediateMethods, R 79
- TraceMat, R 225
- TraceMethods, R 79, T 75
- TracePolynomial, R 578
- Tracing generator images through Tietze transformations, R 495
- Tracing Methods, R 79
- TransferDiagram, R 811
- Transformation, R 552
- TransformationData, R 552
- TransformationFamily, R 552
- TransformationNC, R 552
- TransformationRelation, R 554
- TransformationType, R 552
- TransformingPermutations, R 761
- TransformingPermutationsCharacterTables, R 761
- transitive, R 404
- TransitiveClosureBinaryRelation, R 314
- TransitiveGroup, R 516
- TransitiveIdentification, R 516
- Transitive Permutation Groups, R 516
- transitive relation, R 313
- Transitivity, for characters, R 776

- for class functions, R 776
 - for group actions, R 404
 - TranslatorSubalgebra, R 636
 - transporter, R 400
 - TransposedMat, R 226
 - TransposedMatAttr, R 226
 - TransposedMatDestructive, R 227
 - TransposedMatImmutable, R 226
 - TransposedMatMutable, R 226
 - TransposedMatOp, R 226
 - TransposedMatrixGroup, R 427
 - Transversal, N 19
 - TransversalBySiftFunction, N 18
 - TransversalByTrivial, N 18
 - TransversalElt, N 16
 - TransversalOfChainSubgroup, N 20
 - Transversals, R 355
 - Transversals by direct products, N 18
 - Transversals by homomorphic images, N 17
 - Transversals by Schreier tree, N 16
 - Transversals by sift functions, N 18
 - Transversals by Trivial subgroups, N 18
 - Triangular Matrices, R 233
 - TriangulizedIntegerMat, R 240
 - TriangulizedIntegerMatTransform, R 240
 - TriangulizedNullspaceMat, R 228
 - TriangulizedNullspaceMatDestructive, R 228
 - TriangulizeIntegerMat, R 240
 - TriangulizeMat, R 228
 - Trivial chain subgroups and sift function chain subgroups, N 21
 - TrivialCharacter, R 772
 - TrivialGroup, R 508
 - TrivialIterator, R 277
 - TrivialSubalgebra, R 618
 - TrivialSubgroup, R 360
 - TrivialSubmagmaWithOne, R 322
 - TrivialSubmodule, R 572
 - TrivialSubmonoid, R 543
 - TrivialSubnearAdditiveMagmaWithZero, R 557
 - TrivialSubspace, R 597
 - TryCosetTableInWholeGroup, R 468
 - TryGcdCancelExtRepPolynomials, R 688
 - TryNextMethod, P 13, T 74
 - Tuples, R 151
 - tuple stabilizer, R 399
 - TwoClosure, R 424
 - TwoCoboundaries, R 456
 - TwoCocycles, R 456
 - TwoCohomology, R 456
 - TwoGroup library, R 518
 - TwoSidedIdeal, R 561
 - TwoSidedIdealByGenerators, R 562
 - TwoSidedIdealNC, R 562
 - TwoSquares, R 144
 - type, boolean, R 169
 - cyclotomic, R 157
 - records, R 259
 - strings, R 248
 - TypeObj, R 125
 - TypeOfDefaultGeneralMapping, R 311
 - Types, R 125
 - TzEliminate, R 490
 - TzFindCyclicJoins, R 491
 - TzGo, R 488
 - TzGoGo, R 489
 - TzImagesOldGens, R 496
 - TzInitGeneratorImages, R 495
 - TzNewGenerator, R 487
 - TzOptions, R 500
 - TzPreImagesNewGens, R 496
 - TzPrint, R 486
 - TzPrintGeneratorImages, R 496
 - TzPrintGenerators, R 485
 - TzPrintLengths, R 486
 - TzPrintOptions, R 501
 - TzPrintPairs, R 486
 - TzPrintPresentation, R 486
 - TzPrintRelators, R 485
 - TzPrintStatus, R 486
 - TzSearch, R 490
 - TzSearchEqual, R 491
 - TzSort, R 479
 - TzSubstitute, R 492
 - TzSubstituteCyclicJoins, R 495
- U**
- u_N , R 162
 - UglyVector, R 610
 - Umlauts, E 26
 - Unbind, R 44
 - for lists, R 178
 - UnbindElmWPObj, E 52
 - UnbindGlobal, R 45
 - UnderlyingCharacteristic, R 735
 - UnderlyingCharacterTable, R 766

- UnderlyingElement, fp group elements, R 463
 - fp semigroup elements, R 549
 - UnderlyingElementOfReesMatrixSemigroup-Element, R 542
 - UnderlyingElementOfReesZeroMatrixSemigroup-Element, R 542
 - UnderlyingExternalSet, R 408
 - UnderlyingFamily, R 638
 - UnderlyingGeneralMapping, R 304
 - UnderlyingGroup, for character tables, R 728
 - for tables of marks, R 707
 - UnderlyingLeftModule, R 600
 - UnderlyingLieAlgebra, R 644
 - UnderlyingMagma, R 661
 - UnderlyingRelation, R 304
 - Undocumented Variables, *E 33*
 - UnInstallCharReadHookFunc, R 107
 - Union, R 273
 - union, of collections, R 273
 - of sets, R 196
 - Union2, R 273
 - UnionBlist, R 210
 - Unique, R 198
 - UniteBlist, R 211
 - UniteBlistList, R 211
 - UniteSet, R 196
 - Units, R 565
 - Units and Factorizations, *R 565*
 - UnivariatenessTestRationalFunction, R 672
 - UnivariatePolynomial, R 671
 - UnivariatePolynomialByCoefficients, R 671
 - UnivariatePolynomialRing, R 680
 - Univariate Polynomial Rings, *R 680*
 - Univariate Polynomials, *R 671*
 - UnivariateRationalFunctionByCoefficients, R 677
 - Univariate Rational Functions, *R 677*
 - UniversalEnvelopingAlgebra, R 650
 - Universal Enveloping Algebras, *R 650*
 - UNIX, features, R 27
 - options, R 27
 - UNIXSelect, R 98
 - Unknown, R 167
 - UnloadSmallGroupsData, R 519
 - UnorderedTuples, R 150
 - Unpacking, *R 828*
 - UnprofileFunctions, R 83
 - UnprofileMethods, R 83
 - until, R 52
 - UntraceMethods, R 79
 - UpdateMap, R 809
 - UpEnv, R 71
 - UpperCentralSeriesOfGroup, R 369
 - UpperSubdiagonal, R 233
 - Usage of the Percent Symbol, *E 24*
 - UseBasis, R 574
 - UseFactorRelation, R 295
 - Useful Categories for all Elements of a Family, *R 299*
 - Useful Categories of Elements, *R 297*
 - UseIsomorphismRelation, R 295
 - User Streams, *R 104*
 - UseSubsetRelation, R 295
 - Using buildman.pe, *E 27*
 - utilities for editing GAP files, R 75
- V**
- V, (global) Variable mark-up, *E 16*
 - v_N , R 162
 - Valuation, R 691
 - Value, R 674
 - ValueCochain, R 653
 - ValueGlobal, R 45
 - ValueMolienSeries, R 789
 - ValueOption, R 89
 - ValuePol, R 219
 - ValuesOfClassFunction, R 766
 - Variable Access in a Break Loop, *R 71*
 - Variables, *R 43*
 - variables, T 22
 - vectors, row, T 36
 - Vectors and Matrices, *T 36*
 - Vectors as coefficients of polynomials, *R 218*
 - VectorSpace, R 596
 - VectorSpaceByPcgsOfElementaryAbelianGroup, R 447
 - Vector Space Homomorphisms, *R 607*
 - Vector Spaces, *T 59*
 - Vector Spaces Handled By Nice Bases, *R 609*
 - verbatim environments, *E 22*
 - Version Numbers, *E 40*
 - vi, R 75
 - View, R 66
 - View and Print, *R 66*
 - ViewObj, R 67
 - for character tables, R 744
 - for class functions, R 770

- for tables of marks, R 703
- vim, R 75
- VirtualCharacter, R 771
- virtual character, R 773
- virtual characters, R 764
- W**
- w_N , R 162
- WeakPointerObj, E 51
- WeakPointerObj, *E 51*
- Weak Pointer Objects, *E 51*
- web sites, for GAP, T 16
- WedgeGModule , R 694
- WeekDay, R 257
- WeightLexOrdering, R 281
- WeightOfGenerators, R 282
- WeightsTom, R 709
- WeightVecFFE, R 218
- WeylGroup, R 646
- WeylOrbitIterator, R 647
- Where, R 70, T 86
- While, *R 52*
- while loop, R 52
- whitespace, T 19
- Whitespaces, *R 41*
- Why Class Functions?, *R 764*
- Why Proceed in a Different Way?, *P 45*
- WordAlp, R 253
- words, in generators, R 351
- Working with large degree permutation groups, *R 425*
- Wrapping Up a GAP Package, *E 41*
- WreathProduct, R 505
- wreath product embedding, R 506
- WreathProductImprimitiveAction, R 506
- WreathProductOrdering, R 283

- WreathProductProductAction, R 506
- Wreath Products, *R 505*
- WriteAll, R 101
- WriteByte, R 101
- WriteLine, R 101
- Writing Documentation, *E 36*
- Writing Functions, *T 40*

X

- x, T 79
- x_N , R 162

Y

- y_N , R 162

Z

- Z, R 581
- ZClassRepsQClass, R 431
- Zero, R 291
- ZeroAttr, R 291
- ZeroCoefficient, R 662
- ZeroCoefficientRatFun, R 686
- ZeroImmutable, R 291
- ZeroMapping, R 303
- ZeroMutable, R 291
- ZeroOp, R 291
- ZeroSameMutability, R 291
- ZeroSM, R 291
- ZippedProduct, R 688
- ZippedSum, R 688
- ZmodnZ, R 135
- ZmodnZObj, R 135
- ZmodpZ, R 135
- ZmodpZNC, R 135
- zoo, E 41
- ZumbroichBase, R 592
- Zuppos, R 374